



Soil Sampling and Testing for the Home Landscape or Vegetable Garden¹

Amy L. Shober, and Rao S. Mylavarapu²

Introduction

Plants require 14 mineral nutrients for proper growth and reproduction. For the most part, soil can supply sufficient amounts of these nutrients. However, in some cases, soils may not have enough of one or more essential nutrients to sustain plant growth. Soil testing is the most effective way to determine the nutrient status and pH of the soil in a home landscape or vegetable garden. Soil test results are useful to determine whether fertilizer or lime applications are needed. This publication provides information about taking a soil sample and how to understand the soil test report.

Taking a Soil Sample

In order to obtain reliable results from a soil test, the soil sample must be taken correctly. The soil sample should accurately represent the area that will be planted and managed. The items needed to take a soil sample include a plastic bucket, a shovel (or soil probe), and a paper bag or newspaper. Follow these steps to properly collect a soil sample:

1. Identify the area to be sampled. Turf areas, vegetable gardens and ornamental beds should all be sampled separately. Also, any problem areas (such as depressions, rocky areas, etc.) should be sampled separately to avoid contaminating samples from good areas.
2. Using a shovel (or soil probe), remove soil from 10 to 15 locations within the sampling area. Soil should be removed from the top 6 inches. Walk in a zigzag pattern, stopping occasionally to remove soil for the sample.
3. After taking each sub-sample, remove any plant material or mulch and deposit the soil into the plastic bucket. Mix the soil in the bucket to ensure it is well blended.
4. Spread the soil out on a newspaper or paper grocery bag and allow it to dry thoroughly.
5. Once dry, pack approximately 1 pint of soil (fill to the dotted line) into a soil sample bag (available free from your county Extension office). Alternatively, you may pack soil into a zip-top plastic bag.

1. This document is SL 281, one of a series of the Soil and Water Science Department, Florida Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida. Original publication date March 2009. Visit the EDIS Web Site at <http://edis.ifas.ufl.edu>.

2. Amy L. Shober, assistant professor, Center for Landscape Conservation and Ecology, Department of Soil and Water Science; Rao S. Mylavarapu, associate professor, Department of Soil and Water Science; Florida Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida, Gainesville, FL 32611.

Submitting a Soil Sample for Testing

Soil samples should be analyzed at the University of Florida/IFAS Extension Soil Testing Laboratory (ESTL; <http://soilslab.ifas.ufl.edu>) or other reputable laboratory. The ESTL uses soil test methods that were developed specifically for Florida soils. The lab determines soil pH, lime requirement (“Adams-Evans” buffer test), and an index of available soil nutrients (the “Mehlich 1” soil test). These test methods have been calibrated across Florida and other Southeastern states for many years to ensure that the results are valid under Florida conditions. Private laboratories may or may not use soil tests that are calibrated for our region; therefore, if you choose to have your sample analyzed by a private laboratory, it is important that you know which tests are offered. Additionally, UF/IFAS fertilizer recommendations are specific to the soil tests offered through the ESTL, which is important when interpreting the results. For this reason, UF/IFAS fertilizer recommendations may not be valid if other soil test methods were used, which may be the case with soil test results obtained from a private laboratory.

Soil samples being submitted to the ESTL should be accompanied by a completed *Landscape & Vegetable Garden Soil Test Information Form* (EDIS publication SL136 <http://edis.ifas.ufl.edu/SS187>) and the associated test fee should be paid by an enclosed check or money order. Cash may be used if soil samples are delivered to the ESTL in person. The ESTL offers two soil tests for the home landscape and vegetable garden. Test A (\$3) includes soil pH and lime requirement analyses; Test B (\$7) adds analysis of phosphorus (P), potassium (K), calcium (Ca), and magnesium (Mg). The ESTL does not test soils for nitrogen (N). A reliable N soil test does not exist because the chemical forms of N in the soil are constantly changing due to Florida's warm and humid climate. For more information about how N reacts in the soil, see EDIS publication SL254 *Nitrogen in the Home Landscape* (<http://edis.ifas.ufl.edu/SS479>). If using another soil testing lab, you should contact it first to obtain instructions on how to submit soil samples.

Soil Test Results

Once the soil analysis is complete, a soil test report will be mailed (usually within 7 days after the ESTL receives the sample). For a quicker response, provide an email address and report(s) will be sent immediately upon completion of analysis. A copy of the soil test report will also be sent to your local county Extension agent, who you should contact if you have questions or need assistance interpreting the results. Figures 1-3 show an example of a soil test report from the ESTL.

The report includes information about the pH and nutrient availability index (as applicable) for each soil sample. In addition, the soil test report includes lime and fertilizer recommendations for selected lawn and landscape plants (Table 1). Fertilizer rate recommendations for N were determined by scientific research on plant response to N, whereas recommendations for P, K, Ca, and Mg are determined based on the index of nutrient availability (e.g. “low,” “medium,” “high,” etc.) measured in the soil sample. The lime recommendation is based on the results of the pH and lime requirement test and the optimum pH for the turf or landscape plant species. *Be sure to read the soil test report carefully and thoroughly (including all footnotes). Also, avoid comparing reports from ESTL with those from private laboratories. Private labs may use different analytical procedures, which may or may not be calibrated to conditions in Florida.* Remember, your county Cooperative Extension office can answer questions related to soil test results (<http://solutionsforyourlife.ufl.edu/map/>).

Table 1. The ESTL provides lime and fertilizer recommendations for seven turfgrass species and nine categories of landscape plants.

Turfgrass	Ornamentals/Vegetables
Bahiagrass	Azaleas
Bermudagrass	Blueberries
Carpetgrass	Camellias
Centipedegrass	Dooryard citrus
Ryegrass	Gardenia
St. Augustinegrass	Hibiscus
Zoysiagrass	Ixora
	Woody ornamentals or trees (general)
	Vegetables



UF/IFAS Analytical Services Laboratories

Extension Soil Testing Laboratory

Wallace Building 631 PO Box 110740 Gainesville, FL 32611-0740

Email: soilslab@mail.ifas.ufl.edu Web: soilslab.ifas.ufl.edu Phone #: 352-392-1950

Landscape & Vegetable Garden Test

For further information contact:

County Cooperative Extension

Offices Statewide

TO: Albert Gator
 100 Gator Way
 Gainesville, FL 32611
 Phone: (352) 392-xxxx

Client Identification: Gator

Set Number: 0001

Lab Number: 0001

Crop: Woody orn / trees in the landscape

Report Date: Jan-09


These interpretations and recommendations are based upon soil test results and research/experience with the specified crop under Florida's growing conditions. We do not test soil for N as there is no meaningful soil test for predicting N availability. Thus, the N recommendation was developed from research that measured response of the indicated crop to applied N fertilizer. If you expect significant nutrient release from organic sources such as crop residues or organic amendments, estimate the amount mineralized and subtract that amount from the fertilizer recommendations given below to arrive at crop needs.

SOIL TEST RESULTS AND THEIR INTERPRETATIONS

Target pH: 6.0
 pH (1:2 Sample:Water) 5.4
 A-E Buffer Value: 7.95

MEHLICH-1 EXTRACTABLE

PHOSPHORUS	(ppm P)	1
POTASSIUM	(ppm K)	3
MAGNESIUM	(ppm Mg)	0
CALCIUM	(ppm Ca)	44





UF/IFAS Analytical Services Laboratories

Extension Soil Testing Laboratory

Wallace Building 631 PO Box 110740 Gainesville, FL 32611-0740
Email: soilslab@mail.ifas.ufl.edu Web: soilslab.ifas.ufl.edu Phone #:352-392-1950

Landscape & Vegetable Garden Test

For further information contact:
County Cooperative Extension
Offices Statewide

TO: Albert Gator
100 Gator Way
Gainesville, FL 32611
Tel: 352-392-XXXX

LIME AND FERTILIZER RECOMMENDATIONS

Crop:	Woody orn/trees in the landscape		
Lime:	4.3	lbs per 1000 sq. ft (1 Ton = 2000 Lbs)	(Dolomitic Lime Recommended)
Nitrogen:	2.30	lbs per 1000 sq. ft.	
Phosphorus: (P Q) ₅	0.70	lbs per 1000 sq. ft.	
Potassium: (K Q)	1.40	lbs per 1000 sq. ft.	
Magnesium: (Mg)	35	lbs per acre	

Footnotes are printed wherever applicable. These footnotes are an integral part of fertilization recommendations.
Please read them carefully.

See Footnote(s): 650 653 654 802



UF/IFAS Analytical Services Laboratories

Extension Soil Testing Laboratory

Wallace Building 631 PO Box 110740 Gainesville, FL 32611-0740
Email: soilslab@mail.ifas.ufl.edu Web: soilslab.ifas.ufl.edu Phone #:352-392-1950

Foot Notes

1/9/2009

Note #	Description
650	Indicated fertilizer amounts, coupled with nutrients already in the soil, will satisfy the crop-nutrient requirement for this growing season. Fertilizer and water management are linked. Maximum fertilizer efficiency is achieved only with close attention to water management. Supply only enough irrigation water to satisfy plant requirements and minimize leaching conditions.
653	Established trees (more than three to five years since transplanting) do not need routine fertilization. For recently-planted trees, broadcast fertilizer within a diameter of 1.5 times the dripline diameter.
654	Broadcast P ₂ O ₅ either in one application or as half the recommended amount in each of two applications during the growing season. To minimize leaching losses, broadcast N and K ₂ O in small increments throughout the growing season. Schedule one application every 12 weeks (three times per growing season), adding 33% of the recommended amount of N and K ₂ O at each application. To insure equal coverage when fertilizer rates are small, blend all compatible fertilizers.
802	Recommendations are based on the Adams-Evans lime requirement test which is run on all mineral soils. When the recommended amount of lime is incorporated in the surface 6 inches of soil, soil pH should adjust to a level above which additional liming benefit is not expected. Excessive applications of lime can result in nutritional disorders.

This data report has been issued on the authority of Dr. Rao Mylavarapu, Laboratory Director, and Mr. Pete Straub, QA Officer, in support of Florida Cooperative Extension Services.