

Constipation Myths¹

Wendy J. Dahl²

What causes constipation?

Constipation is a common health concern for the older adult and may contribute to a lack of appetite, as well as more serious health problems. Constipation may result from a number of health conditions and diseases, and is a side effect of many drugs. Lack of exercise also contributes to constipation. Low fiber intake is the most common cause of constipation.

There are many myths about constipation. The following questions and answers address some of those myths.

Q: Does drinking lots of water prevent constipation?



A: Fluid intake alone will not prevent constipation. However, dehydration may contribute to constipation (1).



Q: Does eating cheese cause constipation?



A: A group of retirement home residents were given a 10-fold increase in cheese. No changes in signs of constipation were found (2).

In practice, constipation is often defined by stool frequency of fewer than three times per week. Symptoms include straining, prolonged passage of stool, pain, and incomplete emptying (3).

Q: Does aging cause constipation?

A: Age alone does not cause constipation. Elderly people are at increased risk of constipation due to lower fiber intake, medication use, immobility, and disease (4).

1. This document is FSHN10-07, one of a series from the Department of Food Science and Human Nutrition, Florida Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida. Published July 2010. Visit the EDIS website at <http://edis.ifas.ufl.edu>.
2. Wendy J. Dahl, PhD, assistant professor, Food Science and Human Nutrition Department; Institute of Food and Agricultural Sciences; University of Florida; Gainesville 32611.

The Institute of Food and Agricultural Sciences (IFAS) is an Equal Opportunity Institution authorized to provide research, educational information and other services only to individuals and institutions that function with non-discrimination with respect to race, creed, color, religion, age, disability, sex, sexual orientation, marital status, national origin, political opinions or affiliations. U.S. Department of Agriculture, Cooperative Extension Service, University of Florida, IFAS, Florida A&M University Cooperative Extension Program, and Boards of County Commissioners Cooperating. Millie Ferrer-Chancy, Interim Dean.

References

- 1) Chung B, Parekh U, Sellin J. 1999. Effect of increased fluid intake on stool output in normal healthy volunteers. *J Clin Gastroenterol.* 28(1):29–32.
- 2) Mykkänen H, Karhunen L, Korpela R, Salminen S. 1994. Effect of cheese on intestinal transit time and other indicators of bowel function in residents of a retirement home. *Scand J Gastroenterol.* 29(1): 29–32.
- 3) The Merck Manuals Online Medical Library. 2007. *Constipation in Adults*. Retrieved May 2010 from <<http://www.merck.com/mmpe/sec02/ch008/ch008b.html>>.
- 4) Gallagher P, O'Mahony D. 2009. Constipation in old age. *Best Pract Res Clin Gastroenterol.* 23(6):875–87.