

- Kade N, Gueye-Ndiaye A, Duverney, C, Moraes G. J. 2011. Phytoseiid mites (Acari: Phytoseiidae) from Senegal. *Acarologia* 51: 133-138.
- Lee HS, Gillespie DR. 2011. Life tables and development of *Amblyseius swirskii* (Acari: Phytoseiidae) at different temperatures. *Experimental and Applied Acarology* 53: 17-27.
- Messelink GJ, Van Steenpaal EF, Ramakers PMJ. 2006. Evaluation of phytoseiid predators for control of western flower thrips on greenhouse cucumber. *BioControl* 51: 753-768.
- Nomikou M, Janssen A, Schraag R, Sabelis MW. 2001. Phytoseiid predators as potential biological control agents for *Bemisia tabaci*. *Experimental and Applied Acarology* 25: 271-291.
- Onzo A, Houedokoho AF, Hanna R. 2012. Potential of the predatory mite, *Amblyseius swirskii* to suppress the broad mite, *Polyphagotarsonemus latus* on the gboma eggplant, *Solanum macrocarpon*. *Journal of Insect Science*. 12: 7. Available online: insectscience.org/12.7
- Opit GP, Nechols JR, Margolies DC, Williams KA. 2005. Survival, horizontal distribution, and economics of releasing predatory mites (Acari: Phytoseiidae) using mechanical blowers. *Biological Control* 33: 344-351.
- Park HH, Shipp L, Buitenhuis R. 2010. Predation, development and oviposition by the predatory mite *Amblyseius swirskii* (Acari: Phytoseiidae) on tomato russet mite (Acari: Eriophyidae). *Journal of Economic Entomology* 103: 563-569.
- Park HH, Shipp L, Buitenhuis R, Ahn JJ. 2011. Life history parameters of a commercially available *Amblyseius swirskii* (Acari: Phytoseiidae) fed on cattail (*Typha latifolia*) pollen and tomato russet mite (*Aculops lycopersici*). *Journal of Asia-Pacific Entomology* 14: 497-501.
- Ragusa S, Swirski E. 1975. Feeding habits development and oviposition of the predaceous mite *Amblyseius swirskii* Acarina Phytoseiidae on pollen of various weeds. *Israel Journal of Entomology*. 15: 55-62.
- Sato Y, Mochizuki A. 2011. Risk assessment of non-target effects caused by releasing two exotic phytoseiid mites in Japan: can an indigenous phytoseiid mite become IG prey? *Experimental and Applied Acarology* 54: 319-329.
- Stansly PA, Castillo JA. 2010. Control of broadmites, spidermites, and whiteflies using predaceous mites in open-field pepper and eggplant. *Proceedings of the Florida State Horticultural Society* 122: 253-257.
- Wimmer D, Hoffman D, Schausberger P. 2008. Prey suitability of western flower thrips, *Frankliniella occidentalis*, and onion thrips, *Thrips tabaci*, for the predatory mite *Amblyseius swirskii*. *Biocontrol Science and Technology* 18: 533-542.
- Xia C, Zhang Y, Ji J, Lin J. 2011. Experimental life table for population of *Amblyseius swirskii* (Athias-Henriot) fed on *Tetranychus truncatus*(Ehara). *Fujian Journal of Agricultural Sciences* 3: 018
- Xiao YF, Avery P, Chen JJ, McKenzie C, Osborne L. 2012. Ornamental pepper as banker plants for establishment of *Amblyseius swirskii* (Acari: Phytoseiidae) for biological control of multiple pests in greenhouse vegetable production. *Biological Control* 63: 279-286.