**FPS-209** 



# Fatshedera lizei Fatshedera, Bush Ivy<sup>1</sup>

Edward F. Gilman<sup>2</sup>

## Introduction

Bush Ivy is a rapidly-growing, semi-climbing, evergreen shrub or vine which will reach 8 to 10 feet in height (Fig. 1). It needs some training as it grows to shape it to the desired form. The large, shiny, 3 to 5-lobed leaves are 4 to 8 inches in width and 5 to 10 inches in length, creating a striking specimen for entranceways or other prominent locations. Bush Ivy, a hybrid *of Fatsia japonica*, *Fatsia*, *and Hedera helix*, English Ivy, was discovered in France and retains the outstanding features of both parents: large, lobed leaves and a vining growth habit.

# **General Information**

Scientific name: Fatshedera lizei

**Pronunciation:** fats-HED-dur-uh LYE-zee-eye

**Common name(s):** Fatshedera, Bush Ivy

Family: Araliaceae

Plant type: vine

**USDA hardiness zones:** 8 through 11 (Fig. 2)




Figure 1. Fatshedera.

Planting month for zone 8: year round

Planting month for zone 9: year round

Planting month for zone 10 and 11: year round

Origin: not native to North America

The Institute of Food and Agricultural Sciences (IFAS) is an Equal Opportunity Institution authorized to provide research, educational information and other services only to individuals and institutions that function with non-discrimination with respect to race, creed, color, religion, age, disability, sex, sexual orientation, marital status, national origin, political opinions or affiliations. U.S. Department of Agriculture, Cooperative Extension Service, University of Florida, IFAS, Florida A. & M. University Cooperative Extension Program, and Boards of County Commissioners Cooperating. Larry Arrington, Dean

<sup>1.</sup> This document is FPS-209, one of a series of the Environmental Horticulture Department, Florida Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida. Original publication date October 1, 1999. Reviewed May 1, 2007. Visit the EDIS Web Site at <a href="http://edis.ifas.ufl.edu">http://edis.ifas.ufl.edu</a>.

Edward F. Gilman, professor, Environmental Horticulture Department, Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florid, Gainesville, 32611



Figure 2. Shaded area represents potential planting range.

Uses: espalier

Availablity: somewhat available, may have to go out

of the region to find the plant

# **Description**

**Height:** depends upon supporting structure

**Spread:** 8 to 12 feet

**Plant habit:** spreading

Plant density: moderate

Growth rate: moderate

Texture: coarse

**Foliage** 

Leaf arrangement: alternate

Leaf type: simple

Leaf margin: lobed

Leaf shape: star-shaped

**Leaf venation:** palmate

Leaf type and persistence: evergreen

**Leaf blade length:** 4 to 8 inches

Leaf color: green

Fall color: no fall color change

Fall characteristic: not showy

**Flower** 

Flower color: white

Flower characteristic: summer flowering

Fruit

Fruit shape: unknown

Fruit length: unknown

Fruit cover: unknown

Fruit color: unknown

Fruit characteristic: inconspicuous and not showy

#### **Trunk and Branches**

**Trunk/bark/branches:** not particularly showy; typically multi-trunked or clumping stems

Current year stem/twig color: green




Figure 3. Foliage of Fatshedera

Current year stem/twig thickness: very thick

#### Culture

**Light requirement:** plant grows in the shade

Soil tolerances: acidic; slightly alkaline; sand; loam;

clay;

**Drought tolerance:** moderate

**Soil salt tolerances:** poor

**Plant spacing:** 36 to 60 inches

### Other

Roots: usually not a problem

Winter interest: no special winter interest

Outstanding plant: not particularly outstanding

**Invasive potential:** not known to be invasive

**Pest resistance:** long-term health usually not affected by pests

# **Use and Management**

Often grown in containers, Bush Ivy can be successfully used as an espalier if given support. It does nicely trained on a trellis or can be tied to a post or other vertical support. Untrained plants against a wall often send shoots out away from the wall creating a weeping mess that pulls the plant away from the wall. For this reason it is not advisable to plant this if you do not plan on providing the occasional required pruning. New growth should be occasionally pinched to promote branching since stems rarely branch on their own.

Bush Ivy can be grown in full sun in cool coastal regions in the northern part of its range but should otherwise be placed in partial or deep shade and protected from hot, drying winds. It will tolerate a wide range of soils and should be regularlywatered. The cultivar 'Variegata' has white-bordered leaves. Propagation is by cuttings. Aphids and scale.

#### **Pest and Diseases**

No diseases are of major concern.