FPS-240



Hedychium coronarium Butterfly Ginger¹

Edward F. Gilman²

Introduction

The Butterfly Ginger is one of the nicest gingers for the home landscape because its fragrance is so enjoyable (Fig. 1). Pure white, showy flowers emerge from one large bud some time in late spring through summer at the tip of each unbranched stem. Each flower lasts about one day. Several hundred flowers can appear from each bud during a 6-week period. Each stem grows to about 5-feet-tall. These herbaceous perennials spread by underground rhizomes, often forming dense clumps of multiple stems. Large, simple leaves are borne on either side of the thick green stems. Unfortunately, individual flowers do not last after they are cut from the plant.

General Information

Scientific name: Hedychium coronarium

Pronunciation: hee-DICK-ee-um

kor-oh-NAIR-ee-um

Common name(s): Butterfly Ginger

Family: Zinziberaceae

Plant type: herbaceous



Figure 1. Butterfly Ginger.

USDA hardiness zones: 8B through 11 (Fig. 2)

Planting month for zone 8: year round

Planting month for zone 9: year round

The Institute of Food and Agricultural Sciences (IFAS) is an Equal Opportunity Institution authorized to provide research, educational information and other services only to individuals and institutions that function with non-discrimination with respect to race, creed, color, religion, age, disability, sex, sexual orientation, marital status, national origin, political opinions or affiliations. U.S. Department of Agriculture, Cooperative Extension Service, University of Florida, IFAS, Florida A. & M. University Cooperative Extension Program, and Boards of County Commissioners Cooperating. Larry Arrington, Dean

This document is FPS-240, one of a series of the Environmental Horticulture Department, Florida Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida. Original publication date October, 1999. Revised May, 2007. Visit the EDIS Web Site at http://edis.ifas.ufl.edu.

Edward F. Gilman, professor, Environmental Horticulture Department, Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida, Gainesville, 32611.

Planting month for zone 10 and 11: year round



Figure 2. Shaded area represents potential planting range.

Origin: not native to North America

Uses: border; mass planting; suitable for growing

indoors

Availablity: grown in small quantities by a small

number of nurseries

Description

Height: 4 to 5 feet

Spread: 4 to 6 feet

Plant habit: upright

Plant density: open

Growth rate: fast

Texture: coarse

Foliage

Leaf arrangement: alternate

Leaf type: simple

Leaf margin: undulate

Leaf shape: lanceolate; oblong

Leaf venation: pinnate

Leaf type and persistence: deciduous

Leaf blade length: 8 to 12 inches

Leaf color: green

Fall color: no fall color change

Fall characteristic: not showy

Flower

Flower color: white

Flower characteristic: pleasant fragrance; summer

flowering; fall flowering

Fruit

Fruit shape: unknown

Fruit length: unknown

Fruit cover: unknown

Fruit color: unknown

Fruit characteristic: inconspicuous and not showy

Trunk and Branches

Trunk/bark/branches: typically multi-trunked or

clumping stems

Current year stem/twig color: green

Current year stem/twig thickness: very thick

Culture

Light requirement: plant grows in part shade/part

sun

Soil tolerances: occasionally wet; acidic; slightly

alkaline; sand; loam; clay;

Drought tolerance: moderate

Soil salt tolerances: unknown

Plant spacing: 24 to 36 inches

Other

Roots: not applicable

Winter interest: no special winter interest

Outstanding plant: plant has outstanding ornamental

features and could be planted more

Invasive potential: aggressive, spreading plant

Pest resistance: long-term health usually not affected

by pests

Use and Management

Place Butterfly Ginger near a walk or window so the fragrance can be enjoyed. The foliage texture makes them nicely suited for creating an accent in a shrub border when it is not in flower.

Plants grown in full sun or partial shade flower best. Those in the shade often grow but few flower buds are produced. Rhizomes can be dug any time and divided for propagation.

Pests and Diseases

No pests or disease normally restrict use of this plant in Florida landscapes.