

infected with promastigotes of *Leishmania braziliensis* (see Christensen et al. 1969, and Lainson and Shaw 1972).

ACKNOWLEDGEMENTS

For help during part of the field work, I wish to thank the following persons: Dr. Thomas M. Yuill, Mr. Charles H. Porter, Mr. Norman E. Peterson of the University of Wisconsin, LTC Bruce F. Eldridge, Walter Reed Army Institute of Research, and Dr. G. B. Fairchild of the University of Florida who kindly offered support and suggestions whenever needed.

LITERATURE CITED

- Christensen, H. A., A. Herrer, and S. R. Telford, Jr. 1969. *Leishmania braziliensis* s. lat., isolated from *Lutzomyia panamensis* in Panama. J. Parasitol. 55:1090-1091.
- Lainson, R., and J. J. Shaw. 1972. Leishmaniasis of the New World: taxonomic problems. Brit. Med. Bull. 28:44-48.
- Root, F. M. 1934. Some American species of *Phlebotomus* with short terminal palpal segments. Amer. J. Hyg. 20:233-246.
- Theodor, O. 1965. On the classification of American Phlebotominae. J. Med. Entomol. 2:171-197.

The Florida Entomologist 56(2) 1973

STUDENT PAPERS AT ANNUAL MEETING

Graduate students: your participation in Florida Entomological Society meetings is desirable. To encourage your participation, cash prizes are awarded to 1st, 2nd, and 3rd best student papers. Competition is open to students from all recognized Florida colleges and universities. Papers are judged particularly on presentation, composition, and content. The 1973 meeting will be held in Miami Beach at the Deauville Hotel, September 12 to 14.