

## SUBJECT INDEX—VOLUME 87

- 16S rRNA gene—152, 473  
 Acrididae—119, 537  
*Ageniaspis citricola*—229  
 Agricultural ecosystems—403  
 Aleocharinae—237  
*Aleurocanthus woglumi*—186  
 Aleyrodidae—268, 283  
 Alysiinae—306  
 American Beetles, book—422  
*Amitus hesperidum*—186  
*Anagrus*—383  
*Anastrepha ludens*—492, 603  
*Anastrepha* spp.—41, 487, 492, 517, 597  
*Anastrepha suspensa*—361, 487  
*Anelosimus studiosus*—554  
 Ant—51  
*Anthrax*—37  
*Anthrenus*—37  
*Antrusa*, new species—306  
 Ants—30, 136, 212, 253, 324  
 Apalachicola National Forest—51  
 Aphelinidae—88, 283  
*Aphelinus* near *Paramali*—88  
 Aphididae—18, 105, 159, 612  
*Aphis craccivora*—204  
*Aphytis melinus*—6  
 Aquaculture—522  
 Aquatic grass—312  
 Aradidae—79  
*Aradus gracilicornis*—79  
 Araneida—554  
*Araptus fossifrons*—274  
 Argentina—511  
 Argentine ants—324  
*Argyrotaenia citrana*—235  
 Arkansas—473  
 Asian citrus phyllid—330, 401  
 Atlantic islands—212  
 Attractant bait—41  
 Auchenorrhyncha—82, 372  
*Bactrocera cucurbitae*—354, 481  
*Bactrocera dorsalis*—164, 481  
*Baliomydas gracilis*—380  
 Bamboo—396  
*Baptisia lanceolata*—398  
 Bark beetles—274  
*Beauveria bassiana*—533  
 Beet armyworm—427, 433  
 Behavior—294  
*Belonuchus agilis*—92  
*Bemisia* whiteflies—283  
*Bemisia tabaci*—403  
 Beneficial insects—6  
 Bermuda—212, 229  
 Bicarbonate of soda—324  
*Bidens* mottle mosaic—204  
 Bioassays, feeding—261  
 Bioassays, mortality, ants—324  
 Bioassays, oviposition—261  
 Biodiversity—212  
 Biological control—10, 124, 164, 186, 244, 283, 300, 312, 511  
 Black fly—169  
 Blissidae—312, 585  
 Blueberry maggot fly—124  
 Book review, biol. control—100  
 Book review, water beetles—250  
 Book reviews—417, 419, 421, 422, 423  
 Braconidae—124, 164, 306, 517, 597, 616  
 Brazil—517  
 Bromeliads—176  
 Brown citrus aphid—105  
 Butterflies—194  
 Cabbage looper moths—294  
*Cactophagus spinolae*—533  
 Cactus weevil—533  
 Calcium silicate—393  
 California Thysanoptera—317  
*Calpodes ethlius*—559  
*Campoletis*—461  
 Carbohydrate—487  
 Caribbean basin—401  
 Caribbean fruit fly—487  
 Cassava—268  
*Ceratitis capitata*—628  
*Ceratogramma etiennei*—222  
 Cercopidae—82  
*Chaetococcus bambusae*—396  
 Chalcidoidea—283  
*Chalybion californicum*—37  
*Chelonus*—461  
 Chironomidae—571  
*Cholula minuta*—173  
*Chorebus*, new species—306  
 Chromosomes—361  
 Cicadas—365  
 Cicadellidae—225, 372, 504, 511  
 Cicadidae—365  
 Cicadomorpha—365  
*Cicindela viridicollis*—551  
 Cicindelidae—551  
 Citrus—6, 10, 18, 25, 330, 609  
 Citrus blackfly—186  
 Citrus leafminer—10, 229  
*Citrus limon*—504  
 Citrus pest—235  
 Citrus root weevil—222  
 Cladistic analysis—576  
 Climate—119  
 Coffee berry borer—274  
 Coffee plantations—274  
 Coleoptera—25, 92, 237, 241, 391, 533, 551  
 Colombia—82, 268, 365  
 Color perception—372  
 Colpurini—566  
 Copper—25

- Coptotermes formosanus*—145  
 Coreidae—566  
 Corn—440, 461  
 Corporate/Sustaining members, FES—102, 252, 424, 640  
 Cotton—105, 427, 433  
 Cotton aphid—88  
 Creighton, John T.—94  
 Cresol, *m*, *p*—294  
 Cry1 genes—427  
 Cuba—551  
 Cucumbers—354  
 Cue-lure—481  
*Culex*—1  
 Culicidae—1, 199, 630  
 Curculionidae—25, 241  
*Curinus coeruleus*—6  
*Cycloneda sanguinea*—6  
*Cylas formicarius*—261  
 Cytochromes—576  
 Dacnusiini—306  
*Delphacodes sitarea*—383  
 Deltamethrin—60  
*Diachasma alloeum*—124  
*Diaphorina citri*—330, 401  
*Diaprepes abbreviatus*—25, 222, 391  
 Diapriidae—517  
 Dietary sucrose—487  
 Diets—25, 194  
 Diptera—1, 41, 124, 164, 169, 199, 354, 361, 380, 391, 481, 487, 492, 517, 571, 603, 630  
 Dispersal, adaptations—372  
 DNA sequence—152, 473  
 Dominican Republic—380  
*Dystus*—528  
 Ectoparasitoid—559  
 Ecuador—10, 268  
 Egg protection—30  
 Egg-pupal parasitoid—164  
 Egypt—571  
 El Niño—169  
*Elachertus scutellatus*—559  
*Encarsia opulenta*—186  
 Encyrtidae—229  
 Entomology education, UF—94  
 Entomopathogenic nematode—300  
*Eretmocerus rui*—283  
 Erratum—426  
 Eulophidae—222, 274, 559, 619  
*Eumicrota*—237  
*Eurytoma heriadi*—278  
*Eurytoma nodularis*—278  
 Eurytomidae—278  
 Exotic ants—212  
 Exotic pests, aircraft—65  
 Exotic pests, pathway—65  
 Faba bean—204  
 Fabaceae—204  
 Fabales—204, 398  
 Fall army worm—427, 433, 461  
 Faunistics—551  
 Feeding effects—312  
*Ficus*—528  
 Ficus—159  
 Figitidae—517, 597  
 Figs—528  
 Fire ants—85  
 Fires—79  
 Flat bug—79  
 Florida grasshoppers—537  
 Florida harvester ants—576  
 Florida Keys—199, 551  
*Fopius arisanus*—164, 616  
 Formicidae—51, 136, 212, 253, 324, 576  
 Formosan subterranean termite—145  
 Fruit flies—517  
 Fungal pathogens—225  
 Gene flow—576  
 Genetic distance—576  
 Genetic variation—145, 152, 473  
 Georgia—253  
 GF-120 bait spray—354  
 Ginger root oil—628  
 GIS application—522  
 Glassy-winged sharpshooter—225, 504, 511  
*Glycine max*—433  
 Golf Course pesticide—60  
*Gossypium hirsutum*—105  
 Gracillariidae—10  
 Grapefruit—41  
 Grasshoppers—537  
*Greenidea* in US—159  
*Greenidea* species—159  
 Greening disease—330  
 Ground-dwelling ants—253  
*Gryllotalpa africana*—130  
 Gryllotalpidae—130, 300, 582  
 Gut pH—324  
*Harmonia axyridis*—6  
 Hawaii—354  
 Hemiptera—82, 312, 365, 372, 383, 396, 504, 511, 585, 587, 591  
 Heteroptera—79, 112, 528, 566, 587, 593  
 Hispaniola—380  
*Homalodisca coagulata*—225, 372, 504, 511  
*Homalodisca delicata*—511  
*Homalodisca insolita*—372  
 Homoptera—105, 225, 268, 283, 403, 600  
 Host plant influence—504  
 Host plants—105  
 Huanglongbing—330  
 Human urine—41  
*Hylesia metabus*—30  
*Hymenachne amplexicaulis*—312  
 Hymenoptera—18, 37, 88, 124, 136, 164, 212, 222, 229, 253, 274, 278, 283, 306, 324, 383, 461, 504, 517, 559, 600, 616  
*Hypothenemus hampei*—274  
 IGR—450  
 Immigrant insects—551  
 Insect Diets, book—423  
 Insecticide—6, 433

- Insect-plant interaction—194  
 Intrepid—450  
 Invasive plants—312  
 Invasive species—145  
 IPM—300, 450, 492  
 Irian Jaya—566  
 Irradiation—391  
*Ischnodemus variegatus*—312, 585  
 Isoenzyme Analyses—1  
 Isoptera—145, 152, 473, 623  
 Jamaica—173  
 Karotype—361  
 Key, taxonomic—537, 571  
 Koinobiont—559  
 Lambda-cyhalothrin—112  
 Leafhoppers—372  
 Leafminer—229  
 Lepidoptera—10, 30, 194, 231, 235, 288, 294, 393,  
 408, 427, 433, 440, 450, 554, 621  
*Leptoglossus phyllopus*—204  
*Leptothorax*—51  
 Life history—119  
 Linalool—294  
*Linepithema humile*—212  
*Lipolexis oregmae*—18  
 Literature review, citrus greening—330  
 Louisiana—473  
 Lygaeoidea—173  
*Lysiphlebus testaceipes*—18  
 Macroevolutionar Theory, book—421  
*Macrosiagon*—37  
*Mahanarva bipars*—82  
*Manihot* species—268  
 Maurice W. Provost, tribute—412  
 Mealybug—396  
 Medical entomology—199  
 Mediterranean fruit fly—628  
*Melittobia australica*—37, 619  
 Melon fly—354, 481  
*Metamasius spinolae*—533  
*Meteor*—461  
 Methoprene—522  
 Methyl eugenol—481  
 Mexican fruit fly—492  
 Mexico—274, 288, 496, 528, 630  
 Microbial control—533  
 Micromite®—222  
 Microsporidia—85  
 Midges—571  
 Mitochondrial DNA—473, 576  
 Mitotic preparations—361  
 Mole cricket control—60  
 Mole crickets—130, 300, 582  
 Molecular diagnostics—145  
 Monarch butterfly—231, 408  
 Morphology—30, 278, 537, 559  
 Mosquito breeding sites—199  
 Mosquito control—199, 630  
 Mosquito identification—1  
 Mosquito larvae—199  
 Mosquito Wars, book—417  
 Mosquito-borne diseases, book—412  
 Mushrooms—237  
 Mydidae—380  
 Mymaridae—504  
 Nematoda—300  
*Nemomydas*, new species—380  
 Neogregarinorida—231  
 Nesting biology—37  
 New Guinea—566  
*Nezara viridula*—112, 204  
 Noctuidae—288, 294  
 Nonindigenous pests, FL—65  
 Non-target hosts—274  
 Nontarget insecticide effects—112  
 Non-target insects—288  
 Nymphalidae—194, 231  
*Odontomachus*, Key—136  
*Olla v-nigrum*—6  
*Oncometopia nigricans*—372  
*Ophion*—461  
 Ophryocystidae—231  
*Ophryocystis elektroschirrha*—231  
 Opuntia borer—533  
*Opuntia* spp.—533  
 Orange tortrix—235  
 Oriental fruit fly—481  
*Orius insidiosus*—6  
 Orthoptera—119, 130, 537, 582  
 Osceola National Forest—51  
 Oviposition preference—504  
*Pachodynerus nasidens*—37  
 Paleo-Island populations—576  
*Palmicultor lumpurensis*—396  
 Papaya fruit fly—391  
 Parasitic wasp—124  
 Parasitoid, egg—222, 383, 511  
 Parasitoids—10, 186, 229, 268, 274, 278, 517,  
 597, 600, 619  
 PCR—18, 85, 145  
 Pentatomidae—112, 587  
 Permethrin soil drench—300  
 Pest and Vector Control, book—419  
 Pest detection—522  
 Pest management—440  
 Pest monitoring—522  
 Pesticides—222, 433, 450  
*Phanerota*—237  
 Phaon crescent—194  
*Pheidole megacephala*—212  
 Pheromone—294, 496  
 Pheromone trapping—288, 496  
 Photosynthesis—312  
*Phyciodes phaon*—194  
*Phyla nodiflora*—194  
*Phyllocnistis citrella*—10, 229  
*Phymastichus coffea*—274  
 Phytotelmata—176  
 Pioneer Lecture Award Honoree—412  
 Plum curculio and hosts—241  
 Poaceae—312  
*Podisus maculiventris*—112, 587

- Pogonomyrmex badius*—576  
 Ponerinae—136  
 Population genetics—152, 473  
*Pristomerus*—461  
 Protein—487  
 Psyllidae—330  
 Pyralidae—554  
 Pyrethroid—112  
*Quadrastichus haitiensis*—222  
 Red imported fire ants—324  
 Reece I. Sailer—244  
 Regulatory entomology—244  
*Reticulitermes* species—152, 473  
*Rhagoletis mendax*—124  
 Rhinotermitidae—145, 152, 473, 623  
 Rhynchota—159, 401  
 Rhyparochromidae—173  
 Risk assessment, citrus disease—330  
*Romalea microptera*—119  
 Sampling, nematodes—300  
 San Joaquin Valley, CA—88  
 Sarasota County, FL—176  
 Saturniidae—30  
*Scapteriscus* species—60, 300  
*Scolytodes borealis*—274  
 Scutelleridae—528  
 Seasonal activity—496  
 Seasonal development—130  
 Seed predators—398  
 SEM—164  
 Shield bug—528  
 Simuliidae—169  
*Simulium slossonae*—169  
 SIT—628  
 Soap flush—300  
 Sodium bicarbonate—324  
 Sodium hydrogen carbonate—324  
 Soil drenches—300  
 Soil macroinvertebrates—386  
*Solenopsis invicta*—522, 625  
 South Africa—130  
 South America—365  
 Soybean—433  
 Spinosad—354, 433  
 Spittlebug—82  
*Spodoptera exigua*—433, 450  
*Spodoptera frugiperda*—288, 433, 440, 454, 496  
*Spodoptera* spp.—427  
 Spores, counting method—231  
 Staphylinidae—92, 237  
*Steinernema scapterisici*—300  
 Steinernematidae—300  
 Sterile Insect Technique—628  
 Sternorrhyncha—330  
 Stream ecology/arthropods—169  
 Subsocial spider—554  
 Subterranean termites—473  
 Subtropical fruits—241  
 Sucrose octanoate—6  
 Sugarcane—82  
 Sustaining/Corporate Members—102, 252, 424, 640  
 Sweetpotato—261  
 Sweetpotato weevil—261  
 Systematics—537  
*Tallula watsoni*—554  
*Tanytarsus* species—571  
 Taxonomic key, ants—51  
 Taxonomy—365, 537, 571  
 Tephritidae—41, 124, 164, 354, 361, 487, 492, 628  
 Termites—145, 152, 473  
 Texas citrus—186  
*Thelohania solenopsae*—85, 625  
 Thysanoptera, checklist in CA—317  
 Tiger beetle—551  
*Tillandsia utriculata*—176  
 Tortricidae—235  
*Toxoptera citricida*—18, 105  
 Transgenic cotton—427  
 Trap design—492  
 Trichogrammatidae—222, 511  
 Tropical fruits—241  
 Tropical sod webworm—393  
 Turf grass—130, 440  
 Urticating moth—30  
*Vairimorpha invictae*—85, 625  
 Venezuela—365  
 Vespidae—37  
*Vicia faba*—204  
 West Indian Marsh Grass—312  
 West Nile Virus, book—412  
 Wetlands—312  
 Whiteflies—268  
 Whiteflies, parasitoids—268  
*Zagella delicata*—511  
*Zammara*, new species—365  
*Zatypota crassipes*—554  
*Zeta argillaceum*—37