

VOLUME 88 SUBJECT INDEX

- Abamectin—395
 Acalymma—72
 Acari—129, 195, 408
 Acaridae—408
 Acarina—135
 Acephate—395
 Acetamiprid—268
 Achilidae—23
 Acrididae—204
 Adult Emergence—544
 Adult Predators—329
Aedes aegypti—382
Aedes albopictus—372, 383
 Agavaceae—338
 Aggression—258
 Agroecological Systems—355
 Alarm Pheromone—180
 Aleurodicinae—518
 Aleyrodidae—518
 Aleyrodinae—518
 Almond Moth—314
 Amdro—159
Amorbia cuneana—325
Anastrepha fraterculus—228
Anastrepha ludens—364
Ancistrocerus sikhimensis—135, 188
Anisomorpha buprestoides—106
 Annie Trumbull Slosson—344
Anopheles quadrimaculatus—383
 Ant Control—159
 Ant Fauna—159, 415
 Anthocoridae—253
 Aphelinidae—43
 Aphididae—152
Aphis gossypii—152
 Apidae—225
 Arboreal Termites—28
 Argentina—228
 Artificial Diet—253, 329
 Asian citrus psyllid—123, 401
 Attractants—364, 383, 424
 Auchenorrhyncha—458, 464, 502
 Augmentative Parasitoids—325
 Avocado Orchards—325
 Azadirachtin—395
Bacillus thuringiensis—395
Bactrocera dorsalis—307
 Baits—338
 Beetle Diversity—72
 Behavior—117
 Behavioral Activity—106
 Beneficial Insects—91
 Bethyridae—180
 Bifenthrin—219
 Bioassays—431
 Biological Control—61, 67, 129, 146, 152, 180, 441
 Bionomics—1
 Biting insects—447
 Black Flies—111
 Black-light Trapping—55
 Blueberry Maggot Flies—268
 Body Weight—38
 Bombyliidae—321
 Book Reviews—111, 113, 114, 233, 235, 237, 239, 344, 553, 555
 Brazil—441
Brevipalpus phoenicis—195
 Brooksville, Ridge—141
 Butterfly Gardening—146
Cactoblastis cactorum—300, 395
 Cactus—300
 Cactus Moth—300
Cadra cautella—314
Camptoloma—34
Caristianus—23
 Cassava—1
Catolaccus hunteri—191
Celatoria compressa—72
 Cengwanglaoshan Nature Reserve—34
 Central America—408
Cephalonomia stephanoderis—180
 Cerambycidae—117
Ceratitis capitata—83
Ceratogramma etiennei—77
 China—23, 34
 Chinch Bugs—219
 Chlorophyta—431
Chlosyne peocile—247
 Chrysididae—135
 Chrysomelidae—72
 Cicadellidae—67, 217, 502
 Cicadomorpha—502
 Citrus—401, 408
 Citrus leprosis—408
 Citrus Root Weevil—61, 431
 Cixiidae—464
 Climate—129
 Climate Interaction—129
 Clothianidin—268
 Clypeorhyncha—217
 Coastal Mississippi—327
 Coccinellidae—123
 Coccoidea—482
Coccophagus—43
 Cocoa—117
 Cocoa Beetle—117
 Cocos Island—415
 Coffee Berry Borer—180
Coleomegilla maculate—152
 Coleoptera—61, 72, 117, 180, 191, 199, 208, 222, 338, 341, 342
 Colombia—355
 Color Vision—383
 Colored Light Attractant—383
 Comparative Development—49
 Competitive Ability—49
 Conidia—332
 Connecticut Local Colorist—344

- Container Habitats—372
Coptotermes—201
Coptotermes formosanus—99
 Costa Rica—247, 415
 Cotton Aphid—152
 Courtship—258, 321
 Crabronid Wasps—278
 Crambidae—390
 Crypsis—321
Ctenocephalides felis—335
Cucurbita moschata—72
 Cucurbits—72
Culex nigripalpus—383
 Culicidae—372
Curcubita okeechobeensis spp. *martinezii*—72
 Curculionidae—61, 191, 208, 222, 338
 Cydnidae—1, 11
 Cypermethrin—395
Cyrtomenus bergi—1, 11
 Dealation—452
 Decapitating Fly—214
 Delphacidae—464
 Diabroticina—72
 Diamondback Moth—535
Diaphorina citri—123, 401
Diaprepes abbreviatus—77, 222
Diaprepes doublierii—61
Dibrachys pelos—49
 Diet—307
 Diptera—83, 107, 214, 228, 268, 307, 321, 364, 372, 383
 Dispersal—214
 Dominica—61
 Early Detection—458
 Ecology—278
 Economic Importance—458
 Ectoparasite—327
 Edge Effect—349
 Egg Load—38
 Egg Parasitism—169, 325
 Egg Parasitoid—67, 217
 Elachistidae—441
 Electroantennographic Responses—117, 364
 Elevated Atmospheric CO₂—372
Ellipes—141
 Emamectin benzoate—395
 Embryonic Cell Line—329
 Enhanced Egg Laying—329
 Entomological Websites—285
 Entomopathogenic alga—431
Entomophaga grylli—332
 Entomophthorales—332
Ephestia kuehniella—253, 329
 Eradication—159
 Eriophyidae—129
 Ethological Control—117
Euglossa viridissima—225
 Eulophidae—258
 Eumenidae—135, 188
 Exotic Species—349
 False Spider Mite—195
 Fecal Protein—335
 Feeding Behavior—123
 Feeding Rate—247
 Female Alates—452
 Fenoxycarb—395
 Ferns—129
Ficus—97
Fidiobia—61
 Field Guide—235
 Field Release—107
 Fipronil—268
 Fire Ant Decapitating Fly—107
 Fire Ants—214, 452
 Fleas—335
 Flight Activity—99, 101
 Flight Distance—99
 Flightless Pygmy Mole Cricket—141
Floracarus perrepae—129
 Florida—104, 107, 146, 201, 225, 349, 447
 Florida Endemics—141
 Florida Everglades—129
 Florida Grasshoppers—204
 Florida Sand Ridge—141
 Formicidae—159, 415, 452
Fragaria—152
 Fruit Flies—321
 Fulgoroidea—23
 Fulgoromorpha—464
 Galápagos—159
 GC-EAD—364
 GC-MS—364
 Georgia—447
 Glassy-winged Sharpshooter—67
 Global Change—372
 Golf Course—349
Gonatocerus tuberculifemur—67
 Gopher Tortoise—349
Gopherus—349
 Grape Culture—38
 Grass Loopers—424
 Grasshopper Pathogen—332
 Group Defense—247
 Growth Statistics—1
Gryllotalpa africana—292
 Gryllotalpidae—146, 292
 Guava Volatiles—364
 Guerrero, Mexico—342
Gynaikothrips uzeli—538
Heliconius charithonia—169
Helicosporidium spp.—431
Helicoverpa zea—55, 544
Heliopsis virescens—544
 Hemiptera—1, 11, 23, 67, 217, 219, 253, 458, 464
 Herbivores—104
 Herbivorous Mite—129
 Heterologous Host Insects—431
 Heteroptera—38
 Himalaya Mountains—135
Homalodisca coagulate—67
Homalodisca insolita—217
 Homoptera—123, 152, 401, 458, 464, 482, 502, 518

- Homoptera Workshop—458, 464, 482, 502, 518
 Host Age—77
 Host Availability—83
 Host Finding Behavior—77
 Host Paradox—314
 Host Plant Association—72
 Host Plant Records—228
 Host Plants—1,77, 83
 Host Specificity—107
 Host Suitability—97
 Hosts—49, 431
 Hurricane Charley—106
 Hymenoptera—43, 49, 61, 67, 77, 135, 146, 159,
 180, 188, 191, 217, 225, 258, 278, 325, 327,
 349, 415, 452, 541
 Hyphae—332
Hypothenemus hampei—180
 Hypoxia—208
 Imidacloprid—268, 395
 India—129
 Insect Antifeedants—239
 Insect Conservation—237
 Insect Diversity—91
 Insect Vision—321
 Insecticide Resistance—219
 Insecticides—268, 395
 Insidious Flower Bug—253
 Intercropping—91
 Internet—285
 Interspecific Competition—49
 Invasive Ants—159, 415
 Invasive Species—300, 395, 415
 Invasive Weed—104
 Ionizing Radiation—208
 IPM—152
 Irradiation Effect—547
 Isoptera—28, 99, 201, 549
 Kairomone—117
 Keys—23, 34, 43, 61, 464, 482, 502, 518
 Kleptoparasitoids—278
 Lady Beetles—123
Larra bicolor—146, 327
 Larval Aggregation—247
 Larval Morphology—188
 Larval Parasitoids—441
 Lepidoptera—34, 55, 101, 169, 211, 247, 300, 314,
 325, 329, 390, 395, 424, 441, 535, 536, 544
 Liliales—338
 Little Fire Ant—159
 Lygaeidae—219
 Maize—1
 Male Song Characters—292
 Mandibular Morphology—204
 Maolan National Nature Reserve—23
 Marchena Island—159
 Marine Puddling—211
 Mate Choice—321
 Mating Behavior—307, 547
 Mating Flight—452
 Mating Performance—547
 Mating Success—307
 Mediterranean Fruit Flies—83, 547
Melittobia digitata—49, 258
Metarhizium anisopliae—195
 Methyl Eugenol—307
 Mexican Fruit Fly—364
 Mexico—43, 338, 341
 Minas Gerais—441
 Mississippi—214
Mocis spp.—424
 Mole Cricket—146, 292, 327
 Monitoring—159
 Monitoring Trap—300
 Morphology—502
 Mosquito Growth—372
 Mosquitoes—372, 383, 431
 Mutualism—135
 Mymaridae—67
 Myrtaceae—104
Nasutitermes corniger—28
Nasutitermes polygynus—28
 Nasutitermitinae—28
 National Plant Diagnostic Network—458
 Native Scarabs—342
 Natural Control—123
 Nectar Sources—146
 Neem—401
Neotridactylus—141
 Neotropical Lepidoptera—247
 Neotropics—28
 Nepal—135, 188
 Nest Structure Associates—135
 New Caledonia—129
 New Guinea—28
 New Species—141
 Noctuidae—34, 55, 424, 544
 Non-native Species—415, 458
 North America—111
 Northern Cauca—355
 NPDN—458
 Nuisance Insects—447
 Nursery Habitat—390
 Nutritional Factor—253
 Nymphalidae—169, 247, 536
 Olfactory Behavior—117
Opuntia—300
 Orchid Bee—225
 Organic Agriculture—91
 Oriental Fruit Fly—307
Orius insidiosus—253
 Ornamental Plants—408
 Orthoptera—141, 146, 204, 292
 Oviposition—38
 Oviposition—253
 Oviposition Substrate—535
Oxybleptes—199
Oxybleptes meridionalis—199
Papilio polytes—211
 Papilionidae—211
Paracentrobia Americana—217
 Parasitism—55, 72, 77, 135, 325
 Parasitoid—146, 180, 191, 441

- Parasitoid Age—77
 Particle Film—222
 Pathogenicity—195
 Peanut—1
Pedaridium maya—341
 Pentatomidae—38
 Pepper Weevil—191
Persea americana—441
 Pest Introductions—390
 Pest Mite Species—408
 Phasmatidae—106
 Phasmatodea—106
 Pheromone—38, 117, 452
 Phlaeothripidae—447, 538
 Phoridae—107, 214
Phyciodes phaon—536
 Phylogeny—502
 Pink Spotted Lady Beetle—152
 Pioneer Lecture—241
 Planthoppers—464
 Platygasteridae—61
 Plum Curculio—208
 Plutellidae—535
 Poaceae—390
Podisus maculiventris—38
Polianthes tuberosa—338
 Polymorphism—258
 Polyvinyl Alcohol Film—535
 Population Dynamics—1, 152, 169, 441
 Population Growth Parameters—11, 372
 Population Monitoring—300
 Port of Entry—408
 Predator—123, 253
 Prey Eggs—253
 Primer Pheromone—452
 Proconiine Sharpshooter—217
 Protein Baits—268
Psenulus—278
Pseudacteon curvatus—107, 214
 Psyllidae—123, 401
 Pteromalidae—49, 191
 Puddling—211
 Puerto Rico—123
 Pulicidae—335
 Pupal Sex—536
 Pygmy Mole Cricket—141
 Pyralidae—101, 300, 314, 329
 Rearing Method—191
 Red Imported Fire Ants—349, 452, 541
 Repellency—401
 Reproduction—258
 Reproductive Capability—208
Rhagoletis mendax—268
 Rhinotermitidae—99, 201, 549
 Rhizophagous—355
Rhodomlyrtus tomentosa—104
 Saprogllyphidae—135
 Saw Palmetto—314
 Saw Palmetto Berries—314
 Scale Insects—482
Scapteriscus Mole Crickets—327, 146
 Scarabaeidae—341, 342, 355
 Scarabs—342, 355
 Scolytidae—180
Scyphophorus acupunctatus—338
 Search Engines—285
 Sexual Selection—321
 Sexual Selection Theory—258
 Sexual Signal—321
 Sexual Significance—321
 Shimentai Nature Reserve—34
 Sib matings—258
 Simuliidae—111
 Siphonaptera—335
 Skatole—180
 Smooth Cordgrass—390
 Soil Moisture—11
 Soil Pest—1, 11
 Soil Temperature—292
Solenopsis invicta—349, 452, 541
 Solitary Wasp—135
 Sorghum—1
 Sound Pressure Level—292
 South Africa—292
 Southeastern United States—464, 482, 518, 538
 Southern California—325
 Southern Plant Diagnostic Network—458
 Soybeans—55
 Spain—278
Spartina alterniflora—390
 Spatial Distribution—83
 SPDN—458
 Species richness—415
 Sphecidae—146, 327
 Spheciformes—278
 Spinosad—268, 395
 Staphylinidae—199
Steirastoma breve—117
 Stemborers—390
Stenoma catenifer—441
 Sterile Fruit Flies—83
 Sterile Insect Technique—83
 Sternorrhyncha—458
 Stored-Products Insects—314
 Strawberries—152
 Stridulation—292
 Subterranean Burrower Bug—11
 Subtropical Population—169
 Sugarcane—390
 Sunflowers—91
 Sustaining and Corporate Members—115, 244, 346, 563
 Synonymy—28
Tapajosa rubromarginata—67
 Tarsonemidae—408
 Taxonomic Training—458
 Taxonomy—28, 34
 Temperature—11
 Tenuipalpidae—195, 408
 Tephritidae—83, 228, 268, 307, 321, 364
 Termites—28, 201, 549
 Testudines—349

- Testudinidae—349
Tetranychidae—408
Thailand—104
Theobroma cacao—117
Thripidae—97, 538
Thrips Biting Man—447
Thrips palmi—97
Thrips Species—447, 538
Thysanoptera—97, 447, 538
Tortricidae—325
Transferrin—541
Trap Manufacture—544
Trap Nests—135, 278
Trebouxiophyceae—431
Trichogramma platneri—325
Trichogrammatidae—77, 217, 325
Trichrysis—278
Tridactylidae—141
Tropical Sod Webworms—101
Trypoxylon—278
Turf Grass—146, 292
Virus-like diseases—408
Visual Ecology—383
Visual Spectrum—383
Volatile Compounds—180
Wasmannia auropunctata—159, 415
Water Chemistry—372
Welsh Onion—1
White Grub Complex—355
Whiteflies—518
Wilmon Newell Biography—241
Wing Markings—321
World Wide Web—285
Xylicolous—278
Yucatan—341
Zebra Longwing Butterfly—169
Zygomycota—332