

VOLUME 89 SUBJECT INDEX

- Acari—98, 396
Aceratoneuromyia indica—270
Acheta domesticus—282
 Acoustic detectability—416
 Action threshold—117
 Aff lures—286
 Agavaceae—518
 Alabama—117
 Alagoas, Brazil—93, 539
 Aleyrodidae—218
Anagrus nigriventris—284
Anastrepha ludens—305
Anastrepha serpentina—524
Anastrepha suspensa—144, 419
Androthrips ramachandrai—455
 Anthocoridae—41
 Antifreeze—286
 Ants—69, 266
 Anura—98
 Aphids—56, 111, 263
 Apionidae—405
Aprostocetus vaquitarum—10
 Argentina—175, 270, 328, 462
 Argentine ant—469
 Artificial diet—405
Artocarpus heterophylus—412
Atheloca subrufella—199
 Attract-and-Kill—245
 Attraction—305
 Augmentative applications—257
 Azaleas—516
Bacillus thuringiensis—441
 Bahiagrass—532
 Baits—20, 286
 Behavior—127, 293
Bemisia argentifolii—218
Bemisia tabaci—168
 Bibionidae—89
 Biocontrol agents—95
 Biogeographical regions—270
 Biological control—212, 348
 Biolures—286
 Book Review—105, 107, 425, 426, 427, 543
 Borate bait—469
Boreioglycaspis melaleucae—529
 Bot flies—152
 Brazil—93, 539
 Breeding structure—521
 Budburst phenology—56
Cactoblastis cactorum—340
 Cactus moth—340
 Calling behavior—83
 Canada—299
 Cannibalism—135
 Caribbean fruit fly—144, 419
 Cecidomyiidae—161
 Centipede sod—89
 Central America—75
 Cerambycidae—251
Ceratitis capitata—375, 380
Ceratophysella—489
Chalybion femoratum—388
 Chilli thrips—311
 China—168
 Cicada fauna—75
 Cicadellidae—75, 288
 Citrus—10, 161, 274, 469
 Citrus leafminer—328, 361
 Citrus rust mite—161
 Citrus weevil eggs—407
 Clypeatus group—6
 Coccinellidae—85, 218, 263
 Coconut moth—199
 Cole crops—117
Coleomegilla maculata—85
 Collembola—489
 Conchaspidae—102
Conchaspis cordiae—102
Conotrachelus nenuphar—435
Coptotermes formosanus—183
 Coreidae—233
 Corn leaf aphid—263
 Corn leafhopper—284
 Corporate Members—109, 290, 429, 551
 Crane Fly—89
 Cricket—282
Cuterebra bot flies—152
 Cybocephalidae—502
Cybocephalus nipponicus—502
 Dacetini—1
Dalbulus maidis—284
 Delphacidae—459
Delphastus catalinae—218
 Dendrobatidae—98
 Developmental time—85
 Diapause—361
Diaphorina citri—412
Diaprepes abbreviatus—10, 223, 441
 Diaspididae—414
Diatraea flavipennella—539
 Dietary protein—277
Diomus terminatus—263
 Drosophilidae—402
 Dryophthoridae—208, 348
 Eastern cherry fruit fly—80
 Eclosion towers—380
 Ecuador—233
 Egg hatching—56, 340
 Egg parasitoid—10, 284, 288
 Egg sterility—277
 Elongate hemlock scale—527
Enaphalodes rufulus—251
 Endangered taxon—69
 Enemy release hypothesis—475
Eugenia species—475
 Eulophidae—10, 135, 270
Exapion ulicis—405
 Exotics—168, 183

- Fall Armyworm—63, 175
 Faunal diversity—475
 Fecundity—194, 208, 518
 Feeding—85, 135, 279, 391
 Field enclosures—277
 Field evaluation—274
 Fipronil—293
 Fire ant decapitating fly—536
 Fire ants—91, 462
 Flight activity—32
 Florida citrus—274
 Florida vineyards—245
 Formosan subterranean termite—20, 99, 183
Frankliniella bispinosa—204
Frankliniella occidentalis—279
 Fruits pest—402
 Genetics—63, 183, 299, 521
 Geographic range expansion—529
 Glycoproteins—223
 Goldfleck damage—279
 Golf course—257
 Gonad maturation—194
 Gracillariidae—274, 328, 361
 Grape root borer—245
 Great Smoky Mountains National Park—516
 Greenhouse crops—396
 Growth-Promoting glycoproteins—223
 Gryllidae—282
 Gryllotalpidae—257, 293
 Guatemala—6
Haliaspis nakaharai—414
 Hemlock scale—527
 Heterorhabditidae—524
Heterorhabditis bacteriophora—524
Heterotermes tenuis—410
 Honduras—239
 Host acceptance trials—336
 Host pant feeding preference—391
 Host plant—391
 Host record—284
 Host selection—127
 Host specificity—462
 Hypogastruridae—489
 Imported Fire Ant—431, 536
 Indigenous hosts—152
 Injury—321
 Insecticides—117
 Intraspecific competition—497
 Invasive pest—367
 Jackfruit—412
Kerria lacca—336
 Kerriidae—336, 367
 Korea—489
 Lac scale—336
 Lantana cultivars—449
 Lantana lace bug—449
 Larval characters—354, 388
 Leaf-Litter ant—1
 Leafmining moth—274
Leptophobia aripa—127
 Libellulidae—354
Liburnia pseudoseminigra—459
 Liliales—518
Linepithema humile—469
Lixadmontia franki—348
 Lobate lac scale—336
 Longleaf pine savannas—266
 Low-energy microwave radar—416
 Lycaenidae—69
Lytta unguicularis—516
 March fly—89
 Mating behavior—199
 Mating competitiveness—277, 380
 Mating disruption—245
 Mediterranean fruit fly—277, 375, 380
 Mediterranean region—168
 Meloidae—516
Metamasius callizona—208, 348
 Mexican fruit flies—286, 305
 Mexico—6
 Miami blue butterfly—69
 Microhabitats—56
 Microwave radar—416
 Mites—396
Molchina species—233
 Mole cricket—257, 293, 532
 Molecular diagnostics—251
 Monitoring—47
Montandoniola moraguesi—41
 Mortality—293
 Mosquitoes—105
 Mymaridae—284
 Nematoda—257, 524, 532
 Noctuidae—63, 175
 North American proconiine sharpshooter—288
 Noviflumuron—20
 Odonata—354
 Oestridae—152
Onthophagus yucatanus—6
 Organic citrus—469
Ormia depleta—497
 Ornamental crops—168
 Palau—212
 Panama—402
Pantala—354
 Papaya fruit fly—194
 Papaya mealybug—212
Papilio demoleus—485
 Papilionidae—485
Paracoccus marginatus—212
 Parasitic ant—141
 Parasitic wasp—135
 Parasitoids—175, 239, 328, 336, 407, 435, 462
Paratachardina lobata—336, 367
Paraulacizes irrorata—288
 Pastures—532
 Pentatomidae—321
 Pepper—204, 311
Periphyllus californiensis—56
 Peritrophic matrix—99
 Pest distribution—41
 Pesticides—10, 502

- Phlaeothripidae—455
 Phoridae—536
 Phycitidae—199
Phyllocnistis citrella—274, 328, 361
Phyllocoptruta oleivora—161
Phyllodromus—98
Phyllophaga ephilida—391
 Phytophagous scarabs—32
 Phytoseiididae—98, 396
 Pieridae—127
 Pioneer Lecture—421
Plodia interpunctella—416
 Plum curculio—435
Polianthes tuberosa—518
 Population dynamics—175, 328
 Potential hosts—152
 Predacious mites—396
 Predators—435, 527
 Prey preference—218
 Prey stages—218
 Propylene glycol antifreeze—286
 Protein—277
Pseudacteon spp.—462
Pseudacteon tricuspidis—536
 Pseudococcidae—212
 Psyllidae—412
 Pteromalidae—405
Pteromalus sequester—405
 Puerto Rico—485
 Pyralidae—83, 340
Pyramica boltoni—1
 Q biotype—168
 Range expansion—536
 Rearing—95, 263, 288
 Reduced-Risk strategies—245
 Reproduction—85, 144
 Resistance—449
Reticulitermes flavipes—521, 541
 Rhabditida—532
 Rhinotermitidae—20, 99, 183, 299, 410
Rhododendron spp.—516
Rhopalosiphum maidis—263
Rhyzobius lophanthae—502
 Rice—321
 Rice panicle age—321
 Rice stink bug—321
 RNA Virus—282
 Saint Lucia—407
 Salivary glands—375
 Scarabaeidae—6, 32
Scirtothrips dorsalis—47, 311
Scyphophorus acupunctatus—518
 Sesiidae—245
 Sex pheromone—274
 Sisal weevil—518
Solenopsis invicta—431
Solenopsis phoretica—141
 South America—111
 Spartocerini—233
 Sphecidae—388
 Spinosad—396
Spodoptera frugiperda—63, 175
 St. Augustinegrass—459
 St. Vincent—311
Steinernema scapterisci—257, 532
 Steinernematidae—257, 532
 Sterile males—277
 Sternorrhyncha—414
 Structural infestations—20
 Subterranean termite—299
 Sugar cane—539
 Sustaining Members—109, 290, 429, 551
 Symbionts—69
 Synthetic food attractants—419
 Synthetic lures—305
 Tachinidae—239, 348
 Tafi Viejo—328
Teleonemia scrupulosa—449
 Tephritidae—80, 93, 144, 194, 277, 286, 305, 375, 380, 419, 524
 Texas wetlands—107
 Thailand—336
 Thermal stress—305
 Thrips—47, 204, 279, 311, 396, 455
 Tingidae—449
 Tipulidae—89
 Tomato fruit—279
Tomato Spotted Wilt Virus—204
Toxotrypana curvicauda—194
 Trapping—286
 Traps—47, 80
 Tucumán—328
 Vector—204
 Venezuela—410
 Virgin Islands—431
Vitacea polistiformis—245
 Volatiles—375
 Weed biocontrol agents—95
 Weevil parasitoid—239
 Western flower thrips—396
 Yeast hydrolysate—419
Zamagiria dixolophella—83
Zaprionus indianus—402