\mathcal{P} roceedings

of the

FLORIDA STATE

Horticultural Society

1966

VOLUME LXXIX

PRINTED APRIL 17, 1967

CONTENTS

| Dedication of 1966 PROCEEDINGS | IV |
|--|-------|
| Officers for 1966 | VI |
| Officers for 1967 | VII |
| Constitution and By-Laws | VIII |
| Awards of the Society | XIX |
| Awards for Outstanding Papers | XIX |
| List of Presidents | XX |
| Honorary Members | XXI |
| President's Annual Address, A. F. Mathias, Haines City | XXIII |
| Higher Education and the Horticultural Industry, J. Wayne Reitz, President, University of Florida, Gainesville | XXVI |
| SHARE-ing in the Development of Florida Horticulture, E. T. York, Jr., Provost, Institute of Food and Agricultural Sciences, University of Florida, Gainesville | XXIX |
| CITRUS SECTION | |
| Response of Citrus Growing on Calcareous Soil to Soil and Foliar Applications of Magnesium, David V. Calvert, Florida Indian River Field Laboratory, Fort Pierce, and Herman J. Reitz, Florida Citrus Experiment Station, Lake Alfred | 1 |
| Magnesium Oxides as Sources of Magnesium for Citrus, R. C. J. Koo, Florida Citrus Experiment Station, Lake Alfred, and D. V. Calvert, Florida Indian River Field Laboratory, Fort Pierce | 7 |
| Properties of Spray Oils in Relation to Citrus Pest Control in Florida, Kenneth Tram- mel and William A. Simanton, Florida Citrus Experiment Station, Lake Alfred | 12 |
| The second state of the se | |

| Properties of Spray Oils in Relation to Effect on Citrus Trees in Florida, Kenneth | |
|--|----|
| Trammel and William A. Simanton, Florida Citrus Experiment Station, Lake | |
| Alfred | 19 |

| Recommended Specifications for Citrus Spray Oils in Florida, William A. Si and Kenneth Trammel, Florida Citrus Experiment Station, Lake Alfre | manton ed |
|--|-------------------|
| Evaluation of Substituted Uracil Herbicides for Use in Citrus, G. F. Ryan, Citrus Experiment Station, Lake Alfred | |
| Effects of Phosphate Fertilizer on Yield and Quality of 'Valencia' Oranges, (Anderson, Florida Citrus Experiment Station, Lake Alfred | Carl A. |
| Propane Fueled Heaters for Cold Protection, D. S. Harrison, Florida Agric Extension Service, Gainesville, and J. F. Gerber, University of I Gainesville | Florida, |
| Solid Fueled Grove Heaters, J. F. Gerber, University of Florida, Gainesville | |
| The Effect of Different Types of Heaters Used Singly and in Combination for Protection, George Yelenosky and George Horanic, U. S. D. A. Agric Research Service, Orlando | eultural |
| Automatic Monitoring and Recording of Climate Factors in Citrus Groves, Geo Horanic, George Yelenosky, and W. C. Cooper, U. S. D. A. Agricultur search Service, Orlando | ral Re- |
| Leaf Temperatures of Valencia Orange Leaves in Florida, William C. Cooper, U A. Agricultural Research Service, Orlando | |
| Industrial Aspects of Citrus Production, F. S. Bouis, Florida Fruit Manager, Leesburg | s, Inc., |
| Preventing Infection from the Foot Rot Fungus, Gordon R. Grimm and I Whidden, U. S. D. A. Agricultural Research Service, Orlando | |
| Physiological Effects and Chemical Residues Resulting from 2,4-D and 2, Sprays Used for Control of Preharvest Fruit Drop in 'Pineapple' On R. L. Phillips and W. R. Meagher, Florida Citrus Experiment Station Alfred | ranges, , Lake |
| Effect of Air-Borne Fluorides on 'Valencia' Orange Yields, C. D. Leonard and Graves, Jr., Florida Citrus Experiment Station, Lake Alfred | н. в. |
| Aphytis Howard (Hymenoptera: Eulophidae) on Florida Citrus, Martin H. J Florida Citrus Experiment Station, Lake Alfred, and Allen G. Selhime, D. A. Agricultural Research Service, Orlando | , U. S. |
| Using Concentrated Sprays on Florida Citrus, Don S. Bryan, Lake Garfield Nur Company, Bartow | |
| Effect of Climate of Florida and Arizona on Grapefruit Enlargement and Qu Apparent Transpiration and Internal Water Stress, R. H. Hilgeman versity of Arizona Citrus Branch Station, Tempe, Arizona | , Uni- |
| Induced Anaerobiosis Caused by Flood Irrigation with Water Containing Sulfid W. Ford, Florida Citrus Experiment Station, Lake Alfred, and D. V. Ca Florida Indian River Field Laboratory, Fort Pierce | alvert. |
| Growth, Yield, and Fruit Quality of Marsh Grapefruit on Various Rootstocks of Florida East Coast—A Preliminary Report, F. E. Gardner and Geor Horanic, U. S. D. A. Agricultural Research Service, Orlando | ge E. |
| | |

| Improved Disease Control Through Hot Water Treatment of Citrus Seed, G. D. | |
|--|-----|
| Bridges and C. O. Youtsey, Division of Plant Industry, Florida Department | |
| of Agriculture, Winter Haven | 114 |
| Yield Expectancy and the Basis of Citrus Fertilization, Paul F. Smith, U. S. D. A. | |
| Agricultural Research Service, Orlando | 115 |

VEGETABLE SECTION

| Preliminary Studies on Mechanical Harvesting of Tomatoes for Fresh Market, W. W. Deen, Jr., Everglades Experiment Station, Belle Glade; J. W. Strobel, Sub- Tropical Experiment Station, Homestead; N. C. Hayslip, Florida Indian River Field Laboratory, Fort Pierce; J. F. Beeman, University of Florida, Gaines- ville; and C. B. Hall, Florida Agricultural Experiment Station, Gainesville | 12 |
|---|----|
| Market Strength—Where There's a Will, There's a Way, George M. Talbott, Florida Fresh Produce Exchange, Orlando | 12 |
| Edible Podded Peas for Florida, P. J. Westgate, Central Florida Experiment Station, Sanford | 12 |
| Use of Plastic Strips Over Fertilizer Bands to Reduce Leaching, N. C. Hayslip, Florida Indian River Field Laboratory, Fort Pierce, and J. R. Iley, Everglades Experiment Station, Belle Glade | 13 |
| Effect of Plastic Mulch on the Yield of Several Vegetable Crops in North Florida, H. H. Bryan, North Florida Experiment Station, Quincy | 13 |
| The Effect of Nitrogen, Phosphorus and Potassium on the Yield of Okra, Paul Sutton, Strawberry and Vegetable Field Laboratory, Dover | 14 |
| Watermelon Response to Copper and a Complete Micronutrient Source, S. J. Locascio, J. G. A. Fiskell, Florida Agricultural Experiment Station, Gainesville, P. H. Everett, South Florida Field Laboratory, Immokalee, and J. M. Crall, Grape Investigations Laboratory, Leesburg | 15 |
| Phosphorus and Copper Effects on Growth and Yield of Watermelons, P. H. Everett, South Florida Field Laboratory, Immokalee, S. J. Locascio and J. G. A. Fiskell, Florida Agricultural Experiment Station, Gainesville | 15 |
| Postemergence Herbicides for Celery Seedbeds, J. R. Orsenigo, Everglades Experiment Station, Belle Glade | 15 |
| Mildewcides for Squash Production on Calcareous Soils and Manganese and Zinc Nutrition, C. W. Averre, III and P. G. Orth, Sub Tropical Experiment Station, Homestead | 16 |
| Control of Bud Nematode on Strawberry, S. J. Locascio, G. C. Smart, Jr., and M. E. Marvel, Florida Agricultural Experiment Station, Gainesville | 17 |
| The Effects and Control of Sting and Stubby-Root Nematodes on Onions, H. L. Rhoades, Central Florida Experiment Station, Sanford | 17 |
| A History of Tomato Development in Florida, M. U. Mounts, First National Bank, Lake Worth | 18 |

| | Placements and Levels of Fertilizer on the Yield of Vegetables, V. F. Nettles, University of Florida, Gainesville, and W. C. Hulburt, U. S. D. A. Agricul- tural Research Service, Athens, Georgia |
|-----------|---|
| (| Report on the Response of Southern Peas to Triiodobenzoic Acid Under Field Conditions, R. W. Prevatt, International Minerals and Chemical Corporation, Mulberry, and H. W. Lundy, Suwannee Valley Experiment Station, Live Oak |
|]] | of Variety and Spacing on Yields of Cabbage from a Single Harvest, L. H. Halsey, J. F. Beeman, D. R. Hensel, Potato Investigations Laboratory, Hastings; W. W. Deen and V. L. Guzman, Everglades Experiment Station, Homestead |
| Experime | ental Control of a Semi-Looper Complex on Vegetable Crops, William G. Genung, Everglades Experiment Station, Belle Glade |
|] | t Nematocides for Tomatoes in Calcareous Soils, J. A. Winchester, Everglades Experiment Station, Belle Glade, and C. W. Averree, III, Sub-Tropical Ex- periment Station, Homestead |
| Clipping | vs. Non-Clipping for Size Uniformity of Tomato Transplants, C. A. Jaworski, U. S. D. A., Tifton, Georgia |
|] | Potash Ratio Study with Plastic Mulched Pepper, J. R. Iley, Everglades Ex- periment Station, Belle Glade, and H. Y. Ozaki, Plantation Field Laboratory, Ft. Lauderdale |
| Influence | of Nutrition, Clipping and Storage of Tomato Transplants on Survival and Yield, C. A. Jaworski, U. S. D. A., Tifton, Georgia, and R. E. Webb, U. S. D. A, Beltsville, Maryland |
| | |

HANDLING AND PROCESSING SECTION

-

| Quality | Changes in Fruits of Some Tomato Varieties and Lines Ripened at 68° F. for Various Periods, C. B. Hall, Florida Agricultural Experiment Station, Gainesville |
|----------|---|
| Suscept | ibility of Manapal and Grothen's Globe Tomatoes to Alternaria Rot, R. H. Segal, U. S. D. A. Agricultural Research Service, Orlando, and N. C. Hayslip, Florida Indian River Field Laboratory, Fort Pierce |
| Surface | Browning of Florida Potatoes, D. D. Gull, Florida Agricultural Experiment Station, Gainesville 2 |
| Factors | Affecting the Physical and Nutrient Composition of Dried Citrus Pulp, C. B. Ammerman, J. F. Easley, L. R. Arrington and F. G. Martin, Florida Agricul- tural Experiment Station, Gainesville 2 |
| Internal | Can Corrosion Due to High Nitrate Content of Canned Vegetables, John Hal Johnson, University of Florida, Gainesville 2 |
| The Eff | ect of Some Predrying Treatments on the Rehydration of Celery, A. M. Neu- bert, C. W. Wilson, III, and W. H. Miller, U. S. Fruit and Vegetable Products Laboratory, Winter Haven2 |
| Citrus I | Pulp With and Without Seeds, R. Hendrickson and J. W. Kesterson, Florida Citrus Experiment Station, Lake Alfred |

| Separation of Shelled Southern Peas for Quality, L. H. Halsey, Florida Agricultura Experiment Station, Gainesville; Suporn Karunpak, Ministry of Agriculture Bangkok, Thailand; and D. D. Gull, Florida Agricultural Experiment Station Gainesville |
|---|
| Blossom-End Clearing of Grapefruit, A. A. McCornack, Florida Citrus Commission Florida Citrus Experiment Station, Lake Alfred |
| Application of Diphenyl to Lemons During Bulk Cool Coloring, F. W. Hayward, W Grierson and G. J. Edwards, Florida Citrus Experiment Station, Lake Alfred |
| Citrus Packing Methods Improvement, Earl K. Bowman, U. S. D. A. Agricultura Research Service, Gainesville |
| Consumer Packages for Florida Citrus Fruits, W. Grierson, Florida Citrus Experimen Station, Lake Alfred |
| The Influence of Gamma Radiation on Textural Changes in Peaches, R. J. Braddock R. A. Dennison, and E. M. Ahmed, University of Florida, Gainesville |
| Irradiation of Duncan Grapefruit, Pineapple and Valencia Oranges and Temples, R. A Dennison, University of Florida, Gainesville; W. Grierson, Florida Citru Experiment Station, Lake Alfred; and E. M. Ahmed, University of Florida Gainesville |
| Irradiation Effects on Juices Extracted from Treated 'Valencia' Oranges and 'Duncar Grapefruit, A. H. Rouse, Florida Citrus Experiment Station, Lake Alfred; F A. Dennison, University of Florida, Gainesville, and C. D. Atkins, Florid Citrus Commission, Florida Citrus Experiment Station, Lake Alfred |
| Changes in Peel Color During Storage of Irradiated Oranges, E. M. Ahmed, F. W. Knapp, and R. A. Dennison, University of Florida, Gainesville |
| The Possibilities of Using Ethylene Gas to Produce Citrus Fruit Abscission Unde Field Conditions, William C. Wilson, Florida Citrus Commission, Florid Citrus Experiment Station, Lake Alfred |
| Processing Qualities of New Citrus Fruit Hybrids, W. Clifford Scott, U. S. D. A. Fru and Vegetable Products Laboratory, Winter Haven and C. J. Hearn, U. S. D. A. Agricultural Research Service, Orlando |
| Efforts Toward Improvement of Concentrated Orange Juice Flavor Using Enzyme John A. Attaway and Joseph F. Metcalf, Florida Citrus Commission, Florid Citrus Experiment Station, Lake Alfred |
| Diacetyl Test as a Quality Control Tool in Processing Frozen Concentrated Orang Juice, D. I. Murdock, Minute Maid Company, Orlando |
| Comparison of Subjective and Objective Methods for Determining the Color of R constituted Frozen Concentrated Orange Juice, George J. Edwards, F. V Wenzel, Florida Citrus Experiment Station, Lake Alfred; R. L. Huggart, ar R. W. Barron, Florida Citrus Commission, Florida Citrus Experiment Statio Lake Alfred |
| A Rapid Procedure for Extraction of Naringin from Grapefruit Rind, Paul L. Davi U. S. D. A. Agricultural Research Service, Orlando |
| Effect of Calcium Salts on the Firmness of Canned Grapefruit Sections, R. W. Olse Florida Citrus Experiment Station; R. W. Barron, R. L. Huggart, Florid Florida Citrus Commission, and F. W. Wenzel, Florida Citrus Experime Station, Lake Alfred |

| Flavor Fortification and Storage of Foam-Mat Dried Grapefruit Crystals, R. E. Berry, | |
|--|-----|
| O. W. Bissett, and C. J. Wagner, Jr., U. S. D. A. Fruit and Vegetable | |
| Products Laboratory, Winter Haven | 330 |

KROME SECTION

| Recent Observations on Some Avocado Pests in Mexico and El Salvador, D. O. Wolfen- barger, Sub-Tropical Experiment Station, Homestead, and Burt E. Colburn, South Florida Growers Association, Goulds |
|---|
| Peel Injury and Rind Color of 'Persian' Limes as Affected by Harvesting and Handling Methods, Ernesto B. Pantastico, University of Florida, Gainesville; W. Grier- son, Florida Citrus Experiment Station, Lake Alfred, and J. Soule, University of Florida, Gainesville |
| Sphaeropsis Knot of Lime, C. H. Blazquez, South Florida Field Laboratory, Immoka- lee; A. G. Naylor, and D. Hasting, Plant Protection Division, Ministry of Agriculture and Lands, Kingston, Jamaica |
| Handling and Physiological Studies With the Carambola, H. M. Vines, Florida Citrus Commission, Florida Citrus Experiment Station, Lake Alfred, and W. Grierson, Florida Citrus Experiment Station, Lake Alfred |
| The Soursop, or Guanabana (Annona muricata Linn.), Julia F. Morton, Morton Collectanea, University of Miami, Coral Gables |
| The Mango Inflorescence, Thomas T. Sturrock, Florida Atlantic University, Boca Raton |
| Germination of 'Okinawa' Peach Seeds Under the Conditions of Florida, R. H. Biggs, University of Florida, Gainesville |
| Performance of Flordawon Peach at Homestead, Florida, Carl W. Campbell, Sub- Tropical Experiment Station, Homestead |
| Persimmon Variety and Rootstock Observation, R. H. Sharpe, University of Florida, Gainesville |
| Forwarding Instructions for Tropical Fruit Plants Entering the U. S. A., Wm. F. Whitman, Bal Harbour |
| Screening Chemicals for the Capacity to Modify Bud Dormancy of Peaches, R. H. Biggs, University of Florida, Gainesville |
| Correction of Iron Chlorosis of Avocados Growing in Calcareous Soils, Simon E. Malo, Sub-Tropical Experiment Station, Homestead |
| Comparative Growth and Yield of Ten Grape Varieties Sprayed Intensively for Insect and Disease Control, J. A. Mortensen, Watermelon and Grape Investigations Laboratory, Leesburg |
| A Review of the Florida Lychee Industry, T. W. Young, Sub-Tropical Experiment Station, Homestead |
| Growing the Mangosteen in Southern Florida, Carl W. Campbell, Sub-Tropical Ex- periment Station, Homestead |
| The Caribbean Fruit Fly in Florida, H. V. Weems, Jr., Division of Plant Industry, Florida Department of Agriculture, Gainesville |
| |

.

| The Peach in North Florida, H. W. Young, Big Bend Horticultural Laboratory, Monti- | 405 |
|---|-----|
| Procedures for Accelerating Evaluation of Mango Seedlings, M. H. Gaskins, U. S. D. A. Agricultural Research Service, Mayaguez, Puerto Rico | 413 |
| Mango Germ Plasm Evaluation at the U. S. Plant Introduction Station, Robert J. Knight, Jr., and W. E. Manis, U. S. D. A. Agricultural Research Service, Miami | 415 |

ORNAMENTAL SECTION

| Use of | Water Sprinklers to Protect Fern Against Freeze Damage, Rollo H. Dean, Federal-State Agricultural Weather Service, Lakeland |
|---------------------|--|
| Garbag | e Compost as a Potential Soil Component in Production of Chrysanthemum Morifolium "Yellow Delaware' and 'Oregon,' Charles A. Conover and J. N. Joiner, University of Florida, Gainesville |
| A Form | n of <i>Cercospora apii</i> Pathogenic to Leaves of <i>Clerodendrum spp.</i> , E. K. Sobers, Coastal Plain Experiment Station, Tifton, Georgia, and A. P. Martinez, Division of Plant Industry, Florida Department of Agriculture, Gainesville |
| Leaf S _I | oot of Araceae Caused by <i>Pseudomonas cichorii</i> (Swingle) Stapp, C. Wehlburg, C. P. Seymour, Division of Plant Industry, Florida Department of Agriculture, Gainesville, and R. E. Stall, University of Florida, Gainesville |
| Effects | of <i>Aphelenchoides fragariae</i> on Birds-Nest Fern and Azaleas, D. E. Stokes, Division of Plant Industry, Florida Department of Agriculture, Gainesville |
| Respons | se of Roses Grown With and Without Plastic Mulch at Three Nitrogen Levels, T. W. Young, Sub-Tropical Experiment Station, Homestead; J. R. Iley, Ever- glades Experiment Station, Belle Glade, and N. C. Hayslip, Florida Indian River Field Laboratory, Fort Pierce |
| Absorp | tion and Distribution of P ³² in <i>Gladiolus spp.</i> 'White Friendship,' T. J. Sheehan and J. N. Joiner, University of Florida, Gainesville |
| Effects | of Methods of Cut, Heat Treatment and Planting Placement on Forcing <i>Caladium, spp.</i> , 'Candidum,' A. E. Muzzell, Jr., U. S. Naval Station, Key West, and J. N. Joiner, University of Florida, Gainesville |
| The In | fluence of Postharvest Handling Techniques on Vase-Life of Gladiolus Flowers, W. E. Waters, Gulf Coast Experiment Station, Bradenton |
| Toxicit | y of Certain Florida Waters to Cut Flowers, W. E. Waters, Gulf Coast Experi- ment Station, Bradenton |
| Reduct | ion of Production Costs in a Gladiolus Flower Operation by Supplemental Corm Production, James C. Nanney, Roman J. Claprood Co., Sun City |
| The Ea | aster Lily Industry in Florida, Richard G. Hupfel, H & H Lily Growers, Stuart |
| Effects | of Ferrous Sulfate, Chelated Iron and Versene-T Levels on Growth and Chemical Composition of Centipedegrass, H. G. Myers and J. N. Joiner, University of Florida, Gainesville |

| Seed Germination and Seedling Growth of <i>Guaiacum sanctum</i> , L., Lignumvitae, Taylor R. Alexander, University of Miami, Coral Gables |
|---|
| Control of Anthracnose Scale Rot on <i>Lilium longiflorum</i> Thunb. ('Georgia'), R. O. Magie, Gulf Coast Experiment Station, Bradenton |
| Soil Application of Systemic Insecticides for Mite Control on Chrysanthemums, R. M. Baranowski, Sub-Tropical Experiment Station, Homestead |
| In-The-Row and Broadcast Applications of Soil Fumigants for Gladiolus Flower Production, A. J. Overman, Gulf Coast Experiment Station, Bradenton |
| Control of Root Mealybug, <i>Geococcus coffeae</i> Green, L. C. Kuitert, Florida Agricultural Experiment Station, Gainesville, and G. W. Dekle, Division of Plant Industry, Florida Department of Agriculture, Gainesville |
| Effect of Application Time of Slow Release and Readily Available Nitrogen and Po- tassium Sources on Growth and Chemical Composition of <i>Rhododendron</i> <i>indicum</i> 'Formosa,' R. D. Dickey and R. T. Poole, University of Florida, Gainesville |
| Tolerance of Several Southern Turfgrasses to Various Spray Oils, G. C. Horn, University of Florida, Gainesville |
| Increasing the Effectiveness of Turf Herbicides by Use of Oil, G. C. Horn, University of Florida, Gainesville |

ANNUAL REPORTS

| Necrology | 511 |
|---------------------------------------|-----|
| Report of Florida Agricultural Coucil | 513 |
| Report of Executive Committee | 513 |
| Annual Business Meeting | 513 |
| Resolutions | 514 |
| Report of Membership Committee | 514 |
| Report of Treasurer | 515 |
| List of Members | 516 |
| Index | 531 |

,

-