

## SUMMARY

Evaluations were made of pectins extracted from peel, membrane, and juice sacs of Silver Cluster grapefruit during a two-year maturation study of this fruit.

The pectins extracted from membrane were highest in yield, jelly grade, degree of methylation, purity, and relative viscosity, while those from juice sacs were lowest in yield, jelly grade, methoxyl content, purity, and equivalent weight. Peel extracted pectins were intermediate in most of these physical and chemical characteristics.

The order of component parts of Silver Cluster grapefruit for jelly units, from highest to lowest, was found to be membrane, peel, and juice sacs.

Grapefruit residue was found to be a better source of raw material for the manufacture of pectin than that from oranges.

## LITERATURE CITED

1. Gaddum, L. W. 1934. The pectic constituents of citrus fruits. Univ. Florida Agr. Exp. Sta. Tech. Bul. 268.
2. Kertesz, Z. I. 1951. The pectic substances. Interscience Publishers, Inc., N. Y. 1, N. Y.
3. Poore, H. D. 1934. Recovery of naringin and pectin from grapefruit residue. Ind. Eng. Chem. 26: 637-639.
4. Rouse, A. H. and C. D. Atkins. 1955. Pectinesterase and pectin in commercial citrus juices as determined by methods used at the Citrus Experiment Station. Univ. Florida Agr. Exp. Sta. Tech. Bul. 570.
5. Rouse, A. H., C. D. Atkins, and E. L. Moore. 1962. Seasonal changes occurring in the pectinesterase activity and pectic constituents of the component parts of citrus fruits. I. Valencia oranges. J. Food Sci. 27: 419-425.
6. Rouse, A. H., C. D. Atkins, and E. L. Moore. 1962. The occurrence and evaluation of pectin in component parts of Valencia oranges during maturation. Proc. Florida State Hort. Soc. 75: 307-311.
7. Rouse, A. H., C. D. Atkins, and E. L. Moore. 1963. Effect of sub-freezing temperatures on component parts of citrus fruits with particular reference to the pectic constituents. Proc. Florida State Hort. Soc. 76: 295-301.
8. Rouse, A. H., C. D. Atkins, and E. L. Moore. 1964. Evaluation of pectin in component parts of Pineapple oranges during maturation. Proc. Florida State Hort. Soc. 77: 271-274.
9. Rouse, A. H., C. D. Atkins, and E. L. Moore. Seasonal changes occurring in the pectinesterase activity and pectic constituents of the component parts of citrus fruits. III. Silver Cluster grapefruit. Presented at the 24th Annual Meeting of the Institute of Food Technologists, Washington, D. C. May 27, 1964.

## THE DEGREES BRIX & BRIX-ACID RATIOS OF ORANGES UTILIZED BY FLORIDA CITRUS PROCESSORS FOR THE SEASONS 1958-59 THROUGH 1963-64

G. F. WESTBROOK AND E. C. STENSTROM

*Division of Fruit & Vegetable Inspection*

*State Department of Agriculture*

Winter Haven

The authors have from time to time reported on the Brix and Brix-acid ratios of citrus fruits utilized by processors (1, 2, 3, 4). This new report, which contains more recent and more extensive data than the initial publication on oranges presented at the 1957 meeting of the Horticultural Society, was prepared at the request of the Quality Advisory Committee of the Florida Canners Association, and the brackets which were selected for degrees Brix and Brix-acid ratios were those recommended by that committee.

As in earlier reports, all information was obtained from the inspectors' worksheets, which are standard forms used for recording analyses of loads of fruit received at processing plants. For reasons of simplicity, loads rather than boxes were used as the basic unit in this tabulation, although the actual number of boxes utilized per tabulated month is listed, also. The analyses of

the individual loads are punched on IBM cards, then the desired data were extracted and grouped in respective Brix and ratio brackets as follows: Degrees Brix—less than 9.0, 9.0 to 9.99, 10.0 to 10.99, 11.0 to 11.99, 12.0 to 12.99, 13.0 to 13.99, and 14.0 degrees and higher; and ratios—less than 10.0 to 1, 10.0 to 10.99 to 1, 11.0 to 11.99 to 1, 12.0 to 12.99 to 1, 13.0 to 13.99 to 1, 14.0 to 14.99 to 1, 15.0 to 15.99 to 1, 16.0 to 16.99 to 1, 17.0 to 17.99 to 1, and 18.0 to 1 and higher. Each month was tabulated individually, and the percentages of loads falling into each of the categories for that period were calculated. The tabulations were drawn up so as to represent fruit received by all except the very small processors, with every alternate day's receipts for the months of November and March being included, and with every third day's receipts being tabulated for the principal six months of the processing season. In all, nearly 340,000 individual loads were tabulated. Since this represents more than one-third of all oranges received by all processing plants during these seasons, statistical sample variation is not considered to be a factor.

The results of the tabulation of the 1958-59 through 1963-64 seasons are shown on Tables 1

Table 1: Percent of Loads Meeting Various Degrees Brix-Ratio Combinations

## NOVEMBER

		RATIO											
		10.0-1	10.0-1	11.0-1	12.0-1	13.0-1	14.0-1	15.0-1	16.0-1	17.0-1	18.0-1	& up	Total
0% Brix	-10.0-1	0.5%	1.0%	0.7%	1.0%	0.6%	0.5%	0.5%	0.6%	0.5%	0.5%	0.5%	5.8%
9.0	-9.0	0.5%	3.5	6.7	6.5	3.9	2.8	2.0	1.2	1.7	29.2%		
10.0	-10.0	0.3%	2.0	6.5	7.0	6.0	4.3	2.9	2.5	0.7	1.2	33.7%	
11.0	-11.0	0.4%	2.6	3.4	4.1	4.0	3.1	1.8	0.7	0.5	0.6	22.5%	
12.0	-12.0	0.2%	1.7	1.7	1.7	1.1	0.8	0.3	0.1	0.4	0.5	1.0%	
13.0	-13.0	0.2%	0.1	0.2	0.2						0.5%		
14.0	-14.0												
15.0	-15.0												
16.0	-16.0												
17.0	-17.0												
18.0	-18.0												
19.0	-19.0												
20.0	-20.0												
21.0	-21.0												
22.0	-22.0												
23.0	-23.0												
24.0	-24.0												
25.0	-25.0												
26.0	-26.0												
27.0	-27.0												
28.0	-28.0												
29.0	-29.0												
30.0	-30.0												
31.0	-31.0												
32.0	-32.0												
33.0	-33.0												
34.0	-34.0												
35.0	-35.0												
36.0	-36.0												
37.0	-37.0												
38.0	-38.0												
39.0	-39.0												
40.0	-40.0												
41.0	-41.0												
42.0	-42.0												
43.0	-43.0												
44.0	-44.0												
45.0	-45.0												
46.0	-46.0												
47.0	-47.0												
48.0	-48.0												
49.0	-49.0												
50.0	-50.0												
51.0	-51.0												
52.0	-52.0												
53.0	-53.0												
54.0	-54.0												
55.0	-55.0												
56.0	-56.0												
57.0	-57.0												
58.0	-58.0												
59.0	-59.0												
60.0	-60.0												
61.0	-61.0												
62.0	-62.0												
63.0	-63.0												
64.0	-64.0												
65.0	-65.0												
66.0	-66.0												
67.0	-67.0												
68.0	-68.0												
69.0	-69.0												
70.0	-70.0												
71.0	-71.0												
72.0	-72.0												
73.0	-73.0												
74.0	-74.0												
75.0	-75.0												
76.0	-76.0												
77.0	-77.0												
78.0	-78.0												
79.0	-79.0												
80.0	-80.0												
81.0	-81.0												
82.0	-82.0												
83.0	-83.0												
84.0	-84.0												
85.0	-85.0												
86.0	-86.0												
87.0	-87.0												
88.0	-88.0												
89.0	-89.0												
90.0	-90.0												
91.0	-91.0												
92.0	-92.0												
93.0	-93.0												
94.0	-94.0												
95.0	-95.0												
96.0	-96.0												
97.0	-97.0												
98.0	-98.0												
99.0	-99.0												
100.0	-100.0												
101.0	-101.0												
102.0	-102.0												
103.0	-103.0												
104.0	-104.0												
105.0	-105.0												
106.0	-106.0												
107.0	-107.0												
108.0	-108.0												
109.0	-109.0												
110.0	-110.0												
111.0	-111.0												
112.0	-112.0												
113.0	-113.0												
114.0	-114.0												
115.0	-115.0												
116.0	-116.0												
117.0	-117.0												
118.0	-118.0												
119.0	-119.0												
120.0	-120.0												
121.0	-121.0												
122.0	-122.0												
123.0	-123.0												
124.0	-124.0												
125.0	-125.0												
126.0	-126.0												
127.0	-127.0												
128.0	-128.0												
129.0	-129.0												
130.0	-130.0												
131.0	-131.0												
132.0	-132.0												
133.0	-133.0												
134.0	-134.0												
135.0	-135.0												
136.0	-136.0												
137.0	-137.0												
138.0	-138.0												
139.0	-139.0												
140.0	-140.0												
141.0	-141.0												
142.0	-142.0												
143.0	-143.0												
144.0	-144.0												
145.0	-145.0												
146.0	-146.0												
147.0	-147.0												
148.0	-148.0												
149.0	-149.0												
150.0	-150.0												
151.0	-151.0												
152.0	-152.0												
153.0	-153.0												
154.0	-154.0												
155.0	-155.0												
156.0	-156.0												
157.0	-157.0												
158.0	-158.0												
159.0	-159.0												
160.0	-160.0												
161.0	-161.0												
162.0	-162.0												
163.0	-163.0												
164.0	-164.0												
165.0	-165.0												
166.0	-166.0												
167.0	-167.0					</							

## LITERATURE CITED

1. Stenstrom, E. C., and G. F. Westbrook. A study of the degrees Brix and Brix-acid ratios of grapefruit utilized by *Florida citrus* processors for the seasons 1952-53 through 1955-56. Proc. Fla. State Hort. Soc. 69: 113-120. (1956)
  2. Westbrook, G. F., and E. C. Stenstrom. A study of the degrees Brix and Brix-acid ratios of oranges utilized by *Florida citrus* processors for the seasons 1952-53 through 1956-57. Proc. State Hort. Soc. 70: 247-259. (1957)

3. Westbrook, G. F. and E. C. Stenstrom. A study of the degrees Brix and Brix-acid ratios of tangerines utilized by Florida citrus processors for the seasons 1953-54 through 1956-57 and 1958-59. Proc. Fla. State Hort. Soc. 72: 290-297. (1959)

4. Westbrook, G. F., and E. C. Stenstrom. The degrees Brix and Brix-acid ratios of grapefruit utilized by Florida citrus processors for the seasons 1958-59 through 1961-62. Proc. Fla. State Hort. Soc. 76: 258-264. (1963)

5. Division of Fruit & Vegetable Inspection Annual Reports, 1958-59 through 1963-64.

Table 3: Percent of Loads Meeting Various Degrees Brix-Ratio Combinations

JANUARY											
			R A T I O								
1963-64	(8,857,609 Boxes)	10-0-1	11-0-1	12-0-1	13-0-1	14-0-1	15-0-1	16-0-1	17-0-1	18-0-1 & up	Total
Brix											
>9.0	0.26	0.5%	0.3%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.6%
9.0	0.26	0.5%	0.3%	0.7	0.9	0.6	0.4	0.2%	0.3	5.0%	
8.0	0.26	0.5%	1.0	1.1	0.7	0.1	0.1	0.1	0.1	0.1	0.6%
7.0	0.26	0.5%	1.1	1.2	1.1	0.1	0.1	0.1	0.1	0.1	0.6%
6.0	0.26	0.5%	1.1	1.2	1.1	0.1	0.1	0.1	0.1	0.1	0.6%
5.0	0.26	0.5%	1.1	1.2	1.1	0.1	0.1	0.1	0.1	0.1	0.6%
4.0	0.26	0.5%	1.1	1.2	1.1	0.1	0.1	0.1	0.1	0.1	0.6%
3.0	0.26	0.5%	1.1	1.2	1.1	0.1	0.1	0.1	0.1	0.1	0.6%
2.0	0.26	0.5%	1.1	1.2	1.1	0.1	0.1	0.1	0.1	0.1	0.6%
1.0	0.26	0.5%	1.1	1.2	1.1	0.1	0.1	0.1	0.1	0.1	0.6%
& up	0.26	0.5%	1.1	1.2	1.1	0.1	0.1	0.1	0.1	0.1	0.6%
Total	8.75	7.0%	9.0%	15.75	27.75	17.15	10.2%	5.6%	3.1%	4.4%	100.0%

Table 4: Percent of Loads Meeting Various Degrees Brix-Ratio Combinations

FEBRUARY																
1963-64:		(5,558,188 Boxes)		RATIO												
10-0-1		10-0-1		11-0-1		12-0-1		13-0-1		14-0-1		15-0-1	16-0-1	17-0-1	18-0-1 & up	
0-2-1x																
9-0	0.75	2.15	1.65	0.58	0.25	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	5.75	
10-0	2.3	5.1	3.5	1.1	0.7	0.65	0.6	0.3	0.25	0.2	0.2	0.2	0.2	0.2	114.65	
11-0	2.5	5.5	3.5	1.2	2.1	2.0	2.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	22.55	
12-0	2.5	3.6	3.5	3.1	2.7	2.6	2.6	2.0	1.5	0.7	0.7	0.7	0.7	0.7	22.75	
13-0	1.6	3.0	3.8	2.8	3.3	2.3	2.1	1.6	0.9	0.7	0.7	0.7	0.7	0.7	22.15	
14-0	1.3	2.5	3.0	3.0	3.0	2.6	2.2	1.7	1.4	0.8	0.7	0.7	0.7	0.7	19.25	
Total	10.7	20.4	17.8	12.0	10.7	9.3	8.0	5.1	3.0	2.7	2.5	2.5	2.5	2.5	100.00	

1962-63:		R A T I O										(Present Year)					
		17.5% 10.0%		17.5% 10.0%		11.0% 10.0%		13.0% 10.0%		15.0% 10.0%		16.0% 10.0%		17.0% 10.0%		18.0% 10.0% & up	
Orbits		0.6%	0.3%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	Total			
0.5%		0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%				
1.0%		0.5%	0.7%	1.5%	2.3%	2.9%	3.6%	4.1%	4.1%	4.1%	4.1%	4.1%	4.1%				
11.0%		0.3	0.7	1.6	2.5	3.5	4.4	4.4	4.4	4.4	4.4	4.4	4.4				
12.0%		0.2	0.5	0.9	2.0	2.6	2.6	2.3	1.9	1.6	1.3	1.0	0.7				
13.0%		0.1	0.2	0.4	0.7	0.8	0.7	0.5	0.4	0.3	0.5	0.3	0.5				
4 & up																	
Total		1.6%	3.9%	4.7%	7.5%	9.5%	11.7%	12.0%	10.7%	8.8%	9.2%			100.0%			

1962-63: (6,823,791 Boxes)			R A T I O						(Present Year)			
10-0-1			10-0-1		11-0-1		12-0-1		13-0-1		14-0-1	
9-8-1			9-8-1		9-8-1		9-8-1		9-8-1		9-8-1	
9-0			3.75	2.75	0.9%	0.2x	0.1x					Total
9.0	5.75	21.7	9.1	2.0	0.8	0.4	0.1					7.65
10.0	10.1	21.7	10.0	0.8	0.3	0.2	0.2x	0.1x	0.1x	0.1x	0.1x	39.45
11.0	3.75	2.75	1.0	0.5	0.2	0.1	0.1	0.1	0.1	0.2	0.2	32.05
12.0	0.5	0.3	0.4	0.6	0.6	0.5	0.5	0.5	0.3	0.3	0.3	10.25
13.0	0.1	0.2	0.2	0.1	0.6	0.8	0.5	0.4	0.3	0.4	0.4	4.35
14.0			0.1	0.2	0.2	0.4	0.6	0.7	0.4	0.2	0.1	2.75
Total			19.72	11.07	18.35	5.1x	3.0x	2.5x	1.6x	1.3x	1.6x	100.00

		R A T I O											
		-10.0-1					10.0-1						
		11.0-1		12.0-1			13.0-1		14.0-1			15.0-1	
9.8x	9.0												Total
-9.0	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.45
9.0	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
9.0	0.15	0.15	1.25	0.25	0.95	0.75	0.65	0.25	0.25	0.25	0.25	0.25	5.25
9.0	0.2	0.05	0.2	2.25	3.0	2.0	2.0	1.5	0.8	0.1	0.1	0.1	16.00
11.0	0.2	0.05	0.2	2.25	3.0	2.0	2.0	1.5	0.8	0.1	0.1	0.1	16.00
11.0	0.4	1.1	3.0	6.0	6.0	4.7	4.7	3.5	1.4	0.7	0.5	0.5	29.25
11.0	0.4	1.1	3.0	6.0	6.0	4.7	4.7	3.5	1.4	0.7	0.5	0.5	29.25
11.0	0.3	1.1	2.5	3.0	3.0	1.8	0.9	0.4	0.2	0.1	0.1	0.1	13.00
11.0	0.3	1.1	2.5	3.0	3.0	1.8	0.9	0.4	0.2	0.1	0.1	0.1	13.00
4 up													
Total	1.65	6.55	15.11	22.68	22.2K	11.5K	9.0E	4.3K	2.3K	1.0K			100.05

	R A T I O										
	1.0-0.1	1.0-0.1	1.1-0.1	1.2-0.1	1.3-0.1	1.4-0.1	1.5-0.1	1.6-0.1	1.7-0.1	1.8-0.1	up
0px/R											Total
-9.0											1.15
9.0											8.65
10.0											20.25
11.0											19.1
12.0											27.15
13.0											13.75
14.0											2.55
<b>4. up</b>											
<b>Total</b>	<b>0.9%</b>	<b>3.7%</b>	<b>9.7%</b>	<b>16.7%</b>	<b>21.5%</b>	<b>19.1%</b>	<b>13.5%</b>	<b>7.0%</b>	<b>3.8%</b>	<b>4.1%</b>	<b>100.0%</b>

1959-60:		R A T I O											
(8,882,169 Boxes)		1.0-0.1	1.0-1.1	1.1-0.1	1.2-0.1	1.3-0.1	1.4-0.1	1.5-0.1	1.6-0.1	1.7-0.1	1.8-0.1	& up	Total
0.0-0.1	10.0%	0.34	0.15										10.0%
0.1-0.2	9.0%	0.34	0.07	0.34	0.34	0.34	0.29	0.24	0.15	0.25			5.45
0.2-0.3	9.0%	0.85	2.2	0.0	0.34	0.34	0.34	0.29	0.24	0.15	0.25		12.25
0.3-0.4	10.0%	2.2	2.3	1.1	1.2	1.3	1.2	1.1	0.7	0.4	0.7		17.65
0.4-0.5	11.0%	1.8	1.3	1.3	1.8	2.6	3.0	2.4	1.4	0.9	1.1		23.05
0.5-0.6	11.0%	0.9	1.3	1.3	2.4	2.9	4.0	3.0	2.0	1.4	1.5		26.25
0.6-0.7	11.0%	0.3	1.3	1.3	2.4	2.9	5.7	2.1	2.5	1.4	1.5		22.05
0.7-0.8	11.0%	0.1	0.9	2.2	3.1	3.1	1.8	0.9	0.5	0.3	0.4		12.95
& up													
Total		5.9%	9.5%	11.3%	15.7%	17.7%	21.4%	10.1%	6.1%	4.1%	5.1%		100.0%

1950-59 S.B.R.	R A T I O										Total
	10.0-0.1	11.0-0.1	12.0-0.1	13.0-0.1	14.0-0.1	15.0-0.1	16.0-0.1	17.0-0.1	18.0-0.1	& up	
9.0-10.0	0.24	0.25	0.15	0.15	0.15	0.25	0.15	0.15	0.15	0.15	1.15
10.0-11.0	0.8	0.6	0.6	0.8	0.8	0.8	0.5	0.2	0.25	0.15	5.45
11.0-12.0	1.1	0.9	1.1	2.4	2.9	2.6	1.8	1.0	0.5	0.8	15.15
12.0-13.0	0.7	1.3	2.5	4.0	5.5	4.8	3.2	1.7	1.0	1.1	26.65
13.0-14.0	1.0	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	11.05
14.0-15.0	1.0	2.3	3.1	4.1	4.2	3.0	1.8	0.9	0.4	0.5	19.95
& up											
Total	3.45	6.28	12.0%	18.5%	20.4%	16.5%	10.7%	5.6%	3.2%	3.5%	100.0%

WESTBROOK AND STENSTROM: BRIX-ACID STUDIES

Table 5: Percent of Loads Meeting Various Degrees Brix-Ratio Combinations

R A T I O										Total	
(3,577,737 Boxes)				13.0-1 10.0-1 11.0-1 12.0-1 13.0-1 14.0-1 15.0-1 16.0-1 17.0-1 18.0-1 & up							
Orbits	13.0-1	10.0-1	11.0-1	12.0-1	13.0-1	14.0-1	15.0-1	16.0-1	17.0-1	18.0-1 & up	
-9.0											6.5%
9.0	0.7%	1.4%	1.8%	1.7%	0.7%	0.2%					21.5%
10.0	0.7%	2.5	6.7	6.5	6.5	1.9	0.6	0.1%			30.7%
11.0	0.7	3.8	7.2	8.2	6.4	3.3	0.7	0.4			23.1%
12.0	1.1	3.2	4.9	5.5	5.1	2.1	0.5	0.1	0.2%	0.3%	11.2%
13.0	0.6	1.5	2.5	2.8	1.6	0.7	0.3	0.2	0.2	0.5	3.7%
14.0	0.3	0.7	0.6	0.5	0.4	0.2	0.2	0.2	0.2	0.3	
Total	3.4%	12.5%	22.1%	25.1%	21.8%	9.1%	2.6%	1.3%	0.4%	1.1%	100.0%

		R A T I O																		
		3.00-0.5		10.0-0.1		12.0-0.1		13.0-0.1		14.0-0.1		15.0-0.1		16.0-0.1		17.0-0.1		18.0-0.1 & up		Total
Opnrs	Per cent	Opnrs	Per cent	Total																
9.0-0	0.3%	9.0-0	0.3%	9.0-0	0.3%	9.0-0	0.3%	9.0-0	0.3%	9.0-0	0.3%	9.0-0	0.3%	9.0-0	0.3%	9.0-0	0.3%	9.0-0	0.3%	9.0-0
10.0-0	0.3%	10.0-0	0.3%	10.0-0	0.3%	10.0-0	0.3%	10.0-0	0.3%	10.0-0	0.3%	10.0-0	0.3%	10.0-0	0.3%	10.0-0	0.3%	10.0-0	0.3%	10.0-0
11.0-0	1.5	11.0-0	1.5	11.0-0	1.5	11.0-0	1.5	11.0-0	1.5	11.0-0	1.5	11.0-0	1.5	11.0-0	1.5	11.0-0	1.5	11.0-0	1.5	11.0-0
12.0-0	2.5	12.0-0	2.5	12.0-0	2.5	12.0-0	2.5	12.0-0	2.5	12.0-0	2.5	12.0-0	2.5	12.0-0	2.5	12.0-0	2.5	12.0-0	2.5	12.0-0
13.0-0	3.1	13.0-0	3.1	13.0-0	3.1	13.0-0	3.1	13.0-0	3.1	13.0-0	3.1	13.0-0	3.1	13.0-0	3.1	13.0-0	3.1	13.0-0	3.1	13.0-0
14.0-0	2.1	14.0-0	2.1	14.0-0	2.1	14.0-0	2.1	14.0-0	2.1	14.0-0	2.1	14.0-0	2.1	14.0-0	2.1	14.0-0	2.1	14.0-0	2.1	14.0-0
15.0-0	2.1	15.0-0	2.1	15.0-0	2.1	15.0-0	2.1	15.0-0	2.1	15.0-0	2.1	15.0-0	2.1	15.0-0	2.1	15.0-0	2.1	15.0-0	2.1	15.0-0
16.0-0	2.1	16.0-0	2.1	16.0-0	2.1	16.0-0	2.1	16.0-0	2.1	16.0-0	2.1	16.0-0	2.1	16.0-0	2.1	16.0-0	2.1	16.0-0	2.1	16.0-0
17.0-0	1.1	17.0-0	1.1	17.0-0	1.1	17.0-0	1.1	17.0-0	1.1	17.0-0	1.1	17.0-0	1.1	17.0-0	1.1	17.0-0	1.1	17.0-0	1.1	17.0-0
18.0-0 & up	1.0	18.0-0 & up	1.0	18.0-0 & up																
Total	11.8%	19.7%	18.5%	16.0%	10.9%	9.5%	7.2%	5.3%	3.4%	2.4%	1.5%	1.1%	1.1%	1.1%	1.1%	1.1%	1.1%	1.1%	1.0%	100.0%

		R A T I O											
		1.0-0.1		1.0-0.1		1.0-0.1		1.0-0.1		1.0-0.1		1.0-0.1 & up	
ord#	line#	0.2%	1.0%	0.2%	1.0%	0.2%	1.0%	0.2%	1.0%	0.2%	1.0%	Total	
		-9.0										0.42	
		0.2%	1.0%	0.2%	1.0%	0.2%	1.0%	0.2%	1.0%	0.2%	1.0%	0.42	
11.0	0.9	3.9	6.5	2.6	2.6	0.9	0.3	0.25	0.25	0.45	0.45	6.0	
11.0	0.9	3.9	3.1	3.3	1.3	1.1	1.1	0.9	0.7	0.5	0.7	16.30	
12.0	0.5	1.2	1.3	1.6	1.8	1.9	2.4	1.4	0.8	1.1	1.1	13.65	
13.0	0.2	1.0	1.1	1.0	1.0	0.9	0.4	2.6	2.6	2.1	2.1	27.52	
14.0	0.1	1.9	1.9	3.9	4.0	3.9	2.9	1.3	1.1	1.1	1.1	21.74	
& up													
Total		2.75	10.0%	17.75	35.15%	11.35	12.65	7.75	6.45	6.25	6.25	100.0%	

	<u>5, 256, 121 Base</u>		H A T P I O									
	10-0.1	10-0.1	11-0.1	12-0-1	13-0-1	14-0-1	15-0-1	16-0-1	17-0-1	18-0-1	up	Total
0hr												
-9.0	0.15	0.13	0.55	0.25								1.15
9.0	0.45	1.15	1.7	0.5								5.55
11.0	0.25	0.65	1.0	0.5	0.2	0.9	0.5	0.55	0.25	0.5		1.55
11.0	2.9	6.0	4.6	2.0	1.0	1.0	0.5	0.4	0.35	0.8		14.85
12.0	1.1	2.4	2.3	1.6	1.4	1.5	1.2	1.2	0.7	1.1		18.85
13.0	0.7	0.8	1.7	2.2	1.3	3.2	1.7	0.8	1.4			18.85
0.2	0.5	0.5	2.6	4.4	4.6	4.2	3.0	1.6	0.9	1.4		24.65
up												
Total	5.76	17.27	17.85	13.25	11.45	10.95	8.45	5.15	7.27	5.35		100.00

Table 6: Percent of Loads Meeting Various Degrees Brix-Ratio Combinations

A F R I C A										Total
10,0-36 Boxes)				S A T I O						
Col	10.-0.1	11.-0.1	12.-0.1	13.-0.1	14.-0.1	15.-0.1	16.-0.1	17.-0.1	18.-0.1 & up	
10	0.15	0.15	0.15	0.15	0.55	0.35	0.15			1.95
15	0.3	0.8	1.9	3.8	3.5	2.0	0.9	0.35		13.65
20	0.3	0.8	5.3	8.2	8.3	3.6	1.2	0.2		28.95
25	0.2	1.2	3.4	10.3	6.7	4.3	1.2	0.3	0.15	31.85
30	0.1	0.4	1.6	5.5	3.5	0.3	0.2	0.1		15.85
35	0.1	0.4	4.0	1.6	2.3					5.35
40	1.35	4.25	17.05	31.25	27.65	13.15	4.45	1.15	0.25	100.05

P&L % Points		R A T I O										Total
		10.0-1	11.0-1	12.0-1	13.0-1	14.0-1	15.0-1	16.0-1	17.0-1	18.0-1 & up		
5	0.2%	0.7%	0.8%	0.9%	0.9%	0.9%	0.9%	0.9%	0.9%	0.9%	0.9%	1.0%
1	1.0	3.0	5.3	7.3	9.1	11.1	11.1	11.1	11.1	11.1	11.1	11.1
3	1.6	5.7	10.1	18.8	21.7	21.7	17.7	17.7	17.7	17.7	17.7	33.7%
4	4.0	4.3	7.5	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	26.5%
10	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	10.0%
20	0.7	0.7	0.9	0.7	0.5	0.3	0.1	0.1	0.1	0.1	0.1	10.0%
50	6.3%	16.5%	28.7%	26.0%	13.3%	5.0%	1.4%	0.4%	0.2%	0.0%	0.0%	100.0%

PUL, 0.00 Barres		R A T I O								Total
3-1	10-0-1	11-0-1	12-0-1	13-0-1	14-0-1	15-0-1	16-0-1	17-0-1	18-0-1 & up	
				0.25						0.25
					1.05					1.05
0.75	4.6	14.6	13.1	5.1	0.8	0.15				7.4
0.8	5.0	12.5	11.2	4.2	0.7	0.1	0.15			10.35
0.6	2.6	3.8	3.4	1.0	0.3					36.5X
0.1	0.6	1.7	1.6	0.6	0.1	0.1	0.15			11.75
				0.2	0.1					4.15
				0.2	0.1					0.75
2.25	13.6X	34.6X	31.3X	12.1X	2.5X	0.3X	0.2X	0.15		100.00

		R A T I O										
		3.0	10.0-1	11.0-1	12.0-1	13.0-1	31.0-1	35.0-1	16.0-1	17.0-1	18.0-1 & up	Total
W80_463 Boxes												
0.65	0.65	1.65	1.75	0.85	0.25							5.05
0.65	4.3	10.9	9.3	3.1	0.6	0.15						29.15
1.0	7.0	16.2	10.0	3.0	0.7	0.1						38.05
0.5	3.7	7.4	4.9	1.7	0.5	0.1	0.15					19.05
1.6	0.9	1.8	1.2	0.2	0.1	0.1						5.35
1.5	3.35	17.45	38.35	28.15	9.85	2.55	0.15					100.05

		R A T I O									
		1.0-1.3	1.1-0.3	1.2-0.1	1.3-0.0	1.5-0.1	1.6-0.1	1.7-0.1	1.8-0.1	up	Total
0.25	3.14 <sup>c</sup>		0.13	1.45	1.95	0.85	0.45	0.15		0.15	0.15
0.5	3.12 <sup>c</sup>		0.13	5.55	2.9	1.0	0.3	0.15		20.0 <sup>c</sup>	20.0 <sup>c</sup>
0.7	1.46 <sup>c</sup>		13.0	11.14	1.45	1.45	0.3			35.0 <sup>c</sup>	35.0 <sup>c</sup>
0.7	3.49 <sup>c</sup>		9.9	7.9	2.5	0.7	0.3			25.5 <sup>c</sup>	25.5 <sup>c</sup>
0.4	2.1 <sup>c</sup>		3.1	2.6	0.9	0.3	0.1	0.1		9.1 <sup>c</sup>	9.1 <sup>c</sup>
	0.5		0.1	0.5	0.2	0.2	0.1	0.1		1.0 <sup>c</sup>	1.0 <sup>c</sup>
2.35	16.55		34.65	30.15	11.95	1.65	1.25	0.35		100.0 <sup>c</sup>	

## FLORIDA STATE HORTICULTURAL SOCIETY, 1964

Table 7: Percent of Loads Meeting Various Degrees Brix-Ratio Combinations

## M A Y

1963-64: (8,210,962 Boxes)		R A T I O											
		-10.0-1	10.0-1	11.0-1	12.0-1	13.0-1	14.0-1	15.0-1	16.0-1	17.0-1	18.0-1 & up	Total	
Brix%													
-9.0	0.1%	0.15											
9.0	0.1%	0.7	0.8%	0.5%	0.2%	0.2%	0.3%	0.2%	0.2%	0.2%	0.2%	0.2%	3.0%
10.0	0.1%	0.9	2.0	1.8	1.2	1.5	1.9	1.4	0.8%	0.3%	11.2%		
11.0	0.1%	0.5	1.0	1.5	2.0	3.1	4.6	3.4	1.0	0.7	12.0%		
12.0	0.1%	0.7	1.3	1.7	1.6	1.6	1.2	2.1	1.0	1.0	21.0%		
13.0	0.2%	0.6	3.3	6.3	7.3	5.2	2.1	1.0	1.0	26.0%			
14.0	0.3	1.3	3.7	4.0	4.3	2.8	1.3	0.6	1.9				
& up													
Total		0.2%	2.2	4.75	6.45	12.8%	21.25	26.0%	17.25	7.75	3.65	100.0%	

1962-63: (2,679,158 Boxes)		R A T I O										(Freeze Year)	
		-10.0-1	10.0-1	11.0-1	12.0-1	13.0-1	14.0-1	15.0-1	16.0-1	17.0-1	18.0-1 & up	Total	
Brix%													
-9.0	0.3%	0.25	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.75
9.0	0.1%	0.5	1.3	0.6	0.75	0.25	0.25	0.25	0.25	0.25	0.25	0.25	4.15
10.0	0.2	0.7	1.8	6.1	5.8	3.2	1.6	0.5%	0.15	20.0%			
11.0	0.7	2.4	6.2	7.6	5.2	3.2	0.5	0.2	28.0%				
12.0	0.1	1.8	3.4	5.4	4.2	2.4	0.4	0.6	1.15				
13.0	0.3	1.3	4.0	4.4	4.2	2.6	0.7	0.4	17.75				
14.0	0.3	1.3	2.5	3.1	2.8	1.4	0.5	0.3	12.25				
& up													
Total		1.05	3.05	8.25	24.15	26.95	20.65	11.05	2.95	1.65	100.0%		

1961-62: (17,026,275 Boxes)		R A T I O											
		-10.0-1	10.0-1	11.0-1	12.0-1	13.0-1	14.0-1	15.0-1	16.0-1	17.0-1	18.0-1 & up	Total	
Brix%													
-9.0	0.2%	0.35	0.15	0.25	0.25	0.25	0.15	0.15	0.15	0.15	0.15	0.15	0.95
9.0	0.25	1.1	1.3	2.1	1.7	1.0	0.5	0.3	8.75				
10.0	0.1%	0.7	4.0	7.8	7.1	4.7	2.2	0.9	0.3	28.0%			
11.0	0.2%	1.5	5.8	9.1	8.5	6.0	2.5	0.9	0.3	34.8%			
12.0	0.3	1.1	3.2	5.2	4.6	3.1	1.5	0.5	0.2	20.25			
13.0	0.1%	0.8	1.5	1.0	1.6	0.9	0.4	0.2	0.1	7.55			
& up													
Total		0.15	1.05	4.55	15.75	25.95	24.15	16.65	7.75	3.15	1.35	100.0%	

1960-61: (13,236,385 Boxes)		R A T I O											
		-10.0-1	10.0-1	11.0-1	12.0-1	13.0-1	14.0-1	15.0-1	16.0-1	17.0-1	18.0-1 & up	Total	
Brix%													
-9.0	0.2%	0.15	0.75	1.45	1.05	0.45	0.35	0.15	0.15	3.25			
9.0	0.3%	1.4	5.4	7.5	7.6	4.2	2.4	0.8	0.2	26.55			
10.0	0.6	4.0	8.9	11.4	7.0	2.7	0.8	0.2	36.65				
11.0	0.7	3.7	6.9	5.4	3.1	1.2	0.3	0.1	21.65				
12.0	0.6	1.9	3.2	2.1	1.6	0.5	0.2	0.1	10.55				
13.0	0.2	0.6	0.6	0.7	0.5	0.2	0.1	0.1	2.75				
& up													
Total		2.05	12.25	26.65	28.95	19.05	7.75	2.35	0.75	100.0%			

1959-60: (14,873,752 Boxes)		R A T I O											
		-10.0-1	10.0-1	11.0-1	12.0-1	13.0-1	14.0-1	15.0-1	16.0-1	17.0-1	18.0-1 & up	Total	
Brix%													
-9.0	0.2%	0.15	0.75	1.05	0.75	0.35	0.15	0.15	0.15	2.05			
9.0	0.15	1.3	5.2	6.0	3.1	1.1	0.3	0.15	17.15				
10.0	0.45	4.0	12.0	10.6	5.0	1.0	0.3	0.1	31.65				
11.0	0.8	4.9	8.9	10.3	3.6	1.3	0.5	0.2	26.15				
12.0	1.4	3.2	4.7	3.1	1.5	0.8	0.3	0.2	15.25				
13.0	0.4	1.0	0.8	0.7	0.4	0.2	0.1	0.1	3.75				
& up													
Total		3.05	15.15	32.25	27.75	14.35	5.35	1.75	0.75	100.0%			

1958-59: (13,118,037 Boxes)		R A T I O											
		-10.0-1	10.0-1	11.0-1	12.0-1	13.0-1	14.0-1	15.0-1	16.0-1	17.0-1	18.0-1 & up	Total	
Brix%													
-9.0	0.2%	0.35	0.55	0.75	0.35	0.15	0.15	0.15	1.75				
9.0	0.25	1.8	2.9	2.5	1.1	0.3	0.25	0.15	9.15				
10.0	1.8	6.1	8.5	6.3	2.8	0.7	0.4	0.2	26.65				
11.0	0.35	3.4	7.8	9.9	7.0	3.5	1.0	0.6	33.55				
12.0	0.5	3.0	6.0	5.0	4.0	1.0	0.4	0.25	23.15				
13.0	0.9	0.9	1.7	1.7	1.1	0.4	0.1	0.1	6.75				
& up													
Total		1.15	9.65	23.75	29.35	21.85	9.55	2.65	2.65	100.0%			

Table 8: Percent of Loads Meeting Various Degrees Brix-Ratio Combinations

## J U N E

1963-64: (1,168,861 Boxes)		R A T I O											
		-10.0-1	10.0-1	11.0-1	12.0-1	13.0-1	14.0-1	15.0-1	16.0-1	17.0-1	18.0-1 & up	Total	
Brix%													
-9.0	0.3%	0.35	0.35	0.35	0.35	0.35	0.35	0.35	0.35	0.35	0.35	0.35	1.75
9.0	0.2	9.0	3.0	3.0	1.3	0.7	0.3	0.15	0.15	0.15	0.15	0.15	9.75
10.0	0.5	13.0	2.7	6.3	6.3	1.3	0.7	0.3	0.15	0.15	0.15	0.15	20.25
11.0	0.2	11.0	1.3	1.3	1.3	0.7	0.3	0.15	0.15	0.15	0.15	0.15	13.5
12.0	0.1	11.0	1.3	1.3	1.3	0.7	0.3	0.15	0.15	0.15	0.15	0.15	13.5
13.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
& up													
Total		0.6%	8.0%	26.1%	12.3%	7.9%	7.8%	11.1%	15.7%	9.1%	10.0%	100.0%	

1962-63: (Insufficient number of loads - not tabulated)		R A T I O											
		-10.0-1	10.0-1	11.0-1	12.0-1	13.0-1	14.0-1	15.0-1	16.0-1	1			

