



NEW CITATIONS IN COASTAL TOPICS

- Addis, R.P.; Garstand, M., and Emmitt, G.D.**, 1984. Downdrafts from tropical oceanic cumuli. *Boundary-Layer Meteorology*, 28(1-2), 23-49.
- Admiraal, W.; Laane, R.W.P.M., and Peletier, H.**, 1984. Participation of diatoms in the amino-acid cycle of coastal waters — uptake and excretion in cultures. *Marine Ecology — Progress Series*, 15(3), 303-306.
- Ahmed, S.I.; King, S.L., and Clayton, J.R.**, 1984. Organic-matter diagenesis in the anoxic sediments of Saanich Inlet, British Columbia, Canada — a case for highly evolved community interactions. *Marine Chemistry*, 14(3), 233-252
- Ajebouri, M.M. and Trollope, D.R.**, 1984. Indicator bacteria in fresh water and marine mollusks. *Hydrobiology*, 111(2), 93-102.
- Alam, M.; Piper, D.J.W., and Cooke, H.B.S.**, 1983. Late Quaternary stratigraphy and paleoceanography of the Grand Banks continental margin, eastern Canada. *Boreas*, 12(4), 253-261
- Aldabas, M.A.; Hybbard, F.H., and McManus, J.**, 1984. The shell of *Mytilus* as an indicator of zonal variations of water quality within an estuary. *Estuarine, Coastal and Shelf Science*, 18(3), 263-270.
- Allen, D.M.**, 1984. Population dynamics of the mysid shrimp *Mysidopsis bigelowi* Tattersall, W.M. in a temperate estuary. *Journal of Crustacean Biology*, 4(1), 25-34
- Allen, L.G. and Demartin, E.E.**, 1983. Temporal and spatial patterns of nearshore distribution and abundance of the pelagic fishes off San Onofre Oceanside, California. *Fishery Bulletin*, 81(3), 569-586.
- Ammon, J.P.**, 1984. *Rhizophyidium littoreum* — a chytrid from siphonaceous marine algae — an ultrastructural examination. *Mycologia*, 76(1), 132-139.
- Anderson, F.O. and Hargrave, B.T.**, 1984. Effects of *Spartina* detritus enrichment on aerobic anaerobic benthic metabolism in an intertidal sediment. *Marine Ecology — Progress Series*, 16(1-2), 161-171
- Anon.**, 1984. Discharging the sea lawyer. *Banking Law Journal*, 101(3), 246.
- Anon.**, 1984. The last interglacial ocean. *Quaternary Research*, 21(2), 123-224
- Ansari, Z.A.; Chatterj, A., and Paruleka, A.H.**, 1984. Effects of domestic sewage on sand beach meiofauna at Goa, India. *Hydrobiologia*, 111(3), 229-233.
- Argintaru, V. and Willis, D.H.**, 1984. Simulation of the tidal propagation in the Bay of Fundy using a hybrid model. *Mathematics and Computers in Simulation*, 26(1), 39-42.
- Arimoto, T.**, 1984. Mechanism of catch in coastal set-line fisheries. 6. interspecific competition among demersal fishes in catch distribution of coastal set-lines. *Bulletin of the Japanese Society Scientific Fisheries*, 50(2), 233-240. (in Japanese)
- Arocha, F. and Robaina, G.**, 1984. 1st record of octopus — *Defilippi veranyi*, 1851 in Venezuela coastal waters. *Nautilus*, 98(1), 25-28.
- Attanasi, E.D. and Drew, L.J.**, 1984. Offshore exploration performance and industry change — the case of Mexico. *Journal of Petroleum Technology*, 36(3), 437-442.
- Ayalacastanares, A.**, 1983. The role of universities in building national capability in the marine sciences. *Impact of Science on Society*, 3-4, 405-411.
- Bacci, P.; Giraud, C.; Longhetti, A., and Richard, R.**, 1984. Acoustic sounding of land and sea breezes. *Boundary-Layer Meteorology*, 28(1-2), 187-192.
- Bak, R.P.M.; Carpay, M.J.E., and Deruyter, E.D.**, 1984. Densities of the sea urchin *Diadema antillarum* before and after mass mortalities on the coral reef of Curacao. *Marine Ecology — Progress Series*, 17(1), 105-108.
- Bakus, G.J.**, 1983. The selection and management of coral reef preserves. *Ocean Management*, 8(4), 305-316.
- Balling, S.S. and Resh, V.H.**, 1984. Life-history variability in the water boatman, *Trichocorixa reticulata* (hemiptera, corixidae), in San Francisco Bay salt marsh ponds. *Annals of the Entomological Society of America*, 77(1), 14-19.
- Barnaby, F.**, 1983. Military use of the oceans. *Impact of Science on Society*, 3/4, 421-432
- Barnett, T.P.**, 1984. Long-term trends in surface temperature over the oceans. *Monthly Weather Review*, 112(2), 303-312
- Baumann, R.H.; Day, J.W., and Miller, C.A.**, 1984. Mississippi deltaic wetland survival — sedimentation versus coastal submergence. *Science*, 224(4653), 1093-1095
- Bea, R.G.; Hong, S.T., and Mitchell, J.S.**, 1984. Decision-analysis approach to offshore platform design. *Journal of Structural Engineering — ASCE*, 110(1), 55-74
- Bedford, A.P. and Moore, P.G.**, 1984. Macrofaunal involvement in the sublittoral decay of kelp debris — the detritivore community and species interactions. *Estuarine, Coastal and Shelf Science*, 18(1), 97-111
- Behairy, A.K.A. and Elsayed, M.M.**, 1984. Dissolved organic matter in coastal waters at Jeddah, Saudi Arabia. *Marine Pollution Bulletin*, 15(3), 113-116.
- Bell, J.D. and Galzin, R.**, 1984. Influence of live coral cover on coral-reef fish communities. *Marine Ecology — Progress Series*, 15(3), 265-274.
- Bell, J.D.; Pollard, D.A.; Burchmor, J.J.; Pease, B.C., and Middleto., M.J.**, 1984. Structure of a fish community in a tem

- perate tidal mangrove creek in Botany Bay, New South Wales. *Australian Journal of Marine and Freshwater Research*, 35(1), 33-46.
- Bellessort, B.; Caillat, J.M.; Brossard, C., and Bourgoui, J.**, 1984. Ecological problems related to the Loire Estuary development. *Water Science and Technology*, 16(3-4), 653-658.
- Benayahu, Y. and Loya, Y.**, 1984. Life history studies on the Red Sea soft coral *Xenia macrospocula* development. *Biological Bulletin*, 166(1), 32-43.
- Bennett, R.H.; Bowles, F.A.; Lambert, D.N.; Nastav, F.L.; Merrill, G.F.; Almagor, G., and Burton, W.J.**, 1984. Geotechnical and geological factors affecting offshore engineering and seabed utilization on a carbonate margin — St Croix, VII. *Journal of Energy Resources Technology — Transactions of the ASME*, 106(1), 120-129.
- Bentuvia, A. and Golani, D.**, 1984. A West African fangtooth moray eel *Enchelycore anatina* from the Mediterranean coast of Israel. *Copeia*, (2), 541-544.
- Bigot, L; Picard, J., and Roman, M.L.**, 1984. (Fr) Significance of the invertebrate assemblages of sandy seashore and dunes of the delta of Rhone — delimitation for the marine and the terrestrial domains. *Comptes Rendus des Seances le l'Academie des Sciences Serie III — sciences de la Vie*, 298(1), 5-7.
- Birch, P.B. and Gabriels, J.D.**, 1984. Cladophora growth in the Peel-Harvey estuarine system following blooms of the Cyanobacterium *Nodularia spumigena*. *Botanica Marina*, 27(1), 17-21.
- Boorman, L.A. and Fuller, R.M.**, 1984. The comparative ecology of 2 sand dune biennials — *Lactuca virosal* and *Cygnoglossum officinale* L. *New Phytologist*, 96(4), 609-629.
- Borhidi, A.; Muniz, O., and Delrisco, E.**, 1983. Plant communities of Cuba. **1.** fresh and salt water, swamp and coastal vegetation. *Acta Botanica Academiae Scientiarum Hungaricae*, 29(1-4), 337-376.
- Bose, S.**, 1984. Beach and dune erosion during storm surges — discussion. *Coastal Engineering*, 8(2), 189-190.
- Botsford, L.W.**, 1984. Effect of individual growth rates on expected behavior of the northern California dungeness crab (*Cancer magister*) fishery. *Canadian Journal of Fisheries and Aquatic Science*, 41(1), 99-107
- Botton, M.L.**, 1984. The importance of predation by horseshoe crabs, *Limulus polyphemus*, to an intertidal sand flat community. *Journal of Marine Research*, 42(1), 139-161.
- Botton, M.L.**, 1984. Effects of laughing gull and shorebird predation on the intertidal fauna at Cape May, New Jersey. *Estuarine, Coastal and Shelf Science*, 18(2), 209-220.
- Bovbjerg, R.V.**, 1984. Habitat selection in 2 intertidal snails, genus *Nerita*. *Bulletin of Marine Science*, 34(2), 185-196.
- Boyd, A.J. and Agenbag, J.J.**, 1984. Seasonal temperature and salinity trends off central Namibia between 1978 and 1983 with particular reference to the cool winter of 1982. *South African Journal of Science*, 80(2), 77-79.
- Boxer, B.**, 1984. Marine Science and society in China. *Oceanus*, 27(1), 47-53.
- Branch, G.M.**, 1984. Changes in intertidal and shallow water communities of the south and west coasts of South Africa during the 1982/1983 temperature anomaly. *South African Journal of Science*. 80(2), 61-65.
- Branch, G.M. and Day, J.A.**, 1984. Ecology of southern African estuaries. **13.** the Palmiet River Estuary in the southwestern Cape Branch. *South African Journal of Zoology*, 19(2), 63-77.
- Brattstrom, H. and Johansse., A.**, 1983. Ecological and regional zoogeography of the marine benthic fauna of Chile — report No. 49 of the Lund University — Chile expedition 1948-49. *Sarsia*, 68(4), 289-334.
- Bray, R.A.**, 1984. Some helminth parasites of marine fishes and cephalopods of South Africa — *Aspidogastrea* and the Digenean families *Bucephalidae*, *Haplospalanchnidae*, *Mesometriadae* and *Fellodistomidae*. *Journal of Natural History*, 18(2), 271-292.
- Brink, K.H.; Stuart, D.W., and Vanleer, J.C.**, 1984. Observations of the coastal upwelling region near 34°34' N off California — spring 1981. *Journal of Physical Oceanography*, 14(2), 378-391.
- Brown, W.S.**, 1984. A comparison of Georges Bank of Maine and New England shelf tidal dynamics. *Journal of Physical Oceanography*, 14(1), 145-167.
- Broyd, T.W.; Hooper, A.G., and Kingsbury, R.S.**, 1984. The effects of constructing a barrage across the Tawe Estuary. *Water Science and Technology*, 16(3-4), 463-475.
- Brundage, H.T.**, 1984. Rig utilization rises as offshore drilling makes spotty recovery. *Petroleum Engineer Internationaional*, 56(2), 23-27.
- Bundrit, G.B.; Decuevas, B. and Shipley, A.M.**, 1984. Significant sea-level variations along the west coast of southern Africa 1979-82. *South African Journal of Science*, 80(2), 80-82.
- Bruun, P.**, 1984. Beach and dune erosion during storm surges — discussion. *Coastal Engineering*, 8(2), 171-177.
- Bruun, P.**, 1984. Maintaining tidal inlet channels by fluidization — discussion. *Journal of Waterway, Port, Coastal, and Ocean Engineering (ASCE)*, 110(1), 117-119.
- Burns, D.A.**, 1983. The distribution and morphology of *Tintinnids* (ciliate protozoans) from the coastal waters around New Zealand. *New Zealand Journal of Marine and Freshwater Research*, 17(4), 387-406.
- Burchett, M.D.; Field, C.D., and Pulkowni, A.**, 1984. Salinity, growth and root respiration in the grey mangrove, *Avicennia marina*. *Physiologia Plantarum*, 60(2), 113-118.
- Caline, B.**, 1982. *Le Secteur Occidentale de la Baie du Mont Saint-Michel*. Documents du BGRM (French Geol. Survey). BGRM, BP 6009 45060 Orleans Cedex, France.
- Capaldo, M. and Epifani, R.**, 1983. (It) An interactive procedure for forecasting the sea state. *Rivista di Meteorologia Aeronautica*, 43(3), 175-182.
- Carpenter, D.J. and Thomson, J.D.**, 1984. Observations from Landsat of ocean circulation. *Australian Journal of Marine and Freshwater Research*, 35(1), 25-32.

- Carroll, J.E., 1983. Of icebergs, oil-wells, and treaties — hydrocarbon exploitation offshore Antarctica. *Stanford Journal of International Law*, 19(1), 207-227.
- Carter, R.W.G. and Newbould, P.J., 1984. Environmental impact assessment of the Strangford Lough tidal power barrage scheme in Northern Ireland. *Water Science and Technology*, 16(3-4), 455-462.
- Carton, J.A., 1984. Coastal circulation caused by an offshore storm. *Journal of Physical Oceanography*, 14(1), 114-124.
- Castellini, G., 1983. (it) Researches on the coast of Somalia — the beaches and dunes of Sar-Uanle. 35. *Scydmaenidae* (coleoptera). *Monitore Zoologico Italiano*, 18(S), 187-191.
- Castellini, M.A.; Davis, R.W., and Horning, M., 1984. Antarctic marine life under the McMurdo ice shelf at White Island — a link between nutrient influx and seal population. *Polar Biology*, 2(4), 229-231.
- Castle, P.H.J. and Paxton, J.R., 1984. A new genus and species of luminescent eel (*Pisces congridae*) from the Arafura Sea, northern Australia. *Copeia*, 2, 72-81.
- Chandramohan, P. and Rao, T.V.N., 1984. Study of longshore-current equations for currents in Visakhapatnam Beach. *Indian Journal of Marine Science*, 13(1), 24-27.
- Cheever, D.S., 1984. The politics of the UN Convention on the Law of the Sea. *Journal of International Affairs*, 37(2), 247-252.
- Christensen, J.P.; Devol, A.H., and Smethie, W.M., 1984. Biological enhancement of solute exchange between sediments and bottom water on the Washington continental shelf. *Continental Shelf Research*, 3(1), 9-23.
- Christensen, D., 1984. Determination of substrates oxidized by sulfate reduction in intact cores of marine sediments. *Limnology and Oceanography*, 29(1), 189-192.
- Chung, K.S. and Strawn, K., 1984. Seasonal change in thermal tolerance of common estuarine crustaceans. *Bulletin of the Japanese Society of Scientific Fisheries*, 50(3), 451-456.
- Clarke, A.J. and Thompson, R.O., 1984. Large-scale wind-driven ocean response in the Australian coastal experiment region. *Journal of Physical Oceanography*, 14(2), 338-352.
- Colwell, R.R., 1984. The industrial potential of marine biotechnology. *Oceanus*, 27(1), 3-12.
- Couch, J.A.; Martin, S.M.; Tompkins, G., and Kinney, J., 1984. A simple system for the preliminary evaluation of infective and parthogenesis of insect virus in a nontarget estuarine shrimp. *Journal of Invertebrate Pathology*, 43(3), 351-357.
- Crouse, D.T., 1984. Loggerhead sea turtles nesting in North Carolina — applications of an aerial survey. *Biological Conservation*, 29(2), 143-155.
- Currie, R.I., 1983. Marine Science. *Proceedings of the Royal Society of Edinburgh. B. Biological Sciences*, 231-250.
- Corlett, J., 1984. Tidal power from the Severn estuary. *Water Science Technology*, 16(1-2), 53-268.
- Damyanova, M.G. and Pencheva, E.N., 1983. Hydrogeochemical specificity of interstitial water in Quaternary sediments of the northwestern Black Sea area. *Doklady Bolgarskoi Akademii Nauk*, 36(9), 1199-1202.
- Davis, R.C., 1984. Effects of weather and habitat structure on the population dynamics of isopods in a dune grassland. *Okios*, 42(3), 387-395.
- Dayton, P.K. and Tegner, M.J., 1984. Catastrophic storms, El Nino, and patch stability in a southern California kelp community. *Science*, 224(4646), 283-285.
- Dean, T.A.; Schroete, S.C., and Dixon, J.D., 1984. Effects of grazing by 2 species of sea urchins (*Strongylocentrotus franciscanus* and *Lyttechinus anamesus*) on recruitment and survival of species of kelp (*Macrocystis pyrifera* and *Pterygophora californica*). *Marine Biology*, 78(3), 301-313.
- DeJong, G.J. and Visser, J., 1984. Environmental aspects of reinforcements in coastal dune areas. *Water Science and Technology*, 16(3-4), 377-386.
- Deszoeko, R.A. and Richman, J.G., 1984. On wind-driven mixed layers with application to coastal upwelling. *Journal of Physical Oceanography*, 14(2), 364-377.
- Dethier, M.N., 1984. Disturbance and recovery patterns in intertidal pools — maintenance of mosaic patterns. *Ecological Monographs*, 54(1), 99-118.
- Digby, P.S.B., 1984. Calcification in the shore crab, *Carcinus maenas* (L) — pH and the precipitation of carbonate from sea water and blood. *Journal of the Marine Biological Association of the United Kingdom*, 64(1), 233-248.
- Dillon, E.J. and Henderson, B., 1984. A bacteriological assessment of the Mersey Estuary and north Wirral coast. *Water, Air and Soil Pollution*, 22(3), 241-255.
- Dixon, R.D.; Lowery, R.C.; Sabella, J.C., and Hepburn, M.J., 1984. Fishermen's wives — a case study of a middle Atlantic coastal fishing community. *Sex Roles*, 10(1-2), 33-52.
- Dombeck, M; Hammill, J., and Bullen, W. 1984. Fisheries management and fish dependent birds. *Fisheries*, 9(2), 2-4.
- Doulman, D.J. and Wright, A., 1983. Recent developments in Papua New Guinea's tuna fishery. *Marine Fisheries Research*, 45(10-1), 47-59.
- Dzurik, A.A., 1984. Environmental conflicts in a rapidly growing coastal economy — the case of South Florida. *Water Science and Technology*, 16(3-4), 659-666.
- Eckert, G.J., 1984. Annual and spatial variations in recruitment of labroid fishes among 7 reefs in the Capricorn Bunker group, Great Barrier Reef. *Marine Biology*, 78(2), 123-127.
- Ekaratne, S.U. and Crisp, D.J., 1984. Seasonal growth studies of intertidal gastropods from shell micro growth band measurements, including a comparison with alternative methods. *Journal of the Marine Biological Association of the United Kingdom*, 64(1), 183-210.
- Eleazpoulichet, F.; Hollinger, P.; Wei, W.H., and Martin, J.M., 1984. Lead cycling in estuaries, illustrated by the Gironde Estuary, France. *Nature*, 308(5958), 409-414.

- Ellett, D.J. and Edwards, A., 1983. Oceanography and inshore hydrography of the Inner Hebrides. *Proceedings of the Royal Society of Edinburgh Biological Sciences*, 83, 143-160.
- Elvey, J.S.N., 1983. On the elimination of de-stabilizing motions of articulated mooring towers under steady sea conditions. *IMA Journal of Applied Mathematics*, 31(3), 235-252.
- Engstrom, N.A., 1984. Depth limitation of a tropical intertidal xanthid crab, *Cataleptodius floridanus*, and a shallow-water majid, *Pitho aculeata* — results of a caging experiment. *Journal of Crustacean Biology*, 4(10), 55-62.
- Ermakov, S.A. and Pelinovs, E.N., 1984. Variation of the spectrum of wind ripple on coastal waters under the action of internal waves. *Dynamics of Atmospheres and Oceans*, 8(1), 95-100.
- Evans, P.R. and Pienkows, M.W., 1984. Implications for coastal engineering projects of studies, at the Tees Estuary, on the effects of reclamation of intertidal land on shorebird populations. *Water Science and Technology*, 16(3-4), 347-354.
- Farke, H.; Schulzba, M.; Ohm, K., and Gerlach, S.A., 1984. Bremerhaven caisson for intertidal field studies. *Marine Ecology — Progress Series*, 16(1-2), 193-197.
- Fay, J.A. and Smachlo, M.A., 1983. Performance of small-scale tidal power plants. *Journal of Energy*, 7(6), 529-535.
- Feldman, K.A. and Buck, J.D., 1984. Distribution and characterization of luminescent bacteria in a temperate estuary. *Estuaries*, 7(1), 93-97.
- Forster, G.R., 1984. The distribution of fishes on the outer reef slopes of Aldabra (Indian Ocean) in relation to bottom temperatures. *Environmental Biology of Fishes*, 10(3), 129-136.
- Fricke, D., 1984. The development of reefs as a sequence of variations of the sea level. *Zeitschrift für Geologische Wissenschaften*, 12(1), 101-111. (in German)
- Flint, R.W. and Kamykows, D., 1984. Benthic nutrient regeneration in south Texas coastal waters. *Estuarine, Coastal and Shelf Science*, 18(2), 221-230.
- Fritts, T.H.; Hoffman, W. and McGehee, M.A., 1983. The distribution and abundance of marine turtles in the Gulf of Mexico and nearby waters. *Journal of Herpetology*, 17(4), 327-344.
- Garber, J.H., 1984. N-15 tracer study of the short-term fate of particulate organic nitrogen at the surface of coastal marine sediments. *Marine Ecology — Progress Series*, 16(1-2), 89-104.
- Geevarghese, C. and John, P.A., 1983. Maturation and spawning of a gobiid fish, *Oligolepis acutipennis* (Cuv and Val), from the southwest coast of India. *Journal of Fish Biology*, 23(6), 611-624.
- George, K.J. and Simon, B., 1984. The species concordance method of tide prediction in estuaries. *International Hydrographic Review*, 61(1), 121-146.
- Gerretsoncornell, L. and Simpson, J., 1984. 3 new marine phytophthora species from New South Wales. *Mycotaxan*, 19(Jan), 453-470.
- Gerrish, H.P. and Case, R.A., 1984. Quietest in 52 years — the Atlantic hurricane season. *Weatherwise*, 37(1), 32-35.
- Golanty, E., 1984. The global experiment — carbon dioxide and ocean temperature. *Oceans*, 17(1), 66-69.
- Gomez, E.D., 1983. Perspectives on coral reef research and management in the Pacific. *Ocean Management*, 8(4), 281-295.
- Gonzalezrodriguez, E. and Maestrin, S.Y., 1984. The use of some agricultural fertilizers for the mass-production of marine algae. *Aquaculture*, 36(3), 245-256.
- Gores, K.X. and Prentice, E.F., 1984. Growth of sablefish (*Anoplopoma fimbria*) in marine net-pens. *Aquaculture*, 36(3), 245-256.
- Gower, J.F.R.; Lin, S. and Borstad, G.A., 1984. The information content of different optical spectral ranges for remote chlorophyll estimation in coastal waters. *International Journal of Remote Sensing*, 5(2), 349-363.
- Gozhik, P.F. and Granova, A.K., 1984. Differentiation of beach material in the northwestern Black Sea area. *Dopodivi Akademii Nauk Ukrainskoi Rsr Seriya B-Geologichni Khimichni Ta Biologichni Nauki*, 1, 9-12. (in Ukrainian)
- Graham, J.B. and Baird, T.A., 1984. The transition to air breathing in fishes. 3. Effects of body size and aquatic hypoxia on the aerial gas exchange of the swamp eel *Synbranchus marmoratus*. *Journal of Experimental Biology*, 108(Jan), 357-375.
- Greenwood, J.G. and Tucker, M.J., 1984. *Stenhelia* (Delavalia) *stephensoni* sp-nov (copepoda, harpacticoida) from estuarine waters of Port Curtis, Queensland. *Crustaceana*, 46(Mar), 127-134.
- Grimes, D.J.; Singleton, F.L.; Stemmler, J.; Palmer, L.M.; Brayton, P., and Colwell, R.R., 1984. Microbiological effects of waste-water effluent discharge into coastal waters of Puerto Rico. *Water Research*, 18(5), 613-619.
- Groenendijk, A.M., 1984. Tidal management — consequences for the salt marsh vegetation. *Water Science Technology*, 16(1-2), 79-86.
- Guidish, T.M.; Lerche, I.; Kendall, C.G.S., and O'Brien, J.J., 1984. Relationship between eustatic sea-level changes and easement subsidence. *American Association of Petroleum Geologists Bulletin*, 68(2), 164-177.
- Hallereme, R.J., 1984. Wave cuts in sand slopes applied to coastal models. *Journal of Waterway, Port, Coastal and Ocean Management (ASCE)*, 110(1), 34-49.
- Hamilton, E.I. and Clarke, K.R., 1984. The recent sedimentation history of the Esk Estuary, Cumbria, UK — the application of radiochronology. *Science of the Total Environment*, 35(3), 325-386.
- Hammond, F.D.C.; Heathers, A.D. and Langhorn, D.N., 1984. A comparison between Shield's threshold criterion and the movement of loosely packed gravel in a tidal channel. *Sedimentology*, 31(1), 51-62.
- Hannes, G.P. and Hannes, S.M., 1984. Observations of snow dunes on Lake Erie. *Ohio Journal of Science*, 84(1), 51-54.
- Harnack, J. and Harnack, R.P., 1984. A Southern Hemisphere sea-level pressure data set for use in climatic studies. *Journal of Climatology*, 4(2), 185-196.
- Hay, M.E., 1984. Patterns of fish and urchin grazing on Caribbean coral reefs — previous results typical. *Ecology*, 65(2), 446-454.

- Healey, A.J. and Sed, Y.G.T.**, 1984. Dynamic motions of marine pipelines on the ocean bottom. *Journal of Energy Resources Technology-Transactions of the ASME*, 106(1), 65-69.
- Healey, M.C.**, 1983. Coastwide distribution and ocean migration patterns of stream-type and ocean-type chinook salmon, *Oncorhynchus tshawytscha*. *Canadian Field Naturalist*, 97(4), 427-433.
- Heath, R.A.; Shakespe, B.S., and Greig, M.J.N.**, 1983. Physical oceanography of Rangaunu Harbor, Northland, New Zealand. *New Zealand Journal of Marine and Freshwater Research*, 17(4), 481-493.
- Heil, G.D.**, 1984. Offshore outlook. *Marine Engineering Log*, 89(4), 51+.
- Herke, W.H. and Rogers, B.D.**, 1984. Louisiana coastal marsh — a nursery for saltwater fish and crustaceans. *Louisiana Agriculture*, 27(2), 4-5.
- Ho, K.K. and Vanhouwe, G.**, 1984. The Nakdong estuary barrage and land reclamation project. *Water Science Technology*, 16(1-2), 207-222.
- Holland, D.L.; Crisp, D.J.; Huxley, R. and Sisson, J.**, 1984. Influence of oil shale on intertidal organisms — effect of oil shale extract on settlement of the barnacle *Balanus balanoides* (L). *Journal of Experimental Marine Biology and Ecology*, 75(3), 245-255.
- Holman, R.A. and Guza, R.T.**, 1984. Measuring run-up on a natural beach. *Coastal Engineering*, 8(2), 129-140.
- Hopkins, D.R. and Parker, V.T.**, 1984. A study of the seed bank of a salt marsh in northern San Francisco Bay. *American Journal of Botany*, 71(3), 348-355.
- Hsieh, Y.P. and Weber, O.J.**, 1984. Net aerial primary production and dynamics of soil organic matter formation in a tidal marsh ecosystem. *Soil Science Society of America Journal*, 48(1), 65-72.
- Huber, A.L. and Kidby, D.K.**, 1984. An examination of the factors involved in determining phosphatase activities in estuarine water. 1. Analytical procedures. *Hydrobiologia*, 111(1), 3-11.
- Hummel, G. and Kocurek, G.**, 1984. Interdune areas of the back-island dune field, North Padre Island, Texas. *Sedimentary Geology*, 39(1-2), 1-26.
- Humphries, R.B.; Hornberg, G.M.; Spear, R.C., and McComb, A.J.**, 1984. Eutrophication in Peel Inlet. 3. A model for the nitrogen scenario and a retrospective look at the preliminary analysis. *Water Research*, 18(4), 389-395.
- Hunter, R.E.; Richmond, B.M., and Alpha, T.R.**, 1983. Storm-controlled oblique dunes of the Oregon coast. *Geological Society of America Bulletin*, 94(12), 1450-1465.
- Hutton, J.T.; Prescott, J.R., and Twidale, C.R.**, 1984. Thermo-luminescence dating of coastal dune sand related to a higher stand of lake woods, Northern Territory. *Australian Journal of Soil Research*, 22(1), 15-21.
- Ikeda, M. and Emery, W.J.**, 1984. A continental shelf upwelling event off Vancouver Island as revealed by satellite infrared imagery. *Journal of Marine Research*, 42(2), 303-317.
- Innes, A.J.; Marsden, I.D., and Wong, P.P.S.**, 1984. Bimodal respiration of intertidal pulmonates. *Comparative Biochemistry and Physiology A*, 77(3), 441-445.
- Inoue, M.; Arimoto, T., and Ning, W.G.**, 1984. Upstream movement of marine fishes under bright and dark conditions. *Bulletin of the Japanese Society of Scientific Fisheries*, 50(1), 63-69.
- Iriberry, O.C.**, 1984. Integrated approach to coastal zone management in Puerto Galera, Oriental Mindoro, Philippines. *Water Science and Technology*, 16(3-4), 433-440.
- Ishihara, H.**, 1984. 2nd record of the rare skate *Anacanthobatis boreneensis* from the east China Sea. *Japanese Journal of Ichthyology*, 30(4), 448-451.
- Ivanova, N.S. and Kuznetso, T.A.**, 1984. New artifact genins from the mixture of holothurings of the Pacific ocean cucumber *Holothuria squamifera*. *Khimiya Prirodnikh Soedinenii*, (1), 118-119. (in Russian)
- Jabar, M.A.; Salama, M., and Salem, A.**, 1984. The detection of mutagenic pollutants in marine organisms of Kuwait. *Water, Air, and Soil Pollution*, 22(2), 131-141.
- Jacobsen, T.R.; Pomeroy, L.R., and Blanton, J.D.**, 1983. Autotrophic and heterotrophic abundance and activity associated with a nearshore front off the Georgia coast, USA. *Estuarine, Coastal, and Shelf Science*, 17(5), 509-520.
- James, M.J.**, 1984. A new look at evolution in the Galapagos — evidence from the Late Cenozoic marine molluscan fauna. *Biological Journal of the Linnean Society*, 21(1-2), 77-95.
- Jelgersma, S.**, 1983. The Bergen Inlet, transgressive and regressive Holocene shoreline deposits in the northwestern Netherlands. *Geologie en Mijnbouw*, 62(30), 471-486.
- Jhaveri, S.N.; Karakolt, P.A.; Montecal, J., and Constant, S.M.**, 1984. Chemical composition and protein quality of some southern New England marine species. *Journal of Food Science*, 49(1), 110-113.
- Jickells, T.D. and Knap, A.H.**, 1984. The distribution and geochemistry of some trace metals in the Bermuda coastal environment. *Estuarine, Coastal and Shelf Science*, 18(3), 245-262.
- Johnson, M.S. and Black, R.**, 1984. The Wahlund Effect and the geographical scale of variation in the intertidal limpet *Siphonaria* sp. *Marine Biology*, 79(3), 295-302.
- Jones, G.C.L.; Jacobs, F.A., and Toh, C.H.**, 1984. The economics of marginal offshore oil discoveries in China. *Oil and Gas Journal*, 82(11), 79-85.
- Jones, G.P.**, 1984. Population ecology of the temperate reef fish *Pseudolabrus celidotus* Bloch and Schneider (Pices, Labridae). 1. Factors influencing recruitment. *Journal of Experimental Marine Biology and Ecology*, 75(3), 257-276.
- Jones, T.W. and Estes, P.S.**, 1984. Uptake and phytotoxicity of soil-sorbed atrazine for the submerged aquatic plant, *Potamogeton perfoliatus* L. *Archives of Environmental Contamination and Toxicology*, 13(2), 237-241.
- Jordan, T.E.; Correll, D.L., and Whigham, D.F.**, 1983. Nutrient flux in the Rhone River — tidal exchange of nutrients by brackish marshes. *Estuarine, Coastal and Shelf Science*, 17(6), 651-667.

- Kalashnikova, S.A.**, 1984. Some biological features of the scallop *Chalamys farreri nipponensis* in the Poiset Bay of the Sea of Japan. *Biologiya Morya-Marine Biology*, (1), 63-65. (in Russian)
- Kalashnikov, V.Z.**, 1984. The impact of surf waves induced by Alis Typhoon on the population of the clam *Patinopecten yessoensis* in the Possiet Bay of the Sea of Japan. *Biologiya Morya-Marine Biology*, (1), 55-59. (in Russian)
- Kareem, A.**, 1984. Nonlinear dynamic analysis of compliant offshore platforms subjected to fluctuating wind. *Journal of Wind Engineering and Industrial Aerodynamics*, 14(1-3), 345-356.
- Karunasagar, I.; Gowda, H.S.V.; Subburaj, M.; Venugopa, M.N., and Karunasa-, I.**, 1984. Outbreak of paralytic shellfish poisoning in Mangalore, west coast of India. *Current Science*, 53(5), 247-249.
- Kask, B.A.; Sibert, J.R., and Windecke-, B.** 1982. A check list of marine and brackish water harpacticoid copepods from the Nanaimo Estuary, Southwestern British Columbia. *Syesis*, 15, 25-38,
- Kasschau, M.R.; Skisak, C.M.; Cook, J.P., and Mills, W.R.**, 1984. Beta-alanine metabolism and high salinity stress in the sea anemone, *Bunodosoma cavernata*. *Journal of Comparative Physiology*, 154(2), 181-186.
- Keating, T.**, 1984. Recharge into a shingle beach. *Journal of Hydrology*, 72(1-2), 187-194.
- Keeley, J.E. and Keeley, S.C.**, 1984. Postfire recovery of California coastal sage scrub. *American Midland Naturalist*, 111(1), 105-117.
- Keenan, R.E. and Dyer, I.**, 1984. Noise from Arctic Ocean earthquakes. *Journal of the Acoustical Society of America*, 75(3), 819-825.
- Kemble, J.R. and Young, J.A.**, 1984. Weymouth and Portland marine treatment scheme — introduction, history and options. *Proceedings of the Institution of Civil Engineers. Part 1 — Design and Construction*, 76(Feb), 81-94.
- Kendall, J.J.; Powellm E.N.; Connor, S.J.; Bright, T.J., and Zastrow, C.E.**, 1984. The importance of monitoring metabolic recovery in the coral *Acropora cervicornis* after short term exposure to drilling muds — calcification rate and protein concentration. *Coral Reef*, 2(4), 215-225.
- Kennelly, S.J. and Underwood, A.J.**, 1984. Underwater microscopic sampling of a sublittoral kelp community. *Journal of Experimental Marine Biology and Ecology*, 76(1), 67-78.
- Kennett, D.M. and Hargrave-, P.E.**, 1984. Subtidal benthic diatoms from a stratified estuarine basin. *Botanica Marina*, 27(4), 169-183.
- Kernberg, O.F.**, 1984. The couch at sea — psychoanalytical studies of group and organizational leadership. *International Journal of Group Psychotherapy*, 34(1), 5-23.
- Kershaw, N.**, 1984. Discovering Florida's Gulf Coast. *Archaeology*, 37(3), 60+
- Khedr, E.S.**, 1984. Sedimentological evolution of the Red Sea continental margin of Egypt and its relationship to sea-level changes. *Sedimentary Geology*, 39(1-2), 71-86.
- Khoja, T.M.; Livingst-, D. and Whitton, B.A.**, 1984. Ecology of a marine rivularia population. *Hydrobiologia*, 108(1), 65-73.
- King, P.A. and Fives, J.M.**, 1983. Littoral and benthic investigations on the west coast of Ireland. **16.** The biology of the long-spined sea scorpion *Taurulus bubalis* (Euphrasen, 1786) in the Galway Bay area. *Proceedings of the Royal Irish Academy Section B — Biological, Geological and Chemical Science*, 83(18), 215-239.
- King, P.A.; Fives, J.M., and Dunne, J.**, 1983. Littoral and benthic investigations of the west coast of Ireland. **18.** The biology of the short-spined sea scorpion *Mycocephalus scorpius* (L) in the Galway Bay area. *Proceedings of the Royal Irish Academy Section B — Biological, Geological and Chemical Science*, 83(25), 325-334.
- Kinnmark, I.P. and Gray, W.G.**, 1984. A 2-dimensional analysis of the wave-equation model for finite element tidal computations. *International Journal for Numerical Methods in Engineering*, 20(2), 369-383.
- Klein, G.D. and Illee, Y.**, 1984. A preliminary assessment of geodynamic controls on depositional systems and sandstone diagenesis in back-arc basins, western Pacific Ocean. *Tectonophysics*, 102(1-4), 119-152.
- Knight, K.D.; Dufourn-, C., and Mulamoot-, G.**, 1984. Conceptual ecological modeling and interaction matrices as environmental assessment tools in coastal planning. *Water Science and Technology*, 16(3-4), 559-567.
- Komuro, K.**, 1983. Japanese coast earth and network coordination stations for the Inmarsat system. *Japan Annual Reviews in Electronics Computers and Telecommunications*, 9, 301-313.
- Konnecker, G.F. and Keegan, B.F.**, 1983. Littoral and benthic investigations on the west coast of Ireland. **17.** The epibenthic animal associations of Kilkieran Bay. *Proceedings of the Royal Irish Academy Section, B — Biological, Geological and Chemical Science*, 83(25), 309-324.
- Kontopoulos, N.**, 1984. Grain-size spectra maps of beaches in W. Peloponnese, Greece. *Journal of the International Association for Mathematical Geology*, 16(2), 207-211.
- Kristensen, E.**, 1984. Effect of natural concentrations on nutrient exchange between a polychaete burrow in estuarine sediment and the overlying water. *Journal of Experimental Marine Biology and Ecology*, 75(2), 171-190.
- Kuiper, J.; Dewilde, P., and Wolff, W.**, 1984. Effects of an oil spill in outdoor model tidal flat ecosystems. *Marine Pollution Bulletin*, 15(3), 102-106.
- Lakshminarayana, J.S.**, 1984. Integration of interfaces of coastal systems and technology in coastal zone management. *Water Science and Technology*, 16(3-4), 591-598.
- Ledrew, E.F.**, 1983. The dynamic climatology of the Beaufort to Laptev Sea sector of the polar basin for the summers of 1975 and 1976. *Journal of Climatology*, 3(4), 335-359.
- Lee, H.H. and Xu, C.H.**, 1984. Effects of metals on sea urchin development — a rapid bioassay. *Marine Pollution Bulletin*, 15(1), 18-21.
- Legendre, L. and Demers, D.**, 1984. Towards dynamic biological oceanography and limnology. *Canadian Journal of Fisheries and Aquatic Sciences*, 41(1), 2-19.
- Lie, U.**, 1983. Marine ecosystems — research and management. *Impact of Science on Society*, 3-4, 277-291.

- Lieberman, M.; John, D.M., and Lieberman, D., 1984. Factors influencing algal species assemblages on reef and cobble substrata off Ghana. *Journal of Experimental Marine Biology and Ecology*, 75(2), 129-143.
- Liegel, L.H., 1984. Assessment of hurricane rain and wind damage in *Pinus caribaea* and *Pinus oocarpa* provenance trails in Puerto Rico. *Commonwealth Forestry Review*, 63(1), 47-53.
- Likhacheva, O.N., 1984. Induced sea-level variations off the Kurile Islands in the synoptic frequency range. *Okeanology*, 24(2), 245-250.
- Lindeboom, H.J. and Sandee, A.J.J., 1984. The effect of coastal engineering projects on microgradients and mineralization reactions in sediments. *Water Science Technology*, 16(1-2), 87-94.
- Lindboom, H.J., 1984. The nitrogen pathway in a penguin rookery. *Ecology*, 65(1), 269-277.
- Little, C., 1984. Ecophysiology of *Nais elinguis* (Oligochaeta) in a brackish-water lagoon. *Estuarine, Coastal and Shelf Science*, 18(2), 231-244.
- Longmire, A.M. and Teneyck, R.P., 1984. Morbidity of Hurricane Frederic. *Annals of Emergency Medicine*, 13(5), 334-338.
- Lucotte, M. and Dangleja, B., 1983. Forms of Phosphorus and phosphorus iron relationships in the suspended matter of the St. Lawrence estuary. *Canadian Journal of Earth Science*, 20(12), 1880-1890.
- MacCall, A.D.; Parker, K.R.; Leithise, R., and Jessee, B., 1983. Power-plant impact assessment — a simple fishery production-model approach. *Fishery Bulletin*, 81(3), 629-636.
- MacIntyre, I.G., 1984. Extensive submarine lithification in a cave in the Belize barrier reef platform. *Journal of Sedimentary Petrology*, 54(1), 221-235.
- Mackin, J.E. and Aller, R.C., 1984. Processes affecting the behavior of dissolved aluminum in estuarine waters. *Marine Chemistry*, 14(30), 213-232.
- Maggs, C.A.; Freamhai, M.T., and Guiry, M.D., 1983. A study of the marine algae of subtidal cliffs in Lough Hyne (INE), County Cork. *Proceedings of the Royal Irish Academy B — Biological, Geological and Chemical Science*, 83(20), 251-266.
- Maher, W.A., 1984. Characteristics of arsenic in a marine mollusk and crustacean. *Marine Biology Letters*, 5(1), 47-53.
- Maher, W.A., 1984. Evaluation of a sequential extraction scheme to study associations of trace elements in estuarine and oceanic sediments. *Bulletin of Environmental Contamination and Toxicology*, 32(3), 339-344.
- Maher, W.A. and Clarke, S.M., 1984. The occurrence of arsenic in selected marine macroalgae from 2 coastal areas of South Australia. *Marine Pollution Bulletin*, 15(3), 111-112.
- Malone, J.L., 1984. Who needs the sea treaty. *Foreign Policy*, (54), 44-63.
- Martin, L.; Flexor, J.M.; Kousky, V., and Cavalcan, I.F., 1984. Coastal transport reversals recorded in beach ridges of coastal plain of Rio Doce (Brazil) — possible relationships with changes of the atmospheric circulation. *Comptes Rendus des Seances de l'Academie des Sciences Serie II — Mecanique Physique Chimie Sciences de la Terre Sciences de l'Univers*, 298(1), 25-27.
- Maurer, D.; Epifanio, C.; Dean, H.; Howe, S.; Vargas, J.; Dittel, A., and Murillo, M., 1984. Benthic invertebrates of a tropical estuary — Gulf of Nicoya, Costa Rica. *Journal of Natural History*, 18(1), 47-61.
- McClurg, T.P., 1984. Effects of fluoride, cadmium and mercury on the estuarine prawn *Penaeus indicus*. *Water Sa*, 10(1), 40-45.
- McKillop, H., 1984. Prehistoric Maya reliance on marine resources — analysis of a midden from Moho Cay, Belize. *Journal of Field Archeology*, 11(1), 25-35.
- McManus, D.A. and Creager, J.S., 1984. Sea-level data for parts of the Bering-Chukchi shelves of Beringia from 19,000 to 10,000 C-14 yr BP. *Quaternary Research*, 21(3), 317-325.
- McPeak, R.H. and Glantz, D.A., 1984. Harvesting California's kelp forests. *Oceanus*, 27(1), 19-26.
- McQueen, D.J. and McClay, C.L., 1983. How does the intertidal spider *Desis marina* (Hector) remain under water for such a long time? *New Zealand Journal of Zoology*, 10(4), 383-391.
- McQueen, D.J.; Pannell, L.K., and McClay, C.L., 1983. Respiration rates for the intertidal spider *Desis marina* (Hector). *New Zealand Journal of Zoology*, 10(4), 393-399.
- Medus, J., 1984. A tentative reconstruction of the Holocene vegetation and climate of the northern Senegal coast. *Review of Palaeobotany and Palynology*, 41(1-2), 31-38.
- Melnikova, O.N.; Pyrkin, Y.G., and Khundzhu, G.G., 1983. A note on the cross-section water circulation near a beach in the turbulent bed flow. *Vestnik Moskovskogo Universiteta Seriya Fiziki I Astronomii*, 24(6), 8-12.
- Meyer, D.L.; Lahaye, C.A.; Holland, N.D.; Arneson, A.C., and Strickle, J.R., 1984. Time-lapse cinematography of feather stars (*Echinodermata crinoidea*) on the Great Barrier Reef, Australia — demonstrations of posture changes, locomotion, spawning and possible predation by fish. *Marine Biology*, 78(2), 179-184.
- Millan, M.M.; Alonso, L.A.; Legarret, J.A.; Albizu, M.V.; Ureta, I., and Egusquia, C., 1984. A fumigation episode in an industrialized estuary Bilbao, November 1981. *Atmospheric Environment*, 18(3), 563-572.
- Miller, H.C., 1984. *Annual Data Summary for 1980, CERC Field Research Facility*. Technical Report CERC-84-1, Coastal Engineering Research Center, U.S. Army Engineer Waterways Experiment Station, Vicksburg, Mississippi.
- Miller, M.F., 1984. Bioturbation of intertidal quartz-rich sands — a modern example and its sedimentologic and paleoecologic implications. *Journal of Geology*, 92(2), 201-216.
- Misdorp, R.; Kolsiek, L.H.M.; Steyaert, F.H., and Dijkema, R., 1984. Environmental consequences of a large-scale coastal engineering project on aspects of mussel cultivation in the eastern Scheldt. *Water Science Technology*, 16(1-2), 95-105.
- Mita, M.; Hino, A., and Yasumasu, I., 1984. Effect of temperature on interaction between eggs and spermatozoa of sea urchin. *Biological Bulletin*, 166(1), 68-77.
- Mitchell, R. and Probert, P.K., 1984. Environmental and nature conservation aspects of tidal power proposals for the Severn

- estuary (UK). *Water Science Technology*, 16(1-2), 269-279.
- Mitsuhashi, K.; Yoshida, Y., and Kadota, H.**, 1984. Studies on the high-rate removal of nitrogen in a lagoon with intermittent aeration. 5. The shortening of retention time at the intermittently aerated lagoon. *Bulletin of the Japanese Society of Scientific Fisheries*, 50(1), 139-143.
- Mizzi, A.P. and Pielke, R.A.**, 1984. A numerical study of the mesoscale atmospheric circulation observed during a coastal upwelling event on 23 August 1972. 1. Sensitivity studies. *Monthly Weather Review*, 112(1), 76-90.
- Mohamed, B.F.**, 1984. Ecological observations on mangroves of the Red Sea shores of the Sudan. *Hydrobiologia*, 110(Mar), 109-110.
- Moreno, C.A.; Sutherland, J.P., and Jara, H.F.**, 1984. Man as a predator in the intertidal zone of southern Chile. *Oikos*, 42(2), 155-160.
- Morgan, C.A. and Morgan, D.J.**, 1983. *Accelerating Retreat Rates Along Louisiana's Coast*. Baton Rouge, Louisiana: Louisiana Sea Grant Program, Louisiana State University, #70803.
- Morrison, D.A.**, 1983. Thule sea mammal hunting in the western central Arctic. *Arctic Anthropology*, 20(2), 61-78.
- Morrison, G.K.**, 1984. The development of the oceanographic industry in New England. *Oceanus*, 27(1), 32-34.
- Mullins, H.T.; Heath, K.C.; Vanburen, H.M., and Newton, C.R.**, 1984. Anatomy of a modern open ocean carbonate slope — northern Little Bahama Bank. *sedimentology*, 31(2), 141-168.
- Nair, N.B.**, 1984. The problem of marine timber destroying organisms along the Indian Coasts. *Proceedings of the Indian Academy of Sciences — Animal Sciences*, 93(3), 203-223.
- Najarian, T.O.; Kaneta, P.J., and Thatcher, M.L.**, 1984. Application of nitrogen cycle model to Manasquan estuary. *Journal of Environmental Engineering — ASCE*, 110(1), 190-207.
- Naylor, E. and Williams, B.G.**, 1984. Environmental entrainment of tidally rhythmic behavior in marine animals. *Zoological Journal of the Linnean Society*, 80(2-3), 201-208.
- Naylor, S.**, 1984. Chemical interactions in marine world. *Chemistry in Britain*, 20(2), 118+.
- Nelson, G., and Walker, N.**, 1984. Comparison of summer winds on the west coast of South Africa between 1979 and 1983 and the response of coastal upwelling. *South African Journal of Science*, 80(2), 90-93.
- Nelsonsmith, A. and Case, R.M.**, 1984. Aspects of the shore and sublittoral ecology of the Dauceddau Estuary (Milford Haven). *Zoological Journal of the Linnean Society*, 80(2-3), 177-190.
- Neumann, J.**, 1984. The coriolis force in relation to the sea and land breezes — a historical note. *Bulletin of the American Meteorological Society*, 65(1), 24-26.
- Nienhuis, P.H. and Tveld, J.C.H.I.**, 1984. Grevelingen — from an estuary to a saline lake. *Water Science and Technology*, 16(1-2), 11-26.
- Noble, M.; Butman, B., and Williams, E.**, 1983. On the longshelf structure and dynamics of subtidal currents on the eastern United States continental shelf. *Journal of Physical Oceanography*, 13(12), 2125-2147.
- Noorany, I.**, 1984. Phase-relations in marine soils. *Journal of Geotechnical Engineering — ASCE*, 110(4), 539-543.
- Nunn, P.D.**, 1984. Occurrence and ages of low level platforms and associated deposits on south Atlantic coasts — appraisal of evidence for regional Holocene high sea level. *Progress in Physical Geography*, 8(1), 32-60.
- Nyberg, P.**, 1984. Effects of liming on fisheries. *Philosophical Transactions of the Royal Society of London. Series B — Biological Sciences*, 305(1124), 549-560.
- Oak, H.L.**, 1984. The boulder beach — a fundamentally distinct sedimentary assemblage. *Annals of the Association of American Geographers*, 74(1), 71-82.
- Odintsov, V.S. and Laptewa, N.A.**, 1984. Nitrogen-fixation and epiphytic microflora of some macrophytes in the Sea of Japan. *Biologiya Morya — Marine Biology*, (1), 60-62.
- Odum, H.T.**, 1984. Energy analysis evaluation of coastal alternatives. *Water Science and Technology*, 16(3-4), 717-734.
- Ohtake, H.; Kato, S., and Date, Y.**, 1984. The role of tides in removing phosphorus from Lake Nakanoumi, a coastal lagoon in Japan. *Archiv für Hydrobiologie*, 99(4), 443-462.
- Ojeda, F.P. and Santelic, B.**, 1984. Invertebrate communities in holdfasts of the kelp *Macrocystis pyrifera* from Southern California. *Marine Ecology — Progress Series*, 16(1-2), 65-73.
- Oldale, R.N. and O'Hara, C.J.**, 1984. Glaciotectonic origin of the Massachusetts coastal end moraines and a fluctuating late Wisconsinan ice margin. *Geological Society of America Bulletin*, 95(1), 61-74.
- Oliver, J.S.; Slattery, P.N.; O'Connor, E.F., and Lowry, L.F.**, 1983. Walrus, *Odobenus rosmarus*, feeding in the Bering Sea — a benthic perspective. *Fishery Bulletin*, 81(3), 501-512.
- Opdyke, N.D.; Spangler, S.P.; Smith, D.L.; Jones, D.S., and Lindquist, R.C.**, 1984. Origin of the epirogenic uplift of Pliocene-Pleistocene beach ridges in Florida and development of the Florida karst. *Geology*, 12(4), 226-228.
- Oremland, R.S.; Umberger, C.; Culberts, C.W., and Smith, R.L.**, 1984. Denitrification in San Francisco Bay intertidal sediments. *Applied and Environmental Microbiology*, 47(5), 1106-1112.
- Oviatt, C.A.; Pilson, M.E.Q.; Nixon, S.W.; Frithsen, J.B.; Rudnick, D.T.; Kelly, J.R.; Grassle, J.F., and Grassle, J.P.**, 1984. Recovery of a polluted estuarine system — a mesocosm experiment. *Marine Ecology — Progress Series*, 16(3), 203-217.
- Pagnotti, V. and Bosart, L.F.**, 1984. Comparative diagnostic case-study of east coast secondary cyclogenesis under weak versus strong synoptic-scale forcing. *Monthly Weather Review*, 112(1), 5-30.
- Panagis, K.**, 1984. Influence of southern elephant seals, *Mirounga leonina*, on the coastal molting areas at Marion Island. *South African Journal of Science*, 80(1), 30+
- Paul, J.H. and Jeffrey, W.H.**, 1984. Measurement of diameters of estuarine bacteria and particulates in natural-water samples

- by use of a sub-micron particle analyzer. *Current Microbiology*, 10(1), 7-11.
- Paulson, A.J.; Feeley, R.A.; Curl, H.C., and Gendron, J.F.**, 1984. Behavior of Fe, Mn, Cu, and Cd in the Duwamish River Estuary downstream of a sewage treatment plant. *Water Research*, 18(5), 633-641.
- Payne, A.M. and Maun, M.A.**, 1984. Reproduction and survivorship of *Cakile edentula* var *lacustris* along the Lake Huron shoreline. *American Midland Naturalist*, 111(1), 86-95.
- Peeck, H.H.; Proctor, R., and Brockman, C.**, 1983. Operational storm-surge models for the North Sea. *Continental Shelf Research*, 2(NSI), 317-329.
- Pellenburg, R.E.**, 1984. On *Spartina alterniflora* litter and the trace metal biogeochemistry of a salt marsh. *Estuarine, Coastal and Shelf Science*, 18(3), 331-346.
- Percy, J.A.**, 1983. Distribution of arctic marine isopods of the mesidotea (= saduria) complex in relation to depth, temperature, and salinity in the southern Beaufort Sea. *Arctic*, 36(4), 341-349.
- Peterson, C.; Scheidegger, K.; Komar, P., and Niem, W.**, 1984. Sediment composition and hydrography in 6 high-gradient estuaries of the northwestern United States. *Journal of Sedimentary Petrology*, 54(1), 86-97.
- Peterson, S.A. and Mozell, E.**, 1984. Sludge treatment by oxyozosynthesis stops ocean dumping. *Public Works*, 115(1), 42-43.
- Philip, J.**, 1983. On the geological approach of the reef phenomenon. *Bulletin de la Societe Geologique de France*, 25(4), 543-546.
- Pierini, S.**, 1984. A weakly nonlinear-theory of continental-shelf waves. *Journal of Fluid Mechanics*, 138(Jan), 197-208.
- Pillay, T.V.R.**, 1983. Return to the sea — not as a hunter but as a farmer. *Impact of Science on Society*, 3/4, 445-452.
- Pingree, R.D.; Griffith, D.K., and Mardell, G.T.**, 1984. The structure of the internal tide at the celtic sea shelf break. *Journal of the Marine Biological Association of the United Kingdom*, 64(1), 99-113.
- Pip, E.**, 1984. Ecogeographical tolerance range variation in aquatic macrophytes. *Hydrobiologia*, 108(1), 37-48.
- Pittmann, J.F.; Martin, C., and King, M.W.**, 1984. Weymouth and Portland marine treatment scheme — inland sewerage works. *Proceedings of the Institution of Civil Engineers. Part 1 — Design and Construction*, 76(Feb), 95-115.
- Plint, A.G.**, 1984. A regressive coastal sequence from the upper Eocene of Hampshire, southern England. *Sedimentology*, 31(2), 213-225.
- Portier, R.J.; Chen, H.M., and Meyers, S.P.**, 1983. Environmental effect and fate of selected phenols in aquatic ecosystems using microcosm approaches. *Developments in Industrial Microbiology*, 24, 409-424.
- Post, J.C.**, 1984. Nakdong estuary barrage and land reclamation — ecological aspects. *Water Science Technology*, 16(1-2), 223-231.
- Powell, E.N.; Connor, S.J.; Kendall, J.J.; Zastrow, C.E., and Bright, T.J.**, 1984. Recovery by the coral *Acropora cervicornis* after drilling mud exposure — the free amino-acid pool. *Archives of Environmental Contamination and Toxicology*, 13(2), 243-258.
- Pullen, E.J.; Knutson, P.L., and Hurme, A.K.**, 1984. United States Army Coastal Engineering Research Centers Ecology Program. *Water Science and Technology*, 16(3-4), 525-532.
- Qasim, S.Z.**, 1983. A technological forecast of ocean research and development in India. *Impact of Science on Society*, 3/4, 463-477.
- Quammen, M.L.**, 1984. Predation by shorebirds, fish, and crabs on invertebrates in intertidal mudflats, an experimental test. *Ecology*, 65(2), 529-537.
- Radke, B.M.**, 1983. Application of entropy-ratio maps to surficial reef facies, Great Barrier Reef. *BMR Journal of Australian Geology and Geophysics*, 8(4), 323-328.
- Rahman, M.** Wave diffraction by large offshore structures — an extract 2nd-order theory. *Applied Ocean Research*, 6(2), 90-100.
- Rajagopal, M.D. and Reddy, C.V.G.**, 1984. Phosphorus retention capacity of sediments in Mandovi Estuary (Goa). *Indian Journal of Marine Sciences*, 13(1), 1-4.
- Rapson, A.M.**, 1983. Economic management of lagoons. *Ocean Management*, 8(4), 297-304.
- Reddy, B.S.R.; Sarma, K.G.S., and Kumar, K.H.**, 1984. Beach changes during normal and cyclonic periods along Visakhapatnam Coast. *Indian Journal of Marine Sciences*, 13(1), 28-33.
- Reddy, K.R. and Rao, R.J.**, 1984. Foraminifera-salinity relationship in the Pennar Estuary, India. *Journal of Foraminiferal Research*, 14(2), 115-119.
- Reed, R.H.**, 1984. The effects of extreme hypodalyne stress upon *Polysiphonia lanosa* (L) Tandy from marine and estuarine sites. *Journal of Experimental Marine Biology and Ecology*, 76(2), 89-103.
- Riley, J.P. and Towner, J.V.**, 1984. The distribution of alkyl lead species in the Mersey Estuary. *Marine Pollution Bulletin*, 15(4), 153-158.
- Ritchie, W. (ed.)**, 1983. *Northeast Scotland Coastal Field Guide and Geographical Essays*. Aberdeen, Scotland: University of Aberdeen Press, 157p.
- Roberts, D.G.M.; Flint, G.R., and Moore, K.H.**, 1984. Weymouth and Portland marine treatment scheme — tunnel outfall and marine treatment works. *Proceedings of the Institution of Civil Engineers. Part 1 — Design and Construction*, 76(Feb), 117-143.
- Roland, W.G.**, 1984. Resource-management biology for the edible kelp *Cymathere triplicata*. *Canadian Journal of Fisheries and Aquatic Sciences*, 41(2), 271-277.
- Roman, C.T.; Niering, W.A., and Warren, R.S.**, 1984. Dynamics of fisheries that affect the population growth rate coefficient. *Environmental Management*, 8(2), 141-149.
- Rothe, P.**, 1983. Marine geology — mineral resources of the sea. *Impact of Science on Society*, 3/4, 357-366.
- Rothlisberg, P.C. and Miller, C.B.**, 1983. Factors affecting the distribution, abundance, and survival of *Pandalus jordani* (decapoda, pandalidae) larvae off the Oregon coast. *Fishery Bulletin*, 81(3), 455-472.

- Rublee, P.A.; Merkel, S.M., and Faust, M.A.**, 1983. Nutrient flux in the Rhone River — tidal transport of microorganisms in brackish marshes. *Estuarine, Coastal and Shelf Science*, 17(6), 669-680.
- Saeijs, H.L.F.; Duursma, E.K., and Davoren, W.T.**, 1984. Integration of ecology in coastal engineering. *Water Science and Technology*, 16(3-4), 745-757.
- Saffir, H.S.**, 1983. Low-rise building design for hurricane wind loads in south Florida. *Journal of Wind Engineering and Industrial Aerodynamics*, 14(1-3), 79-90.
- Sameoto, D.D.**, 1984. Vertical distribution of zooplankton biomass and species in northeastern Baffin Bay related to temperature and salinity. *Polar Biology*, 2(4), 213-224.
- Sanders, J.G.**, 1984. Longevity of algal inhibition after chlorination of estuarine water. *Environmental Science and Technology*, 18(5), 383-385.
- Sanders, M.**, 1984. Metals in crab, oyster and sediment in two South Carolina estuaries. *Marine Pollution Bulletin*, 15(4), 159-161.
- Sangrey, D.A.**, 1983. Engineering behavior of marine sediment. *Ocean Science and Engineering*, 8(3), 329-349.
- Satsmadjis, J. and Voutsino, F.**, 1984. Pattern of trace elements in sediments of a Greek tidal channel. *Marine Pollution Bulletin*, 15(3), 117-118.
- Scales, W.C. and Swanson, R.**, 1984. Air and sea rescue via satellite systems. *IEEE Spectrum*, 21(3), 48-52.
- Schleyer, M.H.**, 1984. Heterotrophic utilization of a labeled algal extract in water samples from a subtidal reef. *Marine Ecology — Progress Series*, 16(1-2), 39-44.
- Schremp, F.W.**, 1984. Corrosion prevention for offshore platforms. *Journal of Petroleum Technology*, 36(4), 605-612.
- Schubert, C. and Laredo, M.**, 1984. Subsidence of Aves Ridge Caribbean Sea. *Intersciencia*, 9(1), 42-43.
- Schwartz, M.D. and Lattin, J.D.**, 1983. *Ireisia knighti*, a new marine plant bug (Heteroptera, Miridae) from the Pacific northwest. *Journal of the New York Entomological Society*, 91(4), 413-417.
- Scoffin, T.P. and Hendry, M.D.**, 1984. Shallow water sclerosponges on Jamaican reefs and a criterion for recognition of hurricane deposits. *Nature*, 307(5953), 728-729.
- Scott, D.B.; Medioli, F.S., and Buffett, T.E.**, 1984. Holocene rise of relative sea level at Sable Island, Nova Scotia, Canada. *Geology*, 12(3), 173-176.
- Seidov, D.G.**, 1984. Model of global circulation of oceans. *Izvestiya Akademii Nauk SSSR Fizika Atmosfery i Okeana*, 29(4), 287-296. (in Russian)
- Seitzinger, S.P. and Nixon, S.W.**, 1984. Denitrification and nitrous oxide production in a coastal marine ecosystem. *Limnology and Oceanography*, 29(1), 73-83.
- Seki, H.; Saido, T.; Iseki, K.; Whitney, F., and Wong, C.S.**, 1984. Uptake kinetics of microorganisms in the sulfuretum of Saanich Inlet. *Archiv für Hydrobiologie*, 100(1), 73-81.
- Seymour, E.V.; Craze, D.J., and Ruinen, W.**, 1984. North-west shelf pipeline. **1.** Designing Australia north-west shelf offshore pipeline. *Oil and Gas Journal*, 82(9), 128+
- Shabica, S.V.; Dolan, R.; May, R., and May, P.**, 1984. Shoreline erosion rates along barrier islands of the north central Gulf of Mexico. *Environmental Geology*, 5(3), 115-126.
- Sheridan, P.F. and Trimm, D.L.**, 1983. Summer foods of Texas coastal fishes relative to age and habitat. *Fishery Bulletin*, 81(3), 643-647.
- Sherr, B.F.; Sherr, E.B., and Newell, S.Y.**, 1984. Abundance and productivity of heterotrophic nanoplankton in Gerogia coastal waters. *Journal of Plankton Research*, 6(1), 195-202.
- Shideler, G.L.; Ludwick, J.C.; Oertel, G.F., and Finkelst, K.**, 1984. Quaternary stratigraphic evolution of the southern Delmarva Peninsula coastal zone, Cape Charles, Virginia. *Geological Society of America Bulletin*, 95(4), 489-502.
- Shuto, N.**, 1983. Tsunami caused by the Japan Sea earthquake of 1983. *Disasters*, 7(4), 255-258.
- Silvester, R.**, 1984. Ecological effects of various coastal defense systems. *Water Science and Technology*, 16(3-4), 355-365.
- Singh, S.M.**, 1984. Allozyme heterozygosity as a probe for genetic variation associated with fitness characters in marine mollusks. *Biologiya Morya-Marine Biology*, (1), 27-39. (in Russian)
- Skinner, J.D.**, 1984. Research on the ross seal, *Ommatophoca rossii*, in the King Haakon VII Sea, Antarctica. *South African Journal of Science*, 80(1), 30-31.
- Sly, P.G. and Schneide-, C.P.**, 1984. The significance of seasonal changes on a modern cobble-gravel beach used by spawning lake trout. Lake Ontario. *Journal of Great Lakes Research*, 10(1), 78-84.
- Smith, C.J. and DeLaune, R.D.**, 1984. Influence of the rhizosphere of *Spartina alterniflora* Loisel on nitrogen loss from a Louisiana Gulf Coast salt marsh. *Environmental and Experimental Botany*, 24(1), 91-93.
- Smith, J.D.; Bagg, J., and Bycroft, B.M.**, 1984. Polycyclic aromatic hydrocarbons in the clam *Tridacna maxima* from the Great Barrier Reef, Australia. *Environmental Science and Technology*, 18(5), 353-358.
- Snow, D.W. and Nelson, J.B.**, 1984. Evolution and adaptations of Galapagos sea birds. *Biological Journal of the Linnean Society*, 21(1-2), 137-155.
- Speir, T.W. and Cowling, J.C.**, 1984. Ornithogenic soils of the Cape Bird adelic penguin rookeries, Antarctica. **1.** Chemical properties. *Polar Biology*, 2(4), 199-205.
- Speir, T.W. and Ross, D.J.**, 1984. Ornithogenic soils of the Cape Bird adelic penguin rookeries, Antarctica. **2.** Ammonia evolution and enzyme activities. *Polar Biology*, 2(4), 207-212.
- Steven, R.R.**, 1984. North Sea pipelines set for boost. *Offshore*, 44(2), 62.
- Stokes, T; Sheils, W., and Dunn, K.**, 1984. Birds of the Cocos (Keeling) Islands, Indian Ocean. *Emu*, 84(Mar), 23-28.

- Stone, G.W.**, 1984. *Nearshore Simulation of Shoaling Waves and Their Response to Channel and Jetty Construction at the Proposed Navarre Pass, Santa Rosa County, Florida*. Pensacola, Florida: University of West Florida Press (SPS-84-1), 105p.
- Stuart, V. and Klumpp, D.W.**, 1984. Evidence for food-resource partitioning by kelp bed filter feeders. *Marine Ecology Progress Series*, 16(1-2), 27-37.
- Stumph, R.P.**, 1983. The process of sedimentation on the surface of a salt marsh. *Estuarine, Coastal and Shelf Science*, 17(5), 495-508.
- Subramoniam, T.**, 1984. Sprematophore formation in 2 intertidal crabs *Albunea symnista* and *Emerita asiatica* (decapoda, anomura). *Biological Bulletin*, 166(1), 78-95.
- Susswein, A.J. and Markovic, S.**, 1984. Control of feeding in 3 species of *Aplysia* from the coasts of Israel. *Israel Journal of Zoology*, 32(2-3), 103-112.
- Suzuki, N.; Ohizumi, Y.; Yasumansu, I., and Isaka, S.**, 1984. Respiration of sea urchin spermatozoa in the presence of a synthetic jelly coat peptide and ionophores. *Development, Growth and Differentiation*, 26(1), 17-24.
- Swan, B.**, 1982. *The Coastal Geomorphology of Sri Lanka*. Armidale, New South Wales, Australia: Department of Geography, University of New England.
- Swartz, R.C.; Schults, D.W.; Ditworth, G.R., and Deben, W.A.**, 1984. Toxicity of sewage-sludge to *Rhepoxynius abronius*, a marine benthic amphipod. *Archives Environmental Contamination and Toxicology*, 13(2), 207-216.
- Sweatmen, H.P.**, 1984. A field study of the predatory behavior and feeding rate of a piscivorous coral reef fish, the lizardfish *Synodus englemani*. *Copeia*, 1, 187-194.
- Symonds, F.L.; Langslow, D.R., and Pienkows, M.W.**, 1984. Movements of wintering shorebirds within the Firth of Forth — species differences in usage of an intertidal complex. *Biological Conservation*, 28(3), 187-215.
- Takayanagi, K. and Wong, G.T.F.**, 1984. Total selenium and selenium (IV) in the James River estuary and southern Chesapeake Bay. *Estuarine, Coastal and Shelf Science*, 18(1), 113-119.
- Taplin, L.E.**, 1984. Drinking of fresh water but not seawater by the estuarine crocodile (*Crocodylus porosus*). *Comparative Biochemistry and Physiology*, 77(4), 763-767.
- Taylor, J.D.**, 1984. A partial food web involving predatory gastropods on a Pacific fringing reef. *Journal of Experimental Marine Biology and Ecology*, 74(3), 273-290.
- Taylor, J.D. and Reid, D.G.**, 1984. The abundance and trophic classification of mollusks upon coral reefs in the Sudanese Red Sea. *Journal of Natural History*, 18(2), 175-209.
- Thom, T.M.**, 1984. Composition, habitats, seasonal changes and productivity of macroalgae in Grays Harbor Estuary, Washington. *Estuaries*, 7(1), 51-60.
- Tidmarsh, W.G.**, 1984. Assessing the environmental impact of the Annapolis tidal power project. *Water Science Technology*, 16(1-2), 307-317.
- Tietjen, J.H. and Lee, J.J.**, 1984. The use of free-living nematodes as a bioassay for estuarine sediments. *Marine Environmental Research*, 11(4), 233-251.
- Trevors, J.T.**, 1984. Electron-transport system activity and its relationship to other measures of activity in an estuarine sediment. *Systematic and Applied Microbiology*, 5(1), 136-142.
- Turner, R.E.; McKee, K.L.; Sikora, W.B.; Sikora, J.P.; Mendelss-, I.A.; Swenson, E.; Neill, C.; Leibowit-, S.G., and Pedrazin-, F.**, 1984. The impact of mitigation of man-made canals in coastal Louisiana. *Water Science and Technology*, 16(3-4), 497-504.
- Valencia, M.J.; Kaul, H.L., and Galt, J.**, 1983. South China Sea — hypothetical oil-spill trajectories and trans-national impact. *Ocean Management*, 8(4), 335-351.
- Vandolah, R.F.; Calder, D.R., and Knott, D.M.**, 1984. **Effects of dredging and open-water disposal on benthic macroinvertebrates in a South Carolina estuary.** *Estuaries*, 7(1), 38-50.
- Vanadel, T.H. and Lianos, N.**, 1983. Prehistoric and historic shorelines of the southern Argolid Peninsula — a subbottom profiler study. *International Journal of Nautical Archaeology and Underwater Exploration*, 12(4), 303-324.
- Vandamme, K. and Gabriels, R.**, 1983. Physicochemical analysis of sediments in dumping grounds for industrial waste along the Belgian coast. *Revue de l'Agriculture*, 36(5), 1523-1533. (in French)
- Vandeboogaard, H.M.E. and Rao, G.V.**, 1984. Mesoscale structure of the low-level flow near the equatorial East African Coast. *Monthly Weather Review*, 112(1), 91-107.
- Vansluis, J.W. and Kijklema, L.**, 1984. Water quality aspects of the Nakdong estuary barrage. *Water Science Technology*, 16(1-2), 243-252.
- Vellinga, P.**, 1984. Beach and dune erosion during storm surges — reply. *Coastal Engineering*, 8(2), 191-192.
- Vellinga, P.**, 1984. A tentative description of a universal erosion profile for sandy beaches and rock beaches — reply. *Coastal Engineering*, 8(2), 177-178.
- Vine, P.J. and Baileybr-, J.H.**, 1984. Taxonomy and ecology of coral reef tube worms (*Serpulidae, Spirorbidae*) in the Sudanese Red Sea. *Zoological Journal of the Linnean Society*, 80(2-3), 135-156.
- Voigt, K.**, 1983. The Baltic Sea — pollution problems and natural environmental changes. *Impact of Science on Society*, 3/4, 413-420.
- Volynsky, R.I.**, 1984. An approximate method for estimating the marine quarry effect on coastal processes under frontal waves. *Dopovidi Akademii Nauk Ukrainskoi Rsr Seriya B — Geologichni, Khimichni ta Biologichni Nauki*, 2, 6-9.
- Waag, C.J. and Ogren, D.E.**, 1984. Shape evolution and fabric in a boulder beach, Monument Cove, Maine. *Journal of Sedimentary Petrology*, 54(1), 98-102.
- Walker, G.P.L.**, 1984. Characteristics of dune-bedded pyroclastic surge bedsets. *Journal of Volcanology and Geothermal*

- Research*, 20(3-4), 281-296.
- Walker, N.; Taunton, J., and Pugh, J.**, 1984. Sea temperatures off the South African west coast as indicators of Benguela warm events. *South African Journal of Science*, 80(2), 72-77.
- Warwick, R.M.**, 1984. Species size distributions in marine benthic communities. *Oecologia*, 61(1), 32-40.
- Watson, R.M.**, 1984. Appropriate methods for tropical coastal resource inventory and monitoring. *Water Science and Technology*, 16(3-4), 541-550.
- Welch, D.M.**, 1984. Arctic marine shore classification for regional planning and environmental assessment. *Water Science and Technology*, 16(3-4), 569-579.
- Wells, N.A.; Dorr, J.A., and Sengupta, A.**, 1984. Asymmetrical migrating beach cusps on the Ganges River, India. *Journal of Geology*, 92(2), 229-232.
- Wessel, J.; Bidwell, R. and Pullen, E.J.**, 1984. Decision making in coastal engineering. *Water Science Technology*, 16(3-4), 759-765.
- Westbroek, P.; DeJong, E.W.; Vanderwa, P.; Borman, A.H.; Devrind, J.P.M.; Kok, D.; Debruijn, W.C., and Parker, S.B.**, 1984. Mechanism of calcification in the marine alga *Emiliania huxleyi*. *Philosophical Transactions of the Royal Society of London Series B — Biological Sciences*, 304(1121).
- Warfe, J.R.; Wilson, S.R., and Dines, R.A.**, 1984. Observations on the fish populations of an east coast estuary. *Marine Pollution Bulletin*, 15(4), 133-136.
- White, D.**, 1984. Environment — dirty beaches. *New Society*, 67(1110), 338.
- Wicksten, M.K.**, 1984. Survival of sea anemones in bunker-c fuel. *Marine Pollution Bulletin*, 15(1), 28-33.
- Wilber, T.P. and Herrnkinn, W.F.**, 1984. Predaceous gastropods regulate new-shell supply to salt-marsh hermit crabs. *Marine Biology*, 79(2), 145-150.
- Williams, A.H.**, 1984. Effects of Hurricane Allen on back bay reef populations of Discovery Bay, Jamaica. *Journal of Experimental Marine Biology and Ecology*, 75(3), 233-243.
- Woodward, G.M.**, 1984. Pollution control in the Humber Estuary. *Water Pollution Control*, 83(1), 82-90.
- Wolanski, E.; Pickard, G.L., and Jupp, D.L.B.**, 1984. River plumes, coral reefs and mixing in the Gulf of Papua and the northern Great Barrier Reef. *Estuarine, Coastal and Shelf Science*, 18(3), 291-314.
- Wolanski, E. and Thomson, R.E.**, 1984. Wind-driven circulation on the northern Great Barrier Reef Continental Shelf in summer. *Estuarine, Coastal and Shelf Science*, 18(3), 271-289.
- Woodroffe, C.D.**, 1983. The impact of cyclone Isaac on the coast of Tonga. *Pacific Science*, 37(3), 181-210.
- World Meteorological Organization**, 1983. *Human Response to Tropical Cyclone Warnings and Their Content*. Geneva: World Meteorological Organization.
- Yarbro, L.A.; Carlson, P.R.; Fisher, T.R.; Chanton, J.P., and Kemp, W.M.**, 1983. A sediment budget for the Choptank River estuary in Maryland, USA. *Estuarine, Coastal and Shelf Science*, 17(5), 555-570.
- Zagwijn, W.H.**, 1983. Sea-level changes in the Netherlands during the Eemian. *Geologie in Mijnbouw*, 62(3), 437-450.

