



## NEW CITATIONS IN COASTAL TOPICS

- Adams, J.E.**, 1985. The fisheries and fish markets of St. Vincent Island, eastern Caribbean. *Singapore Journal Tropical Geography*, 6(1), 1-12.
- Alton, L.V.**, 1985. Survival of some fusarium species in sea and river water. *Mikologiya I Fitopatologiya*, 19(3), 193-199.
- Amos, C.L. and Zaitlin, B.A.**, 1984. The effect of changes in tidal range on a sublittoral macrotidal sequence, Bay of Fundy, Canada. *Geo-Marine Letters*, 4(3/4), 161-169.
- Andreas, E.D. and Makshtas, A.P.**, 1985. Energy exchange over Antarctic Sea ice in the spring. *Journal Geophysical Research (O)*, 90(NC4), 7199-7212.
- Aston, S.R.; Assinder, D.J., and Kelly, M.**, 1985. Plutonium in intertidal coastal and estuarine sediments in the northern Irish Sea. *Estuarine, Coastal and Shelf Science* 20(6), 761-771.
- Baker, T.G.; Hodgkiss, P.D., and Oliver, G.R.**, 1985. Accession and cycling of elements in a coastal stand of *Pinus radiata* D. Don in New Zealand. *Plant and Soil*, 86(2), 303-307.
- Baltuck, M.; Vonhuene, R., and Arnott, R.J.**, 1985. Sedimentology of the western continental slope of Central America. *Initial Reports Deep Sea Drilling Project*, 84(May), 921-937.
- Bamstedt, U.**, 1985. Seasonal excretion rates of macrozooplankton from the Swedish west coast. *Limnology and Oceanography*, 30(3), 607-617.
- Barusseau, J.P.; Diop, E.H.S., and Saos, J.L.**, 1985. Evidence of dynamics reversal in tropical estuaries, geomorphological and sedimentological consequences (Salum and Casamance Rivers, Senegal). *Sedimentology*, 32(4), 543-552.
- Bautista, M.F. and Paerl, H.W.**, 1985. Diel N-2 fixation in an intertidal marine cyanobacterial mat community. *Marine Chemistry*, 16(4), 369-377.
- Beetink, W.G.**, 1985. Population dynamics of annual *Salicornia* species in the tidal salt marshes of the Oosterschelde, the Netherlands. *Vegetatio*, 61(1-3), 127-136.
- Berounsky, V.M. and Nixon, S.W.**, 1985. Eutrophication and the rate of net nitrification in a coastal marine ecosystem. *Estuarine, Coastal and Shelf Science*, 20(6), 733-781.
- Bond, N.A. and Fleagle, P.G.**, 1985. Structure of a cold front over the ocean. *Quarterly Journal Royal Meteorological Society*, 111(469), 739-759.
- Boudouresque, C.F.; Meinesz, A., and Lefevre, J.R.**, 1985. Mapping the marine benthic communities in Corsica. 1. The *Posidonia oceanica* reef of Saint Florent. *Annales Institut Oceanographique*, 61(1), 27-38.
- Brookes, I.A.; Scott, D.B., and McAndrew, J.H.**, 1985. Postglacial relative sea-level change, Port-au-Port area, west Newfoundland. *Canadian Journal Earth Science*, 22(7), 1039-1047.
- Bryant, V.; Newberry, D.M.; Melusky, D.S., and Campbell, R.**, 1985. Effect of temperature and salinity on the toxicity of nickel and zinc to two estuarine invertebrates (*Corophium volutator*, *Macoma balthica*). *Marine Ecology Progress Series*, 24(1-2), 139-153.
- Burger, J.**, 1985. Factors affecting bird strikes on aircraft at a coastal airport. *Biological Conservation*, 33(1), 1-28.
- Butler, E.C.V. and Smith, J.D.**, 1985. Iodine and arsenic redox species in oxygen-deficient estuarine waters. *Australian Journal Marine Science*, 36(3), 301-309.
- Carignan, R.**, 1985. Nutrient dynamics in a littoral sediment colonized by the submersed macrophyte *Myriophyllum spicatum*. *Canadian Journal Fisheries*, 42(7), 1303-1311.
- Carlson, P.R. and Karl, H.A.**, 1984. Mass movement of fine-grained sediment to the basin floor, Bering Sea, Alaska. *Geo-Marine Letters*, 4(3/4), 221-225.
- Chapman, D.C.**, 1985. Numerical treatment of cross-shelf open boundaries in a barotropic coastal ocean model. *Journal Physical Oceanography*, 15(8), 1060-1075.
- Chen, Z.S.**, 1985. A report of the citriculture on the coastal sandy, windy land. *Fruit Varieties Journal*, 39(3), 10-14.
- Chomenko, L. and Schafer, A.**, 1985. Biogeographical interpretation of the distribution of *Littoridina* (Hydrobiidae), in coastal lakes of Rio Grande do Sul, Brazil. *Amazoniana*, 9(1), 127-146.
- Cloutier, S. and Cote, R.**, 1985. Experimental studies on the susceptibility of fresh-water phytoplankton to variation of salinity in the fjord of Saguenay (St. Lawrence estuary), Canada. *Internationale Revue Gesamten Hydrobiologie*, 70(2), 187-201.
- Corre, J.J.**, 1985. Environmental structures and variation in coastal vegetation of the Golfe du Lion (France). *Vegetatio*, 61(1/3), 15-22.
- Corredor, J.E. and Morell, J.**, 1985. Inorganic nitrogen in coral-reef sediments. *Marine Chemistry*, 16(4), 379-384.
- Cranwell, P.A.**, 1985. Long-chain unsaturated ketones in recent lacustrine sediments. *Geochimica et Cosmochimica Acta*, 49(7), 1545-1551.
- Danielsson, L.G.; Magnusson, B., and Westerlund, S.**, 1985. Cadmium, copper, iron, nickel and zinc in the northeast Atlantic Ocean. *Marine Chemistry*, 17(1), 23-41.
- Davis, T.L.O.**, 1985. The food of barramundi, *Lates calcarifer* (Bloch), in coastal and inland waters of Van Diemen Gulf and the Gulf of Carpentaria, Australia. *Journal Fisheries Biology*, 26(6), 669-682.

- Deridder, C. and Jangoux, M.**, 1985. Origin and turnover rate of ingested sediment in the spatangoid echinoid, *Echinocardium cordatum* (Pennant) (Echinodermata). *Annales Institut Oceanographique*, 61(1), 51-58.
- Doing, H.**, 1985. Coastal foredune zonation and succession in various parts of the world. *Vegetatio*, 61(1/3), 65-75.
- Doyle, L.J.**, 1985. What does percent organic carbon in sediments measure. *Geo-Marine Letters*, 5(1), 51-53.
- Dube, S.K.; Sinha, P.C.; Rao, A.D., and Rao, G.S.**, 1985. Numerical modeling of storm surges in the Arabian Sea. *Applied Mathematical Modelling*, 9(4), 289-294.
- Fehringer, N.V.; Walters, S.M.; Kozara, R.J., and Schneider, L.F.**, 1985. Survey of 2, 3, 7, 8-tetrachlorodibenzo-para-dioxin in fish from the Great Lakes and selected Michigan rivers. *Journal Agricultural and Food Chemistry*, 33(4), 626-630.
- Fischer, M.L.**, 1985. California's coastal program — larger-than-local interests built into local plans. *Journal American Planning Association*, 51(3), 312-321.
- Fletcher, C.H.**, 1984. Distribution of chloride in a transgressive sequence of fine-grained sediments. *Geo-Marine Letters*, 4(3/4), 185-189.
- Flint, R.W.**, 1985. Long-term estuarine variability and associated biological response. *Estuaries*, 8(2A), 158-169.
- Fresco, J.; Weiss, H.V.; Phillips, R.B., and Askeland, R.A.**, 1985. Iridium in sea water. *Talanta*, 32(8B), 830-831.
- Furukawa, S.I.; Kawata, O.; Ishihara, K., and Negishi, Y.**, 1985. Structural design and sea trial results for a submarine optical-fiber cable joint box. *Journal Lightwave Technology*, 2(4), 550-558.
- Gauthier, M.J.; Cauvin, F., and Breitman, J.P.**, 1985. Influence of salts and temperature on the transfer of mercury resistance from a marine pseudomonad to *Escherichia coli*. *Applied and Environmental Microbiology*, 50(1), 38-40.
- Gilbert, M.A. and Barrie, J.V.**, 1985. Provenance and sedimentary processes of ice-scoured surficial sediments, Labrador shelf. *Canadian Journal Earth Sciences*, 22(7), 1066-1079.
- Goswami, S.C.**, 1985. Secondary production and zooplankton abundance in the coastal waters from Vengurla to Malpe, west coast of India. *Indian Journal Marine Science*, 14(2), 85-92.
- Graffman, J.**, 1985. A few current marine technology developments in Sweden. *Marine Technology Society Journal*, 19(1), 32-37.
- Gross, A. and Zahavi, J.**, 1985. Evaluating alternative investment programs for the Mediterranean Dead Sea project. *Water Resources Research*, 21(7), 905-916.
- Haeck, J.; Vantonge-, O., and Vanderma-, E.**, 1985. Phytosociological amplitudes of some Dutch coastal species and their ecological interpretation. *Vegetatio*, 61(1/3), 77-85.
- Healey, D.E.**, 1985. Environment and development conflicts in coastal zone management. *Journal American Planning Association*, 51(3), 299-311.
- Heathershaw, A.D.**, 1985. Some observations of internal wave current fluctuations at the shelf-edge and their implications for sediment transport. *Continental Shelf Research*, 4(4), 485-493.
- Hein, F.J. and Longstaff, F.J.**, 1985. Sedimentologic, mineralogic, and geotechnical descriptions of fine-grained slope and basin deposits, Baffin Island Fiords. *Geo-Marine Letters*, 5(1), 11-16.
- Heslinga, G.A.; Orak, O., and Ngiramen-, M.**, 1984. Coral-reef sanctuaries for trochus shells. *Marine Fisheries Research*, 46(4), 73-80.
- Heywood, R.B.**, 1985. Offshore marine research. *Biologist*, 32(3), 139-144.
- Holmes, C.W.**, 1984. Natural radioisotope Pb-210 as an indicator of origin of fine-grained sediment. *Geo-Marine Letters*, 4(3/4), 203-206.
- Hopkinson, C.S.**, 1985. Shallow-water benthic and pelagic metabolism — evidence of heterotrophy in the nearshore Georgia Bight. *Marine Biology*, 87(1), 19-32.
- Huiskes, A.H.L.; Vansoel-, J., and Markusse, M.M.**, 1985. Field studies on the variability of populations of *aster tripolium* L. in relation to salt-marsh zonation. *Vegetatio*, 61(1/3), 163-169.
- Hundt, R.**, 1985. Phytosociological and ecological aspects of the dunes on the Isle of Rugen, Baltic Sea. *Vegetatio*, 61(1/3), 97-103.
- Huschenbeth, E.**, 1985. On the accumulation of chlorinated hydrocarbons in fish species of the Wadden Sea. *Archiv Fischereiwissenschaft*, 35(3), 197-204.
- Hyacinthe, J.L.**, 1985. Recent advances in French marine technology. *Marine Technology Society Journal*, 19(1), 13-19.
- Jackson, F.C. and Peng, C.Y.**, 1985. Imaging radar observations of directional properties of ocean waves. *Journal Geophysical Research (O)*, 90(NC4), 7367-7370.
- Jaramillo, E.; Bertran, C.; Aguilar, G.; Turner, A., and Pino, M.**, 1985. Annual fluctuations of the subtidal macrofauna in an estuary south of Chile. *Studies Neotropical Fauna and Environment*, 20(1), 33-44.
- Jeffrey, N.E.**, 1985. Recent advances in marine technology in Canada. *Marine Technology Society Journal*, 19(1), 5-9.
- Johnson, D.F.**, 1985. The distribution of brachyuran crustacean megalopae in the waters of the York river, lower Chesapeake bay and adjacent shelf — implications for recruitment. *Estuarine, Coastal and Shelf Science*, 20(6), 693-705.
- Jorgensen, B.B. and Sorensen, J.**, 1985. Seasonal cycles of O-2, NO-3-3 and SO-4(2-) reduction in estuarine sediments — the significance of an NO-3-reduction maximum in spring. *Marine Ecology Progress Series*, 24(1/2), 65-74.
- Kato, T.T.**, 1985. Pre-Annean orogenesis in the coast ranges of central Chile. *Geological Society America Bulletin*, 96(7), 918-924.
- Key, R.M.; Stallard, R.F.; Moore, W.S., and Sarmient, J.L.**, 1985. Distribution and flux of RA-226 and RA-228 in the Amazon river estuary. *Journal Geophysical Research (O)*, 90(NC4), 6995-7004.

- Komar, P.D.**, 1985. The hydraulic interpretation of turbidites from their grain sizes and sedimentary structures. *Sedimentology*, 32(3), 395-407.
- Krishna, V.V.G. and Sastry, J.S.**, 1985. Surface circulation over the shelf off the east coast of India during the southeast monsoon. *Indian Journal Marine Science*, 14(2), 62-65.
- Laubier, L. and Desbruyes, D.**, 1985. Oases at the bottom of the sea. *Endeavour*, 9(2), 67-76.
- Lennard, D.**, 1985. The United Kingdom progress in marine technology. *Marine Technology Society Journal*, 19(1), 38-45.
- Linville, A.F. and Dabblain, M.A.**, 1985. A case-study in seismic diffraction near a Gulf coast salt dome. *Geophysics*, 50(7), 1077-1082.
- Lowry, K.**, 1985. Assessing the implementation of federal coastal policy. *Journal American Planning Association*, 51(3), 288-298.
- Marbrouk, S.S.; Elshayeb, N.M.; Elrefai, A.H.; Sallam, L.A.R., and Hamdy, A.A.**, 1985. Inhibitory activities of some marine algae on aflatoxin accumulation. *Applied Microbiology and Biotechnology*, 22(2), 152-155.
- MacVean, M.K.**, 1985. Long-wave growth by baroclinic processes. *Journal Atmospheric Science*, 42(11), 1089-1101.
- Marquardt, K.**, 1984. Flocculation, precipitation, sedimentation and flotation for use as pretreatment stages for brackish water and seawater in desalination plants. *Desalination*, 52(1), 43-55.
- Martin, S. and Thorndik, A.S.**, 1985. Dispersion of sea ice in the Bering Sea. *Journal Geophysical Research O*, 90(NC4), 7223-7226.
- Mason, D.L. and Manooch, C.S.**, 1985. Age and growth of mutton snapper along the east coast of Florida. *Fisheries Research*, 3(2), 93-104.
- Mazzullo, J. and Crisp, J.A.**, 1984. Quartz-grain shape — a record of the source of fine-grained sediments. *Geo-Marine Letters*, 4(3/4), 197-202.
- McCorkle, D.C.; Emerson, S.R., and Quay, P.D.**, 1985. Stable carbon isotopes in marine porewaters. *Earth and Planetary Science Letters*, 74(1), 13-26.
- McGwynne, L.E. and McLachlan, A.**, 1985. Spatial and temporal distribution and overlap of 3 species of *Bullia* (Gastropoda, Nassariidae) on exposed sandy beaches. *Veliger*, 28(1), 28-36.
- Memery, L. and Merlivat, L.**, 1985. Influence of gas transfer on the CO<sub>2</sub> uptake by the ocean. *Jounal Geophysical Research O*, 90(NC4), 7361-7366.
- Miller, J.D.; Jones, E.B.G.; Moharir, Y.E., and Findlay, J.A.**, 1985. Colonization of wood blocks by marine fungi in Langstone harbor. *Botanica Marina*, 28(6), 251-257.
- Miyoshi, M.**, 1985. The Japan-South Korea agreement on joint development of the continental shelf. *Energy*, 10(3/4), 545-553.
- Moore, I. and Andrews, F.G.**, 1985. Extensions of range for some seashore and intertidal beetles of western North America (Coleoptera, Staphylinidae, Carabidae, Malachiidae and Rhizopagidae). *Pan Pacific Entomology*, 61(3), 221-223.
- Morris, T.H.; Clark, D.L., and Blasco, S.M.**, 1985. Sediments of the Lomonosov Ridge and Makarov Basin — a Pleistocene stratigraphy for the North Pole. *Geological Society of America Bulletin*, 96(7), 901-910.
- Munekiyo, M. and Kuwahara, A.**, 1985. Food habits of ribbon fish in the western Wakasa Bay. *Bulletin Japanese Society Scientific Fisheries*, 51(6), 913-919.
- Nichols, M.N.**, 1984. Fluid mud accumulation processes in a estuary. *Geo-Marine Letters*, 4(3/4), 171-176.
- Noriki, S.; Ishimori, N.; Harada, K., and Tsunogai, S.**, 1985. Removal of trace metals from seawater during a phytoplankton bloom as studies with sediment traps in Funka Bay, Japan. *Marine Chemistry*, 17(1), 75-89.
- Oldani, N.O. and Tablado, A.**, 1985. changes in the fish community of the open water in the La Cuarentena Lagoon (Carabaja Island, Parana River). *Studies Neotropical Fauna and Environment*, 20(1), 49-58.
- Ortega, S.**, 1985. Competitive interactions among tropical intertidal limpets. *Journal Experimental Marine Biology and Ecology*, 90(1), 11-25.
- Oullet, P. and Dodson, J.J.**, 1985. Tidal exhange of anadromous rainbow smelt (*Osmerus mordax*) larvae between a shallow spawning tributary and the St. Lawrence estuary. *Canadian Journal Fisheries*, 42(8), 1352-1358.
- Page, R.R.; Davinha, S.G., and Agnew, A.D.Q.**, 1985. The reaction of some sand-dune plant species to experimentally imposed environmental change — a reductionist approach to stability. *Vegetatio*, 61(1/3), 105-114.
- Palmissano, A.C. and Sullivan, C.W.**, 1985. Pathways of photosynthetic carbon assimilation in sea ice microalgae from McMurdo Sound, Antarctica. *Limnology and Oceanography*, 30(3), 647-678.
- Pavichm M.J. and Obermeir, S.F.**, 1985. Saprolite formation beneath coastal plain sediments near Washington, D.C. *Geological Society of America Bulletin*, 96(7), 886-900.
- Pickford, J.**, 1985. The Holocene fossil marine macrofauna of the Vestfold Hills, east Antarctica. *Boreas*, 14(2), 189-202.
- Piper, D.J.W.; Shor, A.N.; Farre, J.A.; O'Connell, S., and Jacobi, R.**, 1985. Sediment slides and turbidity currents on the Laurentian fan — sidescan sonar investigations near the epicenter of the 1929 Grand Banks earthquake. *Geology*, 13(8), 538-541.
- Platt, R.H.**, 1985. Congress and the Coast. *Environment*, 27(6), 12.
- Pregnall, A.M. and Rudy, P.P.**, 1985. Contribution of green macroalgal mats (*Enteromorpha* spp.) to seasonal production in an estuary. *Marine Ecology. Progress Series*, 24(1/2), 167-176.
- Ramli, N.**, 1985. The history of offshore hydrocarbon exploration in Malaysia. *Energy*, 10(3/4), 457-473.
- Regnault, H.**, 1985. Littoral morphology at the Galapagos Islands. *Zeitschrift Geomorphologie*, 29(2), 153-168.

- Rhebergen, L.J. and Nelissen, H.J., 1985. Ecotypic differentiation within *Festuca rubra* L. occurring in a heterogeneous coastal environment. *Vegetatio*, 61(1/3), 197-202.
- Ritchie, D.D.; Turnbull, I.M.; Beu, A.G., and Scott, G.H., 1985. Cenozoic sedimentary rocks at Carnley harbor, Auckland Islands, Campbell Plateau. *New Zealand Journal Geology*, 28(1), 23-41.
- Rudloe, A., 1985. Variation in the expression of lunar and tidal behavioral rhythms in the horseshoe crab, *Limulus polyphemus*. *Bulletin Marine Science*, 36(2), 388-395.
- Russo, A.R., 1985. Ecological observations on the gorgonian sea fan *Eunicella cavolinii* in the Bay of Naples. *Marine Ecology Progress Series*, 24(1/2), 155-159.
- Saeki, M., 1985. Current research and development at the Japan Marine Science and Technology Center (JAMSTEC). *Marine Technology Society Journal*, 19(1), 20-24.
- Salleh, A.K.H.M., 1985. Offshore exploration in Brunei. *Energy*, 10(3/4), 487-491.
- Sakar, S.K.; Singh, B.N., and Choudhury, A., 1985. Ecology of Chaetognaths in the Hooghly estuary, Bay of Bengal. *Indian Journal Marine Science*, 14(2), 98-101.
- Seeber, G., 1985. Point positioning in marine geodesy. *Marine Geodesy*, 9(3), 365-380.
- Sherman, D.J. and Nordstrom, K.F., 1985. Beach scarps. *Zeitschrift Geomorphologie*, 29(2), 139-152.
- Shisler, J.K. and Schulze, T.L., 1985. Methods for evaluation of costs associated with permanent and temporary control methods for salt-marsh mosquito abatement. *Journal American Mosquito Control*, 1(2), 164-168.
- Sikora, W.B. and Kjerfve, B., 1985. Factors influencing the salinity regime of lake Ponchartrain, Louisiana, a shallow coastal lagoon — analysis of a long-term data set. *Estuaries*, 8(2A), 170-180.
- Silvester, R., 1985. Natural headland control of beaches. *Continental Shelf Research*, 4(5), 581-596.
- Sjoberg, B. and Mork, M., 1985. Wind-induced stratified ocean response in the ice edge region — an analytical approach. *Journal Geophysical Research O*, 90(NC4), 7273-7285.
- Southgate, T. and Myers, A.A., 1985. Mussel fouling on the Celtic Sea Kinsale field gas platforms. *Estuarine, Coastal and Shelf Science*, 20(6), 651-659.
- Tasker, M.L.; Jones, P.H.; Blake, B.F., and Dixon, T.J., 1985. The marine distribution of the gannet *Sula bassana* in the North Sea. *Bird Study*, 32(Jul), 82-90.
- Thorpe, S.A.; Hall, A.J.; Packwood, A.R., and Stubbs, A.R., 1985. The use of a towed side-scan sonar to investigate processes near the sea surface. *Continental Shelf Research*, 4(5), 597.
- Vanderlaan, D., 1985. Changes in the flora and vegetation of the coastal dunes of Voorne (the Netherlands) in relation to environmental changes. *Vegetatio*, 61(1/3), 87-95.
- Vanimpe, J., 1985. Estuarine pollution as a probable cause of increase of estuarine birds. *Marine Pollution Bulletin*, 16(7), 271-276.
- Varma, P.U.; Kumar, T.P., and Pylee, A., 1985. Sediment characteristics of beach between Alleppey and Purakkad, west coast of India. *Indian Journal Marine Science*, 14(2), 71-73.
- Vickers, C.R.; Harris, L.D., and Swindel, B.F., 1985. Changes in herpetofauna resulting from ditching of cypress ponds in coastal plains flatwoods. *Forest Ecology*, 11(1/2), 17-29.
- Walsh, W.J., 1985. Reef fish community dynamics on small artificial reefs — the influence of isolation, habitat structure, and biogeography. *Bulletin Marine Science*, 36(2), 357-376.
- Ward, L.G., 1985. The influence of wind-waves and tidal currents on sediment resuspension in middle Chesapeake Bay. *Geo-Marine Letters*, 5(1), 71-75.
- Williams, S.L.; Yarish, S.M., and Gill, I.P., 1985. Ammonium distributions, production, and efflux from backreef sediments, St. Croix, United States Virgin Islands. *Marine Ecology Progress Series*, 24(1/2), 57-64.
- Wirojudo, G.K., 1985. Geological studies as a risk-reducing factor in exploration ventures with special references to the South China Sea. *Energy*, 10(3/4), 512-523.
- Wu, J.M., 1985. A history of oil and gas exploration in the central and northern parts of the South China Sea. *Energy*, 10(3/4), 413-419.
- Zechman, F.W. and Mathieson, A.C., 1985. The distribution of seaweed propagules in estuarine, coastal and offshore waters of New Hampshire, USA. *Botanica Marina*, 28(7), 283-294.

