

# SUBJECT INDEX

## Journal of Coastal Research

### Annual Index Vol. 3, (Nos. 1-4) 1987

- a-b-c model, 383  
*Acartia tonsa*, 213  
 Acoustic basement, 522  
 Acoustic stratigraphy, Bombay, 522  
*Acropora*, 194  
 Addison Committee, 99  
*Aeluropus massauensis*, 182  
*Aerenchyma*, 539  
*Agrostis stolonifera*, 360, 540  
 Alchol dehydrogenase (ADH), 538  
 Algal growth, 270  
     ridges, 321  
 Amino acid enantiomeric (D/L) ratio analyses, 299  
 Amino acid racemization (AAR) dating, 297  
 Aminostratigraphic units, 297  
 Aminozones, 297  
*Anabasis setifera*, 182  
 Anaerobic metabolism, 538  
*Ancylus* stage, transgression, 506  
 Anerobiosis, 539  
 Antifer, cube blocks, 374  
 Apparent viscosity, water column, 357  
 Aquatic ecosystems, 269  
*Aratus pisonii*, developmental sequences, 63 *et seq.*  
*Arenicola marina*, 422  
*Artemia nauplii*, 67  
     *salina*, 170  
*Arthrocnumum glaucum*, 182  
 Artificial beach nourishment, 37  
 Artificial offshore bars, 92  
 Ash Wednesday Storm (1962), 3(2)*ii*  
*Aster tripolium*, 360  
 Astrobleme analogue, 195  
 Atlantic Coastal Ridge, southern Florida, 192, 491  
 Atlantic coast, sea levels, 325  
 Atlantic reef tract, 16  
 Atmospheric wind stress, 220  
*Atriplex favinosa*, 182  
 Autochthonous marsh production, 83  
*Avicennia marina*, 182, 540  
  
*Babelomurex* sp. 194, 195  
 Bacillus, 536  
 Back-reef zone, Florida Keys, 16  
 Backshore  
     morphology, Spanish Mediterranean, 32  
     sediment, carbonate beach (Florida), 19  
 Backwash, on beach face, 19  
  
 Bagnold equation, 438  
 Baja California Sur, littoral deposits, 71 *et seq.*  
*Balanus*  
     *amphrite amphrite*, 502  
     *eburneus*, 502  
 Baltic Sea  
     eustatic curve, 508  
     eustatic oscillations, 505 *et seq.*  
 Barbados iridium layer, 196  
 Barbatia, 194  
 Barnacles, 499. *See also—Balanus*  
 Barrier  
     beach system, terminology, 345  
     beach, Colombia, 377  
     beaches, SW India, 343 *et seq.*  
     islands  
         Florida, 496  
         bibliography of, 1  
         migration, 1  
         landforms, 1  
         reef, 78  
         spit, 430  
         system, SW Australia, 336  
 Barringer Crater, USA, 197  
*Barringtonia speciosa*, 315  
 Basal meristematic tissue, 532  
 Bathymetric  
     profiles, Temoe Atoll, 311  
     surveys, marine maps, 77  
 Beach  
     behaviour, long term trends, 50  
     berm, 17  
     carbonate. *See also—Carbonate beaches*  
     cusp, 157  
     cycle, 154  
     erosion  
         Aruba, 37 *et seq.*  
         Kerala coast, 55 *et seq.*  
     face, 155  
     nourishment, 37. *See also—Artificial beach*  
         nourishment profiles  
     Anthakaranazhi zone, 350  
     Fort Cochin zone, 349  
     Malipuram zone, 348  
     Narakal zone, 347  
     SW India, 346 *ff*  
     prograded, 205  
     protection structures,  
         Cartagena, 218  
     ridge plains, 377  
     rock, 331, 336  
     in submarine environment, 334  
     slabbed, 335  
     sector, 3(3)*ii*  
     slope, 234  
     states, 391  
     step, 155  
     survey, 157  
     type, SE Australia 387 *et seq.*  
     types, environmental range, 389  
 Beaches  
     carbonate, 15  
     developed from fluvial deposits, 33  
     *See also—Georgian beaches, profiles, raised beaches, reflective beaches.*  
 Bed disturbance (scour), 141  
     friction, 485  
     shear stress, 437  
 Bedform roughness, 437  
 Bedrock reflector, 523  
 Berm, Florida Keys, 17  
 Belmont Formation, 191  
 Big Cypress Spur, southern Florida, 193  
 Bioclasts, 83  
 Biolithites, 320  
 Biomass, analysis of, 446  
 Biostratigraphic data, Florida Everglades, 191  
 Black Sea coast, 201  
 Black needlerush (*Juncus roemerianus*), 531  
 Block geometry, 373  
*Boerhaavia*, 316  
 Bombay  
     harbour, 521  
     High, geological structure, 526  
 Bore, incoming, 159  
 Bottom grab samples, 476  
 Bottomland tree species, Louisiana coastal zone, 542  
 Boulder zone, southern Florida, 191  
*Bowmaniella*, 212  
*Bowmaniella floridana*, 213  
*Brachyura*, larval stages, 63  
 Brachyuran crab zones, 214  
 Brackish-water flora, 506  
 Break waters, parallel, 98  
 Breaker height, Kerala coast, 60 zone, 3(3)*iii*  
 Breakwaters, Cartagena, 218  
 Bretschneider method, 247  
 Bruun Rule, 3(3)*ii*

- Buckingham Formation, 191  
 Bulkhead, Lake Michigan, 280  
 Bulkheads, 201  
 Calas (coves), 34  
 Calcrete (calcareous crusts), 72  
*Callinectes sapidus*, 66  
 Caloosahatchee Formation, 191  
*Calophyllum inophyllum*, 315  
 Canonical analysis, 270  
 Cape Coast, South Africa, 30  
 Cape Cod, geomorphology, 201  
 Cape Cod National Seashore, 281  
 Carbonate beaches  
     low energy, 15  
     mud content, 19  
 Carbonate environments,  
     southern Florida, 15  
*Cardium* sp., 72  
 Caribbean Island Arc, 38  
 Cartographic symbols, coastal  
     maps, 31  
*Cassytha filiformis*, 315  
 Cavity zone, southern Florida,  
     191  
 Central (Lake Wales) Ridge  
     (Florida), 491  
*Cerastoderma glaucum*, 426  
*Ceratiola* spp., 491, 492  
*Chaetoceros*, 271  
*Chama*, 194  
 Channels, profiling of, 463  
 Chi-square test, 481  
*Chione*, 299  
*Chlorophyll a*, 271  
 Cliffs  
     Lake Michigan, 280  
     retreat rate, 281  
 Cluster analysis, 270  
 Coastal Zone Color Scanner  
     (CZCS), 221  
 Coastal  
     awareness, 100  
     barrier research, 1  
     conservation policy, UK, 99 *et seq.*  
     destruction, Long Island,  
     3(2)*vi*  
     dunes. *See also—Dune*  
     energy regime, 485  
     engineering, Aruba, 51-52  
     erosion, Georgian SSR, 204  
     geomorphology, worldwide  
     research, 237  
     jet (Kelvin wave), 230  
     lagoons, 417 *ff* (East Anglia),  
     515  
     lakes, 506  
     land forms, Baltic Sea, 505  
     lowlands, 331  
     mapping, 29 *et seq.*  
     peat, 207  
     plain, 321  
     plant species, Louisiana Gulf  
     coast, 536  
 plants, response to  
     submergence & salinity,  
     535 *et seq.*  
     protection, Black Sea, 201  
     shingle formations, 420  
     storms. *See also—Ash*  
     Wednesday Storm (1962),  
     Extratropical storms  
     Coasts, geomorphological  
     mapping, 29  
 Compass rose, 296  
 Conglomerate flagstone, 319  
*Conopeum securati*, 422  
 Contaminants, in shelf sediments,  
     469  
 Copepods, 213  
*Coquina*, 72  
 Coral Sea, 78  
 Coral  
     atoll, Red Sea, 324  
     pebbles, 312  
*Coralliphaga*, 194  
*Coralliphagous magilid*, 194  
*Cordylophora caspia*, 422  
 Coriolis force, 431  
*Corophium*, 422  
 Creeping fescue, 359  
 Cross-section, southern Florida,  
     198  
 Cross-sectional area, inlet, 283  
*Curcurbita*, 542  
 Current  
     patterns, Lake Erie, 220  
     regimes, Lake Erie, 222  
     *See also—Ebb currents, Flood*  
     currents. Cusp  
     morphology, 157  
*Cyphoma finkli*, 195  
*Cytogodinium filiforme*, 40  
 D-forms ("right-handed"), 297  
 D/L values, 297  
 Dead-standing leaves, 532  
 Decapods, 63  
 Deccan Traps, 521  
 Deep-water wave height, 247  
 Delaware estuary, 469  
 Dendogram, 182  
 Dendograms, phytoplankton  
     composition, 272  
*Desulfotomaculum* spp., 536  
*Desulfovibrio*, 536  
 Diagenetic processes, littoral  
     deposits, 72  
 Digitate basins, atoll rim, 313  
*Diplora sarasotana*, 195  
 Discharge (Q), 285  
 Dispersion, effluent, 219  
 Dissolution, littoral deposits, 71  
 Dissolved inorganic nitrogen  
     (DIN), 269  
 Dissolved inorganic phosphorus,  
     (DIP), 269 *ff*  
 Diurnal stomatal conductance,  
     543  
 Diurnal waves, 517  
*Donacilla*, 338  
*Donax* sp., 72, 338  
 Doubly-recurved spit, 451  
 Downrush velocity, 372  
 dq/dx model, 383 Drift cell, 201  
 Drowned river valleys, 417  
 Dune  
     ridge patterns, 491  
     walkover, 168  
     *See also—Frontal dunes*  
     Durbin-Watson Statistic,  
     472  
 East Anglian lagoons, benthic-  
     pelagic macroflora & fauna,  
     423  
 Ebb currents, 436  
*Echineis* Formation, 506  
 Echo sound trace, Pearl Beach  
     (Australia), 165  
 Ecophysiological studies, 359  
 Effective permeability (CX), 287  
 Eigen functions, 351  
 Einstein equation, 437  
*Emerita analoga*, 172  
     *rathbunae*, 172  
     *talpoida*, 169 *et seq.*, 213  
 Endeco current meter, 433  
 Engelund & Hansen equation,  
     439, 441  
 Entropy, 478  
 Eolian  
     decoration, 377  
     silicon deposits, 491  
*Eriocheir japonicus*, 67  
 Erosional unconformity, 524  
*Eucampia*, 274  
 Eutrophicated water bodies, 270  
 Everglades  
     physiographic feature, 189  
     Florida environment, 492  
     peat, 191 Exceedance  
     diagram, 487  
 Extratropical storm, 245  
 Fairbridge's eustatic curve, 507  
 Fast Fourier Transformations  
     (FFT), 517  
 Fetch length, 247  
 Fiddler crab, 212  
 Fischer-Porter tide guage, 433  
 Fissure, coral reef, 320  
 Flagellates, 273  
 Flash floods, 528  
 Flood  
     currents, 436  
     discharge, 284  
 Flood-ebb asymmetry, 439  
 Floods, stomatal response, 541  
 Florida  
     carbonate environments, 15  
     Keys, carbonate beaches, 15  
     Platform, 197  
     shelf, 16

- Floridian Peninsula, 189 *et seq.*  
 Fluorescent dye, 140, 283  
 Flume data, 438  
 Fonds blancs, 78  
 Foraminifera, 81  
 Forebulge, 328  
 Foreshore sands, beach sediments (Florida), 23  
 Foreshore-water table, 3(3)iii  
 Fort Thompson Formation 191  
 Fouling community, Tampa Bay, 499 *et seq.* *See also—*  
     Subtidal fouling community  
 Fourier  
     series, 476  
     shape analysis, 475 *et seq.*  
 Fracture zones, 196, 191  
*Fraxinus pennsylvanica*, 542  
 Freak waves, 370  
 Friction factor, 488  
 Friction-diminated inlet basin, 442  
 Frontal dunes, Florida, 168  
 G-test, 64  
*Gasterosteus*, 422  
*Gastrochaena*, 194  
 Gastropods, skeletal assemblages, 23  
 Georgian beaches, SSR, 201 *et seq.*  
 Germination experiments, salt marsh grasses, 360  
 Glacioeustatic uplift curves, Baltic region, 510  
 Glacio-isostatic rebound, 328  
 Glacioisostatic rise, 508  
 Global Sea Level Observing System (GLOSS), 252  
 Glycophytes, salt-intolerant plants, 540  
*Glycymeris*, 338  
*Goniopora*, 194  
 Grain-size frequency curves, 83  
 Grainstone-packstone, Salina Formation, 25  
 Gravel coast, Georgian SSR, 201  
 Gravity lows, southern Florida, 194  
 Great Barrier Reef, Australia, 80  
 "Greenhouse effect," theory, 4(4)ii  
 Greenhouse gas, 4(4)ii  
 Groins,  
     Cartagena, 218  
     Lake Michigan, 280  
 Ground penetrating radar (GPR), 397 *et seq.*  
 Groundwater calcrete, 333  
 Growth curve, based on dry weight, 532  
*Guettarda speciosa*, 316  
 Gulf of Riga, 506  
 Gurley current meter, 16  
 Gyre, 223  
*Halicarcinus paralacustris*, 174  
*Halimeda*, Florida Keys, 22  
*Halodule wrightii*, 445  
*Halopeplis perfoliata*, 179 *et seq.*  
 Halophytes, salt tolerant plants, 179, 540  
 Hard-water effect, 511  
 Harmonic analysis, tides, 433  
 Harmonics, grain shape, 480  
*Hedysotis romanoffiensis*, 316  
 Helleys-Smith trap, 142  
 Heritage coast concept, 99  
 Heteroscedasticity, of variances, 500  
 High transmissivity zone, southern Florida, 191  
 High-energy dissipative beaches, 388  
 High-momentum rockings, mounds, 373  
 Hindcasting, wave, 369  
 Hiroshima Bay, surrounding environment, 269 *ff*  
 Hoa (shallow reef channels), 309  
 Homotrypa, bryozoan fragments, 25  
 Honeypots, 104  
*Hordeum vulgare*, 540  
 Horizontal eddy, 223  
 Hurricane David (1979), 47  
 Hydraulic  
     dune, 78  
     head, 284  
     model  
         general, 287  
         Seto Inland Sea, 271  
*Hydrobia neglecta*, 423  
     ulvae, 423  
     ventrosa, 423, 426  
 Hydrobiid gastropods, 422  
 Hydroelastic modelling, 373  
 Hydrogen peroxide, 475  
 Hydrometer method, 181  
*Hystrivasum*, 194  
*Hystrivasum olssoni*, 195  
 Ibibarren number, 370  
 Ice wedges, Colville River (Alaska), 178  
*Idotea chelipes*, 422  
 Immokalee Rise, Florida, 192  
 Impoundment methods,  
     measurement of longshore sand transport, 140  
 Impulse radar system, 397  
 Index fossils, Pliocene coral reefs, 194  
 Inlet  
     dredging, 93 *et seq.*  
     migration, 95, 290  
     throat, 290, 436  
 Inlets, classification, 292  
 Intertidal flats, 290  
 foreshore zone, beach morphology, 17  
 Ion toxicity, 540  
 Iridium layer, southern Florida, 195  
 Isopleth maps, 84 *et seq.*  
 Isotope fractional effect, 309  
 Jaccard Coefficients, 424  
*Juncus*  
     gerardii, 540  
     maritimus, 360  
     roemerianus, 531  
 Kelvin wave, 230  
 Kruskal-Wallis test, 170, 213  
 L-amino acids ("left-handed"), 297  
 LANDSAT  
     imagery, 219  
     spectral bands, 220  
 LANDSAT-3 satellite scene, 309  
*Labidocera aestiva*, 213  
 Lagoon-like 'scraps,' 426  
 Lagoonal habitats, 417  
     sapropels, 506  
 Lake Erie, effluent pathways, 219 *et seq.*  
 Lake Okeechobee, Florida, 193  
 Lake, stratified, 231  
 Larval history pattern, *Emerita talpoida*, 175  
 Law of the Sea Convention, 250  
 Leaf decomposition, 531  
 Least squares method, 433  
 Lee vortices, 159  
*Leperditia*, ostracode, 25  
*Lepidium*, 315  
*Leptoclindrus*, 272  
*Lepturus repens*, 316  
 Leschenault Formation, 333  
     Peninsula (Western Australia), dune system, 331  
     Lichomolgida copepods, 215  
*Lichomolgidae*, 214  
 Lima, 194  
 Limnia stage, Baltic Sea, 507  
*Limonium axillare*, 182  
 Lipids in seagrasses, 446  
*Littorina*  
     Sea, 507  
     stages, 506  
 Live oak (*Quercus virginiana*), 531  
 Lobate delta, 157  
 Long Point barrier, 283  
 Longshore sand transport, 43, 139  
 Lutite suspension layers, 465  
 Magnetic anomaly, southern Florida, 192

- Malate dehydrogenase (MDH), 539  
 Mangarevans, 307  
 Mann-Whitney U test, 213  
 Manning's *n*, 437  
 Marae (platforms, pavements, tombs), 312  
 Mareographic stations, 517  
 Marine dynamics, Spanish Mediterranean coast, 34  
 fungal species, 533  
 geography, 250, 400  
 terraces, amino acid dating, 297 *et seq.*  
 Maritime Safety Agency of Japan, 278  
 Marsh Mc Birney current meter, 282  
*Megalopae*, 212  
*Megalopa* stage, 65  
*Menippe mercenaria*, 66  
*Messoschmidia argenta*, 315  
*Metamysidopsis*, 213  
 Methods for measuring sand transport, 140 *et seq.*  
 Miami Limestone, 191  
 Micritic cover, 72  
 Microatoll, 313  
 Microerosion meter, 233  
*Micropanope barbadiensis*, 66-67  
 Microprobe analyses, 336  
 Mictrotidal, open-coast beaches, 387  
 Microtopography field measurement, 233 *et seq.*  
 profiler (MTP), 233  
*Millepora*, 194  
 Mississippi River delta, 93  
 MLLW depths, James Bay (Canada), 458  
 Mohr's ratio, 373  
 Monsoonal forcing, 343  
 winds, India, 60  
 Monsoons, 343  
*Montastrea*, 194  
 Morainal bluffs, 431  
 Motu (emerged low islands), 310  
 Mound structures design, 371  
 stabilities of, 369 *et seq.*  
 structural unit stability, 371  
 Mud banks, SW India, 344  
 content, carbonate beaches, 19 layer, 465  
 Muddy estuaries, 465  
 Municipal-industrial effluents, 270  
*Muricopsis lyonsi*, 195  
*Mycota*, 533  
 Nanticoke Environmental Committee, 219  
 National Park Service, 281  
 Nature Conservancy Council 101  
 Near-bottom low-density suspension layers, 463  
 Nearshore planning, 251  
 sediment core, X-radiograph, 188  
*Nematodes*, 214  
*Neomysis*, 422  
 Nephelometric Turbidity Units (NTU), 459  
*Neptunus pelagicus*, 66  
*Nereis diversicolor*, 422  
 Net shore-drift, 451  
*Nitzschia*, 272  
 North Carolina lagoons, 93 *et seq.*  
*N.O. Vauban*, French research vessel, 77  
*Oarametaria lindae*, 195  
 Off-road vehicles (ORV's), 233  
 Offshore bars, 92  
 Okeechobee Scarp, Florida, 193  
*Orinda citrifolia*, 316  
*Oryza sativa*, 540  
*Ostrea* sp., 72  
 Outer Cape, cliff retreat rate, 281  
 Overtopping, wave, 306  
 Overwash deposits, Outer Banks, 3(2)iii  
 Oxygen-isotope curve, 299  
 Pacific plate, 308  
 Paleobasin, southern Florida, 190  
 Pamlico system, scrub vegetation, 492  
 Pandanus trees, 312, 318  
*Panicum hemitomon*, 542  
*Paracalanus crassirostris*, 213  
*Parametaria*, 194  
*Paramysis*, 422  
 Pelecyopods, Florida Keys, 23  
*Pemphis acidula*, 312  
*Phialidium*, 213  
 Phosphoenol pyruvate (PEP), 539  
 Photosynthetic photon flux density (PPFD), 541  
 Phragmites, 422  
*Phylangia*, 194  
*Phyllangia floridana*, 195  
 Phytoplankton communities, spatial heterogeneity, 269 *et seq.*  
 Pillai's trace statistic, 472  
 Pine/oak thickets, 491  
 Pinecrest Beds—*see* Buckingham Formation  
*Pinus*  
 clausa, 491  
 elliotii, 496  
 pinea, 33  
 Planar beach, 148  
 Planimeter, 234  
 Planktivorous fishes, 215  
 Plankton net, 212  
 Pleistocene regression, 527  
 Plume dispersion, 231  
 effluent, 219  
 Point measurement methods, sand transport, 141  
 Pollution pathways, 220  
 Polychotomously-branching Prim Network, 425  
*Polydora ligni*, 502  
*Pomatoschistus*, 422  
 Ponded-back streams, 420  
*Populus deltoides*, 542  
*Porites*  
 lobata, 313  
 microatoll, 319  
 Porolithon ridge, 314  
 Portable traps, point measurements, 139  
*Portulaca*, 316  
 Portunids, 215  
*Praunus*, 422  
 Precipitation, littoral deposits, 71  
*Professor Shtokman*, Russian research vessel, 253  
 Profile of equilibrium, beach, 3(3)ii  
 Profile, reflective beach, 154  
 Progressive wave, 306  
 Protein, in seagrasses, 446  
 Proto-Everglades, southern Florida, 198  
*Protothaca*, 300  
 Proximate constituents, seagrasses, 445 *et seq.*  
 Pseudoatoll, 189  
*Pseudodiptomus coronatus*, 214  
*Pseudomonas*, 536  
 Quaternary sea levels, North America, 325  
*Quercus* spp., 491  
*Quercus virginiana*, 531  
 Raised beaches, 325  
 Recurved spit, 283, 451  
 Red Sea coastal salt marshes, 179  
 Red-footed boobies, 322  
 Redox potential, 538  
 Reef flat, 311  
 corals. *See also—Acropora*  
 Reflection records, 522  
 Reflective beaches, 153, 390  
 Regressive recurved beach ridge, 96  
 Relict streams, 422  
 Resource management studies, 220  
 Reynolds number, 488  
*Rhithropanopeus harrissi*, 66  
 Rhizomes, protein levels, 446  
*Rhizophora*  
 mangle, 64

- stylosa*, 540  
*Rhizosolenia*, 272  
*Rhynchospora megalocarpa*, 491  
 Ridge & swale topography,  
 continental shelf, 470  
 Ripple set, 19  
 River  
     diversion, James Bay  
       (Canada), 457  
     turbidity, 461  
 Rocky platforms, 32  
*Rosemary* (*Ceratiola eracoides*),  
 531  
 Roy's Maximum Root, 472  
 Rubble rampart, atoll, 314  
*Ruppellaria*, 194  
 SPM (sediments & suspended  
 particulate matter), 459  
 SPM flocs, 465  
*Sabal etonia*, 496  
 Sabkha, Lockport Dolomite, 26  
 Sabkhas (coastal slat marshes),  
 180  
*Saccaromyces*, 536  
 Safety Bay Sand, 333  
*Salicornia*, 290  
*Salicornia europaea*, 359  
 Salina Formation, West Virginia,  
 25  
 Salinity & Temperature  
     Measuring Bridge, 271  
 Salinity stratification, estuary,  
 463  
*Salix nigra*, 542  
*Salsola*  
     ***barypsma***, 182  
     ***longifolia***, 182  
 Salt  
     intrusion, 461  
     marsh grasses, 179  
       competition, 365  
       germination experiments,  
       360  
     salt tolerance, 361  
     loss, SE North Carolina, 93 *et seq.*  
     pans, South Korea, 210  
     reclaimed, 420  
     tolerance, 361  
     vegetation, Cape Cod, 290  
 Sand  
     transport systems, Aruba, 38  
     veneer, 19  
     See also—Foreshore sands  
 Sandbank, Aruba, 42  
*Santa Maria*, French research  
 vessel, 80  
 Sapropel, 506  
 Saprophytic fungi, 533  
*Saxidomus*, 299  
*Scaevela*, 312  
 Scott Committee, 100  
 Scrub species patterns, Atlantic  
     Coastal Ridge (Florida),  
       491 *ff*  
 Sea level change, 1  
 Sea levels, Atlantic coast of  
     North America, 325 *et seq.*  
 Sea oats (*Uniola paniculata*), 531  
 Sea-level  
     changes, Temoe Atoll, 316  
     data, 433  
     drop, Oligocene, 197  
 Seagrass, 40  
 Seasonal beach volume, Kerala  
     coast, 61  
 Seawater inflow, 420  
 Sediment  
     budget, 203  
     facies distribution, Pearl  
       Beach (Australia), 163  
     thickness, Bahia Honda beach  
       (Florida), 18  
     transport  
       models, 437  
       prediction, 429 *et seq.*  
       rates, 148  
 Sedimentology, New Caledonian  
     lagoon, 77 *et seq.*  
 Sediments & suspended  
 particulate matter (SPM),  
 459  
 Seismic  
     records, Bombay, 523  
     sections, 525  
 Self-unloading barge, 205  
*Septastrea*, 194  
     ***crassa***, 195  
*Sesarma*  
     ***cinerium***, 212  
     ***dehaani***, 67  
 Seto Inland Sea, 270  
 Shallow water profile, 485  
 Shape differences, origin of, 481  
 Shapiro-Wilk Test, 472  
 Shelf bottom sediments, 469  
 Shingle  
     masses, 417  
     ridges, 417  
 Shore parallel transport, 377  
*Siderastrea*, 194  
 Silica plates, leaf, 532  
 Silver Bluff Scarp, SE Florida,  
 193  
*Skeletonema*, 272  
 Skin friction, 438  
 Slupsk Bank, Baltic Sea, 506  
 Soil  
     characteristics, 183  
     nutrient content of, 184  
     physicochemical properties, 543  
 Solar salt pans, South Korea, 210  
 Soluble carbohydrates, in  
     rhizomes, 448  
 Southern red cedar, 531  
 Spanish Mediterranean coasts, 29  
     *et seq.*
- Spar-cemented nodules, 338  
*Spartina*  
     ***alterniflora***, 94, 290, 430  
     ***maritima***, 360  
     ***patens***, 290, 327, 539  
 Species richness, fouling  
 communities, 501  
*Spergularia marina*, 360  
*Sphaeroma*  
     ***hookeri***, 423  
     ***quadridentatum***, 213  
     ***rugicauda***, 423  
 Spit  
     complex, 452  
     platform, 290  
     progradation, 454  
 Spits, Colombian coast, 54  
*Spondylus*, 194  
 Spring tide, 433  
 St. Andrews system, 495  
 St. Luci fine sand, 491  
 Stepped shorelines, 317  
 Stone dike, Cape Cod, 283  
 Stony Brook Harbor, bathymetry,  
 431  
 Storm surge, 245  
 Storm-surge levels, 333  
 Strandlines, low-tide, 16  
 Streamer trap  
     deployment in surf zone, 145  
     sand transport in surf zone,  
       142  
 Structural unit stabilities, mound  
 structures, 371  
*Stylophora*, 194  
*Suaeda*  
     ***australia***, 540  
     ***monoica***, 182  
     ***pruinosa***, 182  
 Submarine environment, beach  
     rock in 334  
 Submerged coast, New Caledonia,  
 78  
 Subsurface geology, off Bombay,  
 521  
 Subtidal  
     fouling community, Tampa  
       Bay, 499  
     shoreface zone, beach  
       morphology, 17  
*Sula sula*, 315  
*Sundanella* sp., 502  
 Supratidal (backshore) zone,  
 beach morphology, 17  
 Surf zone  
     feature, 142  
     sediment transport rates, 139  
       *et seq.*  
 Surficial shelf sediments, 469 *et seq.*  
 Surge channel, coral reef, 321  
*Suriana maritima*, 312  
 Suwanee Formation, 194

- Sverdrup, Munk & Bretschneider (SMB) method, 247
- Swan Coastal Plain, Western Australia, 331
- Swash-built ridge, 377
- Swell wave systems, Caribbean Sea, 44
- Synoptic geometry, 220
- Syringodium filiforme*, 445
- Tamala Formation, 333
- Tektites, 196
- Temoe Atoll, geomorphological survey, 307 *et seq.*
- Terrigenous suspended matter, 469
- Thal Shoal, India, 523
- Thalassia testudinum*, 24, 40, 445
- Thalassiosira*, 272
- Tidal asymmetry, 435
- channels mud covered, 470 sand covered, 470
- creek sand, source, 475
- currents, Olympic coast (Washington), 453
- delta, 290
- environments, Long Island, NY, 429
- flat substrates, 430
- flats, Cape Cod, 285
- marsh, 475
- mixing, 269
- oscillations, 457
- phase lag, 442
- predictions, numerical model, 431
- prism, Wood End Cut (Cape Cod), 284
- range, Florida Keys, 16
- sandbanks, 515
- staff, 282
- wave velocity, 518
- wetlands, 93
- Tide-dominated barrier island, 475
- Tivela*, 299  
*stultorum*, 72
- Tombolos, 98
- Town & Country Planning Act (1947), 100
- Trace metal concentrations, shelf sediments, 471
- Tracer method, sediment transport, 141
- Transgressive-regressive cycles, Baltic regions, 511
- Transient reflective profiles, beaches, 165
- Transverse rips and bars, SE Australia, 389
- Trap design, streamer, 142 operation, streamer, 144
- Traps, sand transport, 141
- Trigonella maritima*, 360
- Triumfetta procumbens*, 312
- Trochita*, 194  
*floridana*, 195
- Turbidity maximum zone (TMZ), 461
- Turtle grass *See—Thalassia testudinum*
- Tyler Ro-Tap sieve shaker, 17
- Uca subcylindrica*, 67
- Ulmus americana*, 542
- Upwelling, 197
- Vadose zone, 75
- Van Dorn bottles, 271
- Vegetation data, classification of 182
- Vibra-core, Cape Cod, 283
- Viewfield Crator, Canada, 196
- Virgiconus*, 194
- Vitularia*, 194  
*liguabison*, 195
- von Karman constant, 436
- Vortex, in backwash, 159
- Wave attenuation, 485 *et seq.* climate, 517 freak, 370 overtopping, 306 plunge, 158 progressive, 306 refraction, Aruba, 46 refraction, west coast of India, 58 ripples, 159 system, Pacific Ocean, 381
- Wave-sediment combinations, 393
- Waves, non-breaking, 159
- Weibull distributions, 370
- Wetland zonation, 535
- White bottoms ("fonds blancs"), 83
- Wilks' criterion, 472
- Wood End Cut (Inlet), hydraulics of, 281 *et seq.*
- World ocean level oscillations, 505
- Xeric scrub pineland, 491
- Yalin equation, 438
- Yamato Scrub, 492
- Yoldia Sea, 506
- Yoldian Formation, 506
- Zoel stage, 170
- Zooplankton, 502
- Zooplankton, in surf zone (South Carolina), 211 *et seq.*
- Zygophyllum coccineum*, 182