

SYSTEMATIC INDEX

Journal of Coastal Research

Annual Index Vol. 10 (Nos. 1-4), 1994

A

- Abra ovata*, 454
Abronia latifolia, 182
Acanthus ebracteatus, 1054
Aegialitis annulata R. Br., 1054
Aegiceras corniculatum (L.) Blanco,
1045
Alnus, 830
Ambrosia chamissonis, 193
Ammonia batava, 879
Ammophila
 arenaria (L.) Link, 178 *ff.*, 264
 brevigulata Fern., 178 *ff.*
Ammotium salsum, 995
Anabasis articulata, 985
Arenoparella mexicana, 999
Artemisia herba alba, 985
Astrononion sp. 995
Avicennia
 eucalyptifolia Zipp. ex. Miq., 1054
 germinas, 1079
 marina var. *resinifera*, 539
 marina (Forsk.) Vierh., 1054

B

- Balanus* spp., 378, 390
Betula, 831
Bruguiera
 exaristata Ding Hou, 1054
 parviflora (Roxb.), 1054

C

- Cakile*
 constricta, 133, 136
 edentula, 182
Calluna vulgaris, 266
Camptostemon schultzii Mast., 1054
Campylocarpus echeneis, 829
Carex arenaria, 265, 266
Cerastoderma glaucum, 448
Ceriops tagal (Perr.) C.B. Rob., 1054
Chamaesyce ammannoides, 138
Charadrius marginatus, 747
Chenopodiaceae, 831
Chthamalus spp., 400
Cibicides sp., 995
Cladonia spp., 265
Clavatospora bulbosa, 1026

C

- Cliona* spp. 397
Cornicularia spp., 265
Coryloid, 831
Coylnephorus canescens, 265
Crassotrea gigas, 466 *ff.*
Crironion umbilicatum, 995
Cyperaceae, 831
Cyperus sp., 928
Cyprideis torosa, 426
Cystoseira spp. 396

D

- Dendropoma petraeum*, 396, 406
Dendropoma spp., 397
Diploneis
 interrupta, 830
 smithii, 829
Distichlis spicata, 923, 984, 1011

E

- Elphidium*
 subarcticum, 995
 williamsoni, 985
 williamsoni Haynes, 877, 985
Elymus mollis, 182
Empetrum nigrum, 266
Erica tetralix, 266
Eriophorum angustifolium, 265
Excoecaria agallocha L., 1054

F

- Festuca rubra*, 984
Fraxinus pennsylvanica Marsh., 1045
Froelichia floridana, 139

G

- Galium verum*, 265
Geranium sanguineum, 265
Gramineae, 831

H

- Hammada scoparia*, 985
Haplophragmoides

I

- bonplandi*, 995
manilaensis, 995
Heterotheca subaxillaris, 139
Hibiscus moscheutos, 1011
Hydrobia stagnorum, 462
Hydropogone caspia, 750

J

- Ilex vomitoria*, 138
Ipomoea stolonifera, 141
Iva imbricata, 13, 137
Juncus
 balticus, 855
 roemerianus, 134, 1011
Juncus sp., 923, 984

L

- Laguncularia racemosa*, 1079
Larus
 atricilla, 40
 bulleri, 40
 dominicanus, 750
 maculipennis, 40
 pipixcan, 40
Lasthenia glabrata, 985
Lemna spp., 830
Limonium carolinianum, 984
Lithophaga lithophaga, 396
Lithophyllum
 incrassans, 402
 lichenoides, 396, 397
 lithophaga, 402
 lividus, 402
Lithothamnion, 376, 390
Lumnitzera racemosa Willd., 1054

M

- Mactra corallina*, 452
Miliammina fusca, 995
Mollusc spp. 444 *ff.*
Molluscan taxa, 449
Muhlenbergia capillaris, 138
Mya arenaria, 483

-
- N**
- Potamides conicus, 4488
 - Potamogeton sp., 418
 - Potentilla pacifica, 855
 - Pseudothurammina limnetis, 995, 998
- Q**
- Quercus, 830
 - Quinqueloculina angulostrigata Cushman and Valentine, 879
- O**
- Oenothera humifusa, 137, 138
 - Oligochinus lighti, 877
 - Olivella biplicata, 881
 - Ondatra zibethicus, 1027
 - Osbornia octodonta F. Muell., 1054
 - Ostrea edulis, 466 *ff*
- P**
- Paracentrotus lividus, 396
 - Paralia sulcata, 829
 - Patella
 - aspera, 396
 - rustica, 296
 - ulyssiponensis, 396 - Pelecanus occidentalis, 40
 - Pemphis acidula, 1054
 - Phalacrocorax carbo, 750
 - Pholas dactylus, 483
 - Phragmites australis, 984, 1011
 - Phragmites, sp. 829
 - communis, 419
 - mugo, 267 - Pinus, 839
- R**
- Rangia cuneata, 341
 - Rhizophora stylosa Griff., 1054
 - Rosa pimpinellifolia, 265
 - Ruppia maritima, 732
 - Rynchos niger, 40
- S**
- Saccostrea cucullata, 378, 390
 - Salicornia spp., 1079
 - Salix repens, 265
 - Sapium sebiferum (L.) Roxb., 1046
 - Sargassum, spp., 396
 - Schizachyrium maritimum, 138
 - Scirpus sp., 984
 - olneyi, 1011 - Scyphiphora hydrophyllacea Gaertn., 1054
 - Serpulorbis arenarius, 396
 - Smilax bona-nox, 138
 - Solidago sp., 984
 - Soneratia alba Sm., 1054
- T**
- Spartina sp. 823, 923
 - alterniflora, 994, 1011, 1021
 - anglica, 466
 - cynosuroides, 1011, 1012
 - patens, 984, 1011, 1021
 - pectinata, 984 - Sphagnum, 831
 - Spheniscus demersus, 750
 - Sterna antilarum, 40
- U**
- Taxodium distichum, 1045
 - Tiphotrecha comprimata, 995
 - Triglochin maritimum, 855, 984
 - Trochammina
 - inflata, 995
 - macrescens, 995
 - pacifica Cushman, 877 - Typa
 - angustifolia, 830, 984
 - latifolia, 419
- V**
- Vermetus triqueter, 396
- X**
- Xylocarpus australasicus Ridley, 1054

SUBJECT INDEX

Journal of Coastal Research

Annual Index Vol. 10 (Nos. 1-4), 1994

A

Accelerator mass spectrometry (AMS), 991
 Accretionary shoreline bulges, 324
 Accropode block, breakwater armoring, 789
 Across-shore profiles, 301
 Aeolian effectivity, in foredune development, 193
 processes, 191
 Aerial photographs distortion in, 552
 of coastal dunes, 192
 Aggregates, coastal sediments, 425
 Agricultural runoff, to coastal areas, 419
 Air photo mapping, beach elevations, 309
 Air-sea interface, 629
 Airy wave theory, 3
 Allen's formula, 689
 Allerod warm events, 933
 Allyn and Carpenter's formula, 689
 Amphidromic point, 72
 Antecedent channels, 925
 soils, 923
 Anti-dunes, on beaches, 969
 Aquatic humus, 803
 Arctic air masses, 886
 frontal systems, 886
 Arcuate delta coast, 965
 Armoured rim, intertidal platform, 376
 Artificial beach nourishment, 643
 beaches, 51
 dunes, ridges, 291, 894
 shoreline development, 48
 shores, 38
 ASTM-certified sieves, 255
 Astronomical tides, 117
 Average sea-level rise, time series, 207
 significant wave height, 301
 Avian reproduction, 40
 Azores Anticyclone, 935

B

Backbarrier fringe marsh, 926
 Backbeach, 888
 Barrier island island, 959
 migrating, 926
 stabilization of, 754
 lagoons, tidal hypsography, 920
 reef, Hawaii, 253
 Barrier-lagoon coast, 965
 Baseline beach profiles, 2887
 Bathing water quality, 531
 Bathymetric survey, 310, 566
 Bayous, meandering system, 809
 Beach Evaluation Program (BEP), 362
Beach bulge, 323
 cusps, 154
 erosion, 122, 306 *et seq.*, 887
 face, 567
 grasses, on coastal foredunes, 178
et seq.
 gavel, 24
 morphodynamic state, 302
 morphological change, 646
 nourishment, 33, 133, 200, 639
 processes, 913
 profile changes, 23, 59, 154
 surveying, 147, 309, 885, 591
 recovery, stages of, 902
 response to erosion, 900
 ridges, 341, 621, 935
 rock, Lake Okeechobee, Florida, 342
sand log-hyperbolic distribution, 251
 samples, 58, 147
 texture, 24, 588
sediment budget, 567
 grain size, studies of, 360
slope 60 mean grain size, 962
 step, morphological feature, 362
 survey, 571
Beachfill, 317
 Beachrock, exposures of, 384
 Bedding plane failure, in coastal cliffs, 670
 in cliff sediments, 668
 Bedform ebb-oriented, 763
 map, ebb-tidal delta, 763
 profile, 654, 703
 rapid migration of, 298
 Bedload sediment transport, 658
 Bench-mark leveling, along coast, 146
 Berm crest, data, 889, 203
 reconstruction, on eroded beaches, 890
 runnel, beach profile, 966
 Bessel function, 253
 Bias, in biomonitoring, 42
 Bio-precipitate carbonate, 425
 Bioclastics, coastal sediments, 425
 Biocenosis, 441
 Bioerosive forces, 395
 morphological elements, 397
 Biogenically-induced calcite precipitation, 428
 Biologic roughness, 335
 Biological mean sea level, 396
 sea-level indicators, 395 *et seq.*
 Biomonitoring, coastal bird populations, 39 *et seq.*
 Biostratigraphic sequence, 829
 Biostratigraphy, 827
 Biotechnical stabilization of shorelines, 34
 Bioturbation, of sediments, 422
 Blowouts, coastal dunes, 284
 Boring sponges, 396
 Botanical datum, 993
 Bottom drag, 330
 sediments, chemistry of, 417
 shear stress, 329
 Bouma sequence, 667
 Boundary layer processes, 629
 Break point, waves, 302
Breaker height, visual observation of, 320
 wave height, 717

- zone, condition, 8
swash zone, 303
Breakwater, destabilization of, 789
British Railways Board, 466
Bruun/Dean profile model, 59
Bulk density cores, 652
Buoy data, 79 *ff*
- C**
- CERC wave model, 80
Calcareous freshwater mud, 341
Caloosahatchee Formation, 341
Canals, silting up, 418
Capillary fringe, terraced pools, 378
Capping, polluted material disposal, 35
Carbonate cement, chemical dissolution, 376
Cartesian transformation, 550
Cartographic database, 550
Channel
 cross sections, 811
 morphology, inlet throat, 757
Channel-bank erosion, 1034
Chemical weathering, on intertidal platforms, 390
Choreline change, 307
Classification of coastal storms, 117
Cliff
 recession rates, Oregon coast, 147
 retreat, mechanisms of, 668
 sediments, grain-size analysis, 150
 stratigraphy, Oregon coast, 146
Climatic deterioration, minimal sunspot numbers, 943
Closure depth, 62
Cluster analysis, 743
Co-seismic displacement, on coasts, 399
Coarse-grained beach profile, 152
Coastal Engineering Research Center (CERC), 362
Coastal Engineering Data Retrieval System (CEDRS), 272
Coastal Modeling System (CMS), 576 *et seq.*
Coastal
 bird populations, 39 *ff*
 changes, mapping of, 550
 classification, 27
 damage
 from storms, 128 *ff*
 Puerto Rico, 281
 database, WIS hindcasts, 270
 dunes
 classification of, 189 *et seq.*, 264
 morphology of, 192
 engineering literature, iii
 fore-dunes, colonization of, 139
 hazards, sea-level rise, 934
 interceptor, coastal sewage system, 536
- lagoons, as ecosystems, 738
land loss, 1031 *et seq.*
plain, inundation of, 920
protection structures, 639
regression, in Netherlands, 190
risk, 18
sediment budget, 189
sedimentation rates, 826
sediments, texture of, 884
structures, maintenance of, 316
surveys, large-scale, 40
vulnerability, 18
 water bodies, delta areas, 417
- Coastline dynamics, 193
Cockling
 variety of Karren weathering, 390
 weathering, 389
Cohesionless soils, transport of, 174
Cohesive-bed response, to bottom stress, 488
Colonial seabirds, 39
Combined sewer system, 531
Consolidation
 parameters, dredged material, 653
 tests, 656
Construction control lines, 309
Control structures, along Nile River Delta, 590
Coral communities, storm impacts, 294
Core samples, tidal sediments, 878
Cornaglia Effect, 4
Coseismic subsidence, 827
Coulter laser diffraction grain-size analyzer, 421
Critical orbital velocity, wave, 949
Cross-shore sediment transport, 590
Cross-spectral analysis, 728
Current velocities, in tidal channels, 815
Curvilinear Long-Wave Hydrodynamic Model, 579
- D**
- Data loggers, burst-mode sampling, 332
Dean's Equilibrium Beach Profile (EBP), 567
Deglaciation events, 933
Delta
 flank coasts, 967
 plain, 440
 platform, 761
Deltaic lagoons, Nile Delta, 410
Diatom microfossil transitions, 855
Digital Shoreline Mapping System (DSMS), 600
Dispersed sediment, 175
Dispersion coefficients, 536
Dissolved oxygen, 420, 743
Downdrift inlet shoreline, 660
Drag coefficient, 335, 705
- Dredge
 spoil
 long-term stability of mounds, 948
 mounds, behavior of, 947
 vegetation colonization, 133 *ff*
Dredged material
 geomechanical behavior, 651
 use of, 32
- Dredging
 of coastal channels, 319
 impact on subtidal cultivation, 472
 operation, nearshore, 565
 practices, 326
 projects, Great Lakes, 30
- Drifting ice sheets, 681
- Dump ground
 repository, 567
 sediment, mobilization of, 660
- Dune
 forms, varieties of, 191
 landscape, 189
 management systems, 266
 protection, 291
 vegetation, spatial distribution, 185
- Dune-beach interaction, 905
Dunefields, 747
- E**
- Earthquake deformation cycle, 825 *ff*
- Ebb
 currents, 760
 tidal delta, 565, 752
- Ebb-tidal
 delta bars, 763
 shoals, 320
- Edaphic processes, 1053
- Eddy viscosity, 536
- Ekman layer, 630
- Embryonic dunes, accretionary systems, 191
- Emergent platforms, 388
- Endobiotic fauna, 400
- Epifauna, 450
- Epizoic foraminifera/invertebrate relationships, 879
- Equilibrium forebeach configuration, 903
- Equinoctial high water (EHW), 1052
- Erosion rate-based setbacks, 549
- Erosion
 shear stress, 174
 volume, on beaches, 900
- Erosion-accretion regimes, identification of, 203
- Estuarine marshes, 1010
- Exponential beach profiles, 64 *ff*
- Extratropical Storm Planetary Boundary Layer Wind Model (PBLWIND), 580
- Extratropical storm conditions, 114

F

Factor groups, grain-size characteristics, 363
 Fast Fourier Transform, 727
 Fathometer, 811
 Fault plane failure, in coastal cliffs, 668
 Fecal coliforms, in bathing water, 532
 Federal Emergency Management Agency (FEMA), 549
 Fetch
 distance, 299
 in Gulf of Maine, 117
 Fetch-restricted storm waves, 728
 Fiducial points, aerial photographs, 556
 Flood-oriented bedforms, 763
 Flood-tidal delta, 752
 Flow regimes, in tidal channels, 8818
 Fluid-mud layers, 489
 Fluorescent sand tracers, 298
 Flysch materials, 664
 Folded strata, failure of, 673
 Foraminifera
 from tidal flats, 877
 in Nile Delta Sediments, 443
 in surficial samples, 426
 Forchheimer approximation, 162
 Forebeach recovery, 889, 901
 Foredune
 dynamics, 198
 management, 195
 vegetation sampling, 180
 Foredunes
 classification of, 191
 management of, 192
 Fort Thompson Formation, 341
 Fossil tidal notch, 402
 Free air wind, 629
 Frequency curves, beach-sand samples, 14 *ff*
 Freshwater discharge, to coastal area, 72
 Frost, limit for mangroves, 540

G

Gabions, 293
 Gelbstoff, 803
 Generalized Model for Simulating Shoreline Change (GENESIS), 579
 Geographic Information System (GIS), 550
 Geographic shoreline position, 549
 Geophysical
 lake surveys, 34
 surveys, 353
 Geostrophic winds, 629
 Gill-type anemometer, 299
 Glacial-marine sediments, 101

Global Positioning System (GPS), 353, 561
 Global synoptic scale forecasting systems, 631
 Grab samples, Kane Basin, 103
 Grading diagram, for sediments, 251
 Grain size
 analysis
 beach sands, 251
 from salt marshes, 482
 parameters
 sediment transport, 70 *et seq.*
 spatial variability, 255
 statistics, sedimentary environs, 252
 trend analysis, 73
 Grain-size
 analyses, sediment cores, 420
 distribution, descriptors for, 360
 Gravel beaches, 20, 50
 Grinders, on intertidal platforms, 388
 Groin field, 325, 637, 839
 Gross longshore sediment transport, 917
 Ground control data sources, 554
 Growth-position fossils, 827
 Gully development, in coastal cliffs, 672

H

Half-tide level (MTL), 206
 Hallermeier
 inner limit (HIL), 948
 limits, 948
 outer limit (HOL), 948
 Halloween Eve storm of 1991, USA, 113 *et seq.*
 Hammock marshes, 924
 Harbor Wave Oscillation Model, 579
 Headland marshes, 922
 Heavy minerals, coastal sediments, 425
 High-concentration, cohesive sediment dynamics, 488
 High-frequency sampling, 489
 Highest high water (HHW), 920
 Hindcast wind speeds, 79
 Historical shoreline mapping, 600 *et seq.*
 Holocene
 sea-level research, 25
 sequences, Nile Delta, 460
 transgression, 625
 Humic acids, in peats, 992
 Hurricane
 eye, 632
 named storms
 Alicia, 890
 Camille, 585
 Hugo, 278
 wind field, 631, 632, 633

Hydraulic
 gradient, 162
 roughness length of bed, 329
 Hydrographic regime, 961
 Hypsometric relationships, 919

I

Ice floe, 681
 Ice pile-up
 height, 687
 initiation, 681, 686
 rafting, sediment transport, 104
 Ice-transported diamicton, 103
 Image space, aerial photographs, 552
 Immersed weight sediment transport, 653

In vitro propagation, seagrasses, 733

Incident wave energy, 155, 638
 Incipient sediment transport, 170
 Incursion distance, wave run-up, 284
 Infragravity standing wave motion, 716

Infralittoral (sublittoral) zone, 396

Inlet

 hydraulics, 915
 migration, 915
 stability, 909

Inner-shelf environment, 565

Interfluve marshes, 924

Interior
 land loss, 1037
 ponding, marsh degradation, 1034
 Intertidal beach facies, 969
 Intertidal
 invertebrate prey, 748
 mud flats, 703
 platforms, definition, 390 *ff*
 solution basins, 386

J

Joint block fall, from cliff, 668

K

Kaolinite, in soil, 667
 Kinematic analysis techniques, 633
 Kolmogorov constant, 330
 Kolmogorov's “-5/3 law,” 337
 Kurtosis values, beach sediments, 258

L

Lacustrine
 depositional patterns, Nile Delta, 417
 plain, Florida, 340
 sediment types, 421
 tidal prism, 919

- Lanceolate ridges, on intertidal platforms, 386
 Large-scale coastal processes, 193
 "Law of the Wall," 329
 Limestone coasts, littoral morphology, 396
 Limpets, 396
 Linear wave theory, 949
 Linguoid ridges, tropical reef margins, 384
 Lithic fragments, coastal sediments, 425
 Lithified carbonate ridge, 417
 Lithologic log, coastal sediments, 435
 Lithostratigraphic sequence, 829
 Little Ice Age, 263
 Littoral Environmental Observation (LEO), 309
Littoral
 bioconstructing species, 401
 drift, 146, 545
 fringe, 395
 sediment cell, 145
 Littoral-cell embayments, 146
 Log-Laplace distribution, sediments, 251
 Log-hyperbolic distribution (LHD), sediments, 251
 Log-log plot, sediment data, 252
 Log-normal distribution, unimodal sediments, 251
 Longshore current
 reversal, 964
 velocities, 299, 914
 sand transport rate, 320
 sediment transport, 590, 911
 transport, 21
- M**
- Macrotidal coast, 992
 Mainland fringe marshes, 921
 Maintenance dredging, Great Lakes, 31
 Mangrove accretion rates, 1081
Mangrove
 biogeography, 1054
 forests, fate of, 1083
 habitats, assemblages, 1056
 systems, geomorphic setting, 1063
Mangroves
 in New Zealand, 539 *et seq.*
 propagule dispersal, 543
 response to sea-level rise, 1052
 salinity tolerance, 542
 size variation with latitude, 542
 stunted forms, 542
 Manning coefficient, 536
 Manometer, 718
 Map transformations, 608, 612
Marine
 archaeology, 351
 environment, legal disputes, 466
- Marsh**
 degradation, 1034
 hummocks, 1022
 inundation, patterns of, 819
 island, platform marsh, 926
 loss, to erosion, 1012
 preservation, 929
 sedimentation, overwash input, 1014
 sediments, bulk densities, 1013
 substrate, anoxia in, 1010
 vertical accretion rates, 1010
Marsh-McBirney current sensors, 331
Marsh-filled lagoons, 919
Marshes, hierarchical classification, 921
Maximum
 ice piece length, 683
 potential load, 770
Mean
 high water (MHW), 206
 spring tide (MHWS), 1052
 low water (MLW), 206
 sea level (MSL), 920
 tidal range, 752
Megaripple
 ebb channel, 763
 migration, 298
Meso scale processes, 631
Mesotidal coast, 993
Microtidal
 environments, 298
 marshes, 920
 wave-dominated sand beaches, 906
Mid-lagoon marshes, 926
Midlittoral
 tidal notch, 396
 zone, 396
Miocene clay, 339
Missbach approximation, 162
Mixed energy delta, 969
Mixed-sediment beaches, 124
Molluscan biofacies, 440, 454
Monitoring data, beaches, 309
Monsoon, significant wave heights, 911
Morpho-sedimentary units, coastal deposits, 935
Morphological versus volumetric recovery, 900
Mud
 and sand densities, 348
 veneers, 1069
- N**
- National Geodetic Vertical Datum (NGVD)**, 307, 992
National Ocean Service (NOS), 550
National Weather Service (NWS), 631
Natural
 shores, conservation of, 48
 tracers, in sediments, 646
Nature Protection Act of 1992, Denmark, 264
Navier-Stokes equations, 578
- Nearshore**
 bar formation, 716
 sediment transport, 369
 systems, sediment-mixing depth, 297
Niger coastline, geomorphological units, 961
Nodal points, erosion/accretion, 592
Non-stationary porous media flow, 158
Nourished beach dredge spoil, 139
Nyquist frequency, 332
- O**
- Object space**, on aerial photographs, 552
Oblique aerial photograph, 323
Offshore wind, 194
Okeechobee basin, Florida, geophysical surveys, 339
Onshore wind, 194, 886
Open
 barrel gravity corers, for sediments, 104
 coastal environments, 489
Open-water lagoons, 919
Optical backscattering sensor array, 331
Ordination analysis, 742
Organic-rich
 mud, Lake Okeechobee, Florida, 341
 peaty scarps, on beach, 966
Orographic processes, 631
Oscillating water tunnel, 158
Oscillatory currents, 716
Ostracods, in Nile Delta sediments, 443
Overflows, from sewage system, 535
Overland/overwater effect, 630
Overwash penetration, 291
Oyster fisheries, in lochs, 471
Oysters, mortality of, 466
- P**
- Paleo-pothole fill plug**, 389
Paleoenvironments, marsh sites, 861
Paleoeustatic research, 621
Parametric model, 578
Parnell Grit deposits, New Zealand, 664
Particle-size analysis, dump ground, 655
Pass point, in aerial photographs, 554
Peak average wave period, 301
Peat
 accretion rates, 1079
 collapse, 1026
 layers, in Lake Okeechobee, Florida, 346
Peats, old salt marshes, 852

- Perigean tide, 117
 Perimeter land loss, 1036
 Periodicity of spit systems, 942
 Petrological assemblages, 424
 Photo transformations, 610, 613
 Photo-micrograph, of sand-sized fraction, 427
 Photointerpretation of coastal change, 555
 Pirogues, small light-weight boats, 811
 Planetary boundary layer (PBL), 629
 Plant macrofossil transitions, 855
 Plant tissue culture, 732
 Plant zonations, in marshes, 992
 Pocket beach, 145
 Pollen
 analysis, 1013
 diagram, for marsh, 831
 Pollution, in the littoral zone, 533
 Polychaetes, in Nile Delta sediments, 443
 Pore water pressure, 652
 Post-storm beach recovery, 884
 Postseismic marsh burial, 863
 Potential sediment transport rate, 770
 Potholes, intertidal platforms, 380
 Prandtl von Karman equation, 329
 Pre-Wisconsin sea-level rise, 351
 Primary dunes, 191
 Protective structures, 33
 Pumping stations, drainage in deltas, 419
- Q**
 Q-mode factor analysis, 363
 Quiescent settling, flocculated marine muds, 175
- R**
 Radiation stresses, waves, 839
 Radiocarbon
 dates, from shells, 755
 dating, 398, 622, 939
 years before present (BP), 993
 Radiogeochronology, 924
 Radionuclide dating, 1013
 Raised
 ridges, intertidal platforms, 378
 rim potholes, intertidal platforms, 380
 Reference datum, 403
 Reflective beaches, 145, 297
 Regional Coastal Proc Wave Propagation Model, 579
 Regressive coastal dunes, 193
 Relative sea-level change, 826
 Reproductive success, in seabirds, 44
 Retrograding coastline, 190
 Revegetation projects, 732
 Reynolds number, 172, 331
 Ride-up zone, 686
- Rillenkarren, intertidal platforms, 383
 Rip currents, 717
 Ripple dimensions, 655
 Risk, coastal, 27
 Ro-Tap shaker, for sediments, 255
 Rocky headlands, 58
 Rocky
 shoreline, 991
 shores, French Riviera, 53
 Roughness length, 706
 Rubble mound breakwaters, 789
 Run up height, tsunami, 775
 Rundown velocity, 789
- S**
 SLOSS (Sea, Lake and Overland Surges from Hurricanes) model, 281
 Salt flats, 1069
 Salt-marsh
 foraminifera, 965
 plant species, vertical ranges, 999
 plant zonation, 994
 Salt-water intrusion, 1022
 Saltmarsh, 703
 Sand Drift Act, Denmark, 263
 Sand
 bars, welding to shore, 325
 drift, coastal areas, 266
 fences, coastal management, 199
 fencing, coastal management, 135
 migration, Denmark, 264
 onshore transport, 752
 Sandflats, 707
 Sandwaves, bedform, 283
 Sea bed roughness, 702
 Sea breeze, 631
 Sea
 cliffs, erosion of, 144
 level notches, 384
 Sea-State Engineering Analysis System (SEAS), 270
 Sea-level
 curves, 990
 indicators, 1004
 rise, 144
 estimates for, 1077
 in tidal wetlands, 1051
 tendencies, 827
 Seagrass
 beds, storm impacts, 295
 meadows, scouring of, 284
 restoration practices, 735
 Seawalls, 293
 Secondary dunes, 191
 Sediment budget, 640
 Sediment
 circulation patterns, 765
 cores, hand samples, 420
 dynamics, in muddy surf zone, 48
 ff
 ramping, 128
- re-suspension events, 492
 sampling, grab samples, 74
 suspension, 329
 threshold, prediction of, 953
 transport, by ice, 992
- Sediment-mixing depths, coastal areas, 297 *et seq.*
 Sedimentation rates, in marshes, 923
 Sedimentological adjustment to SLR, 1064
 Seismic profile reflectors, 342
 Settling velocity distributions, 652
 Shallow water waves, 302
 Shape parameters, for sediments, 257
 Shear
 flow, 170
 velocity, inertial dissipation estimates, 333, 709
 Sheet erosion, 1065
 Shelf tidal residual currents, 545
 Shell-rich sediments, 441
 Shields
 entrainment, 172
 parameter, 949
 Shore types, French Riviera, 50
 Shoreface, 887
 Shoreline
 accretion, rate of, 323
 changes, computation of, 205
 erosion rates, 549
 morphology, New Zealand, 664
 oscillation, 205
 position, 307
 rate of change, 611
 recession, rate of, 323
 retreat, 887
 transformation, 55
 Side-scan
 sonar records, 342
 sonography, 353
 Sieving, of beach sediments, 147
 Siliciclastics, end members, 430
 Size-density sorting, 588
 Skewed distributions, on phi scale, 258
 Smithsonian field expeditions, to Nile Delt, 420
 Soil, on flysch deposits, 667
 Solitary waves, 493
 Solution
 columns, positive relief feature, 388
 pipes, 387
 Sonograms, analysis of, 353
 Sorting parameters, for sediments, 256
 Southern Oscillation, 544
 Spectral wave height, 86
 Spit bars, systems of, 939
 Spitzkarren, 389
 Split-hopper suction dredge, 652
 Spoil
 banks, coastal revegetation, 732
 mounds, consolidation of, 659
 Spur and groove topography, on coral reefs, 384
 Stable coastal dunes, 193

- S**
- Standard Project Hurricane (SPH) model, 632
 - criteria, 578
 - Stem density, on marsh hummocks, 1025
 - Stereonet analysis, 671
 - Stokes velocity, 175
 - Storm
 - runoff, 803
 - surge, probabilities, 206
 - surges, duration of, 208
 - waves, 287
 - Storm-Induced Beach Change Model (SBEACH), 579
 - Storm-surge
 - deposits, 927
 - platform marshes, 927
 - Strand coast, 965
 - Stratified lake water, 418
 - Stratigraphic records, of earth-quakes, 853
 - Student's t-test, 652
 - Sub-basins, artificial, 418
 - Subaerial beach environment, complexity of, 260
 - Subdelta, within delta, 972
 - Subduction
 - earthquakes, Oregon coast, 146
 - zone earthquake, 850
 - Submarine
 - equilibrium profile, 1 *ff*
 - profile, 1 *ff*
 - Subsea sediments, chemical properties, 108
 - Subsidence, estuarine, 852
 - Subtidal cultivation, 466
 - Supercomputers, 577
 - Supralittoral zone, 395
 - Supratidal zone, 387
 - Surf-scaling parameter, 302
 - Surface wind, 629
 - Suspended sediment concentrations, 813
 - Swale (finger) marshes, 927
 - Swash
 - period, 154
 - zone, 299, 567
 - Synoptic scale processes, 629
- T**
- Tamiami limestones, 341
 - Taylor's "frozen turbulence" concept, 332
 - Tchebycheff polynomial, 550
 - Tectonic uplift, coastal areas, 144
 - Textural analyses, of sediments, 424
 - Thanatocoensis, 441
 - Threshold condition, for sediment erosion, 173
 - Tidal
 - current velocities, 709
 - influence on local drainage, 819
- V**
- inlet classification, 916
 - inlets, 752, 909
 - prism, 909
 - water level, 72
 - Tide
 - gauge, 146, 1039
 - records, sea-level change, 990
 - Tilt displacement, aerial photographs, 552
 - Time-Independent Spectral Wave Model, 579
 - Time-Dependent Spectral Wave Model, 579
 - Total organic carbon, in bottom sediments, 493
 - Tracer-based models, sediment transport, 297
 - Tracer-derived transport equations, 297
 - Trailing-channel margin fills, 925
 - Transgressive island, 926
 - mud coast, 965
 - Transplanting, seagrasses, 733
 - Transport rates, prediction of, 949
 - Transverse bars, nearshore zone, 298
 - Triaxial testing, of dredged material, 653
 - Tropical Storm Planetary Boundary Layer Wind Model (HURWIN), 580
 - Tropical humid areas, mangroves, 1054
 - Tsunami
 - deposits, 827
 - disaster, in Japan, 775
- U**
- Under-cuts, intertidal platforms, 376
 - Undertow, 717
 - Underwater
 - berm, 307
 - berms, dredge disposal technique, 35
 - Universal Transverse Mercator (UTM), 550
 - Updrift bar complexes, 765
 - Upland marshes, 1011
 - Upland to wetland conversion, 1039
 - Urbanized coast, 20
- V**
- Valley marshes, 921
 - Vegetation line, 905
 - succession, sea-level change, 828
 - survey, on coastal dunes, 179
 - Vertical lithological changes, 421
 - Vibracore survey, 341
 - Vibracores, 1002
- W**
- Walton's equation, 911
 - Washover fan, high wave-energy beaches, 927, 971
 - Wastewater, in coastal areas, 419
 - Water Resources Development Act of 1986, 30
 - Water
 - pollution, 31 *ff*
 - surface elevation, 299
 - temperature, in coastal lagoons, 741
 - Water-level gauge, 813
 - Waterlogging, effect on growth, 1045
 - Wave Information Study (WIS), 79 *ff*, 270
 - Wave
 - climate, USA coastal waters, 270
 - gauge, 789
 - hindcast study, 754
 - run-up heights, during hurricane, 284
 - runup curve, 800
 - runups, on breakwater, 790
 - tank experiments, 7
 - Wave-dominated coasts, 929
 - Wave-induced bedload transport, 949
 - Wave-wave interactions, 723
 - WES Implicit Flooding Model (WIFM), 578
 - Wet/dry line, on beach, 556
 - Wetland loss, 1021 *et seq.*
 - Whitefronted plovers, seasonal movements, 747 *et seq.*
 - Wind estimation, coastal modeling applications, 628
 - Wrack line, on beach, 971
 - WRDA—see Water Resources Development Act
 - Wykeham Farrance vane, 342
- X**
- X-radiography
 - of mud deposits, 346
 - sediment pushcore, 494
 - X-ray diffractometry, mineralogy, 421
- Y**
- Yachting harbors, 56
 - Younger Dryas cool event, 933