

SUBJECT INDEX

Journal of Coastal Research

Annual Index Vol. 11 (Nos. 1-4), 1995

A

¹³⁷Cs dating method, 296
¹³⁷Cs dating, 1147
 210 Pb analysis, 797
 210 Pb dating, coastal sediments, 1298
 226 Ra activity, 1301
 230 Th dating, 761
 Absolute age determination, 627
 Accomodation, coastal policy, 1230
 Accretion deficit, coastal marshes, 794
 Accretion, erosion patterns, Nile delta, 822
 Accumulated dose (AD), 1140
 ACES framework, 1113
 Acoustic Resuspension Measurement System (ARMS), 71
 Acoustic sediment concentration profilemeter, 71
 Active beach, 482
 Active marsh, Wash embayment, 337
 Aerial photographs, 697, 719, 1010
 Aggradational cycles, fluvial, 642
 Alfisols, 643
 Algae, in marshes, 131
 Algal
 carbon sources, 131
 mats, 345
 ridges, 973
 Allochthonous carbon sources, 130
 Allostratigraphic interpretation, 1136
 Alluvial mounds (hummocks), 1051
 Alluvial plain, 1363
 Alongshore bar complex, 530
 Alongshore side-scan sonar surveys, 533
 Altered soil horizons, 643
 Ambiguities on-the-fly (OTF), 80
 Amino acid
 diastereomeric values, 1138
 enantiomeric values, 1138
 racemization, 675
 Aminostratigraphic
 methods, mollusk shells, 1138
 records, sea-level change, 682
 Aminostratigraphy, 682
 Aminozones, 1138
 Anemometer, 35
 Anticyclones, 1213
 Apparent radiocarbon age, 624
 Aragonite, 5
 ARC/INFO, display & analysis, 1323

Artificial

beach nourishment, 389
 nourishment
 coastal management, 1230
 beaches, 1287
 replenishment, of beaches, 391
 saltmarsh canopy, 1204
 Astronomical
 theory of climatic changes, 1103
 tides, 361
 Atlantic Empirical Equation, 193
 Atmospheric forcing, sea-level change, 1309
 Atmospheric pressure extreme events, 1316
 Australian Height Datum (AHD), 462
 Autochthonous carbon, 131
 Average nearshore slope, 883

B

Back barrier lagoon, 512
 Back barrier-island chain, 657
 Back-barrier region, 138
 Back-bay region, 1246
 Backbarrier
 compartments, 1276
 environment, 498
 Backmarsh, 1054
 Backshore sandy beach, 511
 Bahamas low, 1213
 Baltic beach sediments, 96ff
 Bar and trough, beach topography, 1184, 1348
 Bar formation, 1191
 Baroclinic current, 813
 Barotropic current, 813
 Barrier
 breach, 697
 deposits, 1047
 effect, 1245
 evolution, 512
 Barrier island
 landscapes, 1322 *et seq.*
 recognition, 438
 system, 509
 Barrier island, 697
 Barrier islands
 coastal fracture, in India, physiography of, 509
 evolution in India, 508 *et seq.*

 regressive, 1021
 morphostratigraphy, 462
 spit, 160
 Barrier-island rim, 657
 Barriers, to sediments, 387
 Basal coastline concept, 1223
 Basal reflector, 607
 Base-level lowering, 637
 Bathymetric
 gradients, 1145
 shielding, 599
 surveying, 530, 959
 Bathymetry, Boston Harbor, 234
 Bay-head delta, 791
 Bayou, 792
 Bayside
 lagoons, 1274
 marshes, 1274
 Beach
 accretion, 199
 compartments, 1276
 dewatering, 1287
 erosion
 dynamics of, 1229
 events, 390, 520, 954
 model, 1275
 long-term rates, 1281
 fills, 1255
 flats, Netherlands, 1223
 flooding, 1370
 gradients, 1355
 material, 97
 nourishment
 overflow ratio, 1120
 process, 384, 697, 1222
 profile stations, 1021
 ridges, 434, 482, 513, 887
 sands, size frequency distributions, 537
 sediments, 498, 1021
 slope, 780
 states, 530
 survey, sediment sampling, 208
 system, nourishment, 102
 transitions, 1254
 Beach-nearshore profile variation, 1158, 1161
 Beach-quality sand, 1243
 Beaches
 composition of, 97, 1341
 mineral suites, 1336
 post-storm recovery, 1020

- Beachface sediments, longshore distribution, 205
- Bed
erosion, 183
fluidization, mud banks, 183
roughness, natural beach, 1090
shear stress, 183
- Bedforms, small amplitude, 1092
- Benchmark releveling surveys, 801
- Bengal shelf, 835
- Benthic diatoms, marshes, 131
- Bermuda High, 377
- Beta-Rayleigh distribution, 1111
- Bidirectional tidal flows, 533
- Bio-geomorphic zonation, 6
- Bioerosion, 22
- Biofacies studies, 999
- Biogenic production of carbonate, 530
- Biologic productivity, rate of, 335
- Biomass parameters, changes in, 92, 125
- Bioturbation, 681
- Bivalve borings, 711
- Blow-outs, 1022
- Blowhole, 405
- Bluff erosion, regressive thaw failure, 497
- Bog oaks, 338
- Bore collapse, 1090
- Bottom
boundary layer, 71
currents, 242
friction, wave energy loss, 1264
topography, Boston Harbor, 233
- Boulder beaches, 456
- Boundary conditions, shoreline models, 878
- Brackish
marsh, 793
water mark, 201
water wetland, 138
- Bragg resonances, 1181
- Breakers, 20
- Breaking
limit curves, 1130
wave heights, in hurricane, 194
- Breakwater
design, 1114
stability analysis, 1125
- Breakwaters, 524, 1125 *et seq.*
- Bruun Rule, 1158
- Budget types, littoral cells, 389
- Building code, 899
- Bulwark, coastal protection, 1364
- Buoys, types of, 35
- Buried fluvial channels, Chesapeake Bay, 585
- Bypassing, around drift barriers, 1243
- C**
- Canopy friction, saltmarsh grass, 1208
- Capping technologies, material placement, 84
- Cementation
events, 18
grain smoothness, 1343
- Centrifugal pump, dredging, 1331
- Changing bed elevation, 1182
- Channel
dredging, 1382
geometry, tidal channels, 1065
incision and sea-level fall, 646
migration in relation to tectonism, 941
shift by spit forcing, 585
- Channel-jumps, 594
- Chemical maturity, 1174
- Cheniers, 439, 999
- Chesapeake seaway, 587
- Chevron-shaped shoal systems, 599
- Chezy coefficient, 809
- Chronostratigraphy, 1142
- Citronelle complex, 986
- Clay
drapes, 642
minerals, in mudbanks, 183
- Cliff
erosion, 690
plasters, 681
retreat, 1238
- Closure depth, 877
- Cnoidal wave theory, 1113
- C/N ratio, 769
- Coast avoidance, 75
- Coast-parallel terraces, alluvial origin, 987
- Coastal Engineering Research Center (CERC), 1108, 1259
- Coastal
archaeology, 1042
areas, at risk from storm surge, 1354 *et seq.*
barrier lagoons, 589
change analysis, 891
cliffs, 1, 410
code, 89
construction control line (CCCL), 900
destruction, by storms, 1233
development, in Spain, 858
dunes, 1004, 1323
environments, 382, 665
erosion, 1 *et seq.*, 518, 1195
flooding, 108
fronts, 1213
geomorphology, 1243
hazard areas (CHA), 900
lagoons, 1355
management, 381, 858 *et seq.*
marsh, 357
modification, 411
municipalities, hazards, 869
peat deposits, 1048
plain cyclogenesis, 1213
plain, Canadian Beaufort Sea, 494 *et seq.*
planning, 887
protection, 867, 1288
protective works, 521
retreat, policy, 1231
sand barrier systems, Queensland, 454
scenery, 401
storm data, 1216
studies, systems approach, 381
surfaces, etching of, 986
system, 381
vulnerability, 891
wetland loss, 788 *et seq.*
wetlands, 124ff
zone
construction in, 1229
development in, 1228
- Coastline-to-be-preserved, 1223
- Cohesive sediments, 168, 1207
- Cold-water carbonates, 704
- Colman-Mixon model, Delmarva Peninsula, 587
- Compaction rate, of sediments, 298
- Composite grains size distribution, 1119
- Computer programs, 1108
- Conductivity, measurement of, 1324
- Consolidated sediment properties, 74
- Constituent tide record generation, 1111
- Constructional terrace, 27
- Contaminants in sediments, 246
- Contaminated sediment, 84
- Continental
lows, 1213
shelf, 1
- Continuously recording current meter, 533
- Coquinas, 706
- Coral
heads, 12
reef, 1
reefs, 1057
shingle ridges, 456
spurs, 16
- Coral-mantled buttress, 17
- Coralline crusts, 11
- Cordgrass, 1205
- Core
collection, in salt marshes, 298
sub-sampling, 298
- Coring techniques, coastal sediments, 1297
- Coriolis parameter, 809
- Critical
shear stress theory, 1065
velocity, 1065
- Cross-shelf transport, 700
- Cross-strait sea level, 1310
- Crustal warping, 136
- Culms, newly emerged, 90
- Current fields, 37
- Cuspate foreland, 1023
- Custer diagram 53
- Cyclogenesis, 1211
- Cypress swamp, 641

D

Damietta branch, Nile delta, 421
 Debris lines, 196
 Decadal-scale decision-making, 1355
 Deep water wave hindcasting, 834 *et seq.*
 Deep-draft commercial harbors, 744
 Deep-sea cores, isotopic records, 683
 Deepwater
 incident wave direction, 1269
 wave direction, 1265
 waves, 1260
 Delayed response, to global warming, 621
 Delta
 building, 655
 deposits, 232
 lakes, Nile delta, 517
 marshes, 357
 systems, Netherlands, 1221
 Delta-front facies, Nile delta, 423
 Deltas, surge flooding, 1370
 Demi-McDonald shape, 1333
 Dendogrammes, 767
 Density-driven residual currents, 808
 Depocenter, for sediments, 415
 Deposition rates
 in marshes, 330
 sediments in marshes, 325
 Deposition-limit curve, dredging, 1333
 Depositional compartments, 1280
 Depth sounding profile, 3
 Deteriorating marshes, 367
 Detrital
 peat, 117
 quartz grains, in beach sands, 1344
 Diabathic sediment transport, 544
 Diffractograms, mineralogy, 1173
 Dikes and dunes, management of, 1226
 Dimensional friction time scale, 165
 Directional relaxation, wave field, 60
 Directorate of Research & Development (CERD), 69
 Disaggregating surficial sediments, 333
 Discharge
 jet, disposed material, 73
 pipe, submersible pump, 81
 Dissolved
 nutrients, 720
 organic carbon (DOC), 372
 phosphorus flux, 726
 Disturbance regimes, 855
 Dolan-Davis storm intensity scale, 1216
 Dolos sea walls, 522
 Donor cells, littoral drift systems, 389
 Doppler shift, 52
 Double Miche system, 1349
 Double debris line, 202
 Downdrift erosion, 1242 *et seq.*
 Draghead design, dredging, 78

Drainage displacement, by sea-level change, 583
 Dredge
 material, fate of, 72
 data summary reports, 82
 pump, 1331
 spoil dispersal, 544
 Dredged
 channel, 1380
 material, analysis of, 69ff
 sand, 1293
 Dredging
 depth, 1329
 research program, COE, 68 *et seq.*
 Drift
 currents, 844
 reversals, 389
 Drift-aligned deltas, 887
 Drilling parameter recorder (DPR), 76
 Drought cycles in India, 1099
 Drowned
 estuary, 639
 notch, 15
 river valley, 808
 tributaries, 610
 Drumstick barrier island shape, 436
 Dump cloud, disposed material, 73
 Dune ridges, 1374
 Dutch cores, of sediment, 143
 Dutch thumtack submersible pump, 1334
 Dynamic preservation, coastal defence policy, 1222

E

East Antarctic ice surge, 681
 Eddies, in lee of capes, 154ff
 Eductor (jet pump), 79
 Effluent discharge, 154
 Ekman
 depth, 844
 spiral, 844
 Emerged reef patches, 1058
 Emergent vegetation, 798
 Engineering structures, 876
 ENSO, 947
 Entisol, 643
 Entrance channel, 462
 Environments of sediment reworking, 239
 Eolian sequence, 471
 Eolianite deposits, 681, 1075
 Episodic sea-level change, 571 *et seq.*
 Equal-age marine deposits, 676
 Equilibrium
 cross-sectional area, tidal inlet, 1062
 profile, 883
 Erosion
 cliff, 1234
 rates, 486
 Erosional

compartments, 1280
 lowering, of shells, 670
 terrace, 27
 Escarpment, 3
 Estuarine
 deposits, 573
 sediment, 1297
 Estuary, 108
 Eulerian
 motion, 808
 residual current, 812
 velocity distribution, 812
 European Economic Community (EEC), 867
 Eustatic sea level, 136
 Evapotranspiration maps, 1017
 Everglades region, Florida, 655
 Expansion seaward, coastal defence policy, 1221
 Extratropical
 low pressure systems, 323
 storm surge, 323
 storms, 1210, 1322
 Extreme significant wave height analysis, 1111
 Extreme wave conditions, 222
 Eye, of hurricane, 191
 Eyewall, in hurricane, 195

F

Fairweather condition, 1158
 False-color infrared aerial photographs, 1323
 Fast Fourier Transform (FFT), 1339
 Fault traces, 799
 Faunal zones, 118
 Federal dredge fleet, 68
 Feeder pumps, suction dredges, 1334
 Fen clay, 339
 Fetch law, 58
 Fetch-limited
 assumptions, 1110
 wave growth, 35
 waves, 342
 Fiddler crab burrows, 379
 Field Research Facility (FRF), 1158
 Filled drainage systems, 607
 Filter traps, for sediments, 329
 Fine-grained marine detritus, 246
 Fired quartz pebbles, 1053
 Fishing grounds, over mudbanks, 182
 Fixed absolute boundaries, littoral cells, 387
 Fixed partial boundaries, littoral cells, 387
 Fixed-pipeline, 1330
 Flandrian stratigraphy, 338
 Flandrian-age peats, 338
 Flocculation, distribution in estuaries, 754, 761
 Flood
 current, 737
 gates, storm surge protection, 1367
 hazard zone, 195

- Flood plain, stability, 644
 Flood-tidal range, 1380
 Flood-tidal delta, 1280
 Flooding
 on barrier islands, 1326
 events
 in marshes, 360
 water depth in marshes, 364
 Florida lows, 1213
 Flow dynamics
 in marshes, 326
 in coastal saltmarsh, 1205
 Flow index variable, jet stream, 1212
 Flow rate, slurry in pipeline, 1330
 Fluid
 dynamics, 1207
 mud layer, vertical profile, 181
 mud transport, 184
 Fluid mud
 flow behavior, 180, 182
 rheological behavior, 916
 viscosity, 179
 Fluid Mud Survey System, 73
 Fluidization, methods, 78
 Fluidizer system, 79
 Fluidizers, hydraulic design, 78
 Flume simulation models, 637, 1205
 Fluvial
 deposits, in deltas plains, 935
 incision, controls of, 645
 overbank deposits, 575
 Fluvial-erosion surfaces, 607
 Fluvio-glacial material, 1391
 Foraminiferal
 analysis, methods, 112
 tracers of paleomonsoons, 1102
 Fore-reef escarpment, 15
 Foredune ridges, 462
 Foreshore sands, 472
 Forested hammocks, in marshes, 323
 Fossil
 beach ridge sets, Florida, 995
 notches, 1047
 Fourier
 coefficients, sea surface elevation, 230
 series wave theory, 1113
 Free wave, 1386
 Fresh marsh, 128
 Freshwater peat, 496, 501, 617
 Friction factor, estimation for beaches, 1092
 Fringing reef, 1, 4
 Frontal
 discontinuities, 1211
 passages, of winter storms, 377
 Fully developed sea, 47
 Future shoreline response modeling, 1198
- G**
 Ganges-Brahmaputra river system, 835
 Gated boundary, 878
- General linear models (GLM) procedure, 91
 GENESIS, 875
 Geoarchaeology, 651
 Geochemical factor assignments, 425
 Geochemistry, Nile delta sediments, 420
 Geopotential heights, 1214
 Geostatistical analysis, 313
 Geostrophic winds, 1311
 Glacial
 drift beaches, 100
 headlands, 150
 origin hypothesis, spit formation, 490
 outwash, 232
 till bluffs, 1274
 Glacigenic material, 145
 Glacio-eustatic changes, 588
 Glacio-isostatic
 processes, 308
 uplift, Baltic Sea area, 97
 Glaciofluvial outwash plains, 505
 Gleissberg cycles, 1104
 Global
 positioning system (GPS), 80
 warming, 1354
 Grain roughness, 1342
 Grain skin friction, 1264
 Grain-shape composition, beach sediments, 1337
 Grain-size characteristics, 1392
 Grain-size distribution, sediment, 205 *et seq.*
 Granulometric parameter crossplots, 997
 Gravel deposits, 1047
 Great Barrier Reef, 456
 Greenhouse effect, warming, 615, 621, 1354
 Grips, straight channels, 347
 Groin fields, coastal stabilization, 1230
 Groins, 523, 697, 1230
 Gross littoral drift, 1272
 Ground surveys, marshes, 1324
 Ground water salinity, in marshes, 1325
 Groundwater recharge area, 1004
 Gulf lows, 1213
- H**
 Habor entrance, sand bypassing, 1329
 Half Miche threshold, 1352
 Half life, radiocarbon dating, 621
 Half period wavelet, 1348
 Half-cylinder gouge corer, 117
 Halloween storm waves, 1268
 Harmonic
 curve, grain-shape analysis, 1339
 waves, 1346
 Hatch-Slack pathway, 131
 Hatteras lows, 1213
 Headland
 bypassing, 387
 erosion, 246, 518
 geomorphic feature, 15, 512, 705
 Headlands, littoral drift barriers, 1242
 Heavy mineral assemblages, 938
 Helicopter-borne nearshore survey, 959
 Hemidelta, 213
 High
 amplitude, flat-lying reflection surfaces, 1030
 marsh
 fracture, 138
 foraminiferal assemblages, 113
 meadow, 138
 resolution remotely-sensed imagery, 154
 river flow season, 740
 surf advisory, 192
 wave energy window, 457
 High-energy
 beaches, 899
 wave activity, 1157
 High-resolution seismic stratigraphy, 671
 High-velocity marine flow, 199
 Higher-than-present sea-level stands (Holocene), 655, 984
 Highstand
 deltaic deposits, 584
 sediments, 993
 Hindcasting techniques, 199
 Historic erosion, calibration of, 1198
 Historical shoreline mapping, 1197
 Holocene
 marine flooding, 592
 sea-level curves, 573
 sea-level histories, 107
 Hopper density, dredge, 81
 Human-induced subsidence, 795
 Hunt formula, 195
 Hurricane
 channels, 1024
 Iniki, Hawaii, 188 *et seq.*
 landfall, 1022
 warning, 191
 Hurricane-generated waves, 20
 Hydraulic
 instability, channel, 602
 (jet) pumps, 79
 Hydro-isostasy, 616
 Hydro-isostatic processes, 308
 Hydrodynamical models, 1320
 Hydroperiod, in marshes, 362
 Hypersaline conditions, 29
 Hypersalinity, impacts on vegetation, 89ff
 Hypsographic curve, 719
- I**
 Improved draghead design, 78
 Incident

- wave power, 208, 215
 waves, 744
 Incised alluvial channels, 637
 Incoming, directional spreading, 1268
 Infrared laser wave height sensor, 1260
 Inlet
 closure, 697
 dynamics, 376, 403
 improvement, 1380 *et seq.*
 processes, 1120
 Inlet-channel shift, traditional theories, 585
 Inner
 bar, 1162
 shelf, 237
 Inshore hydraulic conditions, 382
 Integrated code, 902
 Intensive observational periods (IOP), 35
 Interfluvial surface, 592
 Interglacial stages, 683
 Internal marsh loss, 1201
 Internal structures, in spit, 500
 Intertidal
 communities, 850
 facies, 999
 foraminiferal assemblages, 107*ff*
 notch, 22
 plants, zonation of, 109
 sand flats, 342, 704
 Inundation events, on marshes, 329
 Inverted barometer phenomenon, 1309
 Ironshore Formation, 22
 Irregular
 wave runup on beaches, 1117
 wave transformation, 1114
 Island
 chains, 987
 elongation, 438
 Isostatic rebound, 136, 615
 Isostatic, sea-level change, 1309
 Isotherms, 1212
- J**
- Jet pumps, 1331
 Jetties, littoral drift barriers, 1245
 Joint North Sea Wave Project (JON-SWAP), 35
- K**
- Karst depression, 639
 Keyhole
 beach, 709
 inlets, 405
 Kinematic viscosity, 1190
 Kjeldhal nitrogen, 764
 Köppen's climate classification, 1044
- Kriging techniques, 312
 Krone's equation, 1207
- L**
- Lacustrine sediments, 491
 Lagoon compartments, 1277, 1363
 Lagoonal
 flooding, 1366
 muds, 1035
 Lagoonal/marsh
 depositional environments, 423
 facies, 417
 Lagrangian
 motion, 808
 velocity components, 810
 Land loss analysis, 1198
 Land subsidence, 1355
 Land-cover classification, 1323
 Landsat, satellite images, 1003
 Landscape-ecological studies, 1003
 Leaf conductance, 91
 Leaside erosion, 1255
 Leeward shelf, 18
 Legal framework, coastal defence policy, 1225
 Limestone gravel beaches, 98
 Linear wave theory, 1112
 Lithofacies studies, 999
 Lithologic logs, in deltas, 930
 Litorina Sea, stage, 100
 Littoral
 cell
 boundaries, 386
 concept, 745, 1337
 definition, 381 *et seq.*
 current patterns, 785
 drift
 barriers, 1242
 formula, 1251
 system, 1281, 1329
 dynamics, 216
 ligurian current, 695
 lithosomes, 984
 processes, 1118
 reversals, 697
 strandplain ridges, 986
 transport, 697
 Long wave processes, 745
 Long waves, 744
 Long-period infragravity waves, 1180
 Long-term wave climate, 170
 Long-wave surge, 194
 Longshore
 currents, 198, 480
 sediment transport, 137, 205, 224, 876, 1119
 spit, 98
 transport rate, 227, 658
 transport, 658
 Low marsh, 113, 127
 Low tide terrace, 468
 Lowstand
 erosional surface, 1028
- M**
- Macro-cell sediment budget components, 390
 Macrofauna, 849
 Macrotidal coast, 459
 Magnolia Bluff, Apalachicola estuary, 992
 Mangrove
 forest, 434
 peat, mud, 447
 stands, 441
 Mangroves, estuarine, 1045
 Manning coefficients, 165
 Marine
 caves, 410
 deposits, 100
 erosion, 1, 387
 excursion, 196
 limestone, 675
 potholes, 11
 sands, 1389
 terrace, 1, 640, 985
 transgression, 136, 340
 Marine-planation terrace, 1
 Marsh
 accretion, 361
 erosion, 351
 foraminifera, 108
 foraminiferal zones, 618
 hydrology, 360
 islands, Chesapeake Bay, 1196
 loss and sea-level rise, 367
 restoration, 93
 stratigraphy, 143
 surface
 elevation, 358
 sediments, spatial patterns, 311
 topography, 357 *et seq.*
 vegetation abundance, 1149
 Marshlands, coastal, 1357
 Mass balance budgets, 717
 Mass flux computations, marsh sedimentation, 317
 Maximum
 gain shear stress, 1066
 overwash excursions, 194
 sustained winds, Hurricane Iniki, 192
 Maxwell model, 919
 McLaren model, 205
 Mean annual accretion rates, in salt marsh, 318
 Mega-grainstones, 18
 Merged imagery, 1013
 Metal depuration, 772
 Miche formation process, 1351
 Miche wavelets, 1346
 Microhabitat scale, in salt marshes, 371
 Micrometeorological station, 1324

- Microphytobenthos sedimentation, 769
- Microtidal coasts, 323, 1391
- Microtopography, in salt marsh, 318
- Microwave pulse positioning system, 4
- Mid-Holocene oscillation, sea level, 617
- Midden
sites, 653
stratigraphy, 656
- Migration rate, downdrift erosion, 1247
- Minozones, 682
- Mobile surface sediments, 763
- Model calibration, 882
- Monsoon period, 170
- Monsoonal climate, Africa, 823
- Mucopolysaccharides, 379
- Mud flat, 113
- Mudbank
evolution, salinity changes, 181
formation, 182
- Mudbanks
general, 168 *et seq.*
SW coast of India, 911 *et seq.*
migration, 185
sedimentary characteristics, 179ff
- Muddy bottoms, 168ff
- Mudflat progradation, 999
- Multispectral images, 1010
- Multispectral response curve, 1008
- Murphian assumption, dredging, 1333
- Mytilid shells, 708
- N**
- National Data Buoy Center, 1259
- National Flood Insurance Program (NFIP), 900
- Natural
bar bypassing, 1245
levees, deltas, 1044
resource policy protocol, 11(4), iii
- Navigation & dredging, material properties, 70
- Navigation channels, 733
- Near bed velocity amplitudes, 1189
- Nearest neighbor algorithm, 1005
- Nearshore
bathymetry, 877
physiographic units, 831
sand
fringes, 461
mining, 529
sea, 102
transport rates, 212
wave
direction, 170
spectra, 171
- Neomorphic spar, 1080
- Neutron activation analysis, 1140
- Nile delta
plain, 420
- sediment, geochemistry, 415 *et seq.*
- Non-cohesive sediment, 1063
- Non-directional frequency spectrum, waves, 34
- Non-monsoon period, 170
- Non-tropical coastal storms, 1210 *et seq.*
- Nonbreaking wave forces on vertical walls, 1115
- Nonlinear wave-wave interactions, 34
- Nor'easters, 1210, 1215
- Norfolk Canyon, 1266
- Northeast, extratropical storm, 1322
- Notch, 15
- Nugget effect, 319
- Numerica modeling, waves in harbors, 744 *et seq.*
- Nutrient
budget, 719
composition, estuarine water, 728
inventory, in catchment, 723
- O**
- Office of Management & Budget (OMB), 11(3), i
- Offshore
bar, 1347
deposition, 1281
significant wave height, 207
transport, 184
- One-line model, 876
- Oolite, 678
- Open marine marshes, 323
- Open water disposal sites, dredging, 86
- Ordnance Datum (O.D.), 338
- Oscillatory fluctuations, 158
- Outer bar, 1163
- Outlet jetties, 522
- Over-isostatic, sea-level change, 1309
- Overbank sedimentation, 1148
- Overfill ratio, 1282
- Overland flow suspended solid concentration, 325
- Overmarsh flows, 328
- Overshoot phenomena, 63
- Overwash
area, 703
debris, 199
deposits, 193, 436, 999
line, 199
- Overwashed barrier island, 499
- Oyster reefs, reworked, 1139
- Oyster shells and sea levels, 664 *et seq.*
- P**
- Paleo-sealevel
benchmarks, 676
studies, southern Chile, 117
- Paleochannel system, 605 *et seq.*, 659, 1141
- Paleochannel trace, 590
- Paleoenvironmental research, in marshes, 138
- Paleogeographic reconstructions, 148
- Paleomonsoonal precipitation, 1099
- Paleovalleys, flooding of, 585
- Palynological dating, coastal sediments, 1297
- Pamlico marine terrace, 992
- Panchromatic
image, 1005
multispectral imagery, 1013
- Particulate nutrient flux, 720
- Payload, slurry sand transport, 1331
- Peat
autocompaction of, 618
facies, 576
- Peats, marsh, 147
- Peninsular Ranges, grain-size analysis, 1341
- Perimeter erosion, marsh islands, 1199
- Periphery radius, Fourier series, 1339
- Photosynthesis, values, 91
- Phyllosilicates, 1171
- Physiological activity, marsh plants, 1324
- Pialasse, lagoons, 1374
- Pierson-Moskowitz limits, 56
- Pinned-beach boundary, 878
- Pioneer, marsh vegetation, 345
- Pixel
size, 1005
values, 1007
- Placement area, dredging, 1329
- Placement of dredged material, 73
- Plaeosol, Bahamas, 681
- Pocket beach, 199, 402, 706
- Point
bar, 83
load test (PLT), weak/saturated rock, 76
- Polar
jet stream parameters, 1211, 1218
jet, flow index, 1214
vortex, 1211
- Polderland, Netherlands, 1221
- Polders
Belgium, 1288
Netherlands, 1221
- Post-Glacial transgression (PGT), 1045
- Post-glacial marine transgressive deposits, 1167
- Potential overwash region, 198
- Power spectrum of sea level, 1313
- Prairie alluvial coastal terrace, 990
- Pre-Sangamonian shorelines, 987
- Pre-monsoon period, wave height, 183
- Preservation potential, 618
- Pressure sensors, wave height analysis, 220
- Principal stores, sinks of sediment, 394
- Prodelta mud, 905, 1030

- Prodelta, Nile delta, 421
 Profile steepening, 1157
 Prograded barrier systems, 456
 Promontories, 411
 Propeller-type pump, dredging, 1331
 Protection tax, coastal policy, 1230
 Protective works, along coasts, 516
 Protosol, 681
 Provenance indicators, 938
 Pumping stations, 1371
 Punaise submersible pump, 1334
 Purve wave train breaking, 1350
- Q**
- Quadrate survey, 711
 Quarter period wavelets, 1347
- R**
- Racemization rates, 1138
 Radar wave ocean spectrometer (ROWS), 35
 Radiance, calculation of, 1008
 Radiocarbon
 ages, 665, 668
 dates, 575
 dating, 143, 623, 1298
 Radiocesium, desorption of, 296
 Radioisotope activity of ^{137}Cs , 296
 Radiometric
 data, 676
 method, 1005
 Radius of maximum sustained wind, 194
 Raised beaches, 1076
 Ramp slope, shoreface, 1275
 Ravinement
 surface, 499
 unconformity, 502
 Recurved spits, 1021
 Redox potential, 93
 Reef growth waves, 457
 Regional
 master plans, coastal management, 859
 subsidence, 579
 Regressive
 barrier islands, 1021
 overlap, 340
 Relative sea-level rise, 451
 Relaxation model, wave field, 60
 Relict
 barriers, 985
 foredunes, 467
 island, 988
 post-glacial marine clays, 1167
 Remote sensing, 1003
 Resonant periods, in harbors, 746
 Retirement, coastal policy, 1231
 Retreat, coastal defence policy, 1222
 Revetment, 196, 1127
 Revetments, coastal protection, 1230
 Rheometry, viscoelastic coefficients, 920
 Rhizomes, 576
 Rhizosphere, salinity increase in, 92
 Ridge-and-furrow zone, 7
 Ridge-forming time interval, 995
 Ripple
 cross-stratification, 1030
 formation, 1191
 Ripples, 1184
 River flood, impact on coasts, 1360
 River-lake-estuary-bay systems, 733
 Rock reef, 1246
 Rock-free shore, 1254
 Rocky
 coast, 16, 412
 promontories, 1047
 shore subtidal invertebrates, 704
 Roller bit hole, 76
 Rubble mount revetment design, 1115
 Runnel, tidal terrace, 468
 Runup and overtopping of structures, 1117
 Runup height, on beach, 1386
 Runup, transmission and overtopping, 1117
- S**
- Saffir-Simpson scale for tropical cyclones, 1211
 Salicornia marsh, 312
 Salinity
 soil, 1324
 stress, 89
 tolerance, 90
 Salt
 load, in sea spray, 1075
 marsh
 grasses, 89
 peat, 149
 tidal channel communities, 851
 Salt marshes
 ecological importance, 370
 sediment accumulation rates, 296ff
 Salt-water wedge, in rivers, 1371
 Saltmarsh
 accretion, 347
 canopies, flow structure in, 1204 *et seq.*
 morphology & sedimentation, 344
 reclamation, 346
 Sampling design, in salt marshes, 372
 Sand
 backpassing, bypassing, 1329
 bypassing, backpassing, 78, 1328 *et seq.*
 nourishment, 1224
 ridges, 988
 spits, 479
 starved barrier islands, 450
 terraces, 456
 Sandflats, 1304
 Sandy
 embayments, New Zealand, 529 *et seq.*
 shores, progradation, 102
 Sangamonian Interglacial, 992
 Sangamonian deposits, Bahamas, 680
 Satellite imagery, 509, 812
 Scaling of population density, 849 *et seq.*
 Scanning electron microscope (SEM), 1078
 Scarp-slop configuration, 3
 Scoured deep channel, 808
 SCUBA transects, 4
 Sea
 cliffs, 96
 floor, morphology, 1361
 ice, Canadian Beaufort Sea, 495
 spray
 deposition, 1076
 effect on diagenesis, 1076
 transportation, 1075
 surges, 1354
 Sea-level
 change analysis, 1197
 curves, 664
 frequencies, 1317
 high stand, radiocarbon ages, 633
 history, NE Gulf of Mexico, 652
 indicators, 1047
 position, indicators of, 146
 record, 1309
 rise
 hypothesis, spit formation, 490
 scenarios, 1227, 1355, 1366
 stillstands, 980
 Sea-surge flooding levels, 1360
 Seafloor environments, Boston Harbor, 230 *et seq.*
 Seawalls, near beaches, 1355
 Seaward marsh limit, 1145
 Sediment
 budget, 383
 budgets, in salt marshes, 309
 circulation, 389
 cores, 143
 deposition
 in marshes, 358
 in salt marshes, 371
 dispersal patterns, 906
 flux
 measurements, in salt marshes, 309
 spit formation, 488
 reworking, 234
 scour, 242
 sources & sinks, 393
 supply, by rivers, 1374
 transport pathways, 383, 393
 trap, 311, 325, 332, 690
 trapping by plants, 331
 traps, in salt marshes, 373
 types, coastal, 1392
 Sedimentary
 budget, 1391

- deficits, 308
 environments, 236
 facies map, Nile delta, 905
 framework, Nile delta, 904
 Sedimentation rates
 in harbor, 1304
 in marshes, 1153
 Sediments, redispersal of, 181
 Seismic
 data, 4
 profiles, buried valleys, 592
 reflection
 profiling, 461, 605
 surveys, 1169
 Selective preservation, coastal de-
 fence policy, 1221
 SEM techniques, 5, 1340
 Semi-diurnal tides, 341
 Semivariogram, 312
 Septic tank contributions, 721
 Set-up, coastal waters, 366
 Shallow water dispersion relation, 745
 Shallow-water indicators of sea level,
 664
 Shear
 rate, viscosity variation, 182
 thinning, 914
 Sheet flow model, 1094
 Sheetflow, across salt marshes, 309
 Shelf
 sediment transport, 457
 terrace, 7
 Shelf-edge-reef zone, 17
 Shelf-margin delta, 1026
 Shelfbreak, 1382
 Shell
 beds, 1045, 1303
 lags, 665
 pockets, 1055
 reworking, 665
 Shells
 contamination for dating, 668
 horizontal displacement, 665
 Shield's parameter, 1095
 Shingle beach, 384
 Shingle, offshore sources, 391
 Shoal sediments, 83
 Shoaling
 profile, shoreface, 1348
 waves, 472
 Shore retreat rate, 390
 Shore-normal variation in grain size,
 535
 Shoreface
 compartments, 1276
 erosion, 502
 profile, 456, 1275
 Shoreline
 bump, 1252
 change
 equation, 879
 models, 875 *et seq.*
 displacement, 210
 indicators of sea level, 664
 position, 876
 rate of change, 211
 recession, 1158
 regression, 1355
 response
 modeling, 1200
 to storm groups, 1164
 retreat, 1373
 sequences, 986
 Short term storm erosion, 892
 Short wave processes, 745
 Short waves, 222
 Shrub mortality, due to storms, 1323
 Shrub thickets, growth form, 1322
 Siderial years, 575
 Sidescan sonographs, 235
 Sieve stack, sediment analysis, 1336
 Significant wave height, 221, 1260
 Silent inspector (SI) system, 82
 Silica sand, 1389
 Silt-dominated flocs, 759
 Siltation, 521
 Silver Bluff shoreline, 992
 Sinkholes, cenotes, 641
 Site-designation studies, COE, 73
 Six-stage model of spit formation, 489
 Skeletal sand, 20
 Skin friction formulation, 1095
 Sled, Fluid Mud Survey System, 74
 Slurry
 density, pump setting, 1331
 transport, dredging, 1330
 Snell's law, 839
 Soil
 cores, in marshes, 358
 salinity, increase of, 89
 samples, 1037
 sinking, Po Delta, Italy, 1368
 Solid river discharge, 207
 Southern Oscillation, 946
 Southwest monsoon, India, 911
 Spatial vorticity distributions, 157
 Spectral wave transformation model,
 1259
 Sphagnum moss, 338
 Spilling breakers, 180
 Spit
 development, 207, 698, 1281
 evolution model, 483, 485
 progradation, 585
 Spits
 origin of, 478 *et seq.*
 recurved, 1021
 Spodosols, 643
 Sponge boring, 25
 SPOT satellite images, 1003
 Spring tidal range, Great Barrier Reef,
 457
 Spur-and-groove zone, 1, 11
 Squall-line surge, 1382
 Stability shear stress, 1065
 Stable carbon isotope values, in sed-
 iments, 125
 Standing wave patterns, 746
 Standing waves and bars, 1181
 Stationary submerged pipeline, 1330
 Stilt-house construction, 436
 Stomatal closure, due to flooding, 1316
 Stomatal conductance, barrier island
 forests, 1327
 Storm
 scour surface, 1021
 surge, 200, 323, 893
 Storm-generated waves, 245
 Storm-related bypassing transport,
 387
 Storm-wave
 surge, 12
 transport, 669
 Storms, as depositional events, 333
 Strandline, 513
 Strandplain ridges, 996
 Strandplain-chenier system, 789
 Stratigraphic sections, in deltas, 930
 Stratigraphy, foraminiferal assem-
 blages, 118
 Structural
 design, coastal structures, 1114
 erosion, 1223
 Stump-and-boulder zone, 7
 Subaerial beach, 1157
 Subaqueous mud, 918
 Subbottom
 imaging, geophysical methods, 75
 profiling, 4
 Submarine
 canyon, 1335
 drill cores, 2
 Submerged
 bars, 1381
 delta hypothesis, spit formation,
 490
 diffuser, 85
 forest, 1048
 peneplain, 1042
 pipeline, 1330
 Submergence, catastrophic, 112
 Submersible pump, 79
 Subsidence models, 684
 Substages 5c,d, and e, 611
 Substrate accumulation, in salt
 marshes, 309
 Substrate composition, 18
 Subtidal
 erosion, 26
 zone, 1043
 Subtidal-intertidal depositional fa-
 cies, 999
 Suction pipe, dredging, 1330
 Supervised classification, 1016
 Supratidal zone, 1043
 Surf sample zone, 208
 Surf zone, 1330
 Surf-adapted corals, 25
 Surf-wave dynamics, 599
 Surface Wave Dynamics Experiment
 (SWADE), 35*ff*
 Surface
 currents, 46
 drift current, 844
 erosion, salt marshes, 304

- roughness, in marshes, 362
waves, analysis of, 1185
- Surficial sediment deposition, in marshes, 332
- Suspended sediment, 179, 756
concentration (SSC), 180, 720, 741
loads, 342
variability, 331
- Suspended sediments
from rivers, 244
seasonal patterns, 374
- Sustained maximum winds, in hurricane, 191
- Swale, between dunes, 1323
- Swash
lens, leading edge, 1093
level, 472
zone, beach, 1347
- Swell
trains, waves, 1346
waves, 744
- Symmetrical notches, 1047
- Synoptic scale weather system, 947
- Systematic paleontology, 119
- T**
- Taxodont hinge, 1051
- Telemetering systems, wave data, 169
- Temperate marshes, comparisons of, 116
- Terra rossa, 678
- Terrace
constructional, erosional, 27
gravels, 338
marine, 1
zonation, 7
- Textural parameters, sediment distribution, 210
- Thermokarst lake, 498
- Thin sections, petrographic analysis, 1078
- Thresholding, image analysis, 1016
- Threshold toe protection material, 1115
- Tidal
bayou, 735
channel
fill deposits, 340
morphology, 1062
channels, 347, 441
creeks, 145, 1045
currents and wave refraction, 341, 842
exchange, in salt marshes, 310
excursion, 812
inlets, drift barriers, 1243
inundation, 151
jets, 815
marsh
erosion, geomorphic evidence, 1152
habitat, loss of, 1146
peats, 496
marshes, 137ff, 1145
models, 809
motion, 1361
node, 372
range-to-depth ratio, 1071
streams, laterally migrating, 579
velocities, 341
water flux, estuary, 719
wave, 341
wave, surge effect, 719
wave, 341
wave, surge effect, 1361
waves, 817
- Tidal-flow bypassers, 1244
- Tide gauge, 360, 1359
- Time dependent
beach erosion, 1119
dune erosion, 1119
- Toe protection design, 1115
- Topographically depressed areas, 1358
- Total organic carbon (TOC), 372
- Total organic matter (TOM), 690
- Total suspended matter (TSM), 690, 782
- Total suspended solid (TSS) concentration, 325
- Trace-metal dynamics in tidal estuaries, 763 *et seq.*
- Transform fault, 3
- Transgression/regression cycles, 600
- Transgressive
barrier islands, 1272
coastal morphology, 497
estuarine mud, 474
facies changes, 573
mud layer, 464
system, 1035
- Transient partial boundaries, littoral cells, 389
- Translocated organic matter, 643
- Transmission
over structures, 1118
through permeable structures, 1118
- Transverse Ranges, grain-size analysis, 1341
- Tropical
barrier islands, 423
cyclones, 947, 1210
depression, 189
storm, 189
- Troposphere, 1211
- T-sheets, 1197
- Tsunami, 118, 434, 1382
- Turbid water, 343
- Two-dimensional volume balanced models, 1272
- U**
- Unconfined compressive strength, 76
- Under-isostatic, sea-level change, 1309
- Updrift spit migration, 892
- Upper shoreface, 1164
- Upper-level troughs, 1214
- Upper-terrace limestones, 18
- U-series dating, 678
- U-Th analysis, 1137
- V**
- Vadose diagenesis, 1078
- Valley fills, Delaware Bay coast, 579
- van Veen grab samples, 912
- Vaporization, of water, 1331
- Vegetated-area loss, 790
- Vegetation
ecology, coastal wetlands, 129
structure
map, 1012
mapping in coastal dunes, 1010
- Velocity head, dredging, 1330
- Vermetid buildups, 973
- Vertical
accumulation of sediments, 301
datums, sea level, 1355
density driven circulation, 812
marsh growth, 349
velocity profiles, 252
- Vibracores, 1027
- Video camera, binocular microscope, 1339
- Visco-elastic material, fluid mud, 74
- Viscoelastic models, 919
- Viscoelastic parameters, mud, 923
- Viscous sublayer, 1207
- Voigt/Maxwell representations, 920
- Volumetric
concentration of solids, dredging, 1331
models, 1280
overtopping rates, 1117
- von Karman's constant, 1066
- von Karman-Prandtl
equation, 1207
relationship, 1206
- Vorticity fields, 160
- Vostok ice-core, 631
- W**
- Washover
channel, 887
patterns, 195
sediments, 464
- Water
Defence Bill, Netherlands, 1221
budget, 722
injection dredging (WID), 82
soluble fertilizer, 90
- Waterboards, governing bodies, 1225
- Waterways Experiment Station (WES), 69
- Wave
break-point, 1283

- buoys, moored, 194
 characteristics, 171
 climate, Nile delta coast, 219 *et seq.*
 dampening, mudbank, 911
 diffraction, 1264
 energy
 dissipation, 3, 169, 1182, 1190
 loss, by percolation, 1264
 spectrum, 1260
 erosion, 436
 field
 characteristics, 1183
 synoptic views, 47
 forcing, oscillatory movement of
 mud, 177
 fronts, 1253
 growth, 34, 1110
 height losses, over bars, 1190
 models, 34
 number, 227
 orthogonal, 776
 power and grain size, correlation of,
 213
 power index, 1213
 prediction, 1110
 refraction
 hypothesis, spit formation, 491
 modeling, 838
 simulation studies, 780
 over mudbanks, 184
 shoaling, 1264
 shock, on headlands, 401
 signals, 230
 spectra, calculation of, 1267
 surge, 410
 theory, 1112
 transformation
 model, 1262
 processes, 169, 171, 1114, 1259*ff*
 uprush, 521
 friction factors, 1089
 vector, 52
 Wave-cut scarps, 987
 Wave-mud interaction, model, 185
 Wave induced suspension, 184
 Wavelet, half period, 1348
 Wavelets, quarter period, 1347
 Waverider buoy, 948
 Waves
 harmonic, 1346
 multicrested, 1346
 Wetland peat facies, 576
 Whatman paper, 765
 Wind and current observations, 41*ff*
 Wind
 effect, surge height, 1361
 fetches, 379
 fields, 37
 Wind-generated waves, physics of, 34
 eq seq.
 Windspeed adjustment, 1110
 Windward margin, 3
 Winnowing, of sediments, 245
 Winter storms, 377
 World Meteorological Organization,
 1354

X
 X-radiographs, 305
 X-ray diffractometry, 331
 X-ray powder diffractometry, 1170

Y
 Yangtze delta plain, 928
 Yield stress, 915
 Younger Dryas episode, 672

Z
 Zero or slow down area, 1251
 Zero-area, downdrift erosion, 1254
 Zero-crossing period, 170
 Zoning code, 899

Restoration & Management Notes

Editor: Dr. William R. Jordan III

Published: 2 / yr.
ISSN: 0733-0707

... the first and major journal in field of restoration ecology. Restoration and management of prairies, forests, wetlands and other plant and animal communities. Edited at the University of Wisconsin Arboretum. **Founded 1982.**

Rates:	Individuals (must pre-pay):	\$22 / yr.	We accept MasterCard and VISA.
	Institutions:	\$60 / yr.	Canadian customers please remit
	Foreign postage:	\$ 8 / yr.	7% Goods and Services Tax.
	Airmail:	\$11 / yr.	

Please write for a *free* back issue list:

**Journal Division, University of Wisconsin Press, 114 North Murray Street,
Madison, WI 53715 USA.** Or call, 608-262-4952, FAX 608-265-5277