

SUBJECT INDEX

Journal of Coastal Research

Annual Index Vol. 12 (Nos. 1–4) 1996

A

- Aberdeen, Washington, USA, 965
 Accretion, beach, 428
 Accretionary structures, 765
 Adhesion ripple lamination, 165
 Aeolian
 sediment flux, 641
 sediment transport, alongshore, 673ff
 Aerial photographs
 coastal studies, 65, 193, 311
 comparisons, 788
 historical, 148, 466
 surveys, 271
 Air entrapment, beach groundwater table, 635
 Airborne videography, 65
Ammophila
 arenaria, 406
 breviligulata, 406
 Amvrakikos Gulf, Greece, 941
 Anastasia Island, Florida, USA, 962
 Anemometer, 650, 666
 Anthracene (fluorescent) sediment tracer
 dye, 1018
 Anticyclone cells, 432
 Apalachicola River, Florida, USA, 786
 Aragonite, sediment, 954
 Archaeological indicators, sea level, 841
 Ardtroe, Scotland, UK, 863
Armandia maculatus, 339
 Artificial bar, 356
 Astronomical tide, 368
 Atchafalaya Bay, Louisiana, USA, 985
 Atmospheric correction, upwelling irradiance, 987
 Attenuation, sea waves, 890
 Automatic water-level recorder, 368
Avicennia germinans, 64

B

- Back-barrier, 578
 Background erosion rate, v
 Backscattering coefficient, 217
 Backshore
 deposits, 164
 species, 136
 Bahia Blanca Estuary, Argentina, 875
Balanus spp., 841
 Baltic Sea, 812, 813
 Bar and trough, 355
 Bar welding, 304
 Barometric set-up, 368
 Barrier
 island, 39, 297
 morphological variation, 589
 transgression, 597
 typologies, 59
 Barrier-lagoon type, Atlantic coast, 584

- Basal peat dates, 977
 Bass Point, New South Wales, Australia, 833
 Bathymetric
 analysis, 715
 profile, 358, 404
 Batwing delta, 53
 Bay of Fundy, North America, 520
 Beach
 change, 423
 cliff, 161
 cusp, formation, 622
 erosion, v, 179
 face morphology, 10
 facies, 155
 fill
 borrow sites, 147
 design, 396, 447ff
 material, 180
 morphotypes, 752
 nourishment schemes, 179ff, 328, 395ff
 overwash, 134
 profile, 404, 420, 508, 623, 699
 renourishment, iv
 restoration studies, 326, 327
 ridges, 1ff, 606, 788, 934
 aggradation, 613
 origin, models of, 612
 sets of, 714
 sediment, 271, 422, 655
 lateral grading, 774
 slope angle, 240
 transect, 716
 types, 757
 volume, v
 watertable fluctuations, 630
 Beach-manager, 179
 Beach-nearshore sand systems, 496ff
 Beach-related income, viii
 Beach-restoration effects, 337
 Beach/dune interaction, 654
 Beaches
 abrasion type, 933
 morphologic diversity, 749
 Beachface, 749, 1018
 Beaufort Firth, Scotland, UK, 863
 Bed disturbance, 515
 Bed type, coastal sediments, 1001
 Bedform sequences, 499
 Bedload sediment transport, 875
 Berm, beach, 646
 Berms, mounds, bars, 402
 Biological indicators, sea level, 841
 Biostratigraphy, 864
 Biozone, 866
 Blowouts, dune, 657
 Bluehole, 953
Blutaparon association, 136
 Borehole survey, 864
 Borrow sites, 401
 Bottom stress coefficients, 120

- Boussinesq approximation, 435
 Box cores, of sediments, 329, 903
Brania wellfleensis, 339
 Brazos-Colorado delta, 463
 Breaker
 steepness index, 632
 types, classification, 240
 Breaking waves, types of, 240
 Breakwater, coastal structure, 320, 487
 Breidafjordur Bay, Iceland, 368
 Bruun Rule, 827
 Bruun-Dean profile, 707
 Bunnis, coastal protection, 1032
 Buried seafloor valleys, 208
 Buried wave-cut terrace, west coast of India, 205
 Busselton, Western Australia, 761
- C**
- Cabo St. Marta, Brazil, 133
Cakile maritima, 136
Calamovilfa longifolia, 406
 Calibration, of model, 440
Calidris alpina, 996
Calycera crassifolia, 136
Canavalia rosea, 408
 Cannibalization, sediment cells, 592
 Cape Hatteras, North Carolina, USA, 229
 Cape Leeuwin, Western Australia, 762
 Carbonate
 content, beach fill, 451
 fraction, sediments, 155
 Carrick Finn Strand, Ireland, 664
 Carter, RWG memorial tribute, 558
 Catchment area, tidal flat, 284
 Catchment-deltaic systems, 97
 Cattle management, in coastal marshes, 471
 Cavallo Pass, Teas, USA, 64
 Cenote phase, 954
 Centralized data storage, coastal management, 201
Chamaecrista chamaecristoides, 408
 Changjiang River, China, 27
 Charge-coupled device (CCD) camera, 65, 970
 Chenier
 formation, 817ff
 migration, 819
 morphology, 819
 plain, 35
 Chesapeake Bay, USA, 969, 977
 Chesil Beach, Dorset, England, UK, 774
 Chezzetcook Inlet, Nova Scotia, Canada, 594
 Chlorophyll
 attenuation of, 223
 biomass, 260
 Chlorophyll-a, 212, 969
 Christchurch Bay, England, UK, 1001
 Christchurch Harbour, England, 1001

- Clay mineral depositional patterns, 940
 Clay-sized fraction, 915
 Cliff shores, 72, 484
 Climate and palaeoceanography, 873
 Climate warming, 564
 Climatic change, 13
 Closure depth, 179
 Coast-normal transects, 142
 Coast-parallel bars, 43
 Coastal Biology Station, Mexico, 409
 Coastal Information Technologies, 192ff
 Coastal barrier, 507, 567
 change, rates of, 798
 classification, 484
 cliff, 780
 current forces, 798
 depositional features and sequences, 825, 826
 development, 171
 drainage changes, 95
 drift, 168
 dunes, 133ff, 567
 embayments, 10
 erosion, 160, 489, 944
 evolution, 484, 827, 1024
 foredunes, sediment supply, 654ff
 geomorphology, 1
 management, multicriteria evaluation, 171ff
 marsh, 571
 models, 432
 plain
 littoral, 257, 786
 sedimentological environments, 71
 vegetation, 105
 protection, 354, 1031
 retreat, 169
 sea-level variation, 79
 sedimentary complexes, 826, 875
 sediments, New Zealand, 396
 stratigraphies, 564ff
 structures, 319, 322
 swimming pools, scour model, 186ff
 vegetation, remote sensing of, 103ff
- Coastal zone
 dune systems, 160
 historical maps, 272
 management, 192
 population, viii
 Coastline changes, analysis of, 319
 Collapsing breaker, 240
 Color ratio algorithm, 224
 Color-infrared (CIR) film, 64
 Concave beach, 756
 Constricted delta shape, 54
 Constructional features, tsunami, 832
 Continental shelf studies, 208
 Continuity equation, 434
 Contorted bedding, dune sands, 166
 Cooroong, South Australia, 1006
 Coral reefs, shapes, 76
 Cores, in marshes, 522
 Coriolis effect, parameter, 113, 434
 Coulter counter techniques, 149
 Crenulate morphology, coasts, 567
 Cross-bedded sands, 163
 Cross-shelf boundaries, 112
 Cross-shore
 profiles, 143
 transport, 697, 890
 Cross-shelf transport, 81
- Current meter, 623
 Cusp formation, 622
 Cuspate foreland, 761
 Cyclone storm surge, 121
 CZCS (Coastal Zone Color Scanner), 194
- D**
- DOP, dissolved organic carbon, 212
 Damage patterns, from coastal storms, 232
 Damietta Promontory, Nile Delta, 914
 Data telemetry, archiving, 686
 Dean Number, 401
 Delaware Estuary, Delaware, USA, 211
 Delta
 deposition, 941
 development, 29
 shapes, classification, 53
 size, 58
 Deltaic
 progradation, 35
 sedimentation, 940ff
 Den Helder, Netherlands, 271
 Depositional
 regression, 827
 sinks, 789
 Depth of closure, 499
 Diagenetic sulphide forming processes, 521
 Diatom
 analysis, 931
 assemblage, 869
 Digital ground penetrating radar (GPR), 960
 Digital imaging processing methods, 313
 Dipwell, beach watertable, 634
Dispia uncinata, 342
 Dog Island, Florida, USA, 788
 Dolan/Davis Scale, 424
 Domains, gravel barrier, 596
 Downdrift inlet accretion, 297
 Downstream textural trends, Nile River, 916
 Downwelling, upwelling irradiance, 212
 Drainage basin surface, 32
 Drift-aligned coastal features, 590
 Driftline, 137
 Dry beach width, v
 Dry marsh, 471
 Dump sites, New Zealand, 395
 Dune
 coastal, 606
 complexes, 2ff
 cover, 569
 fields, 160
 plant distribution, 133
 systems, 161
 volumes, 511
 Dunefields, 507
 Dunes, 642
 Dunlin, Spain, 996
 Dynamic equilibrium, 355
- E**
- East China Sea, 27
 East Frisian Islands, North Sea, 271
 Eatout survey, 472
 Ebb delta
 morphology, 48, 432
 sedimentary structures, 288
 Ebb sand transport vector, 722
 Ebb tidal delta, 143, 447
 Ebb tide, 432
- Ebro Delta National Park, Spain, 996
 Effluents, leachates, 246
 Ekman
 layer transport, 81
 layers, 80
 El Niño, 14, 473
 Elephant seals, diving pattern, 199
 Embryo dunes, 655
 Emergent bar model, 614
Emerita talpoida, 339
 End effects, seawalls, 693
 Eolianite dunes, 151
 Equilibrium beach, 780
 Erosion, beach, 428
 Erosional hot spots, vi
 Espinho, Portugal, 161
 Essex coast, UK, 246
 Estuarine waters, biochemical/optical measurements, 211
 Estuary, 91
Eucalyptus diversifolia, 1007
 Euxinic coastal marsh, 521
 Euclidean distances, among variables, 176
 Exogenetic processes, 1034
- F**
- Fathometer, bottom configuration, 423
 Faxafloj Bay, Iceland, 368
 FEMA (Federal Emergency Management Agency), 186
 Ferricrete reef, Northern Australia, 909
 FFT (Fast Fourier Transform)
 algorithm, 1013
 procedure, 903
 Fill factors, beach renourishment, 400
Fimbristilis autumnalis, 136
 Firth of Forth, Scotland, UK, 863
 Flat beach, 757
 Flocculation, 943
 Flood
 plains, coastal, 29
 sand transport vector, 722
 Florida Keys, Florida, USA, 953
 Florida beaches, vii
 Flume measurements, 893
 Fluvial boundaries, 440
 Fluvio-glacial-glaciogenic coast, 492
 Flux curtain experiments, 687
 Foraging habitat, 996
 Foredune
 plains, 771
 ridges, 395, 493, 614
 species, 136
 Foreshore facies, 167
 Fourier series, 19
 Frantz Magnetic Separator, 451
 Frequency analysis, 883
 Frisian Islands, German Bight, 142
 Frouxeira, Spain, 567
 Furen Lagoon, Japan, 851
- G**
- Galicia, Spain, 567
 Galerkin's method, 435
 Galveston Island, Texas, USA, 963
 Gauss-Legendre integration method, 439
 Gelbstoff-type organic concentration, 224
 Geoarcheological investigations, 827
 Georeferenced shoreline, 314

- Geostrophic currents, 913
low, 81
Geraldton, Western Australia, 761
German Bight, 141
GIS, geographic information system, 196
Glacial eustasy, 797
Glaciogenic shores, 486
Global climatic variation, 473
cooling, 1035
forestation, 1035
ocean/atmosphere interactions, 1035
sea level and climate, 977
sea-level change, 823
GPS satellites, 65, 194
Grain-size analysis, 1002
distribution patterns, 944
Grain sphericity, 1019
Gravel beach ridge, 572
beaches, 1
ridge morphology, 11
shorelines, 11
Gravel-dominated coastal barriers, 589/*ff*
Grayton Beach, Florida, USA, 789
Green's function, 479
Greenhouse effect, 1034
experiments, sand dune species, 409
Ground truth surveys, 67
Groundwater behaviour, in sandy beaches, 630/*ff*
Growth rates, beach ridges, 616
Gulf coast marshes, 462/*ff*
Gulf of Eilat, 70
Gulf of Suez, 70
- H**
- Hale Hemicycle, 1035
Half-delta shape, 55
Hallermeir Limits, 402, 502
Haplophragmoides manilaensis, 856
Harbor dredging, 398
Hard bed sediments, 1002
Harris soil series, 463
Haustorius jayneae, 339
Hawke Beach, New Zealand, 780
Headland, 596, 834
Heap's radiation condition, 114
Heaps-Orlanski condition, 115
High marsh, 1010
High resolution sounding charts, 40
High-backscatter sand, 152
High-resolution sidescan sonar, 148
High energy shoreline, vii
Highstand systems, 802
Hokkaido, Japan, 851
Holocene marine transgression, 934
transgression, 881
Hoods Canal, Washington, USA, 852
Horizontal field velocity, 624
Houston, Texas, 463
Humber Estuary, UK, 683
Humber Observatory, 683
Humboldt Bay, California, USA, 852
Hunting Island, South Carolina, USA, 714
- Hydraulic conductivity, beach groundwater table, 637
Hydrocotyle-Paspalum association, 136
Hydrodynamic boundary conditions, beach, 449
model, 430/*ff*
regime, 145
zoning, 432
Hydrometeorology, 1026
Hydrosedimentological processes, 808
Hyperbolic distributions, 883
- I**
- Icelandic Hydrographic Service, 369
IGCP Project 367, 795
Imbricated boulder deposits, 823
Impact Matrix, 173
Infiltration, swash zone, 633
Inlet migration, 297
Innishfree Bay, Ireland, 665
Instrument systems, Humber Observatory, 685
Intensified Multispectral Camera (IMC), 970
Intermediate-backscatter sandy silt, 153
International Geosphere-Biosphere Programme, 26
Internet, coastal management, 200
Ion Chromatograph, 524
Ipomoea pes-caprae, 408
Irradiance measurements, 972
Island of Hiiumaa, Estonia, 812
Island of Sylt, Germany, 354
Israel coast, 311
- J**
- Java Sea, 256
Jekyll Island, Georgia, USA, 961
Jervis Bay, NSW, Australia, 833
Jet probing, bottom sediments, 953
- K**
- Kamchatka Peninsula, 930
Kampen, Germany, 355
Kaolinite, Nile River sediments, 924
Karst topography, drowned, 207
Kattegat, Denmark, 899
Kelvin wave, 368
Kerala State, India, 891
Keum River, Korea, 817
Key Largo National Marine Sanctuary, Florida, 954
Komso Bay, Korea, 817
Kuril Islands, 931
- L**
- La Plata River, Argentina, 18
Laboratory studies, seawalls, 695
Lagoon formation, 75
Lagoonal sediments, 6
Lake Peipsi, Estonia, 1024
Land types, 466
Landsat TM data, 103/*ff*
Langeoog, Netherlands, 271, 447
Laplace equation, 479
Laser Particle Sizer, 249
- Last glacial-interglacial transition, 862
Lateral grading, 779
Leachate solutions, 524
Leitoscoloplos fragilis, 342
Lesser snow goose populations, 467
Levant Sea, 912
Lithophyllum lichenoides, 841
Little Ice Age, 977, 1035
Littoral Environment Observation (LEO), 560
Littoral cells, 72
sediment budget, 47
sedimentary processes, short-term, 801
submergence, 1035
Littoral-drift processes, 617
Long Point, Ontario, Canada, 642
Longevity models, beach fill, 455
Longshore bars, 355
drift, 721, 1020
gradients, 776
sorting, 778
Longshore-elongated wedge-shaped deposit, 55
Low marsh environment, 528
Low-backscatter silt, 152
Low-fertility soils, on sand dunes, 417
Luquillo, Puerto Rico, USA, 147
- M**
- Macrobenthic impact studies, 326
Macrofossil analysis, 527
Macrotidal salt marsh systems, 522
Magilligan Foreland, Northern Ireland, UK, 605
Maliakos Gulf, Greece, 941
Management strategies, 192
Marine barriers, 832
deposits, raised, 909
embayment, 70/*ff*
planation surfaces, 932, 936
submergence, 933
terrace, 824, 937
terraces uplifted, 931
Marker horizons, 900
Marquardt algorithm, 19
Marseilles harbour, 841
Marsh aggradation, 474
foraminiferal distributions, 850
Medieval Climatic Optimum, 1035
Medieval Ice Age, 1035
Mediomastus californiensis, 339
Mediterranean Sea, 70
Metamysidopsis swifti, 339
Mid-Atlantic Bight, North America, 79
Mid-Atlantic states, USA, vii
Midden deposits, 7
Milammina fusca, 856
Mixed energy coasts, 297
Moderately concave beach, 757
Moderately steep beach, 757
Mohaka River, New Zealand, 781
Monsoon winds, 817, 890
Morgan Peninsula, Florida, USA, 790
Morphostratigraphic studies, 1
Moturiki Island, New Zealand, 395

- Mt. Maunganu Beach, New Zealand, 395
Mud
 banks, wave attenuation, 890
 elevation profile, 894
 motion, wave attenuation, 893
Mudbank, 890
Mudflats, 466
Multispectral Atmospheric Mapping Sensor (MAMS), 984
Multispectral water-type analysis, 984/*ff*
Mussel beds, 287
- N**
- Nags Head, South Carolina, USA, 420
National Park of Maremma (Tuscany), Italy, 103
 Native trees, direct seeding, 1006
Nearshore
 deflation plains, 134
 profile, 776
 sediment transport model, 786/*ff*
 shelf facies, 497
Nearshore-inner shelf bedforms, 499, 728
Nearshore-shelf
 facies, 727
 morphology, 499, 728
 sediment exchange, 512
Nearshore-surfzone system limits, 726
Nemuro Bay, Japan, 851
Net erosion rate, 719
New Zealand Oceanographic Institute, 48
Nile Delta, Egypt, 911
Nile River, Egypt
 clays, sources, 923
 distributaries, 914
 littoral cell, 913
 sediments, clay mineral distributions, 911/*ff*
NIMBUS 7 satellite, 194
Nodal point, sand transport, 322
Non-cohesive, coarse-grained sediments, 1000
Norderney, Germany, 447
Norfolk, England, UK, 1009
Northeaster, coastal storm, 234
Numerical classification, cluster analysis, 173
Numerical modeling studies, 698
Nyquist frequency, 902
- O**
- Oakley**, Hamford Water, UK, 247
Ocean
 flow field, 124
 level, changes in, 797
Offshore
 aeolian transport, 664/*ff*
 bars, 726
 sand transport, 658
 sediments, 813
 wind speeds, 676
Okinawa, Japan, 852
Ombrone River, Italy, 103
Onega Bay, White Sea, 824
Open coast surges, 112
Ordination, non-metric multidimensional scaling, 173
Organochlorine contamination of coasts, 246/*ff*
- Orlanski radiation condition**, 114
Oscillatory surge, 119
Otzumer Balje, Frisian Islands, North Sea, 271
Outer Banks, North Carolina, USA, 420
Overstepping, of coastal barriers, 598
Overtopping, 594
Overwash, 232
- P**
- Pacific Polar Front, 431
Pacific rim marshes, 857
Pakiri-Mangawhai coast, New Zealand, 496, 726
Palaeolithic artefacts, 160
Palafioia lindenii (Gray), 408
Paleo-beachface sediments, 962
Paleo-valley, 164
Paleocatena, 605
Paleoecological indicators, 977
Paleoenvironmental interpretation, 528
Paleogeographic reconstruction, 168
Paleoseismic research, 99
Paleoshoreline, 955
Paleosol, 605
Palynology, 931
Panama City, Florida, USA, 789
Panicum, 136
Paralic ecosystems, 256/*ff*
Parallel-laminated sands, 163
Parana River, South America, 430
Parapionosyllis longicirrata, 341
Particle size analysis
 procedure, 251, 400
 distribution, dunes, 607
Passive erosion, seawalls, 692
Peat, in depressions, 609
Perdido Key, Florida, USA, 326
Phenotype plasticity, 137
Phytoplankton, 258
Piezometer, 634
Plankton, 869
Plant biomass, on sand dunes, 410
Plantago australis, 136
Playa Honda Shoals, Argentina, 430
Plunging breaker, 241
PN, particulate organic nitrogen, 212
Podzol soils, 161
Polish coast, 484
PP, particulate organic phosphate, 212
Pore water pressure, beach watertable, 634
Port Isabel-South Bay area, Texas, USA, 64
Portland Bill, England, UK, 774
Promontories, 72
Puget Sound, USA, 852
Pyrite diagenesis, 521
- R**
- Radar systems, 961
Radiocarbon age, beach ridges, 14
Raised beach, 908
Reactivation surfaces, dune sands, 163
Recumbent spits, 802
Red Sea, 70
Redi, west coast of India, 205
Reedswamp, 567
Reef chain, 765
Reefal sands, 153
Reflectance, coastal water, 993
- Reflection coefficient, seawall, 703
Reflective beaches, 11, 134
Refuge
 eatout surveys, marshes, 472
 marsh, 463
Regime Method, 173
Regime, hydrodynamic, 442
Regional eustasy, 795
Relative growth rate, sand dune plants, 413
Relative sea levels, 862
Remote sensing
 AVHRR, 18
 Black mangroves, 64/*ff*
 marine resources, 193
 systems, 18, 969
 techniques, 984
Reykjavik Harbour, Iceland, 368
Reykjavik, Iceland, 368
Rheometry, 893
Ridge-crest breakdown, 595
Rio Santa, Peru, 1
Rio de la Plata, Argentina, 430
Rip
 channels, 355
 currents, 501
Rippled scour depressions, 152
River Nile clay trends, 920
RMS error, 318
Rollover processes, 305, 597
Root-shoot ratio, sand dune plants, 413
Rosetta Promontory, Nile Delta, 914
Rottnest Shelf, Western Australia, 761
Royal New Zealand Navy, 48
Runnel, 646
- S**
- Saffir-Simpson scale, viii
Saltating sediment, 648
Saltmarsh
 foraminifera, 851
 sediments, geochemistry, 246, 520, 521, 1009
 vegetation, 246, 571
Samborombon Bay, Argentina, 18
San Bernard National Wildlife Refuge, Texas, USA, 463
Sand
 budgets, 716
 burial, sand dune plants, 413
 dune plants, 406
 fraction, mineralogy of, 876
 grains
 roundness, 1018
 shape, 1017
 mining, 496
 transport direction, 311
 transportation, on dunes, 408
 wars, v
Sand-level changes, subaqueous, 423
Sandwave, 656
Santa Rosa Island, Florida, USA, 789
Satellite
 altimetry, 798
 imagery, coastal studies, 193
 images, 23, 879
SBEACH, program, 704
Schizachyrium scoparium, 408
Scour
 depth, at seawalls, 711
 impact, coastal swimming pools, 186

- prediction model, 187
 Sculptured bedrock surfaces, 831
 Sea level, rapid changes, 797
 Sea-floor roughness, 153
 Sea-level
 change, 1
 curve, 908
 highstands, Northern Australia, 907
 history, Atlantic coasts, 566
 reconstruction, 11
 rise, 166
 stillstand, 208
 Sea-surface temperature, SST, 18 ff
 Seaside, Oregon, USA, 965
 Seawall tests, at SUPERTANK, 705
 Seawalls, effects on the beach, 691 ff
 Secchi disk, depth, 215
 Sediment budgets, 305
 Sediment
 bypassing, 304
 deposition, patterns, 657
 discharge, fluvial, 28
 entrainment, 717
 loading, 580
 mapping, 1001
 particles, hydrodynamic properties, 454
 supply
 differential, 791
 to barriers, 599
 tracing experiments, 396
 transport
 coefficients, 704
 equations, 658
 offshore, 157
 Sediment-filled sinkhole, 953
 Sedimentary
 indicators, sea level, 842
 records, signals in, 901
 texture, beach, 449
 Seedling response, on sand dunes, 406
 Seiche, 1027
 Seismic
 profiles, seabed, 203, 954
 signatures, 206
 reflection profiles, 151
Senecio reflexus, 136
 Sequence stratigraphy, 801
 Shallow water waves, 477 ff
 Shear
 stress, bottom friction, 433
 velocity, dune sediment, 648
 Shelf
 dynamics, 79
 surge histories, 125
 waters, thermal fluctuations, 22
 Shelfbreak, 148
 Shields parameter, 649
 Shingle
 beach, 774
 compartment, 780
 Shoal or buffer zone, 403
 Shoal, swash bar, 447
 Shoaling waves, 515
 Shore description, 1029
 Shore plant communities, 133
 Shore types, 1028
 Shore-oblique orientation, bars, 43
 Shoreface ridge sediments, 144, 403
 Shoreface-connected ridges, 38, 141 ff
 Shoreline
 ancient, 824
 detection, 313
 displacement, 815
 rate-of-change values, 297
 regression, v
 retreat, 718
 trends, 298
 Sidescan-sonar system, 149
 Significant-wave analysis, 720
 Sinai coasts, 70
 Sinkhole, sediment-filled, 953
 Sinking depths, beach sediments, 1000
 Skallingen, Denmark, 271
 Slump structures, dune sands, 165
 Soil-water regimes, 605
Solidago sempervirens, 406
 Sommerfeld gravity wave radiation, 114
 Soundside erosion, 229
 South Atlantic Bight, North America, 79
 Southeasterlies, winds, 443
 Southwestern Australia coast, 748
Spartina, 136
 Specific attenuation coefficient, 226
 Spectral reflectance, 217
 Spiekeroog barrier island, Netherlands, 39,
 271
 Spit shores, 487
 Spits, 73, 486
 SPOT satellite imagery, 984
 St. Helena Sound, South Carolina, USA, 714
 St. Joseph Spit, Florida, USA, 788
 Standing wave
 model, 625
 at seawall, 709
 Steep beach, 757
 Stepped beaches, 757
 Steric effects, sea level, 798
 Stiffkey, North Norfolk, UK, 247
 Still water surge levels, 237
 Storm
 assessments, 694
 layers, power spectrum analysis, 898
 set-up, 168
 surge, 354, 1010
 Storm-dominated sedimentary deposits, 904
 Storm-driven beach change, 426
 Storm-surge ebb impact, 237
 Storm-wave swash, 236
 Strandplain, 960
 Stratified pattern, 801
 Stratigraphic studies, with GPR, 966
 Streamers, sediment transport, 680
 Subaerial beach, disturbance during storms,
 420 ff
 Subaqueous delta deposits, 941
 Subinertial sea-level variations, model for,
 84
 Submarine
 abrasion, 208
 seismotectonics, 797
 terraces, 209
 Subsidence, sea-level change, 980
 Subtidal
 frequency fluctuations, 79 ff
 shoals, 719
 Sulphate reduction, 531
 Sumatra Islands, 256
 Sunglint, 987
 SUPERTANK, experiments, 703
 Surf similarity parameter, 240
 Surfzone-nearshore morphodynamics, 501,
 731
 Surging breaker, 240
 Suspended sediment, 648
Susyrichium sp., 136
 Swash
 excursion, 626
 zone
 processes, 638
 sediment transport, 1017
 Swash-aligned coastal features, 590
 Swell-waves, high energy, 565
- T**
- Tauranga Harbour, New Zealand, 395
 Tectonic movements, 167, 1025
 Tectonoeustasy, 797
 Terekhol, India, 205
 Terrigenous sediments, 155
 Tetrapodes, 362
 Thermaikos Gulf, Greece, 941
 Thermal stratification, coastal waters, 19
 Thermoluminescence dating, 834, 935
 Thermosalinometer, 19
 Tidal
 amplitude, 368
 channels, 715
 deltas, 47 ff
 fluctuations, beach groundwater, 631
 inlet, 272, 447
 inlets, impacts of, 294 ff
 marsh, progradation, 99
 prism, 304
 sediments, 271
 surge levels, 368
 wave, 432
 Tide water, in marshes, 465
 Tide, storm surge models, 433
 Tomales Bay, California, USA, 90
 Toe scour, at seawall, 692
 Tombolo, 9, 323, 761
 Topographic profile, 4
 Total organic carbon (TOC), 249
 Trace elements, environmental change, 520
Trachypogon gouini, 408
 Transgressive shoreline, 594
 Transitional bed sediments, 1002
 Transverse, bar, 600
 Trapping rates, 675
Trochammina macrescens, 856
 Tropical storms, hurricanes, 463
 Tsunami, 576
 Tsunami, geomorphic signature, 823
 Turbulence-closure scheme, 644
 Turbulent viscosity, 435
 Typhoon, origins, 819
 Typic Haplauquoll, 463
- U**
- Udden-Wentworth scale, 249
 Updrift inlet shoreline trends, 302
 Uprush levels, 1020
 Upwelling, downwelling irradiance, 212
 Uruguay River, South America, 430
- V**
- Vertical cylindrical trap, 665
 Video data, for water quality, 969
 V-shaped traps, 675

W

Wadis, 70
 Wangerooge, Netherlands, 39
 Water analysis, remote sensing of, 108
Wave
 base, 733
 climate, 11
 diffraction, 771
 field, 624
 flume, 241
 parameters, 716
 records, 1013
 reflection coefficient, 240, 478
 refraction, 771
 set-up, 368
 tank experiment, 1019

transformation, 477ff
 transformation, 702
 Wave-cut notches, 1030
 Wave-dominated morphology, 297
 WAVENRG model, 717
 Weed control, 1006
 Weighted Pair Group Method Arithmetic, 134
 Western Polish coast, 484
 White Sea, 824
 Willapa Washington, USA, 965
Wind
 field, coastal dunes, 643
 forcing, 116
 wave attenuation, over saltmarsh, 1009
 Wind-driven coastal currents, 913
 Wind-speed profiles, dunes, 644

Winter storms, impact on beaches, 421
 Wrack line, 237

X

X-radiographs, of sediments, 90
 X-ray diffraction analysis, 908

Y

Yellow Sea, 817

Z

Zeiss Auto Level, 423

Outside Reviewers 1996

The Associate Editors of the *JCR* have the responsibility of conducting the review process, including the selection of reviewers, evaluation of manuscripts in the light of review comments, and making recommendations to the Editor-in-chief concerning the ultimate disposition of manuscripts. Authors of potential articles in the *Journal of Coastal Research* will find significant representation of their specialties on the Editorial Board. Because we also frequently receive reviews from specialists outside of our own board, we acknowledge with thanks the following reviewers who have vetted papers submitted to the *Journal*. Their interest and cooperation are appreciated.

Johnathan Atwood

Avian Conservation Division
 Manomet Observatory for Conservation
 of Sciences
 P.O. Box 1770
 Manomet, Massachusetts

John Boon

Department of Physical Sciences
 Virginia Institute of Marine Science
 College of William & Mary
 Gloucester Point, Virginia

Andrew Brill

Program for the Study of Developed
 Shorelines
 Duke University
 Durham, North Carolina

Norbert Dankers

IBN-DLO
 Department of Aquatic Ecology
 P.O. Box 167
 Den Burg, The Netherlands

Steve F. DiMarco

Department of Oceanography
 Texas A&M University
 College Station, Texas

David Fischer

Graduate College of Public Policy
 Administration
 California State University
 Long Beach, California

Carl T. Friedrichs

School of Marine Sciences
 Virginia Institute of Marine Science
 College of William & Mary
 Gloucester Point, Virginia

James Gosselink

Center for Coastal, Energy and
 Environmental Resources
 Louisiana State University
 Baton Rouge, Louisiana

Al Hine

Department of Marine Science
 University of South Florida
 St. Petersburg, Florida

Earl McCoy

Department of Biology
 University of South Florida
 Tampa, Florida

Stephen A. Norton

Department of Geological Sciences
 University of Maine
 Orono, Maine

Eric Strauss

Biology Department
 University of Massachusetts, Harbor
 Campus
 Boston, Massachusetts

Richard Stumpf

Center for Coastal Study
 U.S. Geological Survey
 600 4th Street South
 St. Petersburg, Florida

W.H. van der Putten

Netherlands Institute for Ecological
 Research
 Posbus 40
 Heteren 6666ZG, The Netherlands

A.T. Williams

School of Applied Sciences
 University of Glamorgan
 Pontypridd, Mid-Glamorgan
 Wales, UK