

SUBJECT INDEX

Journal of Coastal Research

Annual Index Vol. 14 (Nos. 1-4), 1998

- A**
- Aberconwy Borough Council, 93
 Accretion sinks, 1117
Acetabulari sp., 147, 152
Acetabularia padina, 156
Acetabularia spp., 152
 Acoustic backscatter techniques, 1213
Acropora ceruicornis, 156, 159
 Active layer, 724
 Advanced Very High-Resolution Radiometer (AVHRR), 63
 Aeolian transport, 1192
 Aerial photographic data, 1027
 Aerial photographs, 61, 72, 143, 967, 1034, 1116
 Afono on Tutuila, 26
 Aga Point, 25
Agaricia agaricites, 156
Agaricia fragilis, 156
 Allochthonous peat, 368
Allopecas gracile, 20
 Alluvial valley, 700
 Alluvial valley-deltaic plain, 700
 Almost-atol, 26
Alnus, 934
Ambrosia hispida, 168
Amiantis purpurata (Lamarck), 1037
 Amino acid racemization analysis, 962
 Ammonium content of water, 232
Ammophila
 arenaria, 331
 breviligulata, 300
 marrem, 181
Amphibolus sp., 244
Amphilocheus neapolitanus, 1129
Amphiroa, 156
Amphora acutiusecula, 945
Anachis isabellei (d'Orbigny), 1037
Anas superciliosa, 17
 Ancestral Mississippi Rivers, 700
 Anderson pipette method, 136
 Anemometers, 285
 Annual sediment discharge, 700
Annularis, 159
 Antarctic sector, 47
Aora spinicornis, 1129
Apherusa bispinosa, 1129
Apherusa, 1129
Apseudes talpa, 1129
 Aragonite sands, 1001
 Arboreal pollen grains, 934
 Archaeological records, 17, 364
 Arctic deltas, 718
 Arctic Ocean, 718
 Argentine coast, 50
 Army Engineer Waterways Experiment Station, 1325
 Artemisia pollen, 935
 Arthropods, 1119
Artocarpus altalis, 20
Asaphis violascens, 19
Astrooides, 156
 Astronomical tides, 71, 900
 Atchafalaya Basin, 702
 Atlantic Period, 175
 Atmospheric ^{14}C levels, 961
 Atoll morphology, 1020
Atriples, 1036
 Autochthonous input, 1014
 Autocovariance, 1067
 Automated Sand Traps (AST's), 283
Avicennia germinans, L., 954, 956
Arraivillia nigricans, 152
Arraivillea, 147
- B**
- Back barrier sediments, 242
 Back beach marsh, 709
 Backshore beach ridge, 15
 Bar development, 982
 Bar/trough, 81
 Barberm and shorerise, 983
 Bardawil Lagoon, 212
 Bare rock zone, 152, 156
 Bare sand zone, 152, 156
 Barrier
 beach morphology, 964
 initiation, 16
 Island system, 905, 1035
 Bathymetric
 data, 81
 measurements, 1137
 surveys, 1082
 Bathymetry
 of lagoons, 958
 survey (LIDAR), 66
Batillaria zonalis, 312
 Bayhead
 beaches, 1375
 deltas, 704
 Bayside erosion rates, 710
 Beach and nearshore profiles, 76
 Beach and nearshore zone, 78
 Beach
 barrier, 17
 erosion, 58, 1343
 face, 1115
 hardness (shear resistance), 1002
 levels, 99
 nourishment projects, 1083
 placers, 246
 processes, 1255
 profile
 change, 1082
 development, 1044
 shape, 983
 survey, 1109
 profiles, 272, 1051, 1117
 profiling study, 77
 retreat history, 967
 retreat rates, 961
 sand, 993, 1112
 sediment, organic carbon values, 99
 sediments, 1078
 volume change, 355
 width, 1004
 wrack, 234
 Beachrock, 25
 Becher Sands, 1190
 Bed shear stress, 1044
 Behai, 33
 Benchmarks, 76
 Berm widths, 1192
 Berms, 1005
 Berthing, de-berthing for "vessel at berth", 1155
 Beryllium, 1065
 Bessel function, 54
Betula, 934
Bidens pilosa, 168
 Binned wave-energy and directional time series, 343
 Bioclastic sediments, 1017
 Bioturbating organisms, 1022
 Birdfoot or Balixé delta, 704
Bispira variegata, 147
 BJ's equation, 293
 Black Sand, 1074
 Blavandshuk, 179
 Block collapse, 724
 Blowouts, 152, 284
 Boat echo, 78
 Boat-based echo sounder, 1084
 Bolivar Roads, 1031
 Bomb carbon, 966
 Bommies, 312
 Bore-like waves, 316
 Bottom friction dissipation, 920
 Boulder
 alignments, 1054
 barricades, 1054
 pavements, 1054
 ramparts, 159
 Boulder-strewn tidal flats, 1063
 Box Sunset Shell, 19
 Brackish marshes, 47
Brandegeei, 163
 Breaches, 1137
 Breaking
 height, 293
 waves, 316, 1046
 Breakwaters, 93
 Broad-leaved forest, 934
 Bruun Rule, 1082
 Bruun's concept, 58
Buccinanops globulosum (Keiner), 1037
 Building setback, 1025
 Bulk-carriers, 1152
 Bulk-operations, 1154
 Bunbury, 241

- Buoy measurements, 337
 Burullus, 1112
- C**
- Caillou Bay, 912
 Calcarene limestone headlands, 1190
 Calcasieu Pass, 904
 Calerete, 1036
 Calculated shoreline change rates, 75
Callianassa, 147
 Callianassid, 1016
Calliostoma carcellesi (Clench-Aguayo), and others, 1037
Calluna vulgaris, 934
 Canada Centre for Inland Waters, 1101
 Canonical discriminant analysis CDA, 944
Carditamera plata (Hering), 1037
 Catch-up
 corals, 312
 reefs, 20
Caulerpa cupressoides, 147
Cavernosa, 156
 CERC formula, 274
Cerithium litteratum, 152
Chamaecrista chamaecristoides var. *chamaecristoides*, 163
Chamaecrista chamaecristoides, 162
Chamaecristoides, 163
Champia, 146
 Chandeleur Islands, 709
 Channel
 development 1139
 morphology, 1148
Chelonia mydas, 152
 Chenier plain, 713
 Chesapeake Bay, Maryland, 256
Chlamys tehuacensis, 1037
 Chlorophyceae, 125
 Choctawhatchee Bay, Florida, 188
 Chuckchi Sea, 720
 Circulation, 62
 Citrate-bicarbonate-dithionite, CBD procedure, 993
 Classifying beaches, 347
 Clay mineral composition, 203
 Clay studies, sand mineral analyses, 214
 Cliff
 assemblages, 1393
 erosion, 1235
 retreat, 1141
 Closed traverses 309
Clypeaster subdepressus, 147
 Coastal Engineering Research Center (CERC), 79
 Coastal
 defense, 358
 erosion and wetlands deterioration, 711
 geomorphology, 172
 lagoon, 1233
 landforms, 62
 placer deposits, 240
 processes (time and space-scales involved), 315
 sediment budgets, 1083
 slope recession, 256
 soil, 992
 structures, 1000, 1117
 Coastal Wetlands Planning, Protection and Restoration Act, 713
Cocconeis placentula var. *euglypta*, 945
Cocconeis scutellum, 935
Coccoloba uvifera, 168
 Cocos (Keeling) Islands, Indian Ocean, 1014
 Coefficient of exchange of mass, 119
 Colored quartz grains, 992
Colpophyllia, 159
 Component flow formulation, 106
 Computainers, 1154
 Computed (Bagnold) rates, 287
 Computed setback, 1025
 Computer cartographic systems, 73
 Concentration of suspended sediment, 106
 Conductivity, temperature & depth probe (CTD), 1089
 Coniferous forests, 934
Conocarpus erectus, 954
 Continental-Polar cold front, 339
 Continuity equation for the mass flux of sediment, 133
 Continuous sediment transport measurements, 1137
 Contour maps, 95
 Conwy Sands, 95
 Coolimba, 1187
 Coordinating Committee on Great Lakes Basic Hydraulic and Hydrologic Data, 71
 Copenhagen University, Geography Institute, 175
Corophium
 acutum, 1129
 sextonae, 1129
 Cosmogenic radionuclide ^{10}Be , 1065
Crassostrea, 965
Craticula cuspidata, 945
Crepidula aculeata (Gmelin), 1037
Crepidula dilatata, 368
Cressa cristata, 1129
 Crevassed-splays, 704
 Cross-section, through barrier island, 964
 Cross-shore sediment transport, 982
Crotalaria incana, 168
Croton punctatus, 165
 Crustaceans, 1119
Cruziana, 163
 Cuba, 140
 Cultural layer, 16
 Current direction, 1078
 Current meters, 327, 1016
 Cycles
 accretion, 1112
 erosion, 1112
Cymodoce sp., 1129
- D**
- Damage to trees, 220
 Damietta Branch, 1109
Dardanus sp., 1129
Dasyatis americana, 147
 Datum, 68
 Daviqele, 42
 Deep water wavebreaking, 931
 Defoliation, 221
 Delta
 coast, 1109
 cycle, 703
 evolution, 704
 lobes, 703
 project, 1134
 switching, 700
 Delta-building, 702
- Deltaic
 deposition, 700
 environments, 724
 estuarine systems, 47
Dendrocygna, 17, 20
 Density slicing, 143
 Depositional environment, 970
 Depth of closure, 67
Dermochelys coriacea, 1343
Dexamine spinosa, 1129
Diadema, 146
 Diatom analyses, 935, 944
Dictyota, 146, 156
 Differential transport, 249
 Diffraction methodology, 203
 Digital gyro compass, 1091
 Digital images, 143
 Digital numbers (DN), 143
 Digitized shoreline points, 73
 Digitizing table, 73
Dipioria labyrinthiformis, 156, 159
Diploneis puella, 945
Diploria
 clivosa, 159
 strigosa, 146, 156, 159
 Directional wave
 fields, 341
 spectra, 338
 Discharge cycles, 700
 Dispersal, 170
 Dissipation model for random waves, 293
 Distortion, 62
 Diurnal coasts, 70
 Diurnal component, 142
 Downcoast orientation, 1117
 Down-dip deltas, 700
 Dredging activities, 1138
 Driftwood deposits, 369
 Dumpty Level surveys, 309, 1016
 Dune
 field, 253
 placers, 246
 Dynamic equilibrium, 1144
- E**
- Earthen dikes, 1137
 Ebb tidal shoal, 87
 Ebb-dominated tidal channels, 1136
 Ebb-tide high sands, 180
 Echinoid spines, 1196
 Echo sounder survey, 1097
 Eddies, 1428
 EDXRA analysis, 996
 Egyptian Coastal Research Institute, 1110
 Eigenvalue, 982
 El Niño, 371
 Electronic Distance Measurement (EDM), 318
Elymus, 181
 Emergence success, 1003
 Endangered Species Act, 1001
 End-point rate, 301
 Energy
 balance equation, 293
 dissipation models, 291
 Enoree River, 121
 ENSO events, 371, 1040
 Environmental gradients, 1121
 EOF method, 982
 Eolian processes, 283

- Epibionts, 152
Epithemi, 935
 Epoxy peels, 246
 Equation of conservation of momentum, 109
 Equilibrium
 beach gradient, 103
 gradient, 102
 mechanisms, 981
 profile, 81
Ernodea littoralis, 168
Ernosa, 159
 Eroding bluffs, 256
Erodona mactroides (Daudin), 1037
 EROS Data Center, 61
 Erosion
 hazard areas, 1025
 pins, 261
 rate forecasts, 1027
 Erosional
 beach narrowing, 1010
 retreat events, 960
 shoreface, 244
 Erosion-based setbacks, 1025
 Erratics, 1061
 Error analysis, 88
 Esbjerg, 182
 Estonian coastal waters, 933
 Estuarine
 ecosystems, 185
 flushing, 185
 stratification, 186
 Estuary, 1148
Eusiroides delavallei, 1129
 Eutrophication, 185
 Eye of the hurricane, 220
- F**
- Fair-weather conditions, 141
 Fall velocity, 101
Fasciolaria tulipa, 152
 Fast tidal currents, 102
Favia fragum, 152
 Fiji, 38
 Filtering, wave energy, 250
 Fish-tail groynes, 93
 Floating marsh, 712
 Flocculation, 104
 Flocculation, aggregation, 132
 Flood
 current, 179
 tide, 179
 Flood-dominated channels, 1136
 Flooding, 1148
 Flotant mat, 712
 Fluorescent
 currents, 1074
 tracer, 318
 Fluvio-marine environments, 973
 Foredune plains, 1187
 Fore-reef slope, 1014
 Forklifts, 1154
 Fourier coefficients, 54
 Fourier series of the orthonormal eigenfunctions, 117
 Fourier sine series, 117
 Frank Sound, 140
 Frederikshavn, 374
 Fredholm integral equation, 117
 Freeze-thaw
 cycles, 261
 disintegration, 259
 French Polynesia, 26
 Frequency response, 56
 Freshwater
 bayou, 904
 discharges, 62
 flushing rate method, 185
 volume re-introduced, 189
 Fringe mangrove community type, 952
 Fringing reef, 16
 Frisian Islands, 175
 Frontal
 clay ridges, 1059
 passages, 337
 Froudes number square, 115
 Fujian coast, 33
- G**
- Galaraura*, 156
 Gamasa embayment, 1112
 Gambier Islands, 26
 Game of Peter and Paul, 1028
Gammarella
 fucicola, 1129
 maculata, 1129
 palmeta, 1129
Gastrocopta pediculus gracilis, 20
 Gaza-Israeli shelf, 201
 General digitizing guidelines, 73
 General surface, width of a cold front, 340
 Generation wave model, WAM, 917
 Generic Mapping Tools (GMT), 1159
 Geodetic datum, 53
 Geodetic GPS receivers, 1090
 Geographic Information Systems (GIS), 73, 299, 1025
 Geomorphic
 characterization of beach types, 351
 controls, 299
 Georeferenced, high resolution photographic map, 1160
 Georges Bank, 1205
 Geukensia shells, 966
Geukensia, 962
 Gibbs phenomenon, 54
 Glaciation, 182
 Global Positioning System (GPS), 77, 1373
Glycymeris longior, 1037
 Goa Coast, 1076
 Gogarth and Lloyd St. Breakwaters, 95
Gorgornans, 156
 GPS
 receiver, 1087
 surveys, 73
 Grab and core-top samples, 214
Gracilaria tikvahiae, 234
 Gradyb and Soren Jessens Sande, 178
 Grain-size
 analysis, 143
 distributions, 1003
 Grand Cayman, 140
 Gravity-driven recurrent subaqueous mass movements, 708
 Great Lakes, St. Lawrence River System, 71
 Green-house experiment, 168
 Green's function, 117
 Grenen, 374
 Grevelingen system, 1137
 Grid matrix, 86
 Gridding algorithm, 85
 Guam, 25
 Guangdong, 31
 Guangxi, 31
Guerneia coalita, 1129
- H**
- H. monile*, 152
 Hainan, 31
Hali, 156
Halimeda incrassata, 147, 152
Halimeda tuna, 146
 Halloween Storm, 1991, 68, 1032
Halophilia, 152
Halopteris scoparia, 1119
 Hamborg Dyb, 181
 Hamburg shelf ocean model, 1411
 Hammen, 1134
 Hammocks, 1160
 Hand augered holes, 308
 HARBSS, 1086
Harpinia sp., 1129
 Heavy minerals, 240, 970
 Helicopter survey (SHOALS), 66
Heliotropium, 1036
 Helley sediment traps, 1018
 Herbivores, 172
Hibiscus tiliaceus, 20
 High energy events, 1022
 High tide wrach line, 1002
 Hindcast estimates, 710
 Hindcast, storm erosion and deposition, 1082
Hippolyte sp., 1129
 Hirtshals, 374
 Historical bathymetric data sets, 83
 Historical hydrographic maps, 1110
 HISWA, 917
 Hjerpsted, 182
 Hobe Sound National Wildlife Refuge, 1001
 Hog Island, 300
 Holocene
 barrier islands, 1035
 barrier system in southwestern Australia, 240
 maximum high stand, 17
 sea-level curve, 308
 sea-level history, 5
 sea-level maximum
 sea-level stands, 360
 Transgression, 1039
Holothuria mexicans, 147
Homotrema rubrum, 146
 Horizontal and vertical accuracy, 1082
 Hotspot island chain, 24
 HRV, 63
 Hurricane Andrew, 940
 Hurricane Bob, 218
 Hurricane Opal, 65
 Hurricane
 frequency and intensities, 141
 layers, 940
 HWL, high water line, 72
Hyale schmidtii, 1129
 Hydraulic
 behaviour, cohesive sediments, 132
 boundary conditions, 1141
 characteristics, 1020
 conditions, 270
 process, 983
 Hydrodynamics, 185

Hydrodynamism, 1120
 Hydrographic survey, 66
 Hydrozoans, 1207
 Hyposaline conditions, 954
 Hysteresis effect, 287

I

Ice sheet, 1066
 Ice wedge, 724
 Impoundment technique, 270
 Incident wave energy, 1193
 Index of Compactness, 1120
 India Office of the British Library, 1270
 Indian River Inlet, 1031
 Indiana Dunes National Lakeshore (IDNL), 283
 Infrared color aerial photographs, 300
 Inner-surf processes, 316
 Instantaneous bed shear stress, 1045
 Interactive Survey Reduction Program (ISRP), 79
 Internal waves, 1426
 International Great Lakes Datum (IGLD), 68
 International Hydrographic Office (IHO), 1083
 Interstellar shock waves, 1069
 Intertidal platform, 1056
 Intertidal zone, 321, 1139
Iphinoe sp., 1129
Ipomoea pes-caprae, 166
Ipomoea stolonifera, 166
 Iron stained marine quartz, 992
 Iron staining, 992
 Island chain, 177
 Island las Palomas (IP), 1119
 Isles Dernieres shoreline changes, 904
 Isle-Verte, 1054
 Isopach map, 88
 Isostatic downwarp, 900
 Isotopically-dated, 363

J

Jassa marmorata, 1129
 Jerusalem, Israel, 201
 Jetsam, 1191
 Jetties, 1112
 John's Pass, 280
 Joint distribution of wave heights and periods, 1099
 JONSWAP, 342, 918
Juncus actus, 1036
 Jutland, 374
 Juvre Sand, 180

K

Kaiser Bessel window, 53
 Kaiser weights, 54
 Kamphus formulas, 275
 Karman constant, 1365
 Karup, 182
 Keep-up reefs, 20
 Keeten-Volkerak channel, 1137
 Kelley-Wagner method, 136
 Kingston Harbour, 952
 Kolmogorov turbulent spectrum, 1428
 Korotolu, 42
 Kosrae, Caroline Islands, 25

Kouchibouguac Bay, New Brunswick, 258
 Kruskal-Wallis one-way ANOVA, 1003
 Kurkar, 200

L

Laboratory-calibrated traps, 283
 Lafourche delta complex, 704
 Lag type mechanisms, 250
 Lagoon barrier, 1117
 Lagoonal infill, carbonate sediment, 1014
 Lagoons, 954, 1014
Laguncularia racemosa, 954
 Lake eutrophication, 185
 Lamei Zidea ob Zonga, 20
Lamellaxis, 20
 Land subsidence, 35
 Landsat satellite program, 62
 Landsat TM imagery, 300
 Landscape elements, 300
 Langli Sand, 179
 Large scale
 engineering surveys, 72
 geomorphological development, 1134
 Last Glacial Maximum (LGM), 700
 Late Lafourche, 904
 Laterite cliffs, 1074
 Lavan Sands, 95
 Leaf drop, 221
 Leaf removal, 221
Lembos viguieri, 1129
Leptocheilia dubia, 1129
 Leschenault Formation, 242
 Leupold Stevens Type A, Model 71, analog gauges, 49
 Levant coastal environments, 200
 Levees, 703
 Lift on/Lift off, 1152
 Light Detection and Ranging (LIDAR), 64
Limonium, 1036
 Linear regression, 56
 Lithofacies, 242
 Little Climatic Optimum, sea-level rise, 26
 Little ice age, 27
 Littoral
 current, 1115
 deposits, 1034
 sub-cells, 1116
 zones, 1277
Littorina, 1205
 Littorinid snails, 1207
 Loggerhead turtles, 1000
 Longitudinal velocity of the flow, 120
 Longshore
 bar, 367
 current, 280, 1319
 currents, 1074, 1197
 sediment transport, 249, 1197
 strong underset, 142
 Long-term average rates of shoreline erosion, 1112
 Los Rocardillos (Guadarranque), 1120
 Louisiana coastal marshes, 942
 Low water neap tide (LWNT), 101
 Low water spring tide (LWST), 101
 Low-altitude aerial surveys, 62
 Lower Atchafalaya River Outlet, 703
 Low-pass numerical filters, 53
 Lunar Perigee Cycle, 1039
 Lutocline, 1426

M

Macroalgae species, 234
 Macroscale, 315
 Macrotidal beach, 321
Madracis mirabilis, 156
 Magnitude and frequency, 269
 Maintenance dredging, 1153
 Malvinas sector, 47
 Mandovi and Zuari Rivers, 1074
 Mangrove forest, 954
 Mangroves, 42
 Manning's coefficient of roughness, 114
 Manzala Lagoon, 1109
 Mar Chiquita lagoon, 47
 Mar del Plata, 49
Marcia japonica, 312
 Marine
 Holocene deltas, 361
 reservoir age, 966
 sand, 992
 Maringouin delta lobe, 710
 Marsh
 deterioration, 710
 shoreline migration, 710
 Marshlands, 705
 Martin County, 1001
 Mass spectrometer, 1205
 Mass wasting, 259
 Matagorda Bay, Texas, 188
 Maximum
 bed shear stress, 1045
 entropy spectrum analysis (MESA), 1066
 likely error (MLE), 89
 shoreline movement, 75
 tidal amplitude, 114
 water surface slope, 114
 Mean High Water, 72
 Mean low gulf (MLG), 70
 Mean low water (MLW), 70
 Mean low water neap (MLWN), 310
 Mean sea level (MSL), 70
 Mean sea level, 1097
 Mean sediment grain size and sorting, 941
 Meandering
 tidal channels, 1135
 type, 700
 Mechanics of sediment suspension, 106
 Medieval ports, 1152
 Mediterranean gyre, 1116
 Mediterranean Sea, 1109
 Mega-ripples, 103
Meoma ventricosa, 147, 152
 Mercator, 68
 Meristems, 171
 Mermentau River mouth, 904
 Mesoscale, 315
 Mexican coastal sand dunes, 162
 Meyer-Peter and Muller (1948) formula, 318
 Micritized grains, 152
 Microbial biofilms, 1422
 Microbursts, 221
 Microfibrillar polysaccharides, 1424
 Microfossil records, 360
 Microhabitats, 1119
 Microscale, 315
 Mid-Holocene sea-level maximum, 26
 Mid-tide estuary volumes, 189
Miliepora complanata, 156
 Minnipup barrier, 241
 Mississippi model, 1269

- Mississippi River delta plain, 700
Mitis Bay, 1054
Mixing of the water column, 229
Mobile dunes, 172
Mobility of boulders, 1059
Moce Island, 42
Model of Longuet-Higgins, 1105
Model validation, 198
Modeling of shoreline changes, 301
Moisture content, 1009
Monmouth Beach, 75
Monochromatic or single period waves, 906
Monotonic models, 982
Montas, 156
Montastrea
 annularis, 156, 159
 cavernosa, 159
Montmagny, 1054
Monuments, 76
Mormugao Bay, 1077
Morphodynamic
 measurements, 1137
 parameters, 1137
Morphodynamical conditions, 270
Morphostratigraphic, 1187
Motion sensor, 1090
Motu, 26
Mud flat, 312, 724, 1134
Multinomial logit regression (MLR), 331
Multivariate Analysis, 1122
Multivariate T2 test, 944
Munsell soil color chart, 993
Muritapua, 17
Mururoa islands, 26
Myrica cerifera, 300
- N**
- NAD, 83, 73
Nalgene bottles, 1305
Natica isabelleana (d'Orbigny), 1037
National Estuarine Inventory (NEI), 189
National Geodetic Vertical Datum (NGVD), 70
National Map Accuracy Standard (NMAS), 62
National Ocean Service, 72
National Oceanic and Atmospheric Series (NOAA), 63
National Space Center Data Center (NSCDC), 62
Navicula
 abunda, 945
 gregaria, 945
 salinarum var. *minima*, 945
NDBC Waves Processing Module (WPM), 338
Neap high water level (NHWL), 321
Neap low water level (NLWL), 321
Near-bottom pressure record, 1105
Nearshore placers, 248
Nearshore surveying techniques, 1085
Nearshore waves, 102
Near-vertical aerial photography, 73
Nebalia bipes, 1129
Nest
 density, 1001
 fate, 1009
Nile Delta
 beaches, 1109
 coast, 1109
Nile-derived assemblages, 200
Nitrate, 232
Nitric acid digestion, 941
Nitzschia filiformis, 945
Non-nesting (false) crawls, 1001
North American Datum (NAD), 73
North American Vertical Datum of 1988 (NAVD), 71
North Channel, 101
Northeast Trade Winds, 142
NOS H-sheets, 73
NOS T-sheets, 72, 300, 1027
Nukui village, 39
Numenius tahitiensis, 17
Numerical description of beach profile, 981
Numerically-modeled wave height, 913
Nutrients in water, 232
- O**
- Ocean currents, 62
Oden balance method, 136
Oesterdam, 1135
Offshore
 accretion zones, 1116
 wave observations, 274
Offshore-directed net sediment flux, 1137
Olivancillaria urceus (Roding), 1037
OMNISTAR system, 1091
One-segment monotonic model, 987
Oosterschelde basin, 1134
Oosterschelde tidal system, SW Netherlands, 1134
Orchomene sp., 1129
Oregon Inlet, 1027
Organic carbon content, 1277
Orthophotomosaics, 62
Orthophotoquadrangles, 62
Oscillatory boundary layer, 1045
Outwash plains, 182
Overwash and breaching, 710
Owen tube method, 132
Oxalis acetosella, 934
Oxbow lakes, 724
- P**
- Padina*, 146
Palaeosea-level changes, 23
Paleocurrent, 1035
Paleoecological study, 941
Paleoindicators, 940
Panama, 26
Panicum maximum, 168
Pariambus typicus, 1129
Parramore Island, 300
Passiflora foetida, 166
Pastreoides, 156
Patagonian
 coast, 47
 plateau, 47
 rivers, 1036
Patella, 966
Peak wave-induced velocities, 1019
Pearl River (Zhujiang) delta, 35
Pearson Product Moment Correlation, 1004
Pease Bay, 140
Pedoculina garcia-gomezi, 1129
Peduncles, 163
Pendine sands, 101
Penicillus pyriformis, 152
Percussion drilling rig, 308
Pereionotus testudo, 1129
Perennation, 169
Periphyton trap, 1119
Permafrost, 722, 1243
Perth Basin, 241
Perth coastal waters region, 1411
Petrological indicator, 970
Phenology, 169
Philipsdam, 1135
Phosphorous peak, 1423
Phragmites communis, 705
Phtisica marina, 1129
Phytoplankton production, 232
Pinna carnea, 152
Pinnularia viridis, 935
Pioneer stage, 951
Pipped eggs, 1003
Pisa tetraedon, 1129
Piston-type wave board, 1101
Pitar rostrata (Koch), 1037
Pitcairn and Moruroa, 26
Placer-forming mechanisms, 249
Plane table, 72
Planimetric, 72
Plaster dissolution, 1120
Platform assemblages, 1393
Ploughing boulders, 1059
Plunging breaker, 1046
Pointe aux Cenelles, 1054
Polder land, 1137
Pollen
 analysis, 934
 assemblages, 363
 records, 360
Polygons, 724
Pond productivity, 948
Poole Bay
Porites
 divaricata, 152, 156
 porites, 156
 sp., 1016
Porolithon pachydernum, 146
Port
 development, 1153
 engineering, 1152
Port Royal mangal, 952
Porzana tabuensis, 17
Porzana, 17
Posidonia sp., 244
Postglacial Marine Transgression, 246, 309
Potassium/aluminum peak height ratios, 996
Potential errors associated with cartographic data sources, 74
Potholes, 1387
Precambrian shields, 718
Precision, 74
Predation, 172
Preferential weathering, 1393
Pre-frontal seasonal conditions, 340
Probable Geologic Age (PGA), 1039
Prodelta deposits, 704
Profile adjustment, 357
Profile envelope, 81
Profile-volume changes, 1259
Project planning, 77
Propeller-type current meters, 1427
Province of Buenos Aires, 58
Pterodroma rostrata, 17
Puerto Madryn, 48
Punta Europa (Gibraltar), 1122

Punta Medanos, 59

Q

Quadratic bottom friction coefficient, 1414
 Quashnet River estuary, 229
 Queensland Beach, Nova Scotia, 1101

R

Rabbit Key Basin (RKB), 1305
 Racemization, 961
 Radial lens distortion, 62
 Radiation stress effects, 1105
 Radiocarbon
 analysis, 962
 dating, 965
 Rainbow Beach, 993
 Ramp assemblages, 1393
 Rapid sea-level movement, 245
 Ras El Bar, 1109
 Rayleigh distribution, 920
 Recent sea-level rise, 27
 Red River, 703
 Reef
 crest, 147
 flat, 15
 Reflection coefficient, 291
 Regional developmental schemes, 933
 Regressive or constructional part of the cycle, 703
 Relative tidal range (RTR), 101
 Relief displacement, 62
 Remnant wave energy, 142
 Renourishment projects, 1001
 Repetitively-surveyed profiles, 78
 Residual sediment transport gradient, 1144
 Respiration rates, 234
 Reynolds number, 115, 1359
Rhizophora mangle, 951
Rhizophora mangroves, 311
 Richardson number, 114, 1365
 Ridge formation, 367
 Rimouski, Quebec, 71
 Rio de La Plata, 47
 River Scheldt, 1137
Rizophoras (Guilding), 1037
 RO/RO (Roll-on roll-off), 1152
Rodados Patagonicos, 1036
 Roll period, 1096
 Roompot, 1134
 Root mean square (RMS), 270, 292
 Rose's Hole lagoon, 956
 Rosetta Damietta, 201
 Rossby number, 107
 Rota, 26
 Rotterdam, 1152
 Rubble & Knob zone, 147
Rubrun, 147
 Runup distances, 1325
 Rutile, 246

S

Sabine, 904
 Safety Bay Sand, 242
 Saint-Fabien-sur-Mer, 1054
Salicornia, 1036
Salicornia ramosissima, 1279
 Saline coastal lakes, 1405
 Salt water flooding, 221

Saltation, 284
 Salt-marsh, 47, 1139, 1148
 San Clemente del Tuyu (Punta Rasa), 49
 Sand
 analyses, 1003
 aprons/flats, 1016
 bars, 724
 blankets, 1117
 Key beach, 280
 shoals, 1116
 spit, 1235
 transport rates, 283
 zones, 152
 Sandy Hook, New Jersey, 75
 Sannyo, 33
Sargassum, 146
 Satellite data, 62
 Saturn-Jupiter Lap, 1069
Scaecola plumieri, 168
 Scanning Hydrographic Operational Airborne Lidar Survey (SHOALS), 64, 1096
 Scarifying effects, 171
 Schaar, 1134
Scirpus, 10
 Scour pits, 1139
 SCUBA diving, 1120
 Seabed sediments, 1076
 Sea-surface elevation auto spectrum, 338
 Seasonality, 81
 Seasonally open tidal inlets, 1405
 Seawalls, 41
 Sediment
 binding, 152
 budget, 1138
 classification, 334
 column, 700
 dispersal patterns, 214
 exchange, 1137
 instability features, 709
 pigment analysis, 941
 provenance-dispersal scenarios, 212
 sampling and analysis, 96, 143
 sinks, 1114
 tracer measurements, 269
 transport index (STI), 318
 transport, 283, 315, 970, 1044, 1114
 trap experiments, 1018
 volumes transported, 1018
 Sedimentary
 environments, 970
 petrology, 970
 Sedimentation rate, 1120
 Sediment-laden locations, 62
 Seed production and composition, 170
 SEM images, 996
 Semiarid steppe climate in the north (BSx'), 166
 Semi-diurnal tides, 142
 Semi-empirical theories of turbulence, 106
 Seral stages of succession, 951
 Servicio Meteorologica de la Armada Argentina (SMARA), 48
 Sesevium, 1036
 Sesquioxide coatings, 992
 Sessile animals, 1202
 Settling velocity, 132, 1017
 Shanghai Acoustic Laboratory, 1216
 Shannon-Weiner diversity index, 942
 Shape and roundness, 1059
 Shear
 resistance, 1004
 sorting, 249

velocity, 285
 Ship Shoal, 710
 Shoaling waves, 316
 Shore Normal Transport, 251
Shore Protection Manual, 261, 917
 Shorebirds, 17
 Shoreline
 change, 1027, 1112
 change mapping, 72
 charts, 1194
 erosion, 1116, 1249
 position, 299
 retreat, 1109
 Shoreline-change data, 1025
 Shore-normal profiles, 76
 Shuttle imaging radar (SIR), 64
Siderastrea radians, 152, 156
Siderastrea, 159
Siderea, 159
Sideroastrea siderea, 146, 156
 Significant wave heights, 929
 Sill-water level, 1083
Siphonoecetes, 1129
 Skagen Odde Model, 374
 Skalling Laboratory, 175
 Skallingen, 175
 Skovbjerg, 182
 Sled/Zeiss systems, 78
 Sleds, 1085
 Slikken van Viane' tidal shoals, 1148
 Smear-slide method, 203
 Society Islands, 20
 Solar Orbital Progression (SOP), 1069
 Solar Sunspot Cycle (SSC), 1069
 Solar-planetary-terrestrial records, 1065
 Solution of the zeroth and first approximations, 107
 Sonar Equation, 1215
 Soren Jessens Sande, 180
 South China Sea, 31
 South Pass and Pass-a-Loutre distributaries, 706
 Southwest monsoon, 1078
Sparisoma radians, 152
Spartina alterniflora, 232, 1056, 1279
Spartina patens, 300, 705
 Spectrum Analysis Methods, 1066
 Speed-of-sound conditions, 1096
 Spilling breaker, 1046
 Spit, 1116
 Splitting method, 291
Sporobolus virginicus, 166
 SPOT 1, 63
 Spring high water level (SHWL), 321
 Spring low water level (SLWL), 321
 Spring tide, 1021
 Stable carbon isotope, 1202
 Standing waves, 347
 State Oceanic Administration of China, 31
 State Plane Coordinate System, 68
Stauroneis producta, 945
Stenothoe monoculoides, 1129
 Stilling well, 1373
 Stillstand conditions, 245
 Storm surges, 48, 900
 Streamer sediment traps, 271
Strombus gigas, 152
 STWAVE, 906
Stypopodium zonale, 146, 156
 Submarine landforms, 179
 Submersible video system, 133
 Subsidence and land loss, 700

Substrate maps, 143
 Sungei Nipah, 308
 Sunshine Beach, 993
 Super-elevated lake, 1405
 SUPER-TANK study, 983
 Supertank, 279, 295
 Supralittoral zones, 1202
 Surf zone, 102, 1074
 Surface hardness, 1002
 Surface synoptic chart, Argentine coast, 50
 Surficial seafloor sediment, 214
 Surf-sealing parameter, 347
 Surf-similarity parameter, 347
 Surge barrier, 1134
 Survivorship, seedlings, 168
 Suspended
 load, 700
 sediment, 132, 1016
 Suspension-feeders, 1211
 Swash zone processes, 253, 316
Synedra, 935
 Synoptic weather systems, 1192
 Synthetic Aperture Radar (SAR), 64
Syringodium filiforme, 147

T

Tabellaria flocculosa, 935
Tagelus dombeii, 368
 Tamaulipas, 165
 Tankers, 1152
 Tarauru Roa, 26
 Te Rua-i-kakau, 15
 Teche and Lafourche deltas, 701
Tegula patagonica (d'Orbigny), 1037
Tellina radiata, 152
 Terminal technology, 1153
 Termooerzianjaniza (thermoerosional niche), 724
 Tests of significance, (i.e. the Kolmogorov-Smirnov and randomness tests), 1066
 Textural and clay mineral analyses, 201
 Textural parameters, 204
Thalassia
 hemprichii, 1016
 testudinum, 152
 The Blackman-Tukey smoothed spectrum analysis (PSA), 1066
 The fast fourier transform (FFT), 1066
 The linear regression model, 1027
 The mega-boulders, 1054
 The Planetary-Solar Quadrature Cycle (PSQC), 1069
 The St. Lawrence estuary, 1054
 The *Zidona angulata* Swaison, 1037
 Theodolite, 318
Thorulus cranchii, 1129
 Three-dimensional tests, 1299
 Threshold water depths, 1021
 Tianjin City, 33
 Tiber River at Ostia, 1152
 Tidal
 channels, 1139
 creek, 1137
 currents, 1144, 1203
 Dynamics of the Wadden Sea, 178
 flat, 1036
 gauges, 1373
 inlets, 1040
 prism models, 1142, 1406
 range, 1144

shoals, 1134
 wave, 179
 zone, 259
 Tidally-integrated transport rates, 328
 Tide stations, 53
 Tide-gauge data, 1083
 Tide-induced current, 1019
Tikvahiae, 234
 Tilling, 1011
 Timbalier Island to Caminada Pass, 904
 Time series of shoreline positions, 1112
 TIN models, 86
 Tinglev, 182
Tivela isabelleana (d'Orbigny), 1037
 TLT, 62
 Toe erosion processes, 256
 Tolerance limits, 171
 Toleston Beach, 283
 Tombolo, 953, 1112
 Topographic and nearshore profile surveys, 76
 Topographic maps, 66, 72
 Topographic quadrangle maps (USGS), 72
 Tornado-like eddies, 221
 Torre Oyarvide, 49
 Tosca, 1036
 Total longshore sediment transport (TLST), 269
Trachycardium procerum
 Trade winds, 1016
 Transducer, 1084
 Transgressive barrier system, 242
 Transmissometers, 1214
 Trap measurements, 270
Trea annularis, 156
 Triangulated irregular network (TIN), 86
 Triangulation points, 73
 Tri-hull boat, 1090
 Trinity Island 710
Triocena maxima, 17
Tripneustes ventricosus, 152
Tritraeta gibbosa, 1129
 Trois-Pistoles, 1054
 Tropical
 climate, 141
 cyclone Graham, 1016
 humid climate, 166
 hypersaline lagoon, 1305
 Trunk snapping, 221
 True shoreline, 1026
 T-sheets, 72
 Tuamotus, 26, 369
Turbinaria, 146
 Turbulent shear stress, 106
 Two-dimensional spectral waves, 906
 Types of shorelines, 933
 Tyre, 1152

U

U.S. Coast and Geodetic Survey (USC&GS), 66
Uca pugnax, 1279
Udotca flabellum, 152
 Undercutting, 724
Unidentata, 1120
 Unidirectional ocean, to lagoon flows, 1019
 Univariate analysis, 945
 Universal transverse mercator (UTM), 1159
 UPGMA method (unweighted pair group method using arithmetic averages), 1121

Uprush point, 1044
 Ureja profile, 16
 US Army Corps of Engineers (USACE), 61

V

Vaccinium viis-idae, 934
 Valla Beach, 993
 Valley-fill muds, 700
 Van Dorn water sampler, 1076
 Van Veen grab, 1076
 Vandal attacks, 285
 Varde, 182
 Variable scale, 62
 Vegetation line, 1375
 Veracruz-Tamaulipas border, 165
 Vertical accretion, 1139
 Vertical eddy diffusion coefficient, 1415
 Vertical erosion, 1146
 Vertical nearshore sediment accretion, 1082
Vesputia maculifrons, 225
 Vessel behavior, 1155
 Viti Levu, 25, 38, 39
 von Karman's k, 106
 Vostok isotopic studies, 1065
 VQ: Villalonga Quarry, 1036

W

Wadden Sea Barrier Island Chain, 175
 Waquoit Bay Land Margin Ecosystems Research project (WBLMER), 218
 Water Resource Development Act of 1976, 1396
 Watershed nutrient loading impacts, 185
 Waterways Experiment Station, 1153
 Wave
 angular frequency, 1045
 attenuation, 710
 breaking, 930
 climate, 316, 908, 1297
 current shore stress, 320
 energy levels, southwestern Australia, 251
 field, 337
 flume, 1044
 forces on structures, 263
 height, 270
 heights and periods, 1099
 induced currents, 183
 period distribution, 1099
 refraction study, 1074
 set-down, 1084
 setup, 900
 spectrum, 292
 steepness, 1099
 strength, 263
 trains, 292
 Wave-energy episodes, 1040
 Wave-induced orbital velocity, 1045
 Wax Lake Outlet, 703
 WBLMER, 218
 Weather station, 287
 Wentworth classification, 98
 West Antarctic Ice Sheet, 32
 Wetland loss, 900
 Wilson Inlet Management Authority (WIMA), 1414
 Wind storm, 287
 Wind-wave energy growth, 1327
 Wine Island Pass, 905
 Winter and summer beach cycles, 982

Winter storms, 912, 939
Wood-charcoal assemblage, 20

X

X-Ray diffraction (XRD), 1277
X-Ray diffractograms, 997

Y

Yellow River, 33

Yellowjacket, 225
Yevuyevu (*Hernandia peltata*), 39

Z

Zeroth approximation, 106
Zeuxo normani, 1129

Zona federal marítimo-terrestre (federal
maritime-continental zone, ZOFEMAT),
1239
Zostera, 1205
Z-test of proportions, 1002