

SUBJECT INDEX

Journal of Coastal Research
Annual Index Vol. 8 (Nos. 1-4), 1992

A

Above-ground biomass, 81
Accumulation costs, 746
Acoustic doppler current profiler system, 139
Advanced Very High Resolution Radiometer, 218
Aeolian transport, 870
Aggradation deficit, 77
Aggregates, 105
A-groyne, 709
Airfoil shape, 140
Airy ray theory, 337
Algae, 764
Algal calcarenites, 890
Algal limestone, 788
Alluvial
 facies, 5
 fan, 647
 sands, 116
 terrace, 887
Alongshore flux, 664
Altimetry-time diagrams, 127
Ambient
 hydrodynamic energy, 724
 turbulence, 138
 wave and currents, 672
 waves, 719
American Society for Testing Materials, 113
Amphitheater, 934
Ancient rocky shores, 798
Anemometer, 401
Annual net transport, 782
Anthropogenic layer, 15
Anticyclone blocking activity, 589
Anticyclone, meteorological structure, 210
Aquifer, 875
Aragonite, carbonate, 769
Artificial
 beach nourishment, 701
 dune, 992
Astronomical tide, 873
Atlantic Coast Wave Information Study, 849
Atoll, 788
Australian Bureau of Meteorology, 582
Autocovariation, 265
Average
 linking, 843
 longshore current, 783

B

Back bar, 462
Backbarrier lagoon, 814
Backbay tidal channel geometry, 467
Backbeach protosol, 893
Backpassing, 972 *ff*
Backshore zone, 814, 912
Backwash, 814, 599
Bahamas Low, 846
Bank slumping, 77
Bar
 bypassing, 367
 crest, front, 462
 sedimentation, 679
Barchan, 210, 533
Barometric pressure, 319
Barrage, 71, 537
Barrier
 beach, 361, 652
 island, 99, 624, 699, 943
 ridge, 813
 spit, 356
Bars, periodic, 434
Basalt, 380
Basement faulting, 126
Bathymetric survey, 292
Bathymetry 272, 355, 387
Bay
 planform, 603
 waves, 93
Bay-scale wind variability, 389
Bayesian statistical framework, 851
Baymouth
 backshore bar, 684
 barrier, 661, 685
Beach
 accretion, 289
 aggradation, 913
 aquifer, 190
 cusp, 189
 erosion, 289, 618, 850, 913
 face, 400
 fill, 661, 671
 gradient, 708
 mobility, 88
 morphology, 183 *ff*, 398
 nourishment, 88, 660, 664, 984, 987
 planform, 603
 profile, 47, 88, 816
 renourishment, 385 *ff*
 replenishment, 653
 response, 183
 ridge, 533, 705, 944

 sand, 529
 scarp, 190, 608, 673
 sediment, 172 *ff*, 201 *ff*, 286, 721
 slope, 92, 173, 814
 substrate ecology, 172
 surface, 912
 terrace, 890
 community structure, 834
 dissipative, 400
 ecology, 834
 intermediate, 400
 prograded, 391
 reflective, 400
Beach-ridge plain, 605
Beach-spit, 484
Beachface sediment, 288
Beachrock, 2, 792
Bed
 friction, 322, 385
 level shear stress, 193
 loading, 6
 tractive load, 296
 roughness, 336, 421
 shear stress, 316
Bedform profile, asymmetric, 388
Below-ground biomass, 79, 82
Bench, reef-flat, 792
Benthic
 fauna, 35
 regions, 132
Berg winds, 211
Berm
 beach, 201
 crest, 814, 873, 985
 line, 29
Bernoulli spiral, 605
Bijker formula, 332
Bio-algal limestone, 884
Bioclastic grainstone, 161, 533
Biodetrital carbonate sands and muds, 157
Biogenic sediment, 294
Biostratigraphy, 11, 882
Blowout, dune, 210
Boca National Code, 493
Bore
 collapse, 562
 propagation, 563
Borehole, 1, 155
Borrow, 986
Bottom
 boundary layer flow, 420
 contours, 776
 current, 619

- friction, 776
 photography, 333
 sediment, 288, 419
 topography, 147
- Boulder
 beach, 763
 beds, 797
 ramparts, 763
- Boussinesq-type equations, 420
- Braided stream, 10
- Break point, wave, 173, 386
- Breaker
 angle, 90
 height, 90, 174, 401, 619
 period, 90
 zone, 201, 536
- Breakwater, 872, 993
- Brick dust, 632
- British Standards Institution, 113
- Brunt-Vaisala frequency, 135
- Bruun Rule, 618, 719, 873
- Buoyancy flux, 36
- Bushpocket, 215
- Bypassing, 972 *ff*
- C**
- Calcarenite, 884
- Calcareous
 nodules, 539
 siltstone, 161
- Canadian shield, 927
- Canopic system, 551
- Carbonate
 crust, 789
 platform, 788
 ridges, 153
- Carbonate-rich sediment, 153
- Cartesian coordinate system, 777
- Catchment, river, 1
- CERC formula, 337
- Channel
 erosion, 77, 679
 overbank deposit, 539
- Channels, laterally migrating, 367
- Chase geoid anomaly values, 413
- Chemical weathering, 1
- Chronostratigraphic divisions, 301
- Circumpolar westerlies, 210
- Clastic
 beach, 813
 sediments, 4
- Clay
 deposition, 295
 flocculation, 695
 layers, in outcrop, 88
 lines, 483
 montmorillonite, 635
- Clayey alluvium, 117
- Cliff
 base, 665
 collapse, 648
 erosion, 641 *ff*
 profile, 595, 643
- Climate
 change, 868
 cooling, 301
 oscillation, 546
- Climatostratigraphic divisions, 301
- Clustering, masking, 270
- Coastal Data Information Program, 959
- Coastal
 aquifers, 57
 barrier islands, 57, 361
 deposits, 894
 drainage gradients, 57
 dune plants, 157
 dunes, 309, 788
 embayments, 358
 erosion, 183, 302, 699 *ff*, 986 *ff*
 evolution, 719 *ff*
 flooding, 719
 headland, 775
 hydraulic works, 742
 management, 868
 marsh, 77
 plain estuaries, 292
 plain, Delaware, 854
 platform, 662
 protection structures, 536, 745 *ff*
 protective works, 708
 ridge, 793
 sedimentary environments, 854
 storms, 847
 terrace, 764
 trapped waves, 321
 vulnerability index, 57
 wetlands, 77
 zone, 734, 737, 814
- Coastal zones, wave-dominated, 419
- Coastline evolution, 546
- Cobbles, 825
- Cohesive sediments, 35, 312
- Colluvial wash, 671
- Competition, of species, 452
- Complete linkage, 842
- Confidence bands, intervals, 265, 270
- Continental
 cyclone, 847
 platform, 727
 shelf, 218
- Coral head, 766
- Corals, 763
- Core, sediment, 859
- Cores, rock, 377
- Coriolis
 action, 222
 parameter, 60, 322
- Coulter Analyser, 176
- Crenulate beach, 603
- Crevasse-splay deposits, 7, 543
- Critical
 lag, 266
 shear stress of erosion initiation, 317
- Cross-shore
 design, 991
 flux, 664
 profile, 619
 sediment transport, 289
- Crushed rock, 105
- Current
 meter, 321, 333
 shear stress, 336
- Cuspate foreland, 792
- Cyclogenesis, 850
- Cyclone, 978
- D**
- Danish Coastal Authority, 708
- Dean's parameter, 403, 594
- Deep scour hole, 457
- Deep water wave
 celerity, 338
 direction, 287
 height, 338, 776, 907, 960, 981
 power, 585
- Deflation surface, 870
- Delta
 margin, 153
 plain, 1
 river plain in China, 1
- Deltaic
 facies, 5
 plain, 77
 sedimentation, 17
- Dendroecological studies
- Density stratification, in estuaries, 135
- Deposition basin, sediment, 298
- Depositional transgression, 722
- Depth
 contour, 420
 closure, 49
- Depth-sounding methods, 4
- Design storm, 492
- Desquamation, 930
- Diatom
 analysis, 4
 flora, 304
- Differencing, 267
- Digital
 image processing, aerial photos, 29
 terrain modelling, 908
- Digitizing techniques, 263
- Dimensional wave record, 341
- Directional wave data, 467
- Discharge volume, 222
- Disjunction quarrying, 929
- Dispersal, of seeds, 450
- Dissipative beach, 593, 830
- Distributary, 7, 531, 550
- Dolerite, 380
- Domain, smaple, 267
- Domestic waste, pollution, 348
- Downdrift
 beach, 973
 effect, 746
- Downwashing vortices, 135
- Downwelling current, 619
- Drag, of bedloam, 487

- Drainage systems, delta, 153
Dredge spoil, 35, 666, 671, 873
Dredging, 312, 735
Drift
 line, 830, 907
 log, 211, 827
Drill hole, 645
Drilling rig, 529
Drowned valley, 543
Drumlin, 826
Dual inlet system, 356
Dune
 cliff, 707
 erosion, 595, 850, 913
 profile, 212
 protection, 701
 ridge, 100, 707, 792, 896
 slack, 215
 tongue, 705
 transect, 212
Dune-fixing, 708
Dunefield, 210
Dunes, inland, 303
- E**
- Earthquake, 647
Ebb-tidal delta, 355, 685, 907
Ebb-tidal shoal, 462
Echinoids, 156
Edaphic factors, 101
Eddy
 diffusivity, 35, 421
 viscosity, 420
 closure, 427
Edge detection techniques, aerial
 photo interp, 30
Eem interglacial, 412
Effluent line, on beach, 400
Eigenvector, 189
El-Niño Southern Oscillation
 (ENSO), 579
Electromagnetic current meters, 312
Embayment, 708
Engelund-Hansen formula, 322
Entrainment rate, 38
Environmental Impact Statement,
 8(2)iv
Environmentalism, 8(2)iii
Eolian
 deposit, 78
 sand, 705, 729
 transport, 668
Eolianite, 891
Ephemeral stream, 691
Episodic flooding, 62
Equiangular spiral, 506
Equilibrium beach profile, 47
Erosional shore platform, 930
Estuarine
 beaches, 88
 channel, 632
 circulation, 294
 intertidal sediment, subenviron-
 ments, 482
 storms, 863
 tidal channel, 312
Estuary bay, 355
Euler method, 432
Eulerian residual currents, 328
Eustatic
 change in sea level, 294
 cycle, 169
 fluctuations, Holocene, 729
 sea level, 790, 882
 sea-level rise, 77
Evaporite pans, 153
Exfoliation, 930
Exposure categories, 494
Extratropical storm, 846, 982
- F**
- Facies, sediment, 3, 153
Fair-weather wave base, 720
Fall velocity, sediment, 174
Fan delta, 606
Feeder beach, 606
Ferruginous gravel, 397
Fetch, 89, 340, 388, 589, 707, 850, 914,
 934
Fill
 density, 986
 volume, 986
Fining upward sequence, sediments,
 16, 549
First-order dispersion equation, 431
Fisher's Least Significant Differ-
 ence, 858
Flandrian transgression, 549
Floc, sediment, 36, 482
Flood plain, 797
Flood
 tidal current, 42
 tidal delta, 355, 625
Flood-sheet deposit, 7
Floodplain, 855
Florida Bureau of Beaches & Shores,
 975
Florida Low, 847
Florida Shore & Beach Preservation
 Association, 975
Fluid mud, 35
Fluid/sediment sample, 315
Fluvial discharge, 863
Flux-gate compass, 139
Foraminifera, 156, 764
Foredune, 619, 830
Foredune-barrier flat complex, 460
Foredunes, 387
Foreshore, 201, 818, 820
Fossil allochems, 161
Fourier
 analysis, 421
 transformation, 267
Free stream velocity, 421
Free-surface turbulence, 569
Fresh water spring, 728
Fresh-brackish swamps, 7
Friction
 velocity, 315, 421
 bed, 322
Frictionless wave number, 431
Friedman scatter diagram, 5
Fringing barrier, 816
Frost wedging, 929
Fully developed bore, 568
- G**
- Gastropods, 156
Gaussian elimination algorithm, 422
Gaussian-type distribution, 341
Gelifraction, 926
Geographic Information Systems, 263
Geographic referencing, 32
Geoidal eustasy, 409
Geometrical spiral, 605
Geomorphic-land use map, 531
Geostatistics, 276 *ff*
Geotechnical Control Office, 115
Germination ecology, 451
Ghyben-Herzberg relationship, 875
Glacial cliff, 817
Glacial
 deposits, 825
 drift, 126, 621
 polish, 929
 regressive phase, 702
 strae, 932
 till, 303, 605
Glauconite, 538
Global
 average rate-of-change, 278
 climate warming, 655
 ice budget, 309
 ice volumes, 410
 mean air temperature, 56
 sea level rise, 657, 868, 966
Grading, grain size, 108
Grain size
 measures, 172 *ff*
 sediment, 474, 814
Grains, 642
Granular fill, 106
Gravel
 barrier, 813
 beach, 813
Graywacke, 800
Greenhouse effect, 77, 301, 719 *ff*
Grid-point method, 294
Groin, 701, 746
Gross sediment transport rate, 784
Groundwater
 discharge/recharge, 185
 elevation, 188
 seep, 647
Growth ring, tree, 99
Groyne, 708 (see also Groin)
Gully, 643
Gyre, circulation pattern, 222

H

- Half-heart beach, 603
- Hazard mitigation, 660
- Headland, 201, 391
- Headland-bay beach, 603
- Heavy metals, in sediments, 35
- High
 - background sea levels, 879
 - energy wave events, 590
 - marsh, 482
 - pass filtering, 31
 - water line, 279
- High-energy coast, 764
- High-tide platform, 635
- Hindcasted wave height data, 845
- Hindcasting, wave data, 845
- Hinge-ice, 929
- Holocene transgression, 719, 819
- Hook-shaped beach, 603
- Hopper dredging, 972
- Horizontal velocities, first order, 426, 564
- Hurricane classification system, 492
- Hurricanes, 101, 468, 492, 772, 763
- Hydrography, 80
- Hydroid cluster, 146
- Hydrological regime, 631
- Hypoxic conditions, 134

I

- Ice
 - cover, 928
 - marginal valley, 303
 - sheet melting, 655
 - sheets, Quaternary, 409
- Ice-foot, 928
- Ice-rafting, 621
- Ice-spalling, 930
- Image spectral enhancement techniques, 31
- Impact study, 734
- Impeller current meter, 139
- Incident wave
 - conditions, 183
 - energy, 355
- Incipient sediment motion, 333
- Incised channels, 292
- Increment corer, tree, 100
- Industrial liquid waste, 348
- Inflorescence, 443
- Inland dunes, 303
- Inlet
 - discharge, 365
 - geometry, 367
 - migration, 457 *ff*
 - morphology, planform, 360
 - stability, 372
 - system, dual, 356
 - throat
 - area-prism relationship, 358
 - profiles, 360
- Inlet-mouth bar, 462

- Inner surf zone, 562
- Insect defoliation, 99
- Inshore bar, 29
- Intensity scale, storm, 840
- Interglacial terrace, 884
- Interlaminae space, sediments, 173
- Intertidal
 - beach communities, 399
 - sand banks, 7
 - zonation, macrofauna, 830 *ff*
- Intraclasts, 156
- Intraglacial sea level, 886
- Inviscid flow phenomena, 436
- Islands, oceanic, 763
- Isopachous calcite, 158
- Isostatic
 - rebound, 61
 - subsidence, 169
- Isotopic dating, 692

J

- Jacobian transformation, 189
- Jet-pontoon, pipe discharge procedure, 975
- Jetties, 649
- Jetty, training works, 356
- Joint Probabilities Method, 874
- Joint sets, 646
- Juvenile waters, 309

K

- Kaolinite flocs, 7, 40
- Karren, 789
- Karst, 78, 791
- Kom, 542
- Kriging, 269
- Kurtosis, 599

L

- Lag deposit, 540, 598
- Lagged gravel beds, 329
- Lagoon/coastal sand, 529
- Lagoonal sedimentation, 688 *ff*
- Lagrange parameter, 269
- Lagrangian methods, 874
- Laminae, sediments, 173, 288
- Land reclamation, 383
- Landsat Thematic Mapper, satellite images, 218, 690
- Laser-Doppler velocimeter, 422
- Laurentide continental ice sheet, 301
- Leonard approximation, 396
- Levant conditions, storm, 668
- Limestone
 - breccia, 789
 - ramp, 803
 - rock, 642
- Linear
 - beach profile, 47

- regression, shoreline positions, 272
 - wave theory, 52
 - Linkage, complete or single, 843
 - Lithic fragment, 109, 529
 - Lithified carbonate horizon, 164
 - Lithophocenose, 798
 - Little Ice Age, 658
 - Littoral
 - currents, 208
 - deposits, 153
 - diff, 355, 373, 740
 - environments, Red Sea, 161
 - zone, 172
 - Littoral Environment Observation (LEO), 957 *ff*
 - Local
 - point estimation, 268
 - wave height, 52
 - Log-spiral
 - beach, 391, 603
 - bays, 399
 - Logoal deposits, 625
 - Long period waves, 962
 - Long shore drift, 740
 - Long-scale periodicities, 275
 - Long-wave energy, 56
 - Long-wave megacusps, 595
 - Longevity, of beach nourishment, 660
 - Longshore
 - bar and trough, 563, 621
 - beach drifting, 748
 - current, 1, 193, 533
 - current, 186, 533, 783
 - drift, 705
 - sediment transport, 286 *ff*, 332, 369, 385, 468, 778, 957
 - Loss-on-ignition (LOI) analysis, 856
 - Low tide terrace, 89
 - Low tide terrace, 89, 563
- M**
- Macrobenthic animals, on beaches, 398
 - Macroinfaunal variability, 830
 - Magnetite, in sand, 598
 - Maintenance dredging, 372
 - Mangrove swamp, 9, 37, 771
 - Mann-Whitney test, 858
 - Marine
 - bay, 529
 - cliff, 309
 - environments, pollution in, 347
 - facies, 5
 - mud, 115
 - regression, transgression, 699, 802
 - sand, 115, 766
 - shells, radiocarbon dating, 129
 - terrace, 408, 593, 788
 - transgression, 301 et seq., 388, 806, 788
 - Maritime cyclone, 847
 - Maritime Public Domain Area, 653
 - Marsh, 482, 946

- Mass wasting, 646
 Mature coastline, 771
 Maximum wave orbital velocity, 386
 McLaren model, 286
 Mean
 erosion rate, 264
 grain size, 180, 203
 horizontal velocity, 422
 sea-level atmospheric pressure (MSLP), 583
 shear stress, 322
 Meandering tidal river, 854
 Megaripple, 366
 Mesic bottomland, 102
 Mesoholocene, 301
 Metal content, in water, 348
 Micritic carbonate sediment, 157
 Micro-cliff, in saltmarsh, 635
 Microcrystalline dolostone, 768, 770
 Microfaulting, 379
 Microsite variations, 101
 Microtidal coast, 536
 Microtopography, 728
 Mid-beachface sands, 288
 Miliolids, 159
 Minimum estimation variance, 269
 Ministry of the Environment, 735
 Modified pulse transmission technique, 378
 Molluscan shell fragments, sediments, 157
 Molluscs, estuarine, 347
 Monomineralic grains, 109
 Montmorillonitic clay, 635
 Moored wings, 134
 Moraine deposit, 718
 Morphological evolution, Obidos lagoon, 677 *ff*
 Moving average, 275
 Mud, 644, 860
 Mudprobe, 37
 Multivariate analysis, 833
- N**
- Nacticoid gastropod shells, 160
 National Hurricane Center, 842
 National Natural Reserve, 631
 National Weather Service, 842
 National Wetlands Inventory, 855
 Native grain size, 986
 Natural deposits, 105
 Natural levees, 7
 Neap tide, 206
 Near-bed
 bursting events, 426
 shear stress, 421
 Near-shore environments, 172
 Near-surface velocity, 471
 Nearbottom sediment concentration, 333
 Nearbottom velocity, 336
 Nearest neighbor effect, 274
- Nearshore
 bar, 287, 913
 dumping, 974
 sand, 529
 structures, 376
 waters, 771
 wave energy, 72, 355
 zone, 48, 287
 Nebkhas, 729
 Neoholocene, 301
 Neotectonics, 528
 Neotectonism, 126
 Nephelometer, 36
 Neptunist tradition, 798
 Net drift, 460, 470
 Net longshore sediment transport, 603
 Net transport, 780
 Newton-Raphson technique, 385
 Nid-plate oceanic islands, 411
 Nikuradse roughness parameter, 777
 Nile delta
 evolution, 527 *et seq.*
 silt, 154
 Nomogram, 270
 Non-cohesive sediment, 35
 Non-dimensional wave record, 341
 Non-linear shallow water equations, 562, 563
 Non-saturated breaker, 564
 Northeaster, storm, 848
 Notch, 635, 934
- O**
- Oblique bar, 189
 Ocean swell, 93, 358
 Oceanic islands, 763
 Offshore
 barrier islands, 943
 bars, Nile delta, 154
 reefs, 771
 sediment transport, 746
 Old Red Sandstone, 800
 One-dimension advection-diffusion equation, 420
 Onshore
 wave activity, 773
 waves, 771
 Ooid grainstone, 157
 Oolite, 155
 Oolitic grainstone, 533
 Optical backscatter sensors, 312
 Ordinary kriging, 269
 Oscillating transport, 391
 Oscillatory boundary layers, 422
 Ostracods, 156
 Over the bow pumping, 975
 Overwash deposition, 57, 101, 623, 625, 850
- P**
- Palaeo-sea-level stands, 19
 Paleo-braided river channel, 117
 Paleo-valleys, 644
 Paleoenvironments, 858
 Paleogeographic maps, Nile delta, 527
 Paleorupicost, 798
 Paleoshorline, 893
 Paleosol (hamra) horizons, 160
 Palimpsest sediments, 329
 Palustrine
 deposits, 854 *ff*
 peat, 863
 wetlands, 855
 Palynological analysis, 304
 Panchromatic spectrum, along coastlines, 29
 Parabolic kinetic amino acid, 893
 Paraglacial cost, 825
 Partial autocorrelograms, 274
 Particle size analysis, 5
 Pass, inlet, 463
 Peat
 block collapse, 634
 deposits, 304, 540, 856
 formation, 78
 outcrops, 88
 Pejrup
 approach, 483
 triangle diagram, 490
 Perennation, 448
 Periglacial shoreline erosion, 926
 Permafrost, 928
 Petrographic analysis, 155
 Phenology, 448
 Phragmites, 537
 Physiological ecology, 446 *ff*
 Phytokarst, 766
 Pipeline dredging, 972
 Pipelines, offshore, 376
 Planvariograph, 360
 Plate margin, tectonically active, 358
 Plume thickness, 223
 Plunging breaker, 564
 Plutist tradition, 799
 Pocket beach, 208, 358, 661, 893
 Point kriging, 281
 Polar orbiters, satellites, 218
 Pollution, indicators of, 347 *et seq.*
 Polychaetes, 830
 Population biology, 448 *ff*
 Pore water, 40
 Postmonsoon period, 201
 Predation, 452
 Primary pollinators, 449
 Principal Component Analysis (PCA), 595, 831
 Prismatic block, 646
 Pro-delta facies, 10
 Probability density function, 264
 Progressive wave train, 420
 Proportional spiral, 605
 Pulsating shores, 745
 P-wave velocities, 378
 Pycnocline, 135
 Pyrite, 541

- Q**
- Q-groyne, 714
 Quarry rock, 115
 Quarrying
 front, 930
 modes, of ice, 930
 Quartz-rich sediment, 153
 Quaternary
 alluvial deposits, 824
 sea level, 125
 Quay wall, 312
- R**
- Radiocarbon dates, 11, 125, 129, 529, 857
 Railroad vine, 442
 Raised beaches, 125
 Rambles, 691
 Ramp accretion, 619
 Random function model, 269
 Ravinement surface, 549
 Rayleigh scattering, 219
 Recharge, 985
 Reclamation, 691
 Reef
 flats, 763
 limestone, 789
 Reflective beach, 593, 400, 830
 Reformed waves, 190
 Refracted ocean swell, 93
 Refraction, wave, 337
 Regression, 17
 Regressive overlap, 20
 Relative sea level, 814
 Relative tidal amplitude, 73
 Relict dune ridge, 100
 Resampling, 32
 Residual
 currents, 319
 transport surface, 670
 Residuals, 275
 Resistivities, depth sounding, 4
 Retention dike, 993
 Revetment, 187, 607
 Reynolds averaged momentum equation, 427
 Reynolds number, 136, 334, 420
 Rhodamine B dye, 188
 Rhodolites, 769
 Rhythmic
 sandwaves, 390
 topography, 189
 Richardson number, 36, 138
 Ridge migration, 910
 Rills, beach berm, 192
 Rip
 channel, 189
 current, 595, 619
 Rip-rap, 606, 649, 823
 Rip-up clasts, 772
- Ripple
 crests, 429
 cross bedding, 542
 formation, 419
 steepness, 421
- River
 channel, 7, 529
 delta, 125
 diversion, 356
 overbank deposits, 17
- River-mouth jetty, 662
- Rivulet, 730
- Rock
 bench, 934
 cores, 377
 erosion, 929
 headland, 365
- Rocky
 cliff facies, 797
 headland, 356
 shore, 775
- Root morphology, 443
- Rose diagrams, 779
- Rotalids, 159
- Rotary percussion drilling, 529
- Rotational slide, peat block, 634
- Rouse equation, 317
- Rubble-mound breakwaters, 457
- Ruling depth, over bar, 371
- Runge-Gill method, 778
- Runge-Kutta method, 431
- Runoff coefficient, 696
- S**
- Saffir-Simpson Hurricane Scale, 492, 840
- Saline wedge intrusion, 875
- Salinization, 536, 729
- Salt
 marsh, 727
 pan, 635, 685
 pollution, 868
 Wave rose, 870
 spray, 101
 water uptake, 101
 wedge, 873, 878
- Saltation, 6, 487, 695
- Saltmarsh, 16, 482, 632, 870
- Saltwater intrusion, coastal aquifers, 57
- Sand and gravel, classification, 112
- Sand
 bodies, 362
 clouds, 420
 dredged, 104
 dunes, 775
 fall velocity, 398
 mining, 724
 platform, 388
 ridges, 793
 sheet, 669
- Sand-shingle beach, 600
- Sandbar, 699
- Sandstone pebbles, 539
- Sandy
 beach, 88, 581, 593 *ff*, 712, 763
 coasts, 355
 fluvial deposit, 714
 foreshore, 906
 levee, 635
 shoreline, 984
- Satellite-derived imagery, 218
- Schorre, submarine rampart, 706
- Scour hole, 457
- Scour
 lag, 490
 trough, 185, 188
- Sea
 bird rookeries, 444
 cliff erosion, 816 *ff*
 cliff retreat, 641 *ff*, 769
 rise in level, 655
 surface temperature, 58, 219
- Sea-level
 fluctuations, 409
 history, 861
 low stand, 292
 oscillation, 655
 rise, 169, 701
 stands, 854
- Sea-surface temperature (SST), 579
- Seawall, 642, 985
- Sebkhas, 729
- Sediment
 blanket, 722
 budget, 292 *ff*
 distribution, 546
 facies, 153
 flux pattern, 420
 grain size, 474
 mass, conservation equation, 432
 mobility, 96
 motion, incipient, 333
 settling velocity, 44
 supply, 721
 transport, 47, 218, 367, 389
 type, 294
 wedge, 884
- Sediment-starved platform, 884
- Sedimentation
 map, 739
 rate, 693
- Sediments
 palimpsest, 329
 polymodal, 326
- Seed production, 450
- Seepage, 814
- Seiche, 605
- Semivariance function, 265
- Set-up, 562
- Setback, coastal, 263
- Settling lag, 490
- Shadow
 effect, 604
 zone, 870
- Shallow marine sediments, 791
- Shear zone, 379
- Shear-free turbulence, 35
- Sheet flow, beach slope, 190

- Shell
 bioherms, 146
 lag, 367
 ridge, 17
- Shellfish bed, 148
- Sheltered coast, 763
- Shields
 criterion, 322
 diagram, 194
 parameter, 425
 sediment threshold curve, 328
- Shifting dunes, 210
- Shoaling
 in inlet, 372, 814
 transformations, 420
 wave height, 385
- Shore
 erosion, 719 *ff*
 ice pressure, 926
 profile, 620
 progradation, 722
 protection, 89, 388
- Shore-parallel periodic bar system, 435
- Shoreface
 equilibrium slope, 666
 profile, 419, 434, 606, 619, 666
- Shoreline
 change models, 264
 configuration, 287
 elevated, 408
 erosion, 292
 orientation, 88
 processes, 183
 rate-of-change, 279
 response, 47
 retreat, 719, 984
 sinuosity, 929
- Shorelines
 Pleistocene, 764
 sampling, 263
- Shoreward sediment movement, 722
- Short period waves, 961
- Short-wave radiation, 56
- Shotts, 729
- Side scan sonar, 139
- Significant wave height, 467
- Siliciclastic sand, 884
- Silt discharge, 1
- Silt-plain facies, 531
- Silver Bluff shoreline, 460
- Single linkage, 843
- Sink, sediment, 296
- Sinkhole, 790
- Slack high water, 42
- Slack low water, 42
- Slikke, 634
- Slipface, dune, 216
- Slope readjustment, 673
- Smectite, 537
- Soil
 acidification, 99
 classification, 110
 erosion, 1
- Soratiids, 159
- Sorting
 index, sediments, 179
 of sediments, 814
- Southern Oscillation (SO), 579 *ff*, 583
- Southern Standard Building Code, 493
- Spatial
 autocorrelation, 264
 outliers, 273
- Spectral
 bands, 219
 wave height, 468
- Sphericity, 111
- Spillover lobe channel, 463
- Spiral geometry, 603
- Spit
 breaching, 479, 814
 development, 479, 631
- SPOT, 218
- Spring tide, 206
- Spur jetty, 457
- Stabilized dune, 62
- Stacks, 661
- Stand ice, 929
- Standard Building Code, 493
- Standing cross-shore infragravity waves, 420
- Stationarity, test for, 266
- Stem density, 79
- Stiff muds facies, 539
- Stoke's drift current, 327
- Storm damage, 879
- Storm
 flood level, 707
 runoff channel, 96
 surge, 57, 605, 840, 907, 978
 wash-over sands, 542
 waters, 222
 wave conditions, 813
 waves, 621, 763, 823, 915
- Strand
 plain, 533
 vegetation, 442
- Strandline, 939
- Stratigraphic fence-diagram, 548
- Streamflow records, 219
- Sub-harmonic edge waves, 562
- Subaerial beach, 579
- Subatlantic chronozone, 309
- Subboreal chronozone, 309
- Submarine
 channels, 730
 rampart, 706
 sediments, 376
- Subsidence, 2, 544
- Summer
 beach profiles, 173
 berm, 184
- Surf
 scaling parameters, 173
 zone bore, 563
 zone morphology, 398
 zone, 47, 186
- Surface texture, particles, 111
- Surficial sediments, 157
- Suspended
 loading, 6
 sediment
 concentration, 294, 313, 631
 dispersal patterns, 218
 sediment, 421
- Suspension, 482
- Svendsen-Nielsens pickup function, 421
- Sverdrup-Munk-Bretschneider equations, 389
- Swale
 hollow, 216
 wet & dry, 946
- Swash
 bar, 906
 bore deflection, 190
 climate, 398
 height, 399, 563
 lens, 563
 percolation, 185
 period, 401
 platform, 464
 speed, 172, 183, 402
 terminus, 29
 zone slope, 402, 830
- Swash-backwash phenomena, 203
- S-wave velocities, 378
- Sweep zone, 908
- T**
- Terraces, dating of, 413
- Terrigenous sands, 126
- Tethedron, in groins, 750
- Tetrapods, groins, 701, 708
- Thalweg migration, 457
- Theory of random functions, 269
- Thermal-infrared radiances, 219
- Thixotropic damping, 35
- Tidal
 amplitude, 287, 325
 bypassing, 367
 channel network, 727
 circulation, residual, 319
 delta planform, 365
 elevation, 333
 energy, 701
 flat, 125, 699
 forcing, 358
 inlet, 319, 355 *ff*, 850
 marsh, 727, 730, 927
 prism, 355, 361, 473
 range, 1, 88, 355, 727
 river, 854
 translation zone, 906
 wetlands, 855
- Tide-gauge
 analysis, 701
 data, 645
 records, 655
- Tombolo, 361, 717
- Trace elements, in sediments, 12
- Traction current, 203

- Trailing edge tectonic setting, 125
Transformation procedures, 275
Transformation-trend removal procedure, 281
Transformed residual, 270
Transgression, 17
Transgressive
 bar, 563
 barrier island, 623
 overlap, 20
 sedimentary sequence, 854, 863
Transverse dune, 210
Tropical
 cyclone, 57, 580, 840
 depression, typhoon, 1
Tsunami, 763, 647
Turbid water, 222
Turbidity, 739
Turbulence collapse, 36
Turbulence, 38
Turbulent
 closure, 427
 eddies, 421
 intensity, 44
 mass flux, 420
Two-way Indicator Species Analysis, 945
Typhoon, tropical depression, 1
- U**
- Uniform Building Code, 493
Unundation, 879
Up-estuary transportation, 294
Uplift, tectonics, 127
Uprush, 569
Upwash time, distance, 402
- V**
- Vadose diagenetic alteration (calcrete), 162
Valley
 floor, 643
 mouth, 645
Vartanian glaciation, 303
Vector-averaged net current, 319
Vegetation classification, 943 *ff*
Vegetative reproduction, 451
Ventilation, of water column, 134
Verdine/glaucinite, 539
Vermetid gastropods, 764
- Vertical accretion rate, salt march, 637
Volcanic sand, 593
von Karman constant, 421
Vortex motion, 138
- W**
- Wadi, 731
Washover fan, 814
Water
 budget, 691
 column, 42, 134
 ventilation, 134
 hyacinth, 537
 surface elevation, 562
 table
 deflection, 190
 intersection with beach face, 400
Waterlogging, 879
Wave
 action, 720
 amplitude, 173, 482
 attack, 645
 behavior, 574
 breaking power dissipation term, 385
 bursts, 467
 celerity, 386
 climate, 321, 358, 568, 580
 crest, 605
 cut notch, 643
 data, 775
 diffraction, 604
 dynamics, 47
 energy dissipation, 95
 energy, 95, 172, 289, 355, 645
 erosion, 732
 field, 419, 605
 force, 467
 gauge, directional 467
 generation, 385
 height, 202, 321, 342, 385, 398, 467, 595, 776, 957, 979
 number, 385
 orbital
 motions, 321
 velocity, 386
 orthogonals, 776, 875
 over-topping, 388
 period, 385, 398, 595, 776, 907, 957, 960, 979
 power, 385, 843
 pulsation, 421
 radiation stress, 468
 record, dimensional & non-dimensional, 341
 refraction, 337, 366, 385, 604
 shoaling, 337, 776
 speed, 202
 state, 333
 toppled block, 890
 trains, 420
Wave-extended Shields parameter, 429
Wave-induced
 mixing, 223
 sediment flux, 419
Wave-seawall interaction, 183
Wave-wave interaction, 960
Wave/swash ratio, 401
Wavecut notch, 764
Waves
 hurricane-generated, 763
 onshore, 771
 trapped, 321
Wavy lamination, 542
Weathering, chemical, 1
Wetland
 deposits, 854 *ff*
 loss, 553 *ff*
White water bore, 190
Wind
 climate, 387
 duration, 340
 speed, 401
 waves, 340
Wind-driven circulation, 321
Wind-induced vortices, 135
Windrose, 211
Windspeeds, random, 340
Wing-tip vortices, 136
Winowed bed, 329
Winter beach profile, 173
- X**
- X-radiograph, sediment, 541
- Z**
- Zero fall velocity, 35
Zetaform, beach, 603
Zooplankton, 294