

SUBJECT AND SYSTEMATIC INDEX

Journal of Coastal Research

Annual Index Vol. 13 (Nos. 1-4) 1997

A

Abietic acid, 294
 Abiotic, 140
Abra longicallus, 1204
 Abrasion platform, 1229
Abuscular mycorrhizas (am), 932
 Acoustical reflection patterns, 747
 Accretion, 89, 193, 227
Acer negundo, 1291
 Acid diterpene metabolites, 343
Acinapsis
 cancellata, 1203
 suhcrenulata, 1203
Acropora palmata, 67
 Advective cooling, 106
 Aeolian sand, 474
 Aerial photographs, 136
 Neches River, Texas, USA, 1311
 Gulf of Mexico, USA, 1317
 Hillsboro Inlet, Florida, USA, 1352
 Chesil Beach, England, USA, 1047
 British Virgin Islands, USA, 1353
 Isle Dernieres, Louisiana, USA, 590
 Trinity Island, Florida, USA, 665
 Oregon Inlet, North Carolina, USA, 592
 Cape May, New Jersey, USA, 590
 Pohick Creek, Virginia, USA, 593
 English Bay, Vancouver, British Columbia, 594
 Monmouth County, New Jersey, USA, 760
 Cape Espenberg Beach Ridge, Alaska, USA, 776
 Boulder Bank, New Zealand, 939
 African black oystercatchers, *haematopus moquini*, 36
 Aggradation, 227
 Agnete, 1288
Aiconia testue, 1203
 Air wave, bridge vibrations, 570
 Airborne sensor, 1176
 Aizoaceae, 97
 Akulikuli, 98
Alaunia cimicoides, 1203
 Algorithms, 1076
 Alluvium, 856
 America's best beaches, 257
 Aminostratigraphy, absolute dating method, 800
 Amorphous fraction, 1113
Amyclina semistriata, 1203
Anadara diluvii, 1204
 Anaerobic decomposition, 244
 Anaerobic, 778
 Analog high-lowcut filter, 566
 Andesite platform, 220
 Aniakchak tephra, 775
Anodontia fragilis, 1203
 Anoxic, 1182
Antalis agile, 1204
 Anthropogenic

 markers, 1181
 features, 193
Aparehais serrasianus, 1203
 Apetalous, 97
 Aquifer, 29, 46
 Aragonite sand, 905, 915
Arca pacifica, 220
 Argand complex plane, 1142
 Armoring, 705
 Articulated shells, 220
 Artificial sediment input, 32
 Asexual recruits, 67
Astarte fusca, 1203
 Asymmetry, 984, 996
 Atlantic polar front, 1142
 Atmospheric circulation system, 1141
 Azimuth, 24
Azorinus chamasolen, 1203

B

Backreef troughs, 712
 Backshore zone, 97
 Bahamian aragonite, calcareous sand, 905
Balinus heandarts, 1203
Ballialium incamparabile, 1203
 Bank erosion, 140
 Bark dumps, in coastal estuaries, 291, 294
 Baroclinic effect, 995
 Barrier island
 arc formation, 623
 deterioration, 591ff
 evolution, formation, 591 *et seq.*
 flood damage, 704
 future change prediction, 630
 historical change, 628
 Louisiana
 wetland hydrology, 679, 686, 694
 morphodynamics, 591ff
 regional variations, 628
 shoreline restoration program,
 Barrier shoreline level rise, 410
 Basal erosion, 455
 Basal terra rossa paleosol, 799
Bathyarca
 pectunculoides, 1204
 philippina, 1203
 Bathymetric contour, 739
 Bathymetry, 82, 398, 1130, 1173
Batis maritima, 148
 Bayou mouth bar, 157
 Beach
 classification, 253
 cusps, 74
 erosion trends, 4, iii
 management, 822
 nourishment, maintenance, 11, 831
 profiles, 1102
 rating system, 253
 shoreline forecasting, 4, iii

Beachface, 74
 Beachfront communities, 9
 Bedded marine calcarenite, 475
 Bedrock shore platforms, 455
 Bedscour, 140
Bela
 brachystama, 1204
 laerigata, 1204
 nehula, 1204
 Berm scarps, 1229
 Biocoenosis, 1205
 Biocorrosion, 376
 Biogenic processes, 1181
 Biological reactivity, 882
 Biotic boundaries, 148
 Bioturbated foraminiferal calcarenite, 474, 475
Bittium
 exiguum, 1204
 reticulatum, 1203
 Bivalve populations, 218
 Black mangroves, 244
Blades glabrous, 98
Bopeamussium fenestratum, 1203
 Boreholes, 555
 Boussinesq equation, 47
 Branching coral, *Acropora palmata*, 67
 Breakaway, swimming pool design, 48
 Breakwater, 1288
 Breakwaters, beach fill, 705
 Breeding birds, 36
 Brogue tracks, 988
 Bruun's Rule, 1322
 Bubble pulser signal, 1059, 1075
 Burial-vessels, artifacts, 1288
 Buried soils, 784
 Buried structures, 1075
 Bypassing, sediment, 842

C

Cabbratlon age, 800
Cadulus palitus, 1204
 Calcareous algae, 475
 Calcrete, calcareous crust, 800
Calliastama canulum, 1203
 Canopies, 228
Cantharidus
 clelandi, 1203
 striatus, 1203
Cantharidus sp., 1203
Canus mediterraneus, 1203
Caraita ahinis ostrea fisheri, 220
 Carbonate
 diagenesis, 376
 sands, 721
 sediments, 220
Carhula gibba, 1203
 Cartesian principle, 737
 Carya aquatics, 1291

- Catenary ridges, 799
 Cementation, 800
Cephalanthus occidentalis, 1291
Ceratiola erieoides, 375
Cerithium maculosum, 221
Chama gryphoides, 1203
 Channel, 783
Charna maxicana, 220
Chauvetia minima, 1203
Chelonia mydas, 905
Chione cahibmiensis, 221
 Chirp sonar, 1075
 Chi-squared analysis, 39
 Chlorophyll, 883
 Chronic erosion, beaches, 705
Chrysallida
 abtusca, 1204
 ilseheri, 1204
 indistincta, 1204
 spiralis, 1204
Chrysoma paucilloseulosa, 375
Cingula sp., 1204
Circulus striatus, 1203
Clathromangalia quadrillum, 1204
Clausinella fasciata, 1203
 Clay minerals
 Dispersal, 566
 Provinces, 566
 Clayey silt, texture, 193
 Cliff retreat, shoreline change, 455
 Climatic change, 193
 Coastal
 alluvial fans, 136
 elements, environmental assessment, 733
 armoring, 705
 morphodynamics, 591ff
 Coastal change and analysis program (C-CAP), NOAA, 282
Comarmondia gracilis, 1204
 Combustive organic matter, 1183
 Common scaling, environmental assessment, 733
 Compressional wave sources, 566
 Conduit for sediment transport, 609
 Constrained progradation, 29
 Construction control line (CCCL), 62
 Contaminants, 254
 Continental
 margins, 298
 shelf, 350
 Control sediments, 157
 Coral reef, 112, 1075
 Coralline red algae, 218
Corbula gibba, 1205
 Core shortening, compaction or loss of drill core, unconsolidated sediments, 762
Cornus foemina, 1291
 Correlating beach ridges, 775
 Crataegus, 1291
Criptanatica filasa, 1203
 Cross-lamination, 475
 Cross-shore reflection, 706
 Crowding perception, beach users, 825
 Crystalline basement, bedrock, 1142
 Cumulative effects of storms, environmental impacts, 668
 Current
 meters, 111
 spectral analysis, 98
 Currents, coastal, 24
 Cuspate foreland, 468
Cuspidaria cuspidata, 1203
 Cycles, sedimentary deposition and erosion, 800
 Cypress, damaged woodland, 1290
Cytherea
 coarctata, 1204
 rugulosa, 1204
- D**
- Damara Terns, *Sterna balaenarum*, 36
 Darcy velocity, 47
 Data fold, 566
 Data processing, 566
 Debris, 48
 Deglaciation, 388
 Degraded marsh, 1, 255, 282
 Dehydroabietic acid (DHAA), 294, 343
 Delta
 Cycle, sedimentary, 605ff
 ebb-tidal, 407
 front, slope, 29
 morphology, 409
 plain, 605ff
 sediments, 398
 Deltaic headland, 410
Dentalium dentale, 1204
 Depocenter, 799
 Depositional facies, sediments, 739
Derzlys coriacea, 905
 Desiccation cracks, 785
Desulphiovibrio desulphuricans, 1154
 Development of shingle beach, 1047
 Dewatering system, beach, 1043
Diazomethane derivatisation, 295
Dicotyledons, 38
 Differential erosion, 705
 Discharge, coastal water, 46
 Dolphins-in-Bronze, 1289
 Domestic water supply, 47
Donar trunculus, 1203
 Drift beaches, 705
 Drake heads, 1289
 Drillia sp., 1203
 Drumlins, 555
 Dunefields, 36
 Dunes, sand, 97
 Dynamical analysis, 82
- E**
- Earthquake, 25
 Eaton sand, 474
 Ebb currents, 1230
 Economic importance, 97
 Ecosystems, 165, 244
 Effect, 706
 El Niño, 1143
 Electronic digitizer, 897
 Elevation, 686
 Embayments, 227
 Embryonic dunes, 97
 Encrusting biotas, 218
 Endangered species, 13
 End-effects wave/reflection, 705
Entalina tetragana, 1204
 Environmental
 agencies, 9
 quality, 737
 Environments, coastal, 9, 254
Epitanium turtani, 1203
 Epoch, geological time scale, 218
- Equilibrium profile, shore, 1103
Eretmochelys imbi, 905
 Erosion, shore, 9, 69, 89, 705, 770
 Estuarine
 dynamics, 136, 157
 litter, 1159
 plumes, 350
 Eulerian and lagrangian wave-velocity profiles, 491, 988
Eulimella scillas, 1204
Euspira alden, 1203
 Eustatic, sea-level fluctuations, 783
 Eutrophication, 884
 Exotic forestry, 343
- F**
- Face, 46
 Fatty acids, 294
 Fenestrate, 800
 Fisheries, 165
 Flats, tidal, 842
Flex decidua, 1291
 Flood
 sinus, tidal, 156
 velocities, 609
 Flooding, 247, 890
 Floodplain accretion, 854
 Floodwater, 48, 890
 Flora, 97
 Florida Department of Environmental Protection (FDEP), 62
 Flotsam, jetsam and litter, 38
 Fluid mud, 989
 Foreshore
 video estimation of topography, 82
 zonation, 813
 Forest resources, 429, 1290
Forestiera acuminata, 1291
 Fossil, reef, 715
 Foundation boring, engineering test, 564
 Fragmentation, sediment analysis, 68
 Framework stratigraphy, Venice lagoon, 745
 et seq.
Fraxinus profunda, 1291
 Frequency geophones, 565
 Front slope failure, 28
 Funnelling, estuarine flow, 984
- G**
- Gastropods, 221
Gatzoderma applanatum, 1291
 Generation, delta development, 24
 Geochemical dating, shells and sediments, 798
 Geodynamic relationships, 1141
 Geofoms, 156
 Geographical information system (GIS); sediment analysis, 1233
 Geologic data, coastal zone, 111
 Geometry, 686
 Geomorphological interactions, 97
 Geomorphology, coastal, 28, 112, 134
 Geophone spacing, 566
 Geostrophic currents, 511
 Geotechnical, 1113
Gibberulina clandestina, 1203
Gihhula
 guttadauri, 1203
 magus, 1203
 umblicaris, 1203

- Glacial cycles, 1141
Glans
aculeata, 1204
affinis, 220
Glycymeris
donacillo, 475
insubricus, 1203
Gonilia calliglypta, 1203, 1204
Goodallia triangularis, 1203, 1205
 Gouge auger, 555
Gouldia minima, 1204
 Grain size, sediments, 69
 Grammetric analysis, 211
 Granodiorite, 947
 Gravitational acceleration, 1104
 Gravity flows, 32
 Grecian rocks, 729
 Greenhouse
 effect, 925
 gas, 925
 Groin effect, 705
 Ground penetrating radar (GPR), 1082
 Groundwater
 interactions, 47
 seepage, 46
 Growth, deltaic development, 609
- H**
- Haedrapleura septangularis*, 1203
 Halophytic, vegetation, 228
 Harbor spurs, groins, 729
 Hardwood forest, 1290
 Harmonic oscillator, 1141ff
 Harmonics, temperature records, 906
 Hazard areas, 48
 Headlands, 227
Helianthemum arenicola, 375
 Herbs, 98
 Herringbone bedding, sediments, 799
Hiatella arctica, 1203
 High
 cylindrical trap, 816
 energy facies, 474
 quality seismic data, 566
 Highly turbid discharge, 32
 High-resolution
 seismic-reflection, 748
 studies, sedimentary analysis, 564
 Hollow-stem auger cores, 564
 Holocene sediments, 712
 Homogeneous, sediments, 1030
 Hurricane
 Andrew, 628ff, 243, 1290
 Donna, 244
 Opal, 243
 Hydraulics, coastal currents, 111
 Hydric potential, 904
 Hydrocarbon-bearing reservoirs, 729
 Hydrodynamic
 flow conditions, 511
 processes, 984
 Hydrodynamics, study of, 996
 Hydrographic changes, 1, 111
 Hydrology, 687
 Hypersynchronous, 157
 Hystrichospheres, 555
- I**
- Impacts of hurricane, 244
 Infiltration, into sediments, 25, 46
 Insolations, solar, 106
 Interdistributary bays, 623
 Interference of man, environmental, 1141
 Interfingering, sediments, 156
 Interglacial, 218
 Intertidal
 abrasion platform, 220
 planar beach bed, 799
 sediments, 148, 150 291, 294
 Inundation, of wetlands, 686
 Iron oxides, 474
 Isobath, 739
 Isopleth diagrams, 1142
 Isostatic, 388
- J**
- Juncus romeraneous*, 148
 Jurassic clays, 1038
- K**
- Kanthocardia paucicostata*, 1203
 Karstic depression, karstification, 719
Kelliella abyssicola, 1204
 Kihikihimaka, 98
 Kinematics, 492
 Kurtosis, frequency analysis, 871
- L**
- Laevicardium crassum*, 1203
 Lagoon sediment, 756, 1182
 Lagoons, seepage, 554
 Laminated shelly calcarenite, coquina, 475
 Landforms, coastal, 165
 Landward rollover, 650
 Leendertsee's classical model, 988
Leinstraca suhulata, 1203
Lenticular protosois, 799
Leptan nitidum, 1203
 Levees, and dikes, 705
Liastamia sp., 1204
Liastamia clacula, 1204
 Lidar
 survey, 1163, 1175
 technology, 1175ff
 Light-intensity downpours, 29
Limea sarei, 1203
 Limestone andesite, 220
 Limestone pebbles, 1031
Liquidambar
 styraciflua, 1292
Lissopecten hvalinus, 1203
 Lithified cliffs, 455
 Lithologic, 1059
 Lithostratigraphy of the Var delta, 29
 Litter types, 1160
 Little Ice Age, 783
 Littoral drift, 165, 192
Morus rubra, 1292
 Loggerhead turtle (*Caretta caretta*), 904
 Longshore
 drift, 623
 transport, 12
Loripes lacteus, 1203
 Low salt marsh, 555
 Low seismic reflection profiling, 564
 Low-energy, broad-frequency, 564
 Lower continental slope, 29
 Low-salinity lagoonal waters, 729
 Lunar cycle, 1141
- M**
- Macro-tidal conditions, 455
 Macro-tidal environment, 800
 Malachite, 220
 Mangals, 148
 Mangrove forest recovery, 244
 Mangrove, mangals, 148, 228
 Mapping, 111
Marginopora, 474
 Marine bay deposits, 623
 Marine terraces, 112
 Marsh, 148, 165
 Massive anthropogenic transformations, 32
 Mesotidal, 156
 Metabolic heat production, 908
 Metal detectors, 1031
 Meteorology, 243
 Mica flakes, 856
 Micrite crust, 799
 Microalgae assemblages, 884
 Micro-erosion meter, 236
 Micro-habitat, 36
 Migration, 156
 Mimachiamy, 1203
 Mineralogical, 74
 Mining, 1041
Mitrella iataaui, 1203
Modiolula phaseolina, 1203
 Modified soil probe hammer, 565
 Molluscan species, 1203
 Molluscs, 1203
 Monocotyledons, 38
Montacuta sp., 1203
 Moored current meters, 989
 Morphodynamical variation, 1142
 Morphodynamics, 1, 409
 Morphology, 47, 97
 Morphostratigraphic cross sections, 801
 Morphostratigraphic, 799
 Morphotectonic zones, 917
 Mud flats, 1, 255, 282
 Multidate analysis, 290
 Multispectral imaging, 255
 Multivariate
 analyses, 1201
 techniques, 1042
Murwapsis cristata, 1203
 Mutagenic, 343
 Myalup sand, 474
Myrtea spinifera, 1203
Mysella bidentata, 1203
- N**
- Nassarius* sp., 1203
Naticarius heheneus, 1203
 National Biological Service (NBS), 1290
 National Flood Insurance Program (NFIP), 686
 National Ocean Service (NOS), 1231
 National Research Council (NRC), 11
 Natural
 destruction, 12
 headlands, 89
 Nearshore
 phenomena, 82
 waters, 12
 Nesting
 shorebird habitat, 36
 sea turtle sites, 904

- Nonium carolinianum*, 148
 Nordic trade vessels, 1289
Nucula
 nucleus, 1204
 tumidula, 1203
Nuculana
 fragilis, 1203, 1204
 pella, 1203
Nucula nucleus, 1203
 Numerical models of seabed deposition, 398
 Numerical simulation, 46
- O**
- Oblong-oblongeolate*, 98
 Oceanic old carbon, 736
 Octogonals, 1230
Odastami
 acuta, 1204
 conaidea, 1204
 Offshore hazards, 28
 Offshore physiography, 775
 Oil
 platforms, 28
 spill transport modeling, 490
 tanker spills, 490
Onanthochloe littoralis, 148
Ondina vitrea, 1204
 Oolitic aragonite, 904
Opalina caranata, 1203
 Optimum filter setting, 566
 Organic
 accumulation, 555
 fragments, 785
 muddy sediments, 343
 Organogenic construction, 376
 Oscillations, 82, 376
Ostrea fischeri, 220
 Outlier reef-and-systems, 729
 Outwash sediment, 739
 Overwash deposits, 243
 Oxidic, 1182
 Oxygen isotope, 218
- P**
- Paleo-storm heights, 784
Palygireulima sinuosa, 1204
 Paper mills, 333
 Parameters, 23
 Pariglacial subsurface, 1238
Paronychia erecta, 377
Parvicardium minimum, 1204
 Passive beach erosion, 705
 Patch density social carrying capacity (PDSCC), 824
 Peat reflectors, 750
 Pedogenetic activity, 785
 Perennial, plants, 148
 Performance monitoring, 708
Periglypta niulticostata, 220
 Perturbations, storms, high energy events, 13
 Phanerozoic rock record, geologic time, 298
 Phonology, 282
 Photointerpretation, 1
 Phytoplanktonic populations, 884
 Piezometers, 33
 Pimaric acid, 294
Pinus radiata, 343
Pitar rudis, 1204
Planera aquatics, 1291
 Planktonic, 511
 Plant ecology, 375
 Plastic packaging, 1161
Platanus occidentalis, 1291
 Platform gravels, 944
 Platform-margin morphology, 715
 Platy ferricrete soil horizons, 784
 Pleistocene topography, 112, 711
 Pleistocene limestones, 475
 Pliocene deltaic conglomerate, 29
 Pocosins, 856
 Pollen record, 555
 Pollution, 254
 Polygonal lakes, 784
 Population, 48, 254
Populus heterophylla, 1291
Portulaca, 97
 Post-depositional alteration, 784
 Pourpier bord de men, 98
 Power spectrum, 997, 1142, 1145
 Precambrian, geologic time, 298
 Principal component analysis (PCA), 39
 Prism, 623
 Profile line interpretation, 753
 Profile percolation, 784
 Profiling system, 1059
 Progradation, 773
 Promontories, rocky, 228
 Propagation, seedlings, 68
 Protrusions, shoreline measurements, 228
Pseudantalis ruhescens, 1204
Puccinellia halimione (lower marsh),
 Punaise dredge, sand pumping, 1330
- Q**
- Quantitative analysis, 1059
 Quartz
 grainstone, 475
 sand, 905
 Quays, ports and harbors, 28
Quercus
 laurifolia, 1291
 nigra, 1292
 nuttallii, 1291
 shumardii, 1292
- R**
- Radiocarbon
 assays, 739
 dating, 555
Raphitama echinata, 1204
 Recording
 channels, 566
 parameters, 566
 Redox reaction, 244
 Redoxymorphic processes, 244
 Reed-swamp, 555
 Reef
 Coral, 112, 711, 1075
 Outlier system, 711 *et seq.*
 Reefal limestone, 136
Relotite uhundonce, 474
 Replenishment, beach fill, 9
 Replicate vibracores, 763
 Resin acids, 294
 Restoration, benefit-cost analysis, 9
 Reticulatum, 1204
 Revetment, engineering structure, 211
 Rhythmic feature, 156
 Ribbon shoreline features, 468
 Ridges, coastal, 736
Ringicula conformis, 1204
 Riplexity, 733
 River discharge, 140
 Riverborne plankton, 882
 Rocky platforms, shores, 209ff, 297
Ropora palmata, 67
- S**
- Salicornia spartina* (middle marsh), 148, 1296
 Salinity, 148, 157, 228, 363
Salix nigra, 1291
 Salt marsh, 148, 1294
 Salt water intrusion, coastal aquifer, 623, 983
 Salterns, tidal flats, 140
 Saltwater mangroves, 988
 Sand
 aprons, 717
 beach, dune, 247
 Sandbanks, 156
 Sand-rich lobes, 609
Sapium sebiferum, 1291
 Scanning sonar, 739
 Scarp development, 739
 Scour
 and fill deposit, 754
 sediment erosion, 48
 Seal level, 1, iii
 Sea-level rise, factors, 925, 937
 Sea mammal oils, 739
 Sea purslane, dune plant, 97
 Sea-cliff talus, scree deposit, 220
 Seals, 1
 Seashore, 247
 Seawall, 211
 Sediment
 ponding, 705
 redistribution, 1, 89
 sampling methods, 308
 shelf, 331
 source terrains, 511
 transport, 1119
 Sedimentary processes, 28
 Sediments, 1, 89
 Seed morphology, 98
 Seepage lagoons, 554
Sehizaehyrium maritimum, 375
 Seismic
 reflection surveys, 566
 sea waves, 28
 tests, 565
 Seismicity hazard, 28
 Seismic-reflection line, marine survey, 566
 Sensitivity analysis, wave characteristics
 and shoreline evolution, 89
Sesuvium portulacastrum, 97
 Settling tube analyses, 74
 Shallow water bathymetry, 1163, 1175
 Shell beds, 783
 Shelly sand, 474
 Ship galley wastes, 254
 Shoaling, 140
 Shoot morphology, seedlings, 98
 Shore protection
 alternatives, 708
 programs, 9, 11

- Shoreface
backshore environments, 800
zonation, 867ff
- Shoreline
change, 48, 89, 1256
erosion, 1093
forecast, 1245
evolution, 88
impacts of waves, 90
position, 1245, 1256
statistical analysis of, 1093
- Side scan sonar survey, 1075
- Signal processing, 751
- Simulipecten similis*, 1204
- Sinusoidal waves, 47
- Skeletal limestones, 807
- Skewness, frequency distributions, 69
- Skuldelev*, (Viking trade vessel), 1287
- Sledge hammer on aluminum plate, 565
- Slope bedrock terrace, 711
- Soil probe hammer, 564
- Solar heating, 106
- Sonar surveys, 1075
- Source stacks, 566
- Source-receiver distance, 566
- Speleothem approach, 810
- Spirobis, 220
- Spit platform, 736
- Spread type, 566
- Spring phytoplankton, 883
- Standing tree cast, 806
- Steep-gradient delta, 28
- Stereogrammetry, photointerpretation, 74
- Steric sea-level effect, 1169
- Stillstand beach-dune ridges, 729
- Stokes' drift velocity, 492
- Storage, beach sediments, 1040
- Storm profile properties, 1103
- Stratification, sediments, 1027
- Stress, hurricane damage to coral reefs, 68
- Striarca lactea*, 1204
- Structural damage, 25
- Subaerial exposure, 800
- Subaqueous, 28
- Subbottom sediments, 1075
- Submarine
landslide, 28
outfall from water treatment plant, 29
- Subsidence effects, 707
- Substrate, 36, 67
- Subtidal delta, 783
- Sulfide
formation, 1181
oxidation, 1155
- Supratidal sands, 1
- Surface grab sampling, 748
- Surface synoptic charts, 23
- Surge channels, tidal, 739
- Surficial geology, 1075
- Survey classes, 82, 1066
- Survivorship, of corals, 61ff
- Swales, 783, 784
- Swash, 74
- Swell (berm) profile, 1103
- Swimming pool, breakaway design, 46
- Synopticity, temporal analysis, 997
- T**
- Tasman intrusives, 939
- Taxodium distichum*, 1291
- Taxonomic units, vegetation classification, 98
- Tellina, 1201
- Terrestrial, plant communities, 1290
- Textural, sediment parameters, 69
- The Office of Management and Budget (OMB), 9
- Thematic mapper, satellite imagery, 1, 255, 282
- Thermocline, in water column, 106
- Throcia corta*, 220
- Thyasira llexuosa*, 1203
- Tidal
amplitude, 1222
groundwater, 47
shoal, 220
- Tides, 156
- Time variations, 1143
- Timoclea ovata*, 1209
- TM satellite image classification, 282
- Topography, 62, 74, 375
- Transgressive shore, 1321
- Transitional environments, 1142
- Transport and infrastructures, 25, 69, 89
- Triangulation, survey method, 82
- Trigger mechanisms, 32
- Tsunami, 545
- Tubastraca tennlamellot*, 220
- Tupelo swamp, 1290
- Turbidity, suspended sediment concentration, 25
- Turhaella*
dalium, 1203
radiata, 1203
- Turhanilla lactea*, 1204
- Turritella*
cammunis, 1203
triplicata, 1204
- U**
- Underconsolidated fine-grained sediments, 32
- Understorey, plant growth, 228
- Uniola paniculata*, dune plant, 375
- Updrift, in relation to coastal current, 706
- Upwelling, wind stress forcing, 98, 105
- Urbanized, 254
- V**
- Variability of wave climate, 1142
- Variations, beach surface elevation, 1142
- Vascular plant distributions, 148
- Vegetation, coastal, 12
- Velocity analysis, currents, 157, 570
- Verdolaga xukul*, 98
- Vermittid Gastropods (Worm Shells), 220
- Vertical beach face, 47
- Vibracore, 555
- Vikings, ships and shipping, 1289
- Visual quality, 737
- Vitrealina philippi*, 1204
- Volcanic ash, 1223
- Volumetric, sediment budgets, 1043
- W**
- Wastewater, 254
- Water, storm, 243
- Waters, 247
- Watertable, 46
- Wave
angles, 24
climate, 440
energy, 1004
diffraction, 202
shoaling, 1213
- Wetland loss, coastal Louisiana, 593 *et seq.*, 1305
- Weighting, environmental quality assessment, 733
- Welanella micrastoma*, 1203
- Wetlands
coastal, 97, 165
pulp mill-sourced sediments, 341
- White
mangroves, 244
quartz sand, 474
- Whitefronted plovers, *Charadrius marginatus*, 36
- Wind stress, 997
- Winter storm waves, 511
- Wood boring insects, 1290
- X**
- Xaw tsikin*, 98
- Z**
- Zonation, 375
- Zone, coastal, 111