

# SUBJECT INDEX

## Journal of Coastal Research

### Annual Index Vol. 15 (Nos. 1-4), 1999

- A**
- A and E horizons, in soils, 617  
 Above ground primary production, 719  
*Abra alba*, 159  
 Abrasion sediments, 544  
 Acoustic transducers, 625  
 Accretionary history of a beach, 154  
 Accuracy assessment, 920  
*Achnanthes hauckiana*, 50  
 Acicular aragonite cements, 799  
 Acoustic BackScatter (ABS) systems, 625  
 Acoustic reflection record, 87  
 Acoustic-Doppler velocimeter, 76  
*Acropora palmata*, 799  
 Active PO43-(DIP), 530  
 Active shoreline notches, 687  
 Adriatic coast, 458  
 Aerial  
   photogrammetry, 753  
   photographs, 902, 1151  
 Afforestation, 911  
*Agaricia agaricites*, 799  
 Age dating of sediment cores, 1059  
*Aglaphamus macroura*, F. 1128  
*Aglaura hemistoma*, 143  
 Air photo records, 1128  
 Air photograph, 902  
 Airborne sediments, 905  
 Airborne video imagery, 1147  
 Air-sea interaction studies, 770  
*Aka brevitubulatum*, 801  
 Albanian coastal zone, 345  
 Alexandria lighthouse, 266  
 Algal terraces, 685  
 Alluvial  
   facies, 318  
   Gley Soils, 17  
   plain, 349  
 Ammonification, 531  
*Ammophila*  
   *arenaria*, 938  
   *breviligulata*, 523  
   *littoralis*, 458  
 Anaerobic conditions, 497  
 Analysis  
   of air photos, 1018  
   multitemporal spectral classification, 920  
*Anapella cycladae*, 609  
 Anastomosing distributaries, 349  
 Anemometer data, 770  
 Annual erosion rate, 268  
*Anodontia edentula*, 997  
*Anomalinatum balthicum*, 413  
 ANOVA test, 719  
 Anthropogenic emission of greenhouse gases, 702  
 Anti-dunes, 84  
 Aquitain coastline, 428  
 Arakawa C-grid, 170  
 Archaeological sites, 687  
 Area of outstanding natural beauty (AONB), 660  
 Argon plasma-optical emission spectrophotometer, 874  
*Argopecten*, 1156  
 Armored bluffs, 618  
*Arthrocnemum fruticosum*, 671, 719, 726  
 Atlantic age, 603  
 Atlantic Iberian margin, 414  
 Atlantic type margins in Brazil, 505  
 Australian Height Datum (AHD), 608  
 Auto and cross-correlation analysis, 227  
 Available soil phosphorus, 879  
*Avicennia*  
   *germinans* (Avicenniaceae), 497, 1145  
   *marina* var. *resinifera*, 609
- B**
- Backbarrier marshes, 872  
 Backshore plants, 648  
 Backwash  
   phase, 82  
   ripples, 84  
*Baculogypsina sphaerulata*, 929, 932  
 Bakkhali estuary, 903  
 Bald Cypress (*Taxodium distichum*), 618  
 Bank migration, 601  
 Bar  
   bifurcations, 375  
   degeneration, 372  
   generation, 370, 755, 892  
   switching, 375  
   welding, 370  
 Bar/channel migration, 228  
 Baroclinic right-bounded boundary current, 61  
 Barra del Chuy, 122  
 Barred beaches, 430  
 Barreiras formation, 506  
 Barrier island-bay systems, 241  
 Barrier islands, 241, 648, 1014  
*Barringtonia asiatica*, 930  
 Bars migrating, 238  
 Basal reflector complex (BRC), 596  
*Batatas littoralis sensu Choisy non* (L.) Choisy, 645  
 Bathing  
   beaches, 859  
   water report, 656  
 Bathymetric profiles, 595  
 Bathymetry, 825, 865  
*Batis maritima* L., 1147  
*Battilaria (Zeacumantus) diemenensis*, 609  
 Bay of Biscay, 1087  
 Baymouth barrier, 860  
 Beach and dune, 903  
   backshore plains, 1052  
   changes, 220, 986  
   compactness, 116  
   cusps, 379  
   domain, 100  
   erosion control study of 1993 (The Purple Report), 206  
   erosion, 335, 635, 777  
   evolution, 107  
   foreshore slopes, 1041  
   granulometry, 775  
   monitoring, 113  
   morphodynamic states, 397  
   morphology, 97  
   nourishment database for the east coast, 1100  
   nourishment, 111, 1102  
   plain, 904  
   profile  
   shape, 950  
   surveys and analysis, 223  
   regulation, 665  
   resort, 660  
   ridge, 324, 635, 641  
   rock, 639  
   sandstone, 639  
   sediment, 685  
   slope, 539  
   surveying, 389  
   system, 839  
   toe, 951  
   tourism development, 653  
   user preference, 654, 663  
   users, 656  
   volumes, 229  
   width, 539, 663  
 Beaches, 927  
 Beach-quality sand, 869  
 Beachrock, 326, 685  
 Beach-sediment composition, 550  
 BEASAC (Belfotop Enrosense Acoustic Sounding Air Cushion platform), 99  
 Beaufort Shelf, 1012  
 Bed  
   friction, 474  
   geometry, 777  
   roughness, 624  
   shear stress, 1  
 Bedform  
   flood-dominated, 595  
   geometry, 624  
   length scales, 631  
   patterns, 305  
   transport rate, 4  
 Bedrock promontories, 349  
 Bedwaves, 84  
 Behaviour-oriented modelling, 708  
 Benthic  
   ecology, 1127  
   foraminiferal species, 413  
 Berm terrace, 365  
 Bimodal texture, 114  
 Binary relationships, 462  
 Biodegradation, 1068

- Bioeroding species, 803  
 Biogenic sand, 269  
 Bio-geochemistry, nutrients, 1057  
 Biomass, 717  
 Biosphere, 909  
 Biostratigraphy, 50  
 Bioturbated, 996  
 Bismarck Archipelago, 682  
 Biwave (BIW) data, 627  
 Black mangrove, 1149  
 Blooms of mollusk species, 1156  
 Blue Flag and the Seaside Award, 659  
*Bolivian pulchella*, 559  
 Bolivina species, 558  
 Boreholes, 315  
*Borrhichia frutescens*, 1147  
 Borrow  
   material, 114  
   pits, 932  
 Bottom  
   contour chart, 890  
   turbid cloud, 87  
   types, 1155  
*Bougainvillia muscus* (Allman), 145  
 Boundary-element-method (BEM), 487  
 Boussinesq equations, 122, 739  
 Brachiodontes, 1156  
 Brackish ground waters, 497  
 Bragg  
   resonance  
     phenomenon, 486  
     ripples, 449  
   scatterers, 445  
   scattering geometric coefficients, 449  
 Bragg-breakwater concept, 487  
 Bragg-resonance peaks, 487  
 Braided scour marks, 1043  
 Bray-Curtis index, 157  
 Break point bars, 430  
 Breaker transition (or breaking zone), 893  
 Breaker type, 745  
 Bruun-rule, shoreline adjustment, 227  
*Buccella tennerima*, 51  
*Bulimina marginata*, 560  
*Buliminella elegantissima*, 559  
 Bulk density, 673  
 Buna Delta, 346  
 Buoyancy effects, 1008  
 Burg algorithm, 383  
 Burrullus coast, 264  
 Bursera, 500  
 Bursting phenomena, 452
- C**
- C-14 dating, 1155  
 Calais and Dunkerque stage deposits, 603  
 Calcareous sand, 269  
 California Coastal Act, 976  
 California Coastal Commission (CCC), 983  
*Callianassa kraussi*, 995  
*Callichirus major*, 560  
*Callophyllum inophyllum*, 930  
*Calluna vulgaris*, 938  
 Canadia Beaufort Sea coastline, 332  
*Cancris auriculus*, 413  
 Capacitance probe, 938  
 Capture and bypassing, 238  
 Caribbean mangroves, 500  
*Carpenteria utricularis*, 799  
 Cascadia  
   earthquakes, 58  
   subduction zone, 45  
*Cassidulina minuta*, 559  
 Catala Lake sediment sequence, 54  
 Cellular surf zone circulation, 814  
*Cerastoderma glaucum*, 158  
 CERC formula, 272, 275  
 Chakoria mangrove forest, 902  
*Chamaecrista fasciculata*, 790  
 Channel degradation, 774  
 Characteristic planforms, 304  
 Characteristics of dune sands, 938  
 Chezy boundary resistance coefficient, 245  
 Chorophyll-*a*, 19  
*Cibicide lobatulus*, 413  
*Cibicidella variabilis*, 559  
 CIR aerial photography, 789  
 Circulation in the CAPES, 1163  
 Classification  
   of ripple types, 4  
   strategy, 913  
 Clearwater Marine Aquarium, 115  
 Cliff  
   bluff shorelines, 1014  
   erosion, 334  
   recession, 360  
 Clified  
   coasts, 685  
   shoreline, 637  
 Cliff-foot deposits, 362  
 Cliffs, 654  
 Climate variation, 958  
 Climate-sediment radioactivity relationship,  
   958  
*Cliona*  
   *aprica*, 801  
   *caribbaea*, 800  
   *lampa*, 799  
   *laticovicola*, 799, 800  
   *schmidtii*, 801  
   *vermifera*, 799  
 Closure depth, 249, 277  
 Cluster analysis, 161  
 Coarse  
   clastic (gravel/shingle) deposits, 1030  
   grained ripples, 833  
   sediment layers, 58  
 Coast line changes, 775  
 Coastal  
   barriers, 739  
   beaches, 520  
   dunes, 457, 992  
   dynamics, 461  
   erosion, 616  
   flood hazards, 976  
   geology, 927  
   geomorphology, 36, 635, 685  
   hazards, 976  
   interglacial and mid-Holocene coral ter-  
     races, 690  
   marshes, 722  
   morphology, 32, 704  
   plain of Israel, 399  
   plain, 508, 902  
   population growth, 974  
   science, 303  
   setback, 892  
   shelf of Israel, 399  
   storms, 105  
   suspended sediment concentration, 38  
   systems, 703, 717  
 Coastal Zone Management (CZM), 648, 701  
 Coastal Zone Management Sub-Group, In-  
   tergovernmental Panel of Climate  
   Change (IPCC), 702  
 Coastal zone problems, 980  
 Coastline erosion, 872  
*Cocconeis scutellum*, 50  
*Cocos nucifera* (Arecaceae), 497  
 Coffee rock, 735  
 Coir (coconut fibre) production, 635  
 Compacted segments, 119  
 Comparative index of foredune instability  
   (C.I.F.I.), 463  
 Composite  
   sinusoidal bed, 492  
   satellite imagery, 1147  
 Computational domain, 249  
 Computer  
   model (SEDTRANS), 2  
   thermal and mechanical processes, 338  
*Conocarpus erectus* (Combretaceae), 497  
 Conceptual model, shoreline bluff erosion,  
   616  
 Continental shelves, 593, 884  
*Convolvulus sinuatus* Petanga C. Cirillo, 645  
 Coral debris, 641  
 Coral Rage (Azanian Series of Stockley), 637  
 Coral terraces, 690  
 Coral-rich limestone, 637  
 Cored sediments, 49  
 Cores and subsurface excavations, 610  
 Coriolis  
   force, 593  
   parameter, 63  
 Corolla tube, 647  
 Costata, 50  
*Crassotrea virginica* Gmelin, 1145  
 Crete, summer winds, 531  
*Cribolephidium excavatum*, 51  
 Croatan-Roanoke-Albemarle-Pamlico-Core  
   Sounds Estuary System, (CAPES), 1163  
 Croatian National Forest, 618  
 Cross-shore  
   beach profile changes, 70, 333  
   slope, 761  
   velocity moments, 199  
 Cryptic encrusting communities, 799  
 Current  
   field, 1166  
   velocity, 825  
 Cusp formation, 741  
 Cuspate delta lobe, 349  
 Cyanobacteria, 801  
*Cyathura carinata*, 158, 159  
 Cypress fringe, 619
- D**
- Dameitta coast, 264  
 Danube delta, 859  
 Danube-Black Sea System Monitoring Pro-  
   gram, 863  
 De la Plata River basin, 909  
 Dean equilibrium profile, 951  
 Decision support system (DSS), 704  
 Decomposition of organic matter in litter  
   bags, 725  
 Deforestation, 323  
 Dehydrogenase activity, 19  
 Delaware Bay, 445  
 Delta coast, 859  
 Delta of the Parana River, 909

- Dendrogram, 161  
 Denitrification, 531  
 Density current, 87  
 Depositional sequence, 996  
 Depth of closure, 866  
 Depth sounding, 1013  
 Depth-integrated hydrodynamic models, 168  
 Descent of sediments through the water column, 87  
 Development of wetland surfaces, 675  
*Diadema antillarum*, 791  
 Diamicton, 1020  
 Diatom  
   foraminiferal biofacies, 49  
   assemblage, 48  
 Differential GPS (DGPS), 1126  
 Differential tectonism, 697  
 Diffusivity, 738  
 Digital terrain models, 507  
 Digitized bathymetric data, 479  
*Discorbis williamsoni*, 559  
 Dispersion parameter, 128  
 Dispersive wave theory, 122  
 Dissipative surf zones, 815  
 Dissolved  
   organic matter, 497  
   oxygen, 497  
 Distributaries, 318  
 Tributary, 859  
*Dosinia hepatica*, 997  
 Downcore changes in atomic N/P values, 1066  
 Downward settling, 1009  
 Dowty graphic recorder, 595  
 Dredge  
   disposal path, 1127  
   material, 1149  
 Dredging, 830, 1121  
 Drillcore samples, 438  
 Drini-Rodonit coastal plain, 349  
 Drowned thermokarst lakes, 1020  
 Dumped sediments, 88  
 Dune  
   bedforms, 833  
   ridges, 458  
   valleys, 905  
 Dune/beach  
   erosion, 243  
   response models, 242  
 Dunes, 904  
 Dunkerque's banks, 100  
 Dupuit-Forchheimer theory, 735  
 Durban Bay, 993  
 Dynamic equilibrium, 863
- E**
- East coast swell (ECS), 817  
 Ebb  
   delta platform, 238  
   tidal deltas, 114, 220  
*Echinometre lucunter*, 791  
*Echinophora spinosa*, 458  
 Echosounder records, 90  
 Echosounding, 753, 1083  
 Ecological and landscape modelling, 709  
 Ecosystem, 909  
 Eco-tourism, 635  
 Edge waves, 376  
 Effects of pollution, marine benthos, 155  
*Eggerella*  
   *advena*, 51  
   *scabra*, 413  
 Ekman  
   drift, 62  
   layer thickness, 766  
   transport, 766  
 Ekofisk oil field, 487  
 El Niño, 614  
 Elbe Estuary, 1132  
 Electromagnetic current meter, 90  
 Elevational gradients, 881  
*Elphidium*  
   *crispum*, 413  
   *excavatum*, 559  
*Elymus pycnanthus* (Godron), 16, 1137  
 Embayments, 635, 824  
 Encrustation and cementation, 801  
 Environment impact assessment, 705  
 Environmental impacts, 774  
 Environmental Research Institute of Michigan (ERIM), 885  
*Elphidium* species, 558  
 Epifaunal, 558  
*Epomacentrus planiformis*, 791  
 Equilibrium  
   cross-shore profile, 186  
   profile of beaches, 32, 950  
*Eriospermum*, 645  
 Erosion-accretion cycles, 37, 40  
 Erosional  
   backscar, 642  
   effects, 601  
*Eryngium maritimum*, 458  
*Erythrina crista-galli*, 911, 915  
 Etched wash groove fields, 1040  
*Euclymeninae laevis*, 1128  
 Eunice mutilata, 799, 800  
*Eunotia bidentula*, 50  
*Euphorbia paralian*, 458  
 Eustatic curves, 442  
 Eustatic sea-level rise, 718  
 Event sequencing, 621  
 Extended mild-slope equation (EMSE), 487  
 Extensional stresses, 516
- F**
- Fall velocity, 952  
 Faunal diversity, 422  
 Featureless and finely rippled facies, 833  
 Federal Mitigation, 207  
 Federated States of Micronesia, 927  
 Feedback relationship, 462  
 Feeders, 847  
*Festuca rubra* community, 1137  
 Fetch, 444, 549, 595  
 Field  
   erosion/accretion cycles, 238  
   monitoring, 1004  
 Final predication error, 383  
 Finite element method (FEM), 489  
 Firths, 1072  
 Fixed-coast models, 168  
 Flanner Beach formation, 617  
 Flemish banks complex, 100  
 Flexural  
   deformation, 512  
   modeling, 516  
 Flood channel, 602  
 Flood-ebb asymmetry patterns, 471  
 Flooding regime, 912  
 Flood-tidal channels, 221, 238  
 Florida Bay, mud banks, 1151  
 Florida beaches, 111  
 Florida Gulf Coast, 114  
 Flow behavior, 766  
 Fluorescent  
   sand movement and dispersion, 262  
   tracer detection, 432  
 Fluorescent-dyed grains, 261  
 Fluvial sediment transport, 775  
 Focusing of wave energy, 827  
 Food-controlled environment, 563  
 Foraminifera, 554, 995  
 Forcing functions, 224  
 Foredune system, 457  
 Fore-reef  
   sites, 799  
   slope, 801  
   terrace, 801  
 Foreshore profiles, 76  
 Formation of cusps by standing edge waves, 741  
 Former sea level stands, 1085  
 Fossil reef communities, 796  
 Four-dimensional nature of river plumes, 1003  
 Fourier (FFT) spectrum analysis, 962  
 Fourier components, 445  
*Fragilaria* species, 50  
 Free-air anomaly, 512  
 Fresh water plumes, 1173  
 Fringing reefs, 685  
 Frontal dunes, 825  
 Frost-heave polygons, 1012  
 Froude number, 4, 66, 93  
 Frozen sediment, 333  
 Furrow and ridge structures, 1040
- G**
- Galerkin-eigenfunction method, 486  
 Galician coast, 413  
 Galician-cantabrian littoral, 1072  
*Ganga lata*, 905  
 Gargano promontory, 458  
 Gelatinous zooplankton, 140  
 Generic mapping tools (GMT), 479  
 Genesis model, 277  
 Geochemistry, seagrass fragments, 1066  
 Geodynamic models, 607  
 Geographic Information Systems (GIS), 704  
 Geomorphic response to coastal storms, 621  
 Georgia embayments, 303  
 German Bight, 1132  
 Gilbert type delta, 1083  
 Glacial maximum lowstand, 640  
 Glasswort vegetation, 721  
 Gleyo-Salic Fluvisols, 17  
 Global climate change, 502  
 Global warming, 718  
 Gmelin, 645  
 Gradient  
   analysis, 124  
   coastal plains, 517  
 Grain size measurements, 834  
 Gravel mining sites, 774  
 Gravel, boulder beach, 47  
 Grayton Beach drillhole, 442  
 Great Lakes beach nourishment experience, 207  
 Greenhouse effect, 502

Ground reflectance measurements, 1148  
 Ground truth observations, 1147  
 Groynes, 41  
 Gulf of Biscay, 428  
 Gulfport coastal barrier, 439  
 Guttman scaling, 657  
*Gypsina plana*, 799  
*Gyrosigma balticum*, 50  
 Gyttja, 49, 431

**H**

Ha'aluma beach, 691  
 Hahake block, 692  
*Halermeier's method*, 866  
*Halmione portulacoides*, 677  
*Halodule beaudettei*, 1148  
*Halosarcia halocnemoides*, 609  
*Haplophragmoides jeffreysei*, 51  
 Harbor jetties, 859  
 Hatteras Inlet, 1167  
 Heavy metals, 1141  
 Heavy mineral, 75, 860  
*Hediste diversicolor*, 158, 159  
 Hellenic Arc, 537  
 Herbivorous-detritivorous species, 561  
*Heterotheca subaxillaris* (LAM), 790  
 High energy dissipative beach, 74  
 High energy beaches, 198  
 High resolution topographic and bathymetric surveys, 99  
 High tide beach width, 663  
 High-relief shorelines, 617  
 Histogram of interaction intensity, 463  
 Holocene hydro-isostatic highstand, relative sea level, 683  
 Holocene sea-level  
   change around Australia, 607  
   curves, 496  
   rise, 603  
   trend in the Venezuelan coasts, 502  
 Holocene transgression, 497, 555, 961  
 Horizontal advection, 1009  
 Horst-promontories, 531  
 Huanghe (Yellow River) plume, 1002  
 Human disturbance, 503  
 Hummocky acoustic permafrost reflectors (APF), 1023  
 Hurricane  
   Andrew, 872  
   Bertha, 618  
   Donna, 1151  
   Fran, 618  
 Hydraulic  
   conductivity, clayey marsh soils, 28, 734  
   jump, 84  
   jumps and bores, 249  
*Hydrobia ulvae*, 158  
 Hydro-climatic data, 781  
*Hydrocotyle bonariensis*, 879  
 Hydrodynamic models, 168  
 Hydrodynamics, 892  
 Hydrogeomorphological regime, 902  
 Hydrographic survey, 268, 1126  
 Hydrologic flow, 909  
 Hyperpynal (negatively buoyant), 1002

**I**

Ice-bonded sediments, 332, 1011  
 Ilmenite, 75

Image pre-processing procedures, 912  
*Imperata cylindrica* Var, 471  
 Incident wave angles, 1005  
 Incipient sediment motion, 835  
 Infauna samples, 156  
 Infaunal species, 554  
 Infiltration of seawater, 739  
 Infragravity waves, 74  
 Inlet  
   bypassing, 306  
   effects, 237  
   formation, 305  
   models, 303  
   morphology, 303  
   sand-circulation patterns, 306  
 Inner Basin (IB), 481  
 Inner surf zone, 82  
 Instantaneous  
   velocity vector, 2  
   wave pressure, 1035  
 Instituto Nacional de Pesquisas Espaciais (INPE), Brazil, 912  
 Institute of Water Resources Shoreline Protection (USACE), 206  
 Integrated Coastal Zone Management (ICZM), 702  
 Intensified wave field, 1008  
 Interconnecting network, mudbanks and mangrove islands, 1152  
 Intermediate water depths, an inner shelf, 766  
 Internal  
   Rossby deformation radius, 66  
   wave field, 884  
 Intertidal  
   community, 121  
   fringing platforms, 635  
   profiles, 34  
   wetlands, 717  
 Inundation algorithm, 171  
 Ipomoea  
   *imperati*, 790  
   *pes-capre*, 790  
   *stolonifera*, 645, 872  
 Ironsands, 75  
 ISODATA algorithm, 913  
 Isopycnal structure, 1008  
 Israeli coast, 327

**J**

James City formation, 617  
*Juncus maritimus*, 671

**K**

Karavasta lagoon, 351  
*Katylisia scalarina*, 609  
 Kelvin number, 66  
 Kent coastline, 1035  
 Kiel Vibracorer, 993  
 Kittigazuit formation, 1023  
 Kjeldahl digestion, 19  
 Kodak aerochrome (CIR), 790  
 Kolmogorov-Smirnov test, 541  
 Kosi system, 991  
 Kosrae weather service, 929  
 Kotu subgroup, 692  
 Kruskal-Wallis test, 719  
 Kurkar platforms, 329, 400

**L**

La Niña conditions, 229  
*Labiosthenolepis laevis*, 1128  
 Lagoonal environment, 995  
*Laguncularia racemosa* (Combretaceae), 497  
 Lakatoa formation, 690  
 Lake deposits, 1023  
 Lake Huron dunes, 944  
 Lakes region, southeastern Alabama, 438  
 Land cover classification scheme, 909  
 Land Margin Ecosystem Research/Biogeochemical Reaction in Estuaries (LMER/BRIE), 479  
 Landsat TM, satellite image, 1147  
 Landscape heterogeneity, 910  
 Landuse history, 483  
 Landward migration, 241  
 Large-scale cross-bedding, 1012  
 Last Glacial Maximum (LGM), 496  
 Lateral seepage, within dune, 939  
*Leontodon autumnalis*, 1135  
 Levant margin, 327  
*Ligustrum sinencei*, 919  
 Liku coast, 685  
*Limonium vulgare*, 16, 677, 1135  
 Linear  
   correction of the tide gauge trend, 614  
   ice wedges, 1020  
   tidal sandbanks, 600  
   wave theory, 2, 951  
*Linuche unguiculata*, 143  
*Liriope tetraphylla*, 143  
*Lithacrosiphon alticonus*, 800  
 Lithoclastic sand, 595  
*Lithophaga bisulcata*, 799  
 Lithophyllum, 799  
 Lithospheric (Endogenous) processes, 505  
 Lithostratigraphy, 49  
*Litriope tetraphylla*, 145  
 Litter bags, 19  
 Littoral  
   cell segmentation, 105  
   drift bypassing, 239  
   dynamics, 1077  
   systems of parallel, crescentic bars, 399  
*Littoralis sensu* Boiss, 645  
 Loblolly pine (*Pinus taeda*), 618  
 Local coastal plan (LCP), 976  
 Loggerhead turtle (*Caretta caretta*), 111  
*Lolium perenne*, 1135  
*Lolium-Trifolium* communities, 1135  
 London Clay (Eocene), 16  
 Longer-term climatic variation, 642  
 Longshore  
   bar and trough (LBT), 815  
   current, 262  
   gradients in longshore transport, 229  
   sediment transport rate, 864  
   tidal currents, 602  
   trough, 370  
 Long-term  
   coastal evolution, 1013  
   shoreline recession rates, 616  
*Loripes clausus*, 998  
 Louisiana State Soil Testing Laboratory, 873  
 Low  
   bank shorelines, 618  
   frequency, 387  
   tide terrace (LTT), 397, 815  
*Ludwigia* spp., 914  
*Lumbricalus aoteraroea*, 1128

**M**

*Macrophthalmus hirtipes*, 1128  
 Mainland marshes, 863  
 Major storm/hurricane impacts, 806  
 Mangrove swamp, 927  
 Marine habitat, 677  
 Marsh  
   acts, 1096  
   island, 1133  
   sediments (peats and organic clays), 619  
 Marsh/beach shoreline, 619  
 Mass-wasting processes, 1045  
*Mastigocoleus testarum*, 799  
 Maximum entropy method (MEM)  
 Mean shorerise toe depth, 193  
 Meander belts, 318  
 Medusan fauna, 140  
 Megaripples, 595  
*Melanoides tuberculata*, 1000  
*Meltemi*, 531  
 Meso-macro tidal regime, 74  
 Microatolls, 697  
 Microfossil date, 431  
 Microhabitats, 561  
 Microtidal deltaic coast, 859  
 Mid-Holocene highstand, 697  
 Migrating  
   bar complexes, 221  
   inlets, 305  
   sand 'slug', 221  
 Migration dynamics, 600  
 Mild-slope equation (MSE)  
 Miles' theory, 969  
*Miliammina fusca*, 51  
 Miniature box canyons, on beaches, 1045  
 Mistral and tansmontagne winds, 677  
 Mixed-energy inlets, 303  
 Mixing characteristics, 1007  
 Mobile bed numerical models, 242  
 Mode zero edge waves, 741  
 Moderate wind seas (MSW), 819  
 Modified equilibrium beach profile, 951  
 Modulation transfer function (MTF), 445  
 Modulus, 1156  
 Moisture regimes, 941  
 Momentum flux, 444  
*Monanthochloe littoralis*, 1147  
 Monitoring program, 1121  
 Monsoon climate, 33, 1003  
 Mont Saint Michel Bay, 16  
*Montastrea annularis*, 799  
 Morphodynamics, 97, 1077  
 Morphogroup analysis, 554  
 Morphological  
   cells, 108  
   evolution of shoreface and beach system, 97  
 Movements of coastal sediments, 929  
 Mud flat, 903  
 Muddy  
   sediment, 1121  
   tidal lagoon deposits, 324  
 Multivariate analysis, 422  
*Myocaster coypus*, 873  
*Myriophyllum* sp., 497

**N**

National Nature Reserves (NNR's), 654  
 National Ocean Survey (NOS), 479

National Oceanic and Atmospheric Administration (NOAA), 479  
 Natural  
   disturbance factors, 502  
   littoral system, 1121  
 Naufrage Harbour, 149  
*Navicula aiqura*, 50  
 Navy terrace, 401  
 Neap tides, 595  
 Near bed, fluid velocity, 74  
 Near-bed  
   currents, 1093  
   suspended sediment concentration, 1094  
 Nearshore  
   circulation, 868  
   currents, 222  
   hydrographic structure of Mexico, 145  
   morphology, 97  
*Neogoniolithon*, 799  
 Neotectonic activity, 509  
 Nesting frequency, 115  
 Net Aerial Primary Productivity (NAPP), 22  
 Net  
   offshore bar migration (NOM), 366  
   sediment transport, 864  
   zero cross-shelf transport assumption, 770  
 Neuse River estuary, 616, 1167  
 New Haven spoil ground, 87  
 Nile Delta coast, 261  
 Nilotic sand, 405  
 Niutoua formation, 689  
 Nomuka block, 691  
 Nomuka subgroup, 692  
 Non-conservative behavior of nutrient species, 526  
*Nonion boueanum*, 413  
 North American Datum (NAD) of 1983, 479  
 North Island of New Zealand, 74  
 Northeast and Southeast monsoons, 643  
 Northward Withdrawal Transfer of the Changjiang River Water Project, 42  
 Notch, 687  
 NTU, 1123  
 Nuku'alofa formation, 689  
 Numerical water wave models, 128  
 Nutrient exchanges and fluxes, 24

**O**

Oblique bar orientations, 375  
 Ocean atolls, 739  
 Oceanic internal waves, 884  
 Ocracoke inlet, 1167  
 Offshore  
   migration cycles, 375  
   migration of coastal sand bars, 370  
   sediment transfer, 839, 864  
 Ohonua formation, 691  
 Oligohaline drowned river valley tributary estuary, 617  
 Oligotrophic waters, 555  
 Onshore  
   transport, 399  
   winds, 861  
 Open coast fringing spits, 1015  
*Opephora pacifica*, 51  
 Optical backscatter sensor (OBS), 389, 1004  
 Optically stimulated luminescence (OSL), 148  
 Orbital velocities, 595  
 Oregon Inlet, 1167

Organic C, 1060  
 Organic carbon, 560, 1058  
 Orientated coasts, 37  
*Otanthus maritimus*, 458  
 Outer  
   bar, 305, 761  
   pavement (bare reef rock) zone, 927  
 Outwelling hypothesis, 16  
 Overwash  
   burial, 872  
   deposits, 441, 864

**P**

Packet of wave patterns, 885  
 Palaeo sea-level curve, 608  
 Palaeoclimatic variation, 958  
 Palaeoenvironmental reconstruction, 554, 999  
 Paleobeachrock, 687  
 Paleogeomorphic interpretations, 683  
 Paleolagoon, 688  
 Paleoreef  
   complex, 688  
   trend, 688  
 Paleoshoreline  
   features, 687  
   indicators, 687  
   notches, 687  
   record, 687  
 Palmones River estuary, 155  
 Palynology, 1138  
 Pamlico Estuary, 1167  
 Pamlico Sound, lagoonal system, 617, 1167  
*Pancreatium maritimum*, 458  
*Panicum*  
   *grumosum*, 914  
   *racemosum* (Beau), 520  
 Paphia textile, 1000  
 Parabola structures, 1048  
*Paralia sulcata*, 50  
 Particle size analysis, 938  
 Patch reefs, 798  
 Pearson correlation coefficients, 229  
 Pedestal rocks, 687  
 Peloidal Mg-calcite partially fill cavities, 799  
 Penetrometer, 113  
 Peninsula of Paria, 497  
 Percent organic matter, 874  
 Perched thermokarst lake shoreline, 1015  
 Perennial rhizomatous plants, 520  
 Peritidal zone, 609  
*Phascolosoma perlucens*, 799  
*Phialidium mcCrady*, 143  
 Photographic investigation, 824  
*Phragmites*  
   *australis*, 671, 719  
   marshes, 726  
 Physical modelling, 708  
 Physical roughness, 2  
 Physiographic-unit-based landscape models, 709  
*Pinctata*, 1156  
 Pine Harbour marina, 1119  
 Pioneer strand species, 647  
 Pioneer zone, 16  
 Piping, 1043  
*Piscinas*, 329  
 Piston coring, 1057  
 Pixel line correction, 1147  
 Placement, dredged spoil, 87

- Placer sands, 696  
 Planning, coastal protection, 978  
 Plant community recovery, 872  
 Plant macrofossils, 53  
 Plantago, 1135  
 Playa Median Bay, 497  
*Plectonema terebrans*, 799  
 Pleni-Würm period, 961  
*Poa humilis-Agropyron repens* communities, 1137  
 Pocket beaches, 654  
 Polar distance method, 156  
 Polders, 902  
*Porites astreoides*, 799  
*Poroepionides lateralis*, 559  
*Posidonia australis*, 609  
 Post late-Weichselian (glacial) eustatic sea-level highstand, 638  
 Post-overwash vegetative communities, 879  
 Pre- and post-storm profiles, 899  
 Predictive capabilities of the sediment transport formulas, 247  
 Present global sea-level, 607  
 Primary  
   dune system, 645  
   inlet domains, 309  
 Princeton ocean model (POM), 1165  
 Principal components analysis (PCA), 224  
 Profiles, 34  
 Profiles, advancing, 34  
 Profiles, retreating, 34  
 Progradational wedge, 324  
 Promontories at Rosetta, Burullus and Damietta, 261  
*Pseudonion atlanticum*, 559  
*Puccinellia maritima* community, 1137  
 Pullen Island spit complex, 1015
- Q**
- Qualitative modelling, 710  
 Quantitative prediction, beach profile change, 892  
 Quasi-linear shore platforms, 355  
 Quaternary  
   sediments, 508  
   sequence, 315  
 Quiet water, lagoonal, 349
- R**
- Radar backscatter modulation, 445  
 Radiation stress term, 966  
 Radioactive or fluorescent tracers, 863  
 Radiocarbon  
   dates, 431  
   years, 500  
 Radiometric plant canopy and soil reflective measurements, 790, 1147  
 Radonized cluster analysis, 122  
 Rainfall record, 938  
 Radiocarbon dating, 45  
 Raised sands, 639  
 RALPH deployment, 2  
 Ramallose's intertidal flat, 415  
 Ramptime, 82  
 Rate of decomposition of litter, 19  
 Rates of relative sea-level rise (RSLR), 668  
 Ravinement surface, 1023  
 Reclamation from the sea, 41  
 Reconcavo Basin, 506  
 Recreational beaches, 206  
 Reentrants, 508  
 Reflection coefficient, 988  
 Regional climate regime, 643  
 Regional Ecology Laboratory of the Biology Department of the University of Buenos Aires, 911  
 Regional isostatic adjustment model, 608  
 Reindeer Islands spit, 1015  
 Relative  
   risk zonation, 903  
   sea level rise, 704, 859  
 Relative tidal range (RTR), 431  
 Relict  
   bedforms, 633  
   features, 637  
 Residual sea level signals, 179  
 Restinga, 648  
 Resuspension, 1009  
 Retrogressive-thaw-flow (RTF), 1014  
 Reynolds stress, 444  
 Rhine-Meuse freshwater plume, 61  
*Rhinoclavus kochi*, 998  
 Rhizome fragments, 520  
*Rhizophora mangle* (Rhizophoraceae), 497, 500  
 Rhone River delta, 670, 718  
 Rhythmic  
   bar and beach (RBB), 379, 815  
   longshore features, 825  
 Ria de Pasajes, 1072  
 Ria de Pravia, 1072  
 Rias, 1072  
 Ridge  
   and runnel topography, 430  
   eolianite, 399  
 Rimouski Harbor, 90  
 Rip  
   currents, 813, 839  
   density and beach scale, 819  
   spacing, 814  
 Riparian environments, 775  
 Rip-neck, 846  
 Ripple  
   migration rate, 7  
   wavelength, 627  
 Rippled beds, 203  
 River  
   discharge, 61, 861  
   mat, 349  
   mouth jetties, 859  
   plume, 1002  
 Riverine habitat, 675  
 River-mouth diffusion, 1002  
 Rock cliffs, 47  
 Rock cut features, 329  
 Rocks and blocks, 834  
 Rocky reefs, 47  
 Rollover, 241  
 Romanian Black Sea coast, 859  
 Romanian Danube delta coast, 859  
 Rossby number, 66, 887  
 Runnels, 107  
 Runoff channels, 1051
- S**
- Salicornia virginica* L., 1147  
 Salinities, 441  
 Salinity  
   field, 1165  
   stratification, 1008  
 Salinometer, 527  
*Salix Populus* ssp., 911  
 Salt marshes, 15, 1134  
 Saltation, suspension and sheet flow, 1  
 Saltbush, 609  
 Salvador fault, 509  
 San Andreas Rift Zone, 478  
 Sand  
   banks, 100  
   bluffs, 618  
   budget, 865  
   channels, 801  
   circulation cells, 238  
   transfer, 221  
   transport  
   on beaches, 74  
   pathways, 1, 221  
   wave, 279, 595, 833  
 Sandbanks, 593  
 Sand-bars, 365  
 Sandbridge shoal, 1178  
 Sand-filled wedges, 1012  
 Sandflat facies, 608  
 Sand-gravel pocket beaches, 538  
 Sandy  
   beaches, 951  
   coastal systems, 97  
 Sapping (or spring sapping), 1043  
*Sarcocornia quinqueflora*, 609  
*Sargassum* sp., 559  
*Sartorius filters*, 527  
 Sastrugi structures (erosion ridges in snow), 1048  
 Satellite imagery, 349, 910, 1007  
 Saybrook disposal site, 87  
 SBEACH numerical models, 898  
 Scaling  
   analysis, 130  
   factors, 819  
   parameters, 128  
 Scatter diagrams, 189  
 Scenic/landscape quality, 659  
*Schaenoplectus californicus*, 914  
*Schizachyrium scoparium*, 790  
 Schmidt number, 68  
*Scirpus giganteus*, 914  
   *lacustris*, 671, 719  
   *litoralis*, 671  
   *maritimus*, 719  
*Scirpus* marsh, 40  
*Sclerostegia arbuscula*, 609  
 Scour, 985  
 SCUBA, 797, 1125  
 Sea floor sediments, 836  
 Sea level pressure pattern, 180  
 Seafloor acoustic classification, 1083  
 Seagrass facies, 608  
 Seagrass, 1154  
 Sea-level  
   indicators, 496  
   record in Fiji, 697  
 Seasonal littoral drift, 539  
 Sea-surface roughness, 445  
 Sea-turtle bone, 697  
 Seawalls, bulkheads and rip-rap revetments, 617, 985  
 Seaward margin of the back-reef, 791  
 Secular sea-level rise, 614  
 Sediment  
   apron, 399  
   budget, 70, 105, 865, 1080

- cores, 672, 1057  
 deficit, 783  
 flux time-series, 82  
 grain size, 952  
 load, 480  
 size analysis, 1059  
 storage, 484  
 transport, 1, 242, 845  
 trap, 90, 272, 932  
 volume, 897
- Sedimentary  
 sequence, 993  
 successions, 1023
- Sedimentation rods, 1127
- Sediment-plume interactions, 1003
- Seed bank, 523
- Seismic  
 reflection, 1083  
 reflectors, 596  
 stratigraphy, 1023  
 survey, 595
- Self organisation theory, 745
- Self-generated noise (SGN), 1031
- Senecia bonariensis*, 914
- Sensitivity analysis, 178, 227, 339
- Sergipe-Alagoas Basin, 507
- Sesuvium portulacastrum*, 790, 872
- Settling velocity, mud floes, 1125
- Shallow  
 banks, 594  
 water wave model, 1155
- Shanghai Island Comprehensive Survey, 34
- Shape functions, 199
- Sharp faceted dune face, 825
- Shear stress modulation, 445
- Sheetwash-related sand loss, 1048
- Shields  
 parameters, 3  
 type criterion, 835
- Shipboard profiling, 1004
- Shoal  
 bypassing, 306  
 spreading, 308
- Shoal-bypass sequence, 306
- Shore  
 erosion, 221, 932  
 zones, 189, 549
- Shoreface domain, 593, 950, 1018
- Shoreline  
 bluffs, 616  
 changes, 864  
 cyclic patterns, 383  
 dynamics, 862  
 indicators, 683  
 oscillations, 387  
 pivoting, 238  
 planform advance and recession, 379  
 progradation, 863  
 recession, 635  
 rhythmic features, 379  
 shifts, 221  
 types, 618
- Shore-normal  
 change, 751  
 furrow structures, 1040
- Shorerises, 191
- Short, medium range radioclastion system (AXLE), 99
- Side scan  
 sonar, 1020, 1083  
 sonar survey, 833, 1126  
 sonographs, 92, 401
- Signal-noise ratio (SNR), 76
- Significant wave height, 2, 862
- Sites of special scientific interest (SSSI's), 654
- Slip boundary condition, 767
- Slope  
 failures, 620  
 processes, 617
- SLOSH (Sea, Lake, and Overland surges from hurricane) model, 766
- Small-amplitude monochromatic water waves, 490
- Soft-shore stabilization, 206
- Soil  
 analyses, 872  
 available nitrogen, 28  
 fertility, 881  
 inorganic nitrogen, 872  
 iron content, 879  
 microbial biomass, 21  
 moisture measurements, 938  
 nitrogen, 19
- Solmundella bitentaculata*, 144
- Southern Oscillation (ENSO), 228, 614
- Spartina*  
*alterniflora*, 1091, 1147  
*cynosuroides*, 619  
*townsendii* community, 1137
- Spatial lag autocovariance plots, 383
- Spearman rank-order correlation coefficient, 122
- Spearman's coefficient of rank correlation (non-parametric test), 550
- Species flood tolerances, 872
- Spilling breakers, 951
- Spits, 37, 685
- Spring tides, 595, 635
- Sprint-neap tidal cycle of sediment elevation, 40
- Sprouting of rhizome buds, 521
- Spur and groove zone, 801
- Stable  
 inlets, 305  
 isotope analysis, 1058, 1067
- Stacks, sea, 687
- Standard Morlet wavelet, 451
- Standing edge wave theory, 744
- Standing wave, 825
- Staurodiscus tetrastaurus* (Haeckel), 145
- Steganoporella*, 799
- Stokes  
 drift current, 449  
 principle, 1093
- Storm  
 ebb flows, 243  
 surge  
 inundation models, 168  
 level, 254, 1075  
 model simulations, 181
- Storm tide amplitude, 243
- Storm wave environment, 355
- Storm-generated ridges, 601
- Storms, 593
- Streamwise, spanwise components of air-flow, 446
- Structure-base erosion, 985
- Studland, 938
- Suaeda*  
*fruticosa*, 677  
*glauca* Bunge, 471  
*martima* Dumort, 471
- Sub-harmonic resonance, 486
- Subaerial beach, 840
- Sub-Atlantic/sub-Boreal period, 958
- Sub-bottom profiler, 595
- Subcritical flows, 249
- Submarine  
 cliff, 637  
 topography, 34
- Submerged  
 breakwater, 985  
 coastal terrace, 400  
 profile, 863
- Subsidence, 323
- Substrate destruction, 791
- Subsurface currents, 448
- Subtidal regions, 1020
- Subtropical  
 cyclonic storm/storm surge, 907  
 shores, 647
- Supercritical flow condition, 84
- Supratidal  
 flats, 610  
 samphire (salt marsh) regions, 608
- Surf zone, 539, 619, 892
- Surface wave scattering by rippled seabeds, 486
- Surficial  
 (exogene) processes, 505  
 sediments, 595
- Surf-scaling parameter, 459
- Surfzone, 374
- Suspended  
 matter loads, 527  
 sand concentrations (SSC), 74
- Suspended-sediment concentration (SSC), 625, 1005, 1092
- Swash  
 bars, 305, 430  
 grooves, 1043  
 run-up, 825  
 zone, 74, 539, 840
- Sylvilagus aquaticus*, 873
- Syndepositional, early diagenetic processes, 796
- Synthetic aperture radar (SAR) images, 885
- T**
- Tafunak Beach restoration project, 934
- Taliks (thaw zones), 1012
- Tangential toplaps, 601
- Taylor concept, frozen turbulence, 1032
- Tectonic cycles, 1072
- Tellina deltoidalis*, 609
- Tenarea*, 799
- Terminal lobe, 305
- Terrestrial sediment in the beach sand, 929
- Testarum*, 801
- Tetrazolium chloride (TTC), 19
- Thalassia testudinum*, 1057, 1148
- Thames Estuary, 1035
- Thaw zones (Taliks), 1012
- Thermokarst  
 embayments, 1020  
 shorelines, 1011  
 topography, 1011
- Thermoluminescence (TL), 148, 958
- Thermo-mechanical models, 505
- Three axis sonic anemometer, 446
- Three Gorge Project reservoir, 42
- Threshold  
 traction, 6

- bedload transport, 1  
 Tiaozini, 471  
 Tidal  
   creeks, 905  
   current, 593, 890, 930, 1075  
   datum, (TD) 608  
   dynamics in salt marsh creeks, 471  
   inlet, 303, 830  
   prism, 303  
   records, 607  
   sand banks, 601  
 Tidally-induced currents, 1031  
 Tide-dominated inlets, 303  
 Tidy Britain Groups's "Seaside Award", 656  
 Tilling, 113  
 Titanomagnetite, 75  
 TM image, 912  
 Toeslope debris, 621  
 Tofua (or Tongan) volcanic chain, 682  
 Tombolo, 685  
 Tonga Trench, 682  
 Tongatapu, 688  
 Torpedo Bay, Devonport, 389  
 Total  
   longshore transport rates (TSLT), 272  
   nitrogen, 1058  
   phosphorus, 19, 1058  
   suspended matter (TSM), 529  
   transport rates, 845  
   vegetative percentage cover, 877  
 Tracers, sediment transport, 1034  
 Transect data, 875  
 Translational bores, 305  
 Transport loop, 312  
 Transverse bar and rip (TBR), 815, 847  
 Trat HaCarmel terrace, 407  
*Triglochin maritima*, 1139  
 Tripod deployment, 1004  
*Trochammina*  
   *inflata*, 51  
   *ochracea*, 51  
   *rotaliformis*, 51  
*Trochammina-Buccello* biofacies (F3)  
 Tsunami  
   deposits in marshes, 47  
   hazard, 45, 58  
 Tukey test and two-way ANOVA, 156  
 Turanga-Waikopua embayment, 1119  
 Turbidity, 1122  
 Turbulence parameterization, 61  
 Turbulent  
   flow, 444  
   kinetic energy (TKE), 77  
   mixing, 770  
 Turnover rates (production/mean, biomass,  
   721  
 Two layer finite depth model, 887  
 Two-cell pattern, 867  
*Typha angustifolia*, 719  
*Typha latifolia*, 914  
 Typic  
   Fluvaquents, 17  
   Hydraquents, 17  
**U**  
 Ultisols, 617  
 Undercutting, 641  
 Unidirectional threshold, grain motion, 1  
*Uniola paniculata*, 790  
 Unit beach sand volumes, 229  
 Unripened Gley Soils, 17  
 Unvegetated dunes, 939  
 Unweighted Pair-Group Method (UPGMA),  
   122  
 Uprush, 72, 82  
 Upwelling, 1009  
 Urchins, 791  
 Ursell parameter, 989  
 US East Coast barrier island shoreline, 1100  
 U-shaped graben-bays, 531  
 Utulau formation, 689  
**V**  
 Vadose  
   diagenesis in dune sands, 948  
   zone within dunes, 936  
 Vale of Glamorgan, 355  
 van Veen grab, 156  
 Vancouver Island, 46  
 Variable-density groundwater flow, 736  
 Vava'u structural block, 694  
 Vegetated  
   dunes, 939  
   plot types, 877  
 Vegetative life forms, 909  
 Velocity surge, 474  
 Vessel generated waves (VGW), 391  
 Vibracoring programme, 991  
 Video imaging systems, 1145  
*Vigna luteola*, 879  
 Visible and NIR reflectance values, 791  
 Volume  
   changes, 865  
   conservation tests, 252  
 Vulnerability  
   assessment, 702  
   coastal dunes, 458  
**W**  
 Waarde in the Westerschelde, 17  
 Wakley-Black method, 874  
 WAM model, 966  
 Washover  
   channels, 1015  
   events, 241  
   flats, 1018  
 Water  
   depth increases, 801  
   exchange flux, 531  
 Watertable heights, 739  
 Wave  
   data, 272, 865  
   energy, 357  
   flume, 625  
   forcing, 733  
   motion, 1  
   orbital amplitude, 2  
   periods, 836  
   run-up, 741  
   sheltering, 237  
 Wave-averaged sediment discharge, 2  
 Wave-current interaction, 966, 1030  
 Wave-cut cliffs, 326  
 Wave-cutting of Stage 5e, 639  
 Wave-decay expressions, 951  
 Wave-dominated settings, 304  
 Wave-generated longshore transport, 305,  
   311  
 Wave-induced erosion of shoreline, 388  
 Weathering-transportation processes, 958  
 Welsh coastline, 654  
 West coast swell (WCS), 817  
 Wetland classification, 909  
 Wetting front, 937  
 Wind, wave regime, 861  
 Wind wave (WW) environments, 818  
 Wind-elevated tide levels, 1052  
 Winds, 594  
 Wolfe spit, 1015  
 Wrack, 881  
**Y**  
 Yalin's method, 9  
 Yangtze Delta, 1092  
 Young sea-sands, 603  
 Younger Dryas, 1083  
**Z**  
*Zanclaea costata*, 143  
*Zizaniopsis bonariensis*, 914  
 Zonation patterns, 121  
 Zuydcote and Bray-Dunes, 100