

SUBJECT INDEX

Journal of Coastal Research

Annual Index Vol. 17 (Nos. 1-4) 2001

- A**
- Abandoned-floodplain deposits, 128
 Above-ground biomass, 19, 24
 Above-water reflectance measurements, 329
 Absorption
 inversion algorithm, 339
 scattering and reflectance relationships, 329
 Accuracy assessment, 56, 60, 616
 Accurate forecast, coastal erosion, 722
Achnanthes minutissima, 709ff
 Across-channel transects, 423
 Active-floodplain, 127, 130
 Adaptation, to coastal hazards, 533
 Adaptation, 531ff
 Advanced very high resolution radiometer (AVHRR), remote sensing, 75
 Aeolian sediment transport, 482
 Aeolianites, 229. See also *Dunes*
 Aerial
 imagery, 735
 photo analyses, 628
 photograph, 372, 382
 photos, 722
 survey, 209
 Age-depth relations, 102
 Aigion, 95
 Air-sea interaction, 342
 Alongshore
 bar, 517ff
 currents, 519ff
 Alongshore-current algorithm, 524
 Alongshore-uniform undertow current, 519
 Aminostratigraphy, dating method, 229
Ammophila arenaria (Graminaceae), 188, 189ff, 383
 Amorphous organic carbon (AOC), 103
 Analytical
 models, 518
 spectral devices, 333
 Annual sediment load, 587
 Anomalous sand beds, 563, 573, 577
 Antecedent topography, 681, 682
 Anthropogenic activity, 595
 Anticyclone, 175
 Aperiodic coastal storms, 714
 Apparent optical properties (AOPS), 328
 Arbuscular mycorrhizal fungi (AMF), 383
 Archipelagic nations, 537
 Armor-sized stones, 361
 Armouring, 650
 Artificial
 beach
 nourishment, 694ff, 697ff
 replenishment, 639
 dunes, 642
 levee systems, 737
 (ASD) field spectroradiometer, 334
 Ash Wednesday Storm of 1962, 317
 Aswan High Dam, 431, 439,
 Atchafalaya River, sediment plume, 77
 Atkinson barriers, 511
 Atmospheric pressure variations, 749, 752
Atriplex portula-cooides (L.), 686
Aulacoseira ambigua, 709
 Autonomous adaptation, 534, 538
 Average significant wave height, 366
Avicennia germinans, 30, 33, 35
 Awareness raising, 534, 535
 Axenicity, 189
- B**
- Backscattering, 328ff
 Bacteria, 153
 Bacterial-feeding nematode, 385
 Balize Delta complex, 72
 Bandon littoral cell, 626ff
 Barataria Basin, 18
 Bar-built estuaries, 743
 Baroclinic circulation, 548
 Barrier islands, 443ff
 Baseline, 209
 Basins (flats), 127
 Bathymetric
 change, 110
 data, 603
 shoreline surveys, 513
 survey data, 372
 Beach
 de-watering, 486
 erosion
 management strategies, 638
 management, 636, 637, 642, 643, 644
 process, 309ff, 636, 643, 656
 face, 449
 fill, 694, 695, 698
 litter, 13ff
 morphological changes, 507
 morphology, 407, 418
 nourishment, 107, 636, 640, 646, 694, 698
 profile, 195, 206, 208, 220, 243, 252ff, 483
 retreat, 310
 slope, 367, 632, 633
 subzones, 39ff
 Beach-quality sand, 107
 Beachrock, 228
 Beach-zone boundary, 625
 Bedforms, 195, 253, 255, 257
 Belmont Formation, 229
 Belowground herbivores, 383ff
 Benicia State Park, San Francisco, California, USA, 19
 Bidirectional reflectance structure, 339
 Binocular microscope, 587, 591, 593
 Biogenic activity, 680
 Biogeochemical
 model structure, 148
 variables, 148
 Biomass production, 383ff
 Biostratigraphy, 573
 Bisaccate pollen taxa, 685
 Boat wakes, 680
 Boreholes, 118, 120
 Borings, 114
 Bottom
 flow velocity, 511
 roughness, 509
 suspended sediments, 389
 Boundary condition, 547, 548
 Bound-wave components, 659ff
 Brackish
 marine diatoms, 573
 ponds, 127, 135
 sedge marsh, 128,
 wet sedge meadow, 127
 Brazos Island harbor, 588
 Breaching, 627, 629, 630
 Breaker wave statistics, 444
 Breaking wave characteristics, 323
 Breaking
 wave height, 107, 110ff
 waves, 507, 515, 520, 523
 British Beach, 196
 Brownsville Ship Channel, 588
 Bruun's Rule, 553
 B soil horizon, 463
 Bulk reflection coefficient, 199
 Bulkheads, 363, 365, 367, 369
 Bump, downdrift shoreline configuration, 82
 Buried soils, 459, 462, 464ff
 Business as usual (BAU), 532
- C**
- C4 photosynthetic pathway, 18
Cakile maritima (Cruciferae), 189, 191
 Calcofluor white staining, 191
 Calculation of shoreline-change rates, 722
Calluna vulgaris, 91
 Canadian Beaufort Sea, 508, 515, 516
 Canadian Foundation Engineering Manual (CGS), 355
 Canal dredging, 734
 Capacity-building, 533
 Capillary
 fringe thickness, 485
 rise, 482, 484, 485, 486
 Capping, 353
 Carbon isotope analyses, 20
¹⁴C date, 685
 Carbonate content, 39, 40
Carex arenaria L., 383
 Cartesian coordinates, 544
 Cascadia subduction zone, 563, 565, 570, 572ff
 Category 4 hurricane, 74
 C-CAP classification, Mermentau River Basin, 62
 Cellular models, 520

- Cement bulkhead, 365, 367
 Cementation, 228, 650
 Centrifugation, 189, 191
 Ceramic
 fragments, 96
 luminescence dates, 121
 sherds, 118, 120
 Chaudleur barrier islands, 514
 Change
 detection, 58
 point accuracy, 60
 Chenier plain, 53, 54, 72ff
 Chlorofluorocarbons (CFC-11, CCL₃F; CFC-12, CCL₂F₂), 741
 Chlorophyll concentration, 339
 Chronostratigraphy, 229
 Circulation and sediment transport around banks (CSTAB), 196
Cistus libanotis, 90, 91
 Clast shape, 650
 Clean Water Act of 1973, 17
 Cleft and neck
 formation, 680, 682
 shoreline development, 677
 Cliff base, 398, 400, 402, 405
 Climate
 change, 532, 533
 models, 741
 Cloud-free TM (Thematic Mapper) images, 55
 Cluster analysis, 688
 Coarse-grained beaches, 651, 657
 Coast and Geodetic Survey, monuments, 126
 Coastal
 adaptation strategy, 532
 cities, 749
 defense strategies, 515
 downwelling, 511
 dune plants, 188
 ecotypes, 129
 Engineering Research Center (CERC), US Army Corps of Engineers, 444
 erosion, 531
 evolution, 508
 foredune vegetation, 383
 geometry, 513
 Imaging Laboratory, Oregon State University, 409
 lagoons and lakes, 565
 lagoons, 31, 705, 710
 management, 137, 142, 536
 marshes, 563–577
 morphodynamics, 557
 morphology, 508, 513
 planners, 536
 planning, 371
 policies, 536
 populations, 721
 processes, 637, 757
 properties, 407, 408, 417
 salt marshes, 731, 746
 segments, 3
 storms, 309
 structures, 636, 646
 submergence, 731, 745
 wetland loss, 735, 738, 744, 746
 wetlands as recorders of change, 684
 wind-driven jet, 12
 Zone Management Act Reauthorization Amendments of 1990, 54
 zones, 531–540, 544, 558
 Coastline orientation, 513
 Cold Front Model and Coastal Processes, 73
 Cold front passages, 72, 74, 81
 Colombian Pacific coast, 460
 Color of water, remote sensing, 329
 Complex coastal environments, 163
 Compositional analyses, 588
 Conductivity-temperature-depth (CTD), water measurement, 423
Conocarpus erectus, 31
 Continuously operating reference stations (CORS), 126
 Contour maps, 209
 Control points, 126
 Core
 analysis, 593
 elevations, 622
 Coriolis force, 176, 178, 186, 567
 Coseismic subsidence, 572
Cosmioneis pusilla, 571, 573, 578, 581, 583
 Costa Brava (rugged or wild coast), Brazil, 695
 Coupled map lattices, 520
 Critical
 shear stress, 391
 thresholds of motion, 649
 Crop-weed interactions, 383
 Cross-shore
 currents, 203, 522
 mean Velocities, 203
 momentum, 523
 oriented depressions (rip channels), 517
 transport (CST), 638
 current bed friction, 526
 Current
 measurements, 204
 meter, 509, 510, 668
 shear stress, 510
 velocity information, 511, 664
Cyclotella pseudostelligera, 709
D
 Dams, reservoirs, and land-use changes, 737
 Data-rescue project, 611
 Dean's model, 600
 Deceleration of currents, 526
 Deep-water wave, 444
 Deflation plains, 565
 Delft Hydraulics Laboratory, The Netherlands, 310
 Delta active floodplain, 127
 Deltaic
 plain surface, 459, 461, 587, 593
 sedimentation, 587
 Department of Environmental Protection (DEP), 620
 Depocenters, 757
 Depositional environment, 585, 587, 592
 Depth profiles of absorption and beam attenuation (c), 334
 Depth-limited wave breaking, 342
 Determining the edge of the shoreline, 674
 Dewatering of sediments, 464
 Diagenetic alteration, 229
 Diatom
 analysis, 707
 preservation, 709
 stratigraphy, 709
 Differential
 global positioning system (DGPS), 409
 heating, 175
 Diffuse attenuation coefficient, 328, 329
 Digested tissues, 189
 Digital
 elevation model (DEM), 208
 orthophotos, 208
 processing, 208
 terrain model (DTM), 208, 373
 Digitizing error, 674
 Dikes and Impoundments, 734
 Dingman method, 485
 Direct Fourier Expansion method, 346, 349, 350
 Directional
 transport rates, 165
 wave and current data, 323, 509
 Discretisation, 376
 Dispersion of rip-current momentum, 523
Distichlis spicata, 18, 22, 25, 20, 27, 621, 673
 Distribution of ecosystems, 130
 Diurnal
 atmospheric circulation system, 173
 sea breeze system, 184
 Donana Biological Reserve (DBR), 90
 Doninos coastal lagoon, 705, 706, 710
 Doppler sonar observations, 527
 Down-drift cell boundaries, 452
 Down-river transects, 131
 Down-thrown block, 95
 Downwelling irradiance (E_d), 328
 Drainage network, 127
 Dredging
 off shore shoal, 110
 leveeing and canal cutting, 734
 Drifter landings, 1, 6, 7, 10ff
 Dry
 sieving, 445
 tundra, 125
 Dune
 ridges, 93
 topography, 215
 Dunes, 407, 414, 416, 418, 625ff
 Dutch auger, 622
 Dwarf scrub ecotypes, 128
E
 Earth embankments, 354
 Earthquake induced subsidence, 466
 East Headland of the Aoshan Channel, 389
 Ecological land classification, 125
 Ecosystem distribution, 127
 Ecotypes, 124ff
 El Niño conditions, 459, 467, 563, 572
 events, 567, 569
 frequency patterns, 567
 Electron spin resonance dating, 229
 El-Gamil outlet, 432, 433, 440
Elymus athericus L, 383
 Empirical orthogonal function (EOF), 372
 End-member facies, 593
 End-point and linear-regression rates, 726
 Energy density spectrum, 666
 Engineered systems, 353
 Eolian
 systems, 90, 91, 93
 transport of sediment, 701
 Equilibrium
 shoreface profile, 599
 slope, 507
 Equivalent dose (ED), 120
Erica scoparia, 90ff

- Erosion
 "hot spot", 241, 314
 rate predictions, 677, 682
 rates, 673, 675
- Estuarine facies, 18
- Estuary, 420, 540ff
- Euchre Creek marsh, 564ff
- Eutrophication, 440
- Evolution
 coastal environments, 706
 surface waves, 342
- Extratropical cyclones, 553, 557
- Extreme
 tides, 407ff
 total water levels, 413, 414
- F**
- Fairweather circulation, 511
- Federal Emergency Management Agency (FEMA), 721
- Feeder channels, 471, 479
- Fence system, 700
- Festuca rubra* ssp. *Arenaria L.*, 383, 384, 386, 387
- Fetch, 174, 508, 511, 512
- Field
 campaigns, 146
 observations, 443, 448
 trial, 165
- Filters, 353
- Filtration mechanism, broadly graded soils, 359
- Fine-grained sediment transport, 391
- Fining-upward pulses, 575
- Flat water surface, 334, 336
- Flax pond, 221
- Flemish transgression, 556
- Flood deposits, 565
- Flow patterns, 164
- Flow-meter data, 471
- Fluctuating water levels, 63
- Fluid mud, 74, 77ff
- Fluidization, 650
- Flushing time, 550
- Fluvial gravel, 573
- Foredune and mid-tide sediments, 449
- Foreshore (step), 443
- Forest soils, 563
- Forward predictions, 726
- Fragilaria capucina* var. *Vaucheriae*, 710
- Fragilaria pulchella*, 710
- Free-wave components, 659ff
- Freeze-thaw cycles, 399
- Frequency
 dependent wave reflection coefficient, 199
 domain method, 198
- Freshwater
 discharge, 544ff
 input, 424, 548
 marshes, 565
 plume, 158
- Fresnel reflectance, 329, 330
- Fungal-feeding nematodes, 383
- G**
- Gamma radiation, 383
- Genista triacanthos*, 93
- Geochemical analyses, 234
- Geodetic leveling data, 575
- Geographical Information Systems (GIS), 536
- Geoid height model, 126, 135
- Geologic
 record, 564, 575, 576
 springs, 421
- Geological materials, 120
- Geometric profile property, 600
- Geomorphic units, 125
- Geostrophic velocities, 151
- GIS volume analysis techniques, 380
- Global
 human population, 531
- Global
 impacts, 741
 positioning system, 58
 sea-level rise, 575, 672
- Godavari estuary, 544
- GPS survey, 126
- Gradient-directed transects, 125
- Grain size, 38ff
- Grain-size
 analyses, 509
 data, 445
 distribution, 757
- Graminoid meadow, 127ff
- Granular filter medium, 353
- Grasslands, 53, 56, 61, 63, 64, 68ff
- Gravel beach, 650ff
- Gravity band averaged bulk reflection coefficient, 200
- Greenhouse
 effect, 553
 gas concentrations, 741
- Grindelia stricta*, 20ff
- Groin-artificial beaches, 557
- Ground
 subsidence, 752
 survey, 209
 surveyed profile, 211
- Ground-controlled aerial photography, 208
- Gulf coast, 578, 586, 587
- H**
- Halimium commutatum*, 90, 91
- Halloween storm, 313, 315
- Halophytic vegetation, 686, 692
- Hand auger, 622
- Hand-held spectroradiometer, 329
- Hantzschia amphyoaxis*, 710, 712
- Hatfield Marine Science Center, Yaquina Bay, Newport, Oregon, 409
- Hazard potential, in coastal zones, 531
- Headlands, 626, 414
- Heathlands, 93
- Heavy minerals, 443, 445, 448
- Helike project, 96
- Hemocytometer, 190
- Herbivory focus, 383
- High
 marsh peat, 622ff
 velocity flows, 511
 vulnerability area, 640
- High-resolution imagery, 75
- Hindcasting, 350, 352
- Historic shoreline trends, 452
- Historical
 data, 372
 shoreline data, 723
- Holocene
 deltaic sections, 584
 environments, 433
- Hong Kong Observatory, 749
- Horse Island marsh, 680
- H-sheets, 611
- Humus soil, 114
- Hurricane
 Andrew, 37, 63, 70, 74, 658, 660, 664ff
 Gilbert, 30, 37
 model, 74
 Rosa, 30ff
- Hurricanes, 309, 565, 577, 586
- Hydration and dehydration, 399
- Hydraulic
 mining, 17
 transport of materials, 544
- Hydrodynamic
 model, 546, 549
 sediment transport, on shoreface, 507
 systems, 186, 197, 253, 257
- Hydrodynamics Laboratory, Texas A&M University, 660
- I**
- Inactive floodplain, 127ff
- Incident wave patterns, 517
- Incipient low-tide terrace and rip morphology (LTT), 468
- Inductively coupled plasma spectrometry (ICP), 230
- Inherent optical properties (IOPS), 328
- Initial distribution method (IDM), 413
- Inland penetration speed, 174
- Inner surf/swash zone, 652
- Instrument pods, 472, 477, 479
- Integrated planning, 532
- Interannual fluctuations, 751, 753
- Interstitial sand beach foreshore, 363
- Intertidal
 deposits, 459, 464, 466
 marshlands, 17
 mud, 563, 565
 wetlands, 686
 zone, 399, 402, 404, 405
- Intrusion of inner shelf waters, 74
- Inversion algorithm, 332, 336
- Inverted barometer response, 752
- Irribarren number, 408, 409, 410, 411, 417
- Iron-stained
 grain distribution, 591
 quartz grains of sand size, 589
- Irregular wave train, 658ff, 668
- Iterative clustering approach, 55
- J**
- Joint North Sea Wave Program (JON-SWAP), 343, 346, 349
- JONSWAP-shape, 346
- Juncus balticus*, 20, 21
- Juniperus phoenicea*, 90, 91
- K**
- Kinematic behaviour, rip current systems, 468

- L**
- La Niña, 459, 467
 Lagoon, 509, 513
Lagularia racemosa, 30, 31
 Laguna Madre, 586, 587, 588, 591, 592
Laguncularia racemosa, 30, 31, 33, 35, 36
 Land breeze, 173, 174
 Landcover
 change, 53, 59, 70
 classification accuracy, 61
 commonality regions, 57
 Landfall probabilities, 3, 8, 9, 10, 12
 Landsat Thematic Mapper (TM), 53, 54
 Landward-thinning sand and gravel, 565
 Large-scale global and regional data repositories, 535
Lavandula stoechas, 91
 Least-squares regression analysis, 602
 Leaside
 effect, 82
 erosion, 87
 Lidar (light detection and ranging), 207
 Light minerals, 589
 Linear and nonlinear wave theory, 662, 667
 Linear
 interpolation, 215
 regression (studentized) residual analysis, 714, 716
 Lithofacies, 593
 Lithostratigraphy, 229, 707
 Litter
 pollution, 137
 pick ups, 137
 Little Ice Age, 555ff
 Littoral
 barrier effects, 82
 cell, 407, 414, 626, 638
 plankton, 573
 processes, 560
 system, 638ff
 Local sea breeze activity, 181
 Long term sea-level rise, 752
 Long-resident inhabitants, 537
 Longshore and cross-shore current velocities, 469
 bar and trough morphology (LET), 468
 and cross-shore current velocities, 469
 current, 203, 507
 sediment transport (LST), 107, 109, 638
 transport simulations, 450
 Loop current, 1ff
 Low altitude aerial photography, 207
 Low-lying ecosystems, 133
 Low-tide beach, 645
- M**
- Macro-tidal system, 221
 Maladaptation, 532
 Manage information, 533
 Mangrove forests, 30ff
 Manning's friction coefficient, 547
Manto Arrasado eolian system, 93
 Manzala lagoon, 431ff
 Marine
 inundation, 564, 565, 572, 576, 577
 mammals data, 6
 optics, 328
 Marine-derived sand beds, 565
 Marker horizons, 221
- Marsh
 formation, 223, 621
 impoundment, 734
 neck, 674, 676
 peat, 563
 sedimentation, 565, 574
 shoreline erosion, 672, 677, 679, 681, 683
 Masking and progressive clustering, 61
 Mass transport, 522, 547
 Mathematical models, 399
 Maximum sediment activation, 367
 Mean
 current velocities, 511, 513
 high high water (MHHW), 311
 spring tidal range, 173
 Mean-high water (MHW), 620
 Mechanical wave erosion, 398, 399
 Mediterranean climate, 686, 696
 Meiofaunal
 abundance, 363ff
 characteristics, 367
 Mermentau River Basin (MRB), 53
 Meso-scale general circulation, 151
 Meteorological
 forcing, 513
 regime, 5
 Mexican
 littoral, 38
 Pacific coast, 31
 Micro-erosion meter measurements, 404
 Microtidal
 beach, 482, 650, 652
 tides, 173
 Microtome, 191
 Mid-latitude depression, 176
 Minimum description length (MDL), 722
 Misclassifications, 63
 Mississippi and southwest Alabama coast, 443
 Mississippi
 barrier islands, 450
 delta plain, 18, 514
 sound, 451
 Mixed beach processes, 645, 650
 Mixed beaches, 645ff
 Mobile harbors, 450
 Models of beach/nearshore profile changes, 507
 Modern age, 555
Monhystera, 385
 Morphodynamic evolution, 557
 Morphological and hydrodynamic response
 to seawalls, 369
 Morphology, 461, 465, 468
 Movable-bed modeling, 310
 Mud flat, 72ff
 Mud
 -free peat soils, 463
 -rich facies, 588, 593
 stream, 75
 Muddy tidal channels, 389
 Mulinello River, 686
 Multi-isotopic methodology, 431
 Multi-level trapping system, 162, 169
 Multiple barrier ridges, 646
 Mycenean times, 118
Myrtus communis, 93
- N**
- Nagapattinam—Poompuhar coastline, 322ff
 National Center for Marine Research, 95
- National
 data buoy center, 565, 578
 flood insurance program (NFIP), 721
 Geodetic Survey (NGS), 613
 geodetic vertical datum, 564, 566
 geophysical data center, worldwide tsunami database (NGDC), 571
 mapping accuracy standards, 207
 Ocean Service, 602, 611
 Oceanic and Atmospheric Administration (NOAA), 53, 420, 611
 Natural
 levee, 758
 deltas, 755ff
 NAVD, 209
Navicula mutica, 710
 Neap-spring tidal cycle, 472
 Near-bottom currents, 510, 511, 512, 514, 515
 Nearshore Dynamics (B-BAND) programme, 196
 Nearshore
 environments, 507, 509
 hydrodynamics, 363
 zone, 507, 508, 511, 513
 Neck cut-off, 680
 Negative
 feedback relationship, 405
 impacts of grid ditching, 733
 Nematicide, 384
 Nematodes, 383, 384, 385, 387, 388
 Neolithic, 554
 Net
 longshore sediment transport, 443, 444, 448, 450
 sediment deposition, 224
 transport, 200, 202
 New River spit, 625, 626, 627, 628, 629, 630
 Nile flood records, 567
 Nine-constituent tide, 547
 NOAA satellite imagery, 75
 Nonlinear waves, 517
 Non-oscillatory currents, 507
 Non-uniform waves, 526
 Nor'easter risk index, 310
 North American Vertical Datum 1988 (NAVD88), 126
 NOS T-sheets, 722
 Null hypothesis, 715, 718
 Numerical modeling, 444, 511, 513, 515, 544, 545
 Nutrient
 budget, 148
 supply, 26
- O**
- Obliquely-onshore sea breeze, 175
 Ocean color algorithm, 329
 Offshore
 banks, 371
 geostrophic winds, 175
 reef systems, 173
 sediment transport, 507, 508, 514, 515
 significant wave height (H_o), 470
 wave conditions, 183
 Oil spill risk analysis (OSRA), 1
 One way ANOVA, 368
 One-dimensional EOF, 378
 Onshore
 slope, 608, 609

- transport of sediment, 202
- Open
marsh water management (OMWM), 733
water ecotypes, 127
- Oregon coastal environments, 564, 570
- Organic-rich salt marsh deposits, 685
- Origin of shore platforms, 398
- Osmotic pressure, 190
- Ottoman and Spanish empires, 555
- Oven dried samples, 687
- Oxygen isotope stage, 229
- P**
- Pacific Northwest salt marshes, 565
- Pack-ice, 508, 511
- Palaeoenvironmental studies, 684
- Paleoceanography, 114, 115, 117
- Paleoclimatic data, 705
- Paleogeographic changes, 587
- Paleolithic, 554
- Paleosalinity proxies, 432
- Palumbo's model, 395, 396
- Palustrine classes, 55, 70
- Panagrolaimus*, 385
- Pancratium maritimum* (Amaryllidaceae), 188, 191, 193, 194
- Particle-size data, 484, 485
- Peak
over threshold (POT), 413
wave period (T_p), 470
- Pearson's coefficient of skew, 616
- Peat-mud contact, 573
- Peaty mud, 573, 576, 579, 581
- Perigean spring tide, 566
- Permafrost plateaus, 128, 134, 135
- Permanent Service for Mean Sea Level, 535, 543
- Perth Metropolitan coastline, Western Australia, 173
- Petrologic types, 592
- Photosynthetic process, 153
- Photosynthetically available radiation (PAR), 153
- Phragmites australis*, 734
- Physical model, 529
- Physiographic regions, 125
- Pioneer Spanish expansion, 554
- Planned adaptation, 534, 538
- Plant and soil samples, 20
- Plant biomass, 385
- Plant-feeding nematodes, 383
- Plastic pollution, 140
- Platform width, 404, 405
- Plectus*, 385
- Pleistocene
alluvial sequences, 584
glacial stages, 443
Omar formation, 681
- PNZD (phytoplankton-zooplankton-nutrient-detritus), 148
- Polish Academy of Sciences, 346
- Pollen
analysis, 688
data, 684, 688, 690, 691, 692, 693
diagram, 705, 712
percentage and concentration records, 708
stratigraphy, 707
taphonomy, 690
- Positional error, 613
- Post classification, 61
- Postglacial period, 555
- Pot experiments, 383
- Potential impacts of climate change, on coastal zones, 532
- Potential risks, sea-level rise, 124
- Power law model, 395
- Pre-breeze conditions, 173
- Pressure transducer, 659, 661, 662, 664, 665, 667
- Pressure trough, 175
- Primary dune system, 444
- Prince William sound, Alaska, 571
- Principal Component Analysis (PCA), 199
- Principal Datum (PD) of Hong Kong, 749
- Property buyout, 642
- Protoplast technology, 188
- Q**
- Quadratic model, 601, 603, 607, 608, 609
- Quartz grain sorting values, 449
- Quasi-horizontal platforms, 398
- Quaternary climate fluctuations, 595
- Quercus suber*, 90, 91
- Quercus-Corylus* forest, 711
- R**
- Radiation stress, 513
- Radiation-stress gradients, 518, 519, 523, 525
- Radiocarbon
chronology, 707
samples, 573
- Radiometric dating, 687
- Raised marine deposits, 114
- Ramp, 604
- Raster images, 611, 612
- Rate of beach erosion, 599
- Rate-calculation methodology and storm impacts, 728
- Redistribution of sand in the littoral system, 641
- Reductive and oxidative processes, 591
- Reef protected profiles, 242
- Reflectance, 328
- Reflected wave spectra, 198
- Refraction, 517
- Registration procedure, 617
- Relative rates of sediment accretion, 731
- Remote sensing reflectance (R_{rs}), 328
- Reworked particles, 585
- Rhabditis*, 385
- Rhizophora mangle*, 30, 31, 33, 35, 36
- Rhizosphere, soil, 383
- Rhodamine-B dye, 324
- Rhone River plume, 146, 148
- Rip
currents, 468, 473, 517
flow, 468, 472, 475, 477, 478, 479, 480
- Rip-current
models, 517
phenomena, 468, 473, 517, 527
velocities, 517
- Rip-neck
channels, 470
flow, 472, 474
- River
discharges, 459
mouth sediment bypassing, 760
- River-borne sediments, 118
- Rocky Bay Formation, 229
- Roman-Germanic empires, 555
- Romanic and Gothic artistic periods, 555
- Rootmat toppling, 672, 676
- Root-mean-square wave height, 471
- Root-total weight-ratios (RWR), 385
- Rosmarinus officinalis*, 90, 91, 92
- Rotational wind field, 77
- Rotylenchus*, 385, 386
- Rubus ulmifolius*, 93
- Runup, from remote tsunamis, 570
- S**
- Safranine-fast green staining technique, 191
- Salicornia virginica*, 18, 20, 26, 28
- Salt
marsh
deterioration, 738
systems, 383, 384, 386, 387, 388, 672, 731, 744
weathering, 228, 399
- Salt-freshwater interaction, 544
- San Pablo Bay, 17
- Sand
beds, 564, 565, 566, 571, 573, 575, 576
deposition, 565
management strategies, 639
sheet, 573, 576, 577
translocation and accumulation, 700
- Sandbanks, 371, 372, 373, 374, 375, 376, 377, 378, 380, 381, 382
- Sand-size fraction, 587, 588, 591
- Sandy
beach, 321, 322, 634, 636, 637, 643, 644, 651, 673
promontory, 508
- Scale-invariant clustering, 395
- Scanning electron micrograph, 101
- Scientific Committee on Oceanic Research (SCOR), 394
- Scirpus californicus, robustus*, 20, 21, 25
- Scripps Institution of Oceanography, Coastal Data Information Program (CDIP), 409
- Sea
breeze
activity, 176
circulation, 175
climate, 176
systems, 173
cliffs, 407, 408, 414, 416, 418, 626, 627, 628
surface
salinity, 155
time series, 667
- Seabed, 371, 372, 373, 375, 376, 377, 378, 379, 380, 381, 394
- Sea-level
anomalies, 567
change, 737, 741, 745, 746, 749, 750, 751, 752, 753
curve, 623
envelope, 244
rise, 124, 532
- Seasonal
floodplains, 31
rivers, 31
sea-level changes, 752
signals, 751
- Seawalls and revetments, 195, 206, 256, 641

- Seaward-directed down-welling, 507
 Seawifs, 334, 335, 336, 337, 340, 341
 Sedimentological analysis, 445
 Sediment
 analysis, 707
 budget, 637, 638
 cores, 366, 584
 deposition, 367
 loads, 737
 provenance, 588, 589
 remobilization, 508, 511
 samples, 445, 587
 source areas, 757
 suspension, 195, 197, 201, 202, 204, 205
 transport
 models, 443, 480, 482, 651, 657
 processes, 200, 205, 507
 traps, 127
 Sedimentary
 environments, 38
 facies, 459, 462
 structure, 565, 575, 593
 regime, 587
 Sedimentation, 127, 129, 134
 Sedimentology, 573
 Seedling densities, 35
 Seismic cycle, 572, 574, 575, 576, 577
 Selinous and Kerynites Rivers, 118
 Sem/edx analyses, 235
 Semi-diurnal tide, 389, 545
 Sensitivity of microtidal wetlands, 691
 Setback lines, coastal construction, 642
 Settling-type traps, coastal sediments, 162
 Severe wave conditions, 632
 Severn Estuary, 137
 Shanghai metropolis, 749
 'Shear driven' sediment suspension, 202
 Ship Island, 447, 448, 450
 Shoaling, 526, 527, 529
 Shore region, 600, 601, 602, 605, 607, 609
 Shoreface, 211, 508, 509, 511, 513, 514, 515, 516
 Shoreline
 changes, 107, 109, 638
 geometry, 680
 Shoreline-change maps, rates, 722
 Shore-parallel structures, 363, 364
 Shorerise, 599ff
 Shrub vegetation, 91
 Sierra Madre Oriental mountain chain, 755
 Significant wave height, 310, 323, 566, 569, 572, 577, 658, 665, 667, 668
 Silt layers, 128
 Silt-rich intermediate lithofacies, 594
 Sky radiance, 329, 330
 Slough margins, 127
 Sods, 384
 Softcopy photogrammetry, 207
 Soil formation, 229
 Sorting values, 367
 Sorting values, 5, 8, 9, 17, 20, 24, 32, 38, 40, 66, 86, 92
 Sorting, 38, 39, 40, 41, 42, 43, 44, 78
Spartina
 alterniflora, 223, 621, 622, 623, 673
 foliosa, 18, 20, 26
 patens, 621, 622, 623, 624, 673
 Spatial resolution, 215
 Specific gravity, 650
 Spectral energy, 178, 180, 182, 184, 186
Sphagnum mosses, 134
 Spits, 508, 509
 Spray zone, 233
 Sprey Point, Teignmouth in South Devon, (U.K.), 196
 Spring tidal cycle, 363, 365
 Stabilized sands, 90, 91, 93
 Stable
 carbon isotopes, 17
 isotope ratios, 433
 Stagnant ponds, 35
 Stained quartz method, 584, 587, 595
 Stakeholders, 533, 539
 Stalling, of a weather front, 74
 Standard photogrammetric techniques, 208
 Standard profiles, 242
 Standing edge waves, 517
 Statutory vegetation line (SVL), 625
 Storm
 duration, 310, 311
 erosion potential index (SEPI), 310
 hot-spots, 241
 overwash, 74
 surge magnitudes, 569
 surges, 310, 315, 321, 508, 511, 513, 632
 tide, 309, 313, 315, 317
 waves, 173
 Storm-specific shoreline, 724
 Storm-wave runup, 569
 Storm-wave washover, 566
 STRASS, System for Trapping Suspended Sand, 163
 Stratigraphic
 investigations, 565, 577
 records of Inundation, 575
 styles of marsh shoreline erosion, 680
 Sub-aerial delta, 461
 Submarine erosional processes, 399
 Subsidence, of Quarry Bay tide-gauge station, 750
 Subsurface fluid withdrawal, 740
Sueda maritima, 686
 Supratidal patches, 35
 Surf zone circulation, 468, 469, 519
 Surface
 gravity waves, 507
 moisture dynamics, 485
 nitrate concentrations, 156
 salinity, 152, 153, 155, 156
 Surface-correction algorithm, 332, 336, 339, 340
 Surface-reflectance correction, 334, 335, 337
 Surficial
 cover of modern deltas, 584
 sediment samples, 757
 Surf zone
 characteristics, 324
 processes, 520, 522
 width, 517, 518
 Suspended
 sand transport, 165, 169, 170
 sand trap, 163
 sediment concentration (SSC), 389
 Suspension of sediment, 201
 Sverdrup-Munk-Bretschneider method, 182, 184
 Swash
 run-up, 311
 zone, 366, 367, 369, 400, 573, 651
 Synoptic pattern, 176
 Synthetic
 aperture radar (SAR) imagery, 124
 tide, 547
 T
 Taiwan Water Conservancy Agency, 547
 Tanshui Estuarine system, 547
 Taphonomic mixing, 440
 Taphonomy, pollen assemblages, 685
 Technical assistance, 533
 Tectonic deformation, 563
 Temporal
 salinity changes, 431
 variation the ramp and shorerise, 607
 Temporary inlet, 629
 Terrain modeling software tools, 208
 Terrigenous dust particles, 228
 Textural
 category, 591
 parameters, 758
Thalassiosira pacifica, 573
 Theodolite, 509
 Thermoluminescence (TL), 120
 Threat, to coastal ecosystems, 124
 Tidal
 average salinity, 547
 brackish pond geomorphic units, 127
 channels, 31
 creek, 223
 current
 algorithms, 420, 424
 analysis, 166, 167, 168, 171, 420, 507
 tables, 422, 426, 429
 cycle, 366, 650, 654
 flat, 127, 129, 134, 137
 flows, 204
 periods, 165
 range, 222, 650
 regime, 696
 salt marshes, 733, 734, 735, 743, 745, 747
 tidally induced frost action, 399
 Tide tables, 422
 Tide-dominated waters, 165
 Tidelands, 620
 Time domain
 analysis, 198
 reflectometry (TDK), 482
 Time series, 510, 512, 547
 Time-frequency spectrum, wavelet transform, 749, 750, 751, 753
 Time-space dynamics, 146
 Timing of submergence, 464
 TM (Thematic Mapper) image classifications, 55
 Toe erosion, 633
 Topographic
 data, 124, 478
 gradient, 90, 91, 92, 93, 125
 gradients, 127
 surveys, 366, 612
 Total
 organic matter, 587
 water levels (tides plus wave runup), 412
 Transverse bar and rip (TBR), 468
 Trends, in coastal technology use, 533
 Tresilian Beach, 138, 140
 Triangular irregular network (TIN), 373
 Tropical cyclone, 241
 T-sheet, 612, 613, 614, 615, 616, 617, 618
 Tsunami, runup elevations, 568
 Tsunamis, 563, 570, 575, 577
 Tukey HSD test, 368
 Turbid water, 77
 Turtle data, 6

Two-dimensional EOF, 379
Tylenchus, 385
Typha latifolium, 20

U

U.S.
 Army Corps of Engineers
 Coastal research, 343, 354, 578, 588, 593
 Field Research Facility (FRF), Duck, North Carolina, 602
 Coast and Geodetic Survey (CGS), 611, 613
 coastal wetlands, 735
 Department of Agriculture, National Plants Database, 127
 Geological Survey, 602
Ulex australis, 91, 92
 Undercutting and rootmat toppling, 680
 Underground construction work, 750
 Uniform grain size beds, 650
 Upland regulation, 642
 Upwelling radiance (L_u), 328
 Using wave power to predict erosion rates, 674

V

Vadose zone, 228
 Validated model, 547
 Vector format, 611, 612
 Vegetation
 changes, 685, 691
 physiognomy, 126
 succession, 384, 387, 388
 Vertical
 accretion, 731, 732, 733, 734, 737, 738, 739, 740, 741, 742, 743, 745, 746, 747
 diffusion, 391
 profile of velocity, 390

recirculation cell, 164
 Vikings, 555, 556
 V-shaped notch, 676

W

Wangsha coral reefs, 114
 Washover setting, 564, 566
 Water
 circulation, 369
 level fluctuates, 311
 mass transfer, 513
 surface elevations, 522, 523
 table positions, 483
 Waterfront areas, 620
 Water-leaving radiance, 329
 Wavad, 342, 343, 344, 346, 348, 350, 352
 Wave
 action, 363, 367, 369, 370, 371, 399, 402, 405, 406
 breaking zone, 324, 366
 characteristics, 366
 climate, 342, 343, 344, 349, 350, 351, 356
 dissipation, 478, 480
 dynamics, 659
 erosion, 398, 399, 400, 402, 404, 405, 406
 erosional model, 398, 399
 flux, 522
 frequency, 509
 Information Study (WIS), 444
 mass transport, 522
 model, 343, 345, 346, 352
 orbital motions, 507
 parameters, 197
 phase-averaged spectrum models, 109
 phase-resolving models, 109
 prediction models, 343
 ray, 444
 reflection
 analysis, 198
 results, 199

refraction and diffraction, 109, 113
 regime, 173
 rider buoy, 323
 runup, 407, 411, 418, 563, 569, 575, 578
 set-up, 310, 311, 513
 shear velocity, 510
 tank experiments, 310
 transformation model, 109
 Wave-climatic regime, 599, 607
 Wave-current processes, 599
 Wave-cut platforms, 575
 Wave-driven processes, 507
 Wave-energy dissipation, 507, 515, 518
 Wave-induced erosion, 408
 WAVENRG
 computer simulations, 454
 predicted net longshore sediment transport, 451
 Wave-propagation speed, 522
 West and East Ship Island, 445
 Wet sedge meadow, 127, 128, 129, 130, 134
 Wetland
 estuarine, 55, 58, 60, 61, 62, 63, 70
 palustrine, 63
 Wind blown dune sands, 229
 Wind
 data, 696
 forcing, 4, 73, 77
 wave
 climate, 173
 frequencies, 471
 Wind-induced set-up, 510
 WIS simulations, 343

Y

Yaquina headland, 416

Z

Zero cross-shore flow, 523