

**BIBLIOGRAPHY OF THE WORLD LITERATURE OF THE  
BETHYLIDAE (HYMENOPTERA: BETHYLOIDEA)**

Bradford A. Hawkins<sup>1</sup> and Gordon Gordh<sup>2</sup>

The Bethylidae are a primitive family of aculeate Hymenoptera which presently consists of about 2,200 nominal species. They are worldwide in distribution and all species are primary, external parasites of Lepidoptera and Coleoptera larvae. Due to their host associations, bethylids are potentially useful for the biological control of various agricultural pests in the aforementioned groups. Unfortunately, the true potential of bethylids in applied biological control cannot be ascertained now because they have been used infrequently. Some species show strong promise, but their use is handicapped by a relative lack of basic taxonomic and biological knowledge. The most recent world catalog for bethylids is Kieffer (1914). A world catalog is forthcoming (Gordh, in prep.). There has never been a compilation of the world literature.

This bibliography provides a world list of references to bethylids through 1984, including taxonomy, biology, ecology, distribution, host relationships, and their use in biological control. References cited are those verified by us. We have omitted a few that we have been unable to obtain or confirm. A few citations are for various reasons incomplete but have been included when enough information is available to obtain the paper. We are grateful to Professor Laszlo Moczar for supplying key references to the Mesitinae.

**BIBLIOGRAPHY**

- Achterberg, C. Van. 1983. Notes on the Fabrician types of Palearctic Tiphinae (Insecta, Hymenoptera, Tiphidae). *Steenstrupia* 9:73-74.
- Allen, H. W., Holloway, J. K., and Haeussler, G. J. 1940. Importation, rearing and colonization of parasites of the oriental fruit moth. U.S.D.A. Circ. 561, 61 pp.

- Anonymous. 1905. Notes on insect pests from the Entomological Section, Indian Museum. Ind. Mus. Notes 5:164-181.
- Anonymous. 1936. Distribuicao de vespa de Uganda. Biologico 2:218-219.
- Anonymous. 1937. A broca le a vespa. Biologico 3:217-219.
- Anonymous. 1937. Annual Report. Indian Lac Research Inst., 1936-1937, 37 pp.
- Anonymous. 1940. E'preciso sustentar a luta contra a broca. Sitos Fazendas 2:42-43.
- Anonymous. 1956. Annual report for the financial year 1954-1955. Indian Lac. Res. Inst., pp. 1-45.
- Anonymous. 1957. Annual report for the financial year 1955-1956. Indian Lac. Res. Inst., pp. 1-90.
- Anonymous. 1957. Cooperative economic insect report. Agr. Res. Serv. U.S.D.A. 7(16):309.
- Anthony, J., and Kurian, C. 1960. Studies on the habits and life history of PERISIEROLA NEPHANTIDIS Muesebeck. Indian Coconut Jour. 13:145-153.
- Arle, R. 1929. Note sur quelques Bethylides (Hym.) captures aux environs d'Auxerre (Yonne), avec la description d'une espece nouvelle du genre BETHYLUS Latr. Bull. Soc. Entomol. Fr. 34:61-63.
1930. Un nouveau PRISTOCERA de l'Afrique equatoriale. Bul. Mus. Nat. d'Hist. Nat. Paris, Ser. 2. 2:546-547.
- Asahina, S. 1953. On a remarkable case of the biting of a parasitic wasp, SCLERODERMUS NIPPONENSIS Yuasa in Tokyo (Hymenoptera, Bethylidae). Jap. Jour. Med. Sci. Biol. 6:197-199.
- Ashmead, W. H. 1887. Studies on the North American Proctotrupidae with descriptions of new species from Florida. Can. Entomol. 19:192-197.
1887. Studies of the North American Proctotrupidae, with descriptions of new species from Florida. Entomol. Amer. 3:73-76.
1887. Studies on the North American Proctotrupidae with descriptions of new species from Florida. Entomol. Amer. 3:97-100.
1890. On the Hymenoptera of Colorado. Colo. Biol. Assoc. Bull. 1, 47 pp.
1893. A monograph of the North American Proctotrupidae. Bethylinae. Bull. U.S. Natl. Mus. 45:27-77.

<sup>1</sup>Department of Biology, University of Puerto Rico, Rio Piedras, PR 00931

<sup>2</sup>Division of Biological Control, Department of Entomology, University of California, Riverside, CA 92521

1894. Report upon the parasitic Hymenoptera of the Island of St. Vincent. *Bethylinae*. Jour. Linn. Soc. London 25:188-196.
1895. Some parasitic Hymenoptera from Baja California and Tepic, Mexico. Proc. Calif. Acad. Sci. 5:539-555.
1895. Report on the parasitic Hymenoptera of the Island of Grenada. *Bethylinae*. Proc. Zool. Soc. London (1895):786-787.
1900. Notes on some New Zealand and Australian parasitic Hymenoptera, with descriptions of new genera and new species. Proc. Linn. Soc. N.S.W. (1900): 327-360.
1901. Hymenoptera Parasitica. Fauna Hawaïensis 1:227-364.
1902. Classification of the fossorial, predaceous and parasitic wasps, or the superfamily Vespoidea. No. 9. *Bethylidae*. Can. Entomol. 34:268-273.
1902. Papers from the Harriman Alaska Expedition. XXVIII. Hymenoptera. Proc. Wash. Acad. Sci. 4:117-274.
1903. Descriptions of three new parasitic Hymenoptera from India. I.M.M.N. 5:2-3.
1904. Descriptions of new Hymenoptera from Japan. Jour. N.Y. Entomol. Soc. 12: 65-88.
1904. Descriptions of new genera and species of Hymenoptera from the Philippine Islands. Proc. U.S. Natl. Mus. 28: 127-158.
1905. New Hymenoptera from the Philippines. Proc. U.S. Natl. Mus. 29:107-119.
- Askew, R. R. 1972. Parasitic Insects. Heinemann, London, 316 pp.
- Audouin, M. V. 1842. Historie des insectes nuisibles à la vigne, de la pyrale. Fortin, Masson, Inc., Paris, 342 pp.
- Avasthy, P. N., and Chaudhary, J. P. 1963. First record of a bethylid parasite on the armyworm, *PSEUDALETIA UNIPUNCTA* Haw. Indian Jour. of Sugarcane Res. Dev. 7:192.
1966. Studies on PARASIEROLA sp. a parasite of armyworm. Indian Jour. Entomol. 27:414-422.
- Ayyappa, P. K., and Cheema, P. S. 1952. An ectoparasite on the larvae of ANTHRENUS VORAX Waterhouse. Proc. Indian Acad. Sci. 36:215-222.
- Ayyar, T. V. R. 1917. A catalog of new wasps and bees (Fossores, Diptera and Anthophila) described from the Indian region since 1897. Jour. Bombay Nat. Hist. Soc. 25:92-103.
1927. The parasitic Hymenoptera of economic importance noted from South India. Bull. Entomol. Res. 18:73-78.
- Back, E. A. 1940. A new parasite of ANTHRENUS VORAX Waterhouse. Proc. Entomol. Soc. Wash. 42:110-113.
- Back, E. A., and Cotton, R. T. 1938. Parasites of grain pests. U.S.D.A. Farmers Bull. 1260, pp. 42-45.
- Baker, G. L. 1976. The biology of PRISTOCERA RUFA Kieffer (Hymenoptera: Bethylidae), a parasite of PANATORHYTES SZENTIVANYI Marshall (Coleoptera: Curculionidae) in Papua New Guinea. Jour. Aust. Entomol. Soc. 15:153-164.
- Beardsley, J. W., and Tuthill, L. D. 1959. Additions to the known insect fauna of Niihau. Proc. Hawaii. Entomol. Soc. 17: 56-61.
- Beeson, C. F. C., and Chatterjee, S. N. 1939. Further notes on the biology of parasites of teak defoliators in India. Indian Forest Rec. 5:357-370.
- Begemann, H. 1926. Verslag van den entomoloog over het Tijdvak 3 December 1924-31 (December 1925). Meded. Koffiebessenboek-Fonds 14:194-207.
1927. Verslag van den entomoloog over het jaar 1926. Meded. Koffiebessenboek-Fonds 15:1-21.
- Bennet, F. D. 1960. Parasites of ANCYLOSTOMA STERCOREA (Zell.) (Pyralidae, Lepidoptera), a pod borer attacking pigeon pea in Trinidad. Bull. Entomol. Res. 50:737-757.
1965. Tests with parasites of Asian gramineous moth-borers on DIATRAEA and allied genera in Trinidad. Commw. Inst. Biol. Contr. Tech. Bull. 5:101-116.
1971. Current status of biological control of the small moth borers of sugarcane DIATRAEA spp. (Lep. Pyralidae). Entomophaga 16:111-124.
- Bennet, S. E. 1961. The strawberry leaf roller complex in Tennessee. Jour. Tenn. Acad. Sci. 36:320-360.
- Benoit, P. L. G. 1952. Bethylidae (Hym.) nord africains nouveaux ou peu connus du Museo Civico di Storia Naturale di Genova. Doriana 1:1-7.
1956. Contributions à l'étude de la faune entomologique du Ruanda-Urundi (Mission P. Basilewsky 1953). Hymenoptera: CXII. Bethylidae. Ann. Mus. Congo Belge (Ser. 8) Sci. Geol. 51:560-564.
1957. Hymenoptera - Bethylidae. Explor. Parc. Nat'l. Albert Miss. G.F. de Witte, 1933-1935. 88:1-57.
1963. Monographie des Bethylidae d'Afrique noire (Hymenoptera) I. Sous-famille Pristocerinae tribu Dicrogenini tribu Pristocerini, gen. PRISTOCERA Klug. Ann. Mus. R. Afr. Centr. (Ser. 8, Zool.), No. 119, 95 pp.

1963. *Bethylides nord-africains recoltes par M. L. Berland.* Bull. Mus. Natl. Hist. Nat. 35:82-84.
1963. Rectifications a ma revision des *Bethylidae (Hymenoptera) africains*, Vol. I. Rev. Zool. Bot. Afr. 67:5-10.
1967. Un *Bethylide nouveau, CEPHALONOMIA MATEUI* n. sp., parasite de coleopteres xylophages au Sahara. Rev. Zool. Bot. Afr. 76:341-344.
1968. Contribution a l'etude des especes africaines du genere *MESITIUS* Spinola (Hym. *Bethylidae*). Rev. Zool. Bot. Afr. 77:83-94.
1982. *Bethylidae africains. II. (Hymenoptera) Le genre KATHEPYRIS Kieffer.* Rev. Zool. Bot. Afr. 96:185-192.
- Bequaert, J. 1924. Un Hymenoptere *Bethylide qui pique l'homme au Congo.* Ann. Soc. Belg. Med. Trop. 4:163-165.
- Bergamin, G. A. 1945. 3 -Combat biologico. Bol. Super. Serv. Cafe S. Paulo 20: 972-975.
- Berland, L. 1928. *Bethylidae.* In Faune de France -- Hymenopteres Vespiformes II, Vol. 19, pp. 96-137.
1943. Recoltes entomologiques faites par L. Berland a Villa-Cisneros (Rio de Oro). - Hymenopteres. Bull. Mus. Natl. Hist. Nat. 15:311-317.
1951. *Bethyloidea.* In Traite de Zoologie 10(2):976-987.
1976. *Tenthredes, Parasites Porte-Aiguillon (Bethylides).* In Atlas des Hymenopteres de France Belgique, Suisse, Vol. 1. Soc. Nouvelle des Editions Boubee, Paris, 157 pp.
- Bernard, F. 1934. Hymenopteres nouveaux ou peu connus recontres a Frejus (Var). Reseignements sur quelques aculeates peu repandus. Bull. Soc. Entomol. Fr. 39: 58-62.
1935. Hymenopteres nouveaux ou peu connus recontres a Frejus (Var). *Bethyloides nouveaux pour la France, avec la description d'un Dryinide CHELOTHELIUS Berlandi, n. sp.* Bull. Soc. Entomol. Fr. 40:40-42.
1935. Hymenopteres predateurs des environs de Frejus. Ann. Entomol. Soc. Fr. 104: 31-72.
1936. Hymenopteres Vespiformes peu connus en France. Bull. Soc. Entomol. Fr. (1936):165-168.
1939. Hymenopteres nouveau ou peu connus en France (6 Nota). *Bethylides et Sphecoïdes du littoral Mediterraneen.* Bull. Soc. Entomol. Fr. 44:164-166.
- Bernard, F., and Jacquemin, P. 1948. Effets des piqûres de *SCLERODERMA* (Hymenopteres *Bethylidae*) et revision des especes nord-africaines. Bull. Soc. Hist. Nat. Afr. Nord 39:160-167.
- Betrem, J. G. 1961. *CEPHALONOMIA STEPHANO-DERIS* n. spec. (Hym., *Bethylidae*). Entomol. Berich. 21:183-184.
- Bianchi, F. A. 1944. The recent introduction of armyworm parasites from Texas. Hawaii. Pl. Rec. 48:203-212.
- Bianconi, G. A. 1867. Intorno ad alcuni insetti perforatori dei metalli memoria. Acad. Sci. Inst. Bologna Cl. Sci. Fische Mem. Ser. 2. 6:439-455.
- Bischoff, H. 1910. Die Chrysidiiden des Koniglichen Zoologischen Museums zu Berlin. Mitt. Zool. Mus. Berlin 4:245-293 t 7.
1927. Biologie der Hymenopteren. J. Springer, Berlin, 598 pp.
- Blair, K. C. 1944. A note on the economy of the rose bedeguar gall, *RHODITES ROSAE* L. Proc. So. London Entomol. Nat. Hist. Soc. (1943-1944):55-59.
- Blanchard, E. M. 1851. Histoire naturelle des insectes. Soc. Bibliophile, Paris, pp. 287-288.
- Blunck, H. 1953. Handbuch der Pflanzenkrankheiten, Vol. 2. Paul Parey, Berlin.
- Bodenstein, W. G. 1939. The genotypes of the Chrysidiidae (Hymenoptera: Tubulifera). Trans. Amer. Entomol. Soc. 65: 123-133.
- Bognar, S. 1955. A kis drotfereg benito es pusztito parazitaja a PRISTOCERA DEPRESSA Fabr. Novenytermeles 4:241-252.
1957. Notes on PRISTOCERA DEPRESSA Fabr. (Hym. *Bethylidae*), a new parasite of the wireworm. Acta Agron. 7:231-241.
- Borrer, D. J., DeLong, D. M., and Triplehorn, C. A. 1981. An Introduction to the Study of Insects, 5th ed. Holt, Rinehart and Winston, N.Y., 864 pp.
- Boucek, Z. 1957. Hbitenky - Bethyloidea. In Klic zvii. CSR II Hym., pp. 326-333 figs. 854-878.
- Box, H. E. 1953. Informe sobre las plagas insectiles que atacan a la caña de azucar en Mexico, a base de un viaje de reconocimiento efectuado durante Mayo-Julio, 1952, a las regiones cañeras. Bol. Azuc. Mex. No. 44 (Suppl.), 26 pp.
- Bradley, J. C. 1919. The synonymy and types of certain genera of Hymenoptera. Trans. Entomol. Soc. London (1919):50-75.
- Brethes, J. 1913. Himenopteros de la America meridional. Ann. Mus. Nac. Hist. Nat. Bs. Aires 24:35-165.
1916. Hymenopteres parasites de l'Amerique meridionale. Ann. Mus. Nac. Hist. Nat. Bs. Aires 27:401-430.

- Brewer, M., and Naumann, K. 1971. Sobre la biología de PARASIEROLA NIGRIFEMUR (Ash.) (Hym. Bethylidae) ectoparasito larval de RHYCIONI BUOLIANA (Den. and Schiff.) (Lep. Tortricidae). *Acta Zool. Lilloana* 26:157-178.
- Brewer, M., and Varas, D. 1971. Cria masiva de PARASIEROLA NIGRIFEMUR (Ash.) (Hym., Bethylidae). -- Primeras liberaciones en Calamuchita, Córdoba, Argentina. *Rev. Peru. Entomol. Agric.* 14:352-361.
- Bridwell, J. C. 1897-1898. A list of Kansas Hymenoptera. *Trans. Kansas Acad. Sci.* 16:203-211.
1917. A note on an EPYRIS and its prey. *Proc. Hawaii. Entomol. Soc.* 3:262-263.
1917. Notes on a peregrine bethylid. *Proc. Hawaii. Entomol. Soc.* 3:276-279.
1918. Notes on the Bruchidae and their parasites in the Hawaiian Islands. *Proc. Hawaii. Entomol. Soc.* 3:465-509.
1919. Some notes on Hawaiian and other Bethylidae (Hymenoptera) with descriptions of new species. *Proc. Hawaii. Entomol. Soc.* 4:21-38.
1919. Some notes on Hawaiian and other Bethylidae (Hymenoptera) with the description of a new genus and species. 2nd paper. *Proc. Hawaii. Entomol. Soc.* 4:291-314.
1929. Thelytoky or arrhenotoky in SCLERODERMUS IMMIGRANS? *Psyche* 36: 119-120.
- Brimley, C. S. 1938. The insects of North Carolina. No. Carol. Dept. Agric., 560 pp.
- Brothers, D. J. 1975. Phylogeny and classification of the aculeate Hymenoptera, with special reference to Mutillidae. *Univ. Kansas Sci. Bull.* 50:483-648.
- Brown, R. E. 1906. A catalogue of Philippine Hymenoptera, with descriptions of new species. *Philipp. Jour. Sci.* 1: 683-695.
- Brown, W. L., and Cheng, F. Y. 1952. PSLIOBETHYLUS in the New World (Hymenoptera: Bethylidae). *Psyche* 58: 141-148.
- Bruch, C. 1916. Descripción de dos himenópteros mirmecófilos pertenecientes a los bethylidae. *Physis* 2:19-23.
1917. Insectos mirmecófilos. *Physis* 3: 141-149.
1917. Nuevas capturas de insectos mirmecófilos. *Physis* 3:458-465.
- Brues, C. T. 1903. Descriptions of new ant-like and myrmecophilous Hymenoptera. *Trans. Amer. Entomol. Soc.* 29:119-128.
1905. Notes and descriptions of North American parasitic Hymenoptera. I. *Bull. Wis. Nat. Hist. Soc.* 3:183-188.
1906. Fossil parasitic and phytophagous Hymenoptera from Florissant, Colorado. *Bull. Amer. Mus. Nat. Hist.* 22:491-498.
1906. Descriptions of parasitic Hymenoptera from Cape Colony. *Bull. Wis. Nat. Hist. Soc.* 4:103-112.
1906. Notes and descriptions of North American parasitic Hymenoptera. II. *Bull. Wis. Nat. Hist. Soc.* 4:143-152.
1907. Notes and descriptions of North American parasitic Hymenoptera. IV. *Bull. Wis. Nat. Hist. Soc.* 5:96-111.
1907. Notes and descriptions of North American parasitic Hymenoptera. V. *Bull. Wis. Nat. Hist. Soc.* 5:150-161.
1908. Notes and descriptions of North American parasitic Hymenoptera. VI. *Bull. Wis. Nat. Hist. Soc.* 6:48-56.
1908. Notes and descriptions of North American parasitic Hymenoptera. VII. *Bull. Wis. Nat. Hist. Soc.* 6:154-163.
1910. Notes and descriptions of North American parasitic Hymenoptera. VIII. *Bull. Wis. Nat. Hist. Soc.* 8:45-52.
1910. The parasitic Hymenoptera of the Tertiary of Florissant, Colorado. *Bull. Mus. Comp. Zool.* 54:1-125.
1910. Some notes on the geological history of the parasitic Hymenoptera. *Jour. N.Y. Entomol. Soc.* 18:1-22.
1914. The bethylid genus MESITIUS in South America. *Entomol. News* 25:119-120.
1916. Hymenoptera of Connecticut. Bethylidae. *Bull. Conn. Geol. Nat. Hist. Survey* 22:608-613.
1918. Parasitic Hymenoptera from the British Solomon Islands collected by Dr. W. M. Mann. *Bull. Mus. Comp. Zool.* 62: 97-125.
1919. A new species of the hymenopterous genus SCLERODERMA from the Galapagos Islands. *Proc. Calif. Acad. Sci.* 2: 309-310.
1920. A dimorphic species of CEPHALONOMIA from Trinidad. *Psyche* 27:151-153.
1922. On the hymenopterous genus HARPAGOCRYPTUS and its allies. *Psyche* 29:101-109.
1923. Some new fossil parasitic Hymenoptera from Baltic Amber. *Proc. Amer. Acad. Arts Sci.* 58:327-346.
1924. A new species of parasitic Hymenoptera from Juan Fernandez. *Nat. Hist. Jour. Fernandez Easter Isl.* 3: 315-316.
1933. The parasitic Hymenoptera of the Baltic Amber. Part I. Bernstein-Forschungen (Amber Studies) 3(1932): 4-178.

1939. New Oligocene Braconidae and Bethylidae from Baltic Amber. Ann. Entomol. Soc. Amer. 32:251-263.
- Bryan, H. E. Jr., et al. 1926. Insects of Hawaii, Johnston Island and Wake Island. Bull. Bishop Mus. 31:1-94.
- Busck, A. 1917. Notes on PERISIEROLA EMIGRATA Rohwer, a parasite of the pink bollworm. Insec. Inscit. Menst. 5:3-5.
- Butani, D. K. 1956. A key for the identification of sugarcane borers. Indian Jour. Entomol. 18:303-304.
1960. Parasites and predators recorded on sugarcane pests in India. Indian Jour. Entomol. 20:270-282.
- Butler, G. D., and Schmidt, K. M. 1985. GONIOZUS LEGNERI (Hymenoptera: Bethylidae): development, oviposition, and longevity in relation to temperature. Ann. Entomol. Soc. Amer. 78:373-375.
- Buysson Du, R. 1893. Contribution aux Chrysides du Globe 2<sup>e</sup> Serie. Revue Entomol., pp. 245-254.
- 1891-1896. Les Chrysides. In Andre, Spec. Hym. Eur. Alger. 6:I-XII + 1-758 + 1<sup>x</sup>-22<sup>x</sup> pl. I-XXXI.
1897. Voyage de M.E. Simon Dans l'Afrique Australe (Janvier-Avril 1893). Hymenopteres. Ann. Entomol. Soc. Fr. 66:351-363.
- Cabal Concha, A. 1956. Biologia y control del gorgojo del cafe: ARAECERUS FASCICULATUS De Geer (Fam. Anthribidae) en Barranquilla-Colombia. Rev. Fac. Nac. Agron. 18:53-72.
- Callan, E. McC. 1939. A note on the breeding of PROBETHYLUS CALANI Richards (Hymenopt., Bethylidae), an embiopteran parasite. Proc. R. Entomol. Soc. London 8:223-224.
- Cameron, P. 1881. Notes on Hymenoptera, with descriptions of new species. Trans. R. Entomol. Soc. London (1881):555-577.
1883. Descriptions of new genera and species of Hymenoptera. Trans. R. Entomol. Soc. London (1883):187-197.
1888. Descriptions of twenty-three new species of Hymenoptera. Mem. Proc. Manchester Lit. Philos. Soc. 1:159-183.
1888. Subfamily Bethylinae. Biologia Centrali-Americanana. Insecta. Hymenoptera. 1:448-457.
1889. A decade of new Hymenoptera, Proctotrupidae. Mem. Proc. Manchester Lit. Philos. Soc. (ser. 4) 2:11-14.
1897. New species of Hymenoptera from Central America. Ann. Mag. Nat. Hist. 19:261-276.
1899. Genus EPYRIS. Biologia Centrali-Americanana. Insecta. Hymenoptera, Vol. 1, Supplement, p. 473.
1900. Subfamily Bethylinae. Biologia Centrali-Americanana. 1:433-466 pl. XVIII-XX; 2:1-32 pl. I-II.
1904. Descriptions of a new genus and some new species of East Indian Hymenoptera. Entomologist 37:306-310.
1904. Descriptions of new genera and species of Hymenoptera from Mexico. Trans. Amer. Entomol. Soc. 30:251-267.
1905. On some new genera and species of Hymenoptera collected by the Rev. J. A. O'Neil, S. J., chiefly at Dunbrody, Cape Colony. Rec. Albany Mus. 1:245-265.
1909. A contribution to the knowledge of the parasitic Hymenoptera of Argentina. Trans. Amer. Entomol. Soc. 35:419-450.
1909. On an undescribed genus and species of Oxyura (Proctotrypidae) from Kuching, Borneo. Deut. Entomol. Zeitschr. (1908): 377-378.
- Capek, M. 1955. Nekolik poznámek o cizopasných housenek makadlovky cerove. Folia Zool. Entomol. 4:29-32.
1963. Zoznam parazitov dochovaných z hmyzích skodcov vo V.U.L.H. v Banskej Štiavnici. Cast III - Hostitelia lumkov (Ichneumonidae), chalcidov (Chalcidoidea), proctotrupidov (Proctotropoidea) a betylidov (Bethylidae). Vedecke Prace V.U.L.H. 4:239-272.
- Carvacho Mesquita, F. 1944. A broca do café no estado do Rio de Janeiro. Bol. Fitossanitaio 1:247-253.
- Cerruti, M. 1957. CEPHALONOMIA PONTINA n. sp. Fragm. Entomol. 2:149-151.
- Chatterjee, P.N. 1941. Notes on some parasites of shisham defoliators at Allahabad and Dehra Dun, India. Indian Jour. Entomol. 3:157-172.
- Chatterji, S. 1954. On a new record of a betylid parasite on RHIZOPERTHA DOMINICA Fabr. Curr. Sci. 2:59-60.
- Chen, C. B. 1963. An efficient criticism of utilizing indigenous egg parasites (TRICHOCRAMMA MINUTUM and TRICHOCRAMMA AUSTRALICUM) and introducing parasites for controlling the sugarcane borers. Jour. Agric. Assoc. China 44:1-8.
1966. The biological control of sugarcane borers in Taiwan, 1948-1966. Mushi 39, Supl. 11th Pac. Sci. Cong., pp. 103-108.
- Chen, C. B., and Hung, T. H. 1962. Experiment results of introducing parasitic wasps and flies for controlling sugarcane borers from India into Taiwan in 1961-1962. Jour. Agric. Assoc. China N.S. 49:63-71.

- Cherian, M. C., and Israel, P. 1942. GONIOZUS INDICUS Ash. -- a natural enemy of the sugarcane white moth borer (SCIRPOPHAGA RHODOPROCTALIS). Jour. Bombay Nat. Hist. Soc. 43:488-493.
- Cherian, M. C., and Kylasam, M. S. 1942. Preliminary notes on the parasites of the spotted and the pink bollworms of cotton in Coimbatore. Proc. Indian Acad. Sci. 14:517-528.
- Chevecoeur, A. D., and Marechal, P. 1933. Materiaux pour servir a l'establissement d'un nouveau catalogue des Hymenopteres de Belgique. III. Fam. Bethylidae. Bull. Ann. Soc. R. Entomol. Belg. 73:150-151.
- Chitty, A. J. 1906. PSEUDISOBRACHIUM CANTIANUM: a species of Bethylinae (Proctotrypidae) new to science. Entomol. Mon. Mag. Ser 2. 17:148-151.
- Chodjai, M. 1963. Etude ecologique du RUGOSCOLYTUS MEDITERRANEUS Eggers (Col. Scolytidae) en Iran. Rev. Path. Veg. Entomol. Agr. Fr. 42:139-160.
- Clausen, C. P. 1962. Entomophagous Insects. Hafner, N.Y., 688 pp.
- Clausen, C. P. (ed.). 1978. Introduced Parasites and Predators of Arthropod Pests and Weeds: A World Review. U.S. D.A. Agric. Hnbk. No. 480, 545 pp.
- Cockerell, T. D. A. 1917. Arthropods in Burmese Amber. Amer. Jour. Sci. Ser. 4. 194:360-368.
1920. A parasite of dermestid beetles in entomological collections. Can. Entomol. 52:34.
1921. Fossil arthropods in the British Museum, V. Oligocene Hymenoptera from the Isle of Wight. Ann. Mag. Nat. Hist. 7:1-25.
- Colon, D. E., Graham, D. Y., Hastings, H., and Leslie, G. 1984. Rearing parasitoids and their hosts for the biological control of ELDANA SACCHARINA Walker (Lepidoptera: Pyralidae). Proc. So. Afr. Tech. Assoc. 58:159-164.
- Costa, Ach. 1864. Anno II - 1862 con quattro tavole. Parte prima et seconda. Ann. R. Mus. Zool. R. Univ. Napoli 2:1-(126)-176 t. 1. fig. 3. (erroneously printed 4).
- Costa Lima, A. M. Da. 1919. Contribuicao ao conhecimento dos microhymenopteros parasitos da lagarta rosea de PECTINOPHORA GOSSYPIELLA (Saunders) no Brasil. Arch. Esc. Sup. Agr. Med. Vet. Niehroy 3:57-63.
- Cresson, E. T. 1872. Hymenoptera Texana. Trans. Amer. Entomol. Soc. 4:153-292.
- Cuscianna, N. 1927. Note morphologiche e biologiche sulla SIMAETHIS NEMORNA Hb. Boll. Lab. Zool. Portici 20:17-34.
- Cushman, R. A., and Gordh, G. 1976. Biological investigations of GONIOZUS COLUMBIANUS Ashmead, a parasite of the grape berry moth, PARALOBESIA VITEANA (Clemens) (Hymenoptera: Bethylidae). Proc. Entomol. Soc. Wash. 78:451-457.
- Dahlbom, A. G. 1845. Dispositio methodica specierum Hymenopterorum secundum familias insectorum naturales. Particula secunda. CHRYYSIS in sensu Linnaeano. Lund, pp. 1-21.
1854. Hymenoptera Europaea Praecipue Borealia, Vol. 2, pp. 1-512.
- Dalla Torre, C. G. De. 1892. Chrysidae (Tubulifera). Catalogus hymenopterorum hucusque descriptorum systematicus et synonymicus VI. Lipsiae, pp. 1-118.
1898. (Bethylinae, Pristocerinae.). In Catalogus Hymenopterorum 5:547-562.
- Danthanarayana, W. 1980. Parasitism of the light brown apple moth, EPIPHYAS POSTVITTANA (Walker) by its larval ectoparasite GONIOZUS JACINTAE Farrugia (Hymenoptera: Bethylidae) in natural populations in Victoria. Aust. Jour. Zool. 28:685-692.
- Denis, J. R., and Jeannenot, F. 1950. Sur une CEPHALONOMIA (Hym. Bethylide) a males dimorphes, ailes et brachypteres. Bull. Sci. Bourgogne, Suppl. No. 7a, 6 pp.
- De Santis, L. 1970. Las especies Argentinas del genero CEPHALONOMIA (Hymenoptera, Bethylidae). Rev. Entomol. Argent. 32: 17-21.
- De Santis, L., and Esquivel, L. 1966. Tercera lista de himenopteros parasitos y predatores de los insectos de la R. Argentina. Rev. Mus. La Plata, Sec. Zool. 9:47-215.
- Descamps, M. 1956. Insects nuisibles au riz dans le nord Cameroun. Agron. Trop. 11:732-755.
- Dharmaraju, E. 1952. The biological control of the blackheaded caterpillar of coconut, NEPHANTIS SERINOPA M., in the East Godavari District of Madras State. Indian Coconut Jour. 5:171-176.
1962. A checklist of parasites, the hyper-parasites, predators and pathogens of the coconut leaf caterpillar NEPHANTIS SERINOPA Meyrick recorded in Ceylon and in India and their distribution in these countries. Ceylon Coconut Quart. 13:102-111.
1963. Biological control of coconut leaf caterpillar (NEPHANTIS SERINOPA Meyrick) in Ceylon. Bull. Sri Lanka Coconut Res. Inst. 21:12-46.

- Dharmaraju, E., and Pradhan, S. 1976. Factors affecting the realisation of the biotic potential in *PERISIEROLA NEPHANTIDIS* Muesebeck and *TRICHOSPILUS PUPIVORA* Ferriere, parasites of the coconut leaf caterpillar, *NEPHANTIS SERINOPA* Meyrick. Indian Jour. Entomol. 38:370-376.
- Diss, A., and Timon-Davie, J. 1951. Accidents provoques en France par un insecte piqueur *SCLERODERMA DOMESTICA*. Bull. Soc. Fr. Dermat. Syphil. 58: 35-36.
- Dodd, A. P. 1916. Australian Hymenoptera: Proctotrypoidea. No. 4. Trans. R. Soc. So. Aust. 40:9-32.
1924. Chalcidoidea and Proctotrypoidea from Lord Howe and Norfolk Islands, with descriptions of new genera and species. Trans. R. Soc. So. Aust. 48:162-186.
- Dohanian, S. M. 1942. Parasites of the filbert worm. Jour. Econ. Entomol. 35: 836-841.
- Dominik, J. 1971. Badania nad rozwojem *SCLERODERMUS DOMESTICUS* Klug. (Bethylidae, Hym.) oraz nad mozliwoscia jego wykorzystania w biologicznym zwalczaniu owadow niszczacych drewniane budowle i wroby z drewna. Folia For. Polon. 10: 73-86.
- Doutt, R. L. 1973. Maternal care of immature progeny by parasitoids. Ann. Entomol. Soc. Amer. 66:486-487.
- Duchaussoy, A. 1914 (1916). Nouveaux Bethylides de l'Afrique du nord et de l'Europe oriental (Hymenopteres). Bull. Soc. Hist. Nat. Afr. Nord 5:109-126.
1916. Description d'un nouveau Bethylidae (Hymenopteres) de la France meridionale. Misc. Entomol. 23:34-36.
1917. Nouveau Bethylidae de l'Afrique du nord. Bull. Soc. Hist. Nat. Afr. Nord 8:111-112.
- Emden, F. Van. 1931. Zur Kenntnis der Morphologie und Okologie des Brotkafer-Parasiten *CEPHALONOMIA QUADRIDENTATA* Duchaussoy. Zeit. Morphol. Okol. Tiere, Abt. A. 23:425-574.
- Enderlein, G. 1901. Neue Evanidiiden, Stephaniden, Mutilliden (Apterogyna), Proctotrupiden und Chalcididen mit einer Bestimmungstabelle der afrikanischer Stephaniden. Arch. Naturges. 67:187-220.
1912. H. Sauter's Formosa-Ausbeute. Braconidae, Proctotrypidae, und Evanidiiden (Hym.). Entomol. Mitt. 1:257-267.
- Essig, E. O. 1932. A small insect which stings severely. Science 75:242-243.
- Essig, E. O., and Michelbacher, A. E. 1932. The stinging EPYRIS. Science 76:407-408.
- Evans, H. E. 1954. The North America species of *DISSOMPHALUS* (Hymenoptera, Bethylidae). Proc. Entomol. Soc. Wash. 56:288-309.
1957. The North and Central American species of *PROPRISTOCERA* (Hymenoptera: Bethylidae). Proc. Entomol. Soc. Wash. 59:289-296.
1959. The genus *ANISEPYRIS* in the Greater Antilles (Hymenoptera, Bethylidae). Bull. Brooklyn Entomol. Soc. 54:69-75.
1959. The genus *ANISEPYRIS* in America north of Mexico (Hymenoptera, Bethylidae). Proc. Entomol. Soc. Wash. 61:97-120.
1959. The Nearctic species of *LOPHEPYRIS*, a new subgenus of *RHABDEPYRIS* (Hymenoptera, Bethylidae). Proc. Entomol. Soc. Wash. 61:201-204.
1961. A revision of the genus *PSEUDISOBRACHIUM* in North and Central America (Hymenoptera, Bethylidae). Bull. Mus. Comp. Zool. 126:211-318.
1962. The genus *BETHYLUS* in North America (Hymenoptera: Bethylidae). Breviora, No. 150, 12 pp.
1962. Further studies on the genus *DISSOMPHALUS* in the United States, Mexico, and the Greater Antilles (Hymenoptera: Bethylidae). Proc. Entomol. Soc. Wash. 64:65-78.
1963. A new species of *CEPHALONOMIA* exhibiting an unusually complex polymorphism (Hymenoptera, Bethylidae). Psyche 70:151-163.
1963. A revision of the genus *APENESIA* in the Americas (Hymenoptera, Bethylidae). Bull. Mus. Comp. Zool. 130:251-359.
1963. A revision of the genus *PRISTOCERA* in the Americas (Hymenoptera, Bethylidae). Bull. Mus. Comp. Zool. 129:241-290.
1964. A synopsis of the American Bethylidae (Hymenoptera, Aculeata). Bull. Mus. Comp. Zool. 132:1-222.
1965. A revision of the genus *RHABDEPYRIS* in the Americas (Hymenoptera, Bethylidae). Bull. Mus. Comp. Zool. 133:67-151.
1965. Further studies on Neotropical Epyrini (Hymenoptera, Bethylidae). Psyche 72:265-278.
1966. Further studies on Neotropical Pristocerinae (Hymenoptera, Bethylidae). Acta Hymenopt. 2:99-117.
1966. A revision of the genus *ANISEPYRIS* Kieffer (Hym., Bethylidae). Stud. Entomol. 9:1-120.
1967. New generic records of Bethylidae from South America (Hymenoptera). Proc. Entomol. Soc. Wash. 69:269-272.

1967. Notes on Mexican and southwestern U.S. Bethylidae (Hymenoptera): Part I, Pristocerinae. *Entomol. News* 78:13-23.
1967. Notes on Mexican and southwestern U.S. Bethylidae (Hymenoptera): Part II, Epyrinae. *Entomol. News* 78:93-100.
1969. Phoretic copulation in Hymenoptera. *Entomol. News* 80:113-124.
1969. Three new Cretaceous aculeate wasps (Hymenoptera). *Psyche* 76:251-261.
1969. The genus PSEUDISOBRACHIUM in Argentina and Chile (Hymenoptera, Bethylidae). *Acta Zool. Lilloana* 25: 43-66.
1969. Bredin-Archibald-Smithsonian Biological Survey of Dominica: Bethyloidea (Hymenoptera). *Smithson. Contrib. Zool.* 1969, 14 pp.
1969. West Indian wasps of the subfamily Pristocerinae (Hymenoptera: Bethylidae). *Proc. Entomol. Soc. Wash.* 71:514-530.
1970. West Indian wasps of the subfamilies Epyrinae and Bethylinae (Hymenoptera: Bethylidae). *Proc. Entomol. Soc. Wash.* 72:340-356.
1973. Cretaceous aculeate wasps from Taimyr, Siberia (Hymenoptera). *Psyche* 80:166-178.
1973. Further studies on South American Bethylidae (Hymenoptera). *Proc. Entomol. Soc. Wash.* 75:194-204.
1977. A further look at the genus PROROPS (Hymenoptera, Bethylidae). *Jour. N.Y. Entomol. Soc.* 85:50-54.
1977. A revision of the genus HOLEPYRIS in the Americas (Hymenoptera: Bethylidae). *Trans. Amer. Entomol. Soc.* 103:531-579.
1977. Further studies on the North American species of PRISTOCERA (Hymenoptera: Bethylidae). *Entomol. News* 88:57-60.
1978. The Bethylidae of America North of Mexico. *Mem. Amer. Entomol. Inst.*, Vol. 27, 332 pp.
1978. New Neotropical CALYOZINA, with key to species (Hymenoptera: Bethylidae). *Entomol. News* 89:61-62.
1979. The PLATYCEPHALUS group of the genus RHABDEPYRIS Kieffer (Hymenoptera: Bethylidae: Epyrinae). *Jour. Aust. Entomol. Soc.* 18:377-381.
1979. Additions to knowledge of the bethylid fauna of Hispaniola (Hymenoptera: Bethylidae). *Proc. Entomol. Soc. Wash.* 81:456-459.
1979. A reconsideration of the genus BAKERIELLA (Hymenoptera: Bethylidae). *Jour. N.Y. Entomol. Soc.* 87:256-266.
1979. The genus DISSOMPHALUS in northwestern South America (Hymenoptera: Bethylidae). *Proc. Entomol. Soc. Wash.* 81:276-284.
1982. The ANXIUS group of the genus RHABDEPYRIS Kieffer (Hymenoptera: Bethylidae: Epyrinae). *Jour. Aust. Entomol. Soc.* 21:55-61.
1984. Insect Biology. Addison-Nesley Publ. Co., Reading, Mass., 436 pp.
- Fahringer, J. 1936. Ueber einige merkwürdige und seltene Hymenopteren-Gattungen aus Afrika. *Festsch. 60 Geburts E. Strand* 1:568-590.
- Farrugia, D. 1981. Three new Australian species of GONIOZUS Foerster (Hymenoptera: Bethylidae), and G. ANTIPODUM Westwood redescribed. *Bull. Entomol. Res.* 71:317-322.
- Ferriere, C. 1930. Zoologische Forschungsreise nach den Jonischen Inseln und dem Peloponnes. *Sitzungsber. Akad. Wiss. Wien, Math. Naturwiss. Kl.* 139:393-406.
- Finlayson, L. H. 1950. Host preference of CEPHALONOMIA WATERSTONI Gahan, a bethylid parasitoid of LAEMOPHLOEUS species. *Behaviour* 2:275-316.
1950. The biology of CEPHALONOMIA WATERSTONI Gahan (Hym., Bethylidae), a parasite of LAEMOPHLOEUS (Col., Cucujidae). *Bull. Entomol. Res.* 41:79-97.
1952. Host selection by CEPHALONOMIA WATERSTONI Gahan (Hym. Bethylidae). *Trans. 9th Int. Congr. Entomol.*, Amsterdam 1:370-374.
- Foerster, A. 1850. Eine Centurie neuer Hymenopteran. Dritte Dekade. *Verh. Naturh. Ver. preuss. Rheinl.* 7:501-518.
1856. Hymenopterologische Studien II: Chalcidiae und Proctotruipii. Aachen ter Meer, Vol. 2, 152 pp.
1860. Eine Centurie neuer Hymenoptera. *Decheniana* 17:93-153.
- Fonseca, J. Pinto Da. 1932. O repasse consiste numa catacao rigorosa dos fructos existentes nas arvores e no chao depois de colheita. *Fol. Inst. Biol. S. Paulo* 26:29-46.
1935. Alguns dados sobre a biologia do "HETEROSPILUS COFFEICOLA", parasita da broca do cafe. *Biologico* 1:347-357.
1937. Processo para a multiplicacao da "vespa de Uganda" em viverus. *Biologico* 3:220-229.
1939. A "broca" e o sombreamento dos cafezais. *Biologico* 5:133-136.
1939. PROROPS NASUTA Watrst., 1923 (Hymenoptera - fam. Bethylidae). *Biologico* 5:489-496.
- Fonseca, J. Pinto Da, and Araujo, R. L. 1939. Insetos inimigos do HYPOTHENEMUS HAMPEI (Ferr.) (broca do cafe). *Biol. Bul.* (Sao Paulo) (n.s.) 4:486-504.

- Fonseca, J. Pinto Da, and Morae, C. 1938. Processos de criacao disseminacao e colonizacao da "vespa de Uganda." *Biologico* 4:285-291.
- Fouts, R. M. 1920. Some new parasites, with remarks on the genus *PLATYGASTER*. *Proc. Entomol. Soc. Wash.* 22:61-72.
1925. Descriptions of three new Hymenoptera from the Philippine Islands. *Philipp. Jour. Sci.* 26:515-518.
1926. Notes on Serphoidea with descriptions of new species (Hymenoptera). *Proc. Entomol. Soc. Wash.* 28:167-179.
1927. Descriptions of new Nearctic Serphoidea (Hymenoptera). *Proc. Entomol. Soc. Wash.* 29:165-179.
1928. Notes on the Bethylinae with descriptions of one new Cuban and twelve new North American species. *Proc. Entomol. Soc. Wash.* 30:121-132.
1930. New bethyliid and serphoid parasites from Borneo and Philippine Islands. *Philipp. Jour. Sci.* 41:1-10.
1934. Report on a small collection of parasitic Hymenoptera from Italian Somaliland. *Mem. Soc. Entomol. Ital.* 13:98-109.
1939. New serphoid, bethyliid and anteonid wasps from the Marquesas and Society Islands. *Bull. Bishop Mus.* 142:151-159.
1942. Description of a new species of *GONIOZUS* from Oregon. *Proc. Entomol. Soc. Wash.* 44:168-169.
- Fuchs, H. Von. 1952. URTICARIA PAPULOSA durch Stiche von *SCLERODERMA DOMESTICA*. *Dermatologia* 105:213-216.
- Fullaway, D. T. 1920. New species of SIEROLA with explanatory notes. *Occas. Pap. Bishop Mus.* 7:57-159.
1935. New species and varieties of SIEROLA from the Marquesas. *Bull. Bishop Mus.* 114:357-363.
- Gahan, A. B. 1930. Synonymical and descriptive notes on parasitic Hymenoptera. *Proc. U.S. Natl. Mus.*, Vol. 77, Art. 8, 12 pp.
1931. On certain hymenopterous parasites of stored-grain insects. *Jour. Wash. Acad. Sci.* 21:213-221.
- Gallard, L. 1924. Notes on *GONIOZUS ANTIPODUM*. *Aust. Nat.* 5:172.
- Garman, P. 1937. Work with oriental fruit moth parasites. *Conn. Exp. Sta. Bull.* 396, p. 378.
1938. Oriental fruit moth parasite work, 1937. *Conn. Exp. Sta. Bull.* 408, pp. 222-226.
- Garthwaite, P. F. 1940. Annual report on working plans, silviculture and entomology in Burma for the year 1938-39. Part III. Entomological research. A - Pests of Teak. *Govern. Printing and Stationery Burma*, pp. 94-106.
- Geldern, C. E. Von. 1927. Systemic effects following the sting of a species of *EPIRYS*. *Science* 65:302.
- George, T. G., Sahasranaman, K. N., and George, M. V. 1977. Note on the natural parasitism of *NEPHANTIDIS SERINOPA* Meyrick. *Curr. Res.*, Feb. 15, pp. 27-28.
- Giard, A. 1898. Sur les CEPHALONOMIA (Hymen. Proctotryp.) parasites des larves de Ptinides. *Bull. Soc. Entomol. Fr.* (1898):50-52.
1877. Listes des eclosions d'insectes observees par le Dr. Joseph-Etienne Giraud, membre Hondraire. Recueille et Annotee par M. le Dr. Alexandre LaBoulbene. *Ann. Entomol. Soc. Fr.* 7: 397-446.
- Gifford, J. R. 1965. *GONIOZUS INDICUS* as a parasite of the sugarcane borer. *Jour. Econ. Entomol.* 58:799-800.
- Giordani Soika, A. 1932. Nota su *SCLERODERMA DOMESTICUM* Kieff. (Hym. Bethylidae). *Boll. Soc. Veneziana Stor. Nat.* 1:14-18.
- Giraud, J. 1856. Observations sur quelques especes d'Hymenopteres rates ou peu connues, trouvees dans les environs de Vienne. *Verh. Zool. Bot. Gesell. Wien* 6:179-188.
- Girling, D. J. 1970. Investigations on the natural enemies of lepidopterous stemborers of graminaceous crops in East Africa (for Uganda). *Comm. Agr. Bur. Commw. Inst. Biol. Contr. Rept.* 1970, pp. 16-17.
1977. PARASIEROLA sp. (Hym., Bethylidae), a parasite of *ELDANA SACCHARINA* Wlk. (Lep., Pyralidae). *Entomol. Mag.* 113: 211-212.
- Godwin, P. A., and Odell, T. M. 1965. The life history of the white-pine cone beetle, *CONOPHTHORUS CONIPERDA*. *Ann. Entomol. Soc. Amer.* 58:213-219.
- Goertzen, R., and Doutt, R. L. 1975. The ovicidal propensity of *GONIOZUS*. *Ann. Entomol. Soc. Amer.* 68:869-870.
- Gordh, G. 1976. *GONIOZUS GALLICOLA* Fouts, a parasite of moth larvae, with notes on other bethyliids (Hymenoptera: Bethylidae; Lepidoptera: Gelechiidae). *U.S.D. A. Tech. Bull.* 1524, 27 pp.
1984. *GONIOZUS PAKMANUS*, a new species imported to California for the biological control of pink bollworm, *PECTINOPHORA GOSSYPIELLA* (Saunders) (Hymenoptera: Bethylidae; Lepidoptera: Gelechiidae). *Entomol. News* 95:207-211.

- Gordh, G., and Evans, H. E. 1976. A new species of *GONIOZUS* imported into California from Ethiopia for the biological control of pink bollworm and some notes on the taxonomic status of *PARASIEROLA* and *GONIOZUS* (Hymenoptera: Bethylidae). *Proc. Entomol. Soc. Wash.* 78:479-489.
- Gordh, G., and Hawkins, B. 1981. *GONIOZUS EMIGRATUS* (Rohwer), a primary external parasite of *PARAMYELOIS TRANSITELLA* (Walker), and comments on bethylids attacking Lepidoptera (Hymenoptera: Bethylidae; Lepidoptera: Pyralidae). *Jour. Kansas Entomol. Soc.* 54:787-803.
- Gordh, G., Woolley, J. B., and Medved, R. A. 1983. Biological studies of *GONIOZUS LEGNERI* Gordh (Hymenoptera: Bethylidae) a primary external parasite of the navel orangeworm, *AMYELOIS TRANSITELLA* (Walker) and pink bollworm, *PECTINOPHORA GOSSYPIELLA* (Saunders) (Lepidoptera: Pyralidae, Gelechiidae). *Mem. Amer. Entomol. Inst.* 20:433-468.
- Grandi, G. 1929. Nota su un betilide del gen. *CEPHALONOMIA* Westw. e contributo alla conoscenza della morfologia della famiglia. *Boll. Lab. Entomol. Bologna* 2:301-314.
1932. Sugli uniti degli adulti del gen. *CEPHALONOMIA* Westw. e di altri Imenotteri e sulla loro interpretazione morfologica. *Boll. Lab. Entomol. Bologna* 5:13-21.
1936. Contributi alla conoscenza degli Imenotteri Aculeati. XV. *Bol. Inst. Entomol. Univ. Degli Stud. Bologna* 8: 95-96.
- Green, R. F., Gordh, G., and Hawkins, B. A. 1982. Precise sex ratios in highly inbred parasitic wasps. *Amer. Nat.* 120:653-665.
- Guajardo, H., and Ortiz, J. J. 1966. Insectos le parasitos del Gusano de la cascara de la nuez, *LASPEYRESIA CARYANA* (Fitch), en varias lacailladas de nuevo leon. *Bol. Soc. Nuevoleonesa Hist. Nat.* 1:34-52.
- Guiglia, D. 1956. Una nuova specie italiana del gen. *CEPHALONOMIA* Westwood (Hymen.: Bethylidae). *Mem. Soc. Entomol. Ital.* 35:129-132.
1958. Les sclerodermines par rapport a l'homme. *Proc. 10th Int. Congr. Entomol.*, Montreal 3:883-887.
1962. Un nuovo genere della famiglia Bethylidae che attacca l'unomo. Ulteriori osservazioni sulla puntura dello *SCLERODERMA DOMESTICUM* Latreille (Hymenopt.: Bethylidae). *Ann. Mus. Civ. Stor. Nat. Giacomo Doria* 73:189-195.
1965. Orussidae. In *Hymenopterorum Catalogus (nova editio)* 1-3, The Hague:1.
- Gussakovskii, V. V. 1935. Eine neue Art der Gattung *CEPHALONOMIA* Westw. (Hymenoptera, Bethylidae). Parasit von *SILVANUS SURINAMENSIS* L. *Rev. Entomol. U.S.S.R.* 25:220-231.
- Haeussler, G. J. 1940. Parasites of the oriental fruit moth in Japan and Chosen and their introduction into the United States. *U.S.D.A. Tech. Bull.* 728, 62 pp.
- Haliday, A. H. 1834. Notes on the Bethylidae and on *DRYINUS PEDESTRIS*. *Entomol. Mag.* 1:219-221.
1838. Note on the genus *EPRYRIS*. *Entomol. Mag.* 5:519.
1839. Hymenoptera Britannica *Oxyura*. *Entomol. Mag.* 3:5-15.
- Hall, D. G. 1982. A parasite, *PRISTOCERA ARMIFERA* (Say), of the wireworm *MELANOTUS COMMUNIS* (Gyll.) in south Florida. *Fla. Entomol.* 65:574.
- Hamm, A. H. 1923. Notes on the life-history of a bethylid of the genus *CEPHALONOMIA* Westwood, observed at Oxford. *Proc. Entomol. Soc. London* (1923):XXVI-XXXII.
- Harrant, H., and Huttel, W. 1950. Un insecte vulnerant peu connu. *Bull. Soc. Path. Ex. Ses Fil.* 43:449-450.
- Harris, K. M. 1962. Lepidopterous stem borers of cereals in Nigeria. *Bull. Entomol. Res.* 53:139-171.
- Harris, W. V. 1935. Report of the assistant entomologist 1934. *Rept. Tanganyika Dept. Agr.*, pp. 84-89.
- Harukawa, C. 1941. Insect pests of stored rice and their prevention and control. *Bochu Kagaku* 5:1-23.
- Hayes, W. P. 1927. Another host of *PRISTOCERA ARMIFERA* (Say) (Hymenoptera, Bethylidae). *Proc. Entomol. Soc. Wash.* 29:20-22.
- Hedqvist, K. J. 1975. Notes on Embolemidae and Bethylidae in Sweden with description of a new genus and species (Hym., Bethyloidea). *Entomol. Tidskr.* 96:121-132.
- Hellen, W. 1920. Zur Kenntnis der Bethyliden und Dryiniden Finlands. *Medd. Soc. Fauna Flora Fenn.* 45:277-290.
1923. Über *EPRYRIS BILINEATA* Thoms. (Hym.). *Notulae Entomol.* 3:115-116.
1932. Inventa entomologica itineris Hispanici et Maroccani, quo a. 1926 fecerunt Harald et Hakan Lindberg. VI. Dryinidae et Bethylidae. *Soc. Sci. Fenn. Commentat. Biol.* 3:1-6.
1953. Übersicht über die Bethyliden und Dryiniden Finlands. *Notulae Entomol.* 33:88-102.

- Helson, G. A. H. 1939. The oriental peach moth *CYDIA MOLESTA* (Brusck). Investigations in the Boulburn Valley, Victoria. Progress for the seasons 1935-1938. Aust. C.S.I.R.O. Pam. 88, 23 pp.
- Hemming, F. (ed.). 1944. Opinion 153. On the status of the names *BETHYLUS* Latreille, (1802-1803), and *DRYINUS* Latreille, (1804) (Class Insecta, Order Hymenoptera). Internat'l. Comm. Zool. Nomencl. 2:199-206.
- Hempel, A. 1933. O combate a broca do cafe por meio da vespa de Uganda. Bol. Agric. Zootech. Vet. Minas Gerais 6:551-555.
1933. Combate a broca do cafe por meio da vespa de Uganda. Fol. S. Paulo Inst. Biol. 67:1-12.
1934. A PROROPS NASUTA Waterson no Brasil. Arq. Inst. Biol., S. Paulo 5:197-212.
- Hinton, H. E., and Corbet, A. S. 1949. Common insect pests of stored food products. Brit. Mus. (Nat. Hist.) Econ. Ser. 15:1-52.
- Hoffer, A. 1935. Une espece nouvelle de la famille Bethylidae (Hym. Vespoide.), EPYRIS BAYERI n. sp. Priv. publ., 5 pp.
1936. Rod MESITIUS Thoms. V. Ceskoslovenske Republice. Genus MESITIUS Thoms. in der Ceckoslovakei. (Bethylidae. Hym. - Vespoide.). Cas. Cesk. Spol. Entomol. 33:119-124.
1936. Nouvelle Bethylidae (Hym. - Vespoide.) de France. Festschr. Embrik Strand 1:459-461.
- Hope, F. W. 1837. Description of various new species of insects found in gum anime. Trans. Entomol. Soc. London 2: 52-57.
- Hopkins, A. D. 1899. Preliminary report on the insect enemies of the forests of the northwest. U.S.D.A. Div. Entomol. Bull. 21 (N.S.).
- Howard, L. O. 1885. In Hubbard, Insects Affecting the Orange. U.S.D.A. Div. Entomol. Special Rep., p. 217.
1901. The Insect Book. Doubleday, Page and Co., N.Y., 429 pp.
- Hutson, J. C. 1939. Report of the work of the entomological division. Ceylon Adm. Rep. Agric. (1938):36-41.
- Hyslop, J. A. 1916. PRISTOCERA ARMIFERA (Say) parasitic on LIMONIUS AGONUS (Say). Proc. Entomol. Soc. Wash. 18: 169-170.
- Itoh, H. 1980. Habits of CEPHALONOMIA GALLICOLA (Ashmead) (Hymenoptera, Bethylidae). Jap. Jour. Sanitary Zool. 31:296-298.
- Iwata, K. 1941. Natural enemies of ANTHRENUS VERBACI Linnaeus. Kontyu 15: 50-54.
1942. Comparative studies on the habits of solitary wasps. Tenthredo 4:1-2.
1949. Biology of GONIOZUS JAPONICUS Ashmead, a parasite of the persimmon leaf-roller, DICHOCROCIS CHLOROPHANTHA. Tech. Bull. Kagawa Agric. Coll. 1:58-60.
1955. The comparative anatomy of the ovary in Hymenoptera. Part I. Aculeata. Mushi 29:17-36.
1961. Further biological observations on GONIOZUS JAPONICUS Ashmead (Hymenoptera: Bethylidae). Mushi 35:91-96.
1963. Miscellaneous biological notes on aculeate Hymenoptera in Kagawa in the years 1948 and 1949. Trans. Shikoku Entomol. Soc. 7:114-118.
- Iwata, K., and Tachikawa, T. 1966. Biological observations on 53 species of the superfamilies, Chalcidoidea and Proctotrupoidea, from Japan (Hymenoptera: Apocrita). Trans. Shikoku Entomol. Soc. 9:1-29.
- Jacquemin, P., and Arles, V. M. 1955. Premier cas de piqûre par SCLERODERMA UNICOLOR Westwood. Bull. Soc. Hist. Nat. Afr. Nord 46:294.
- Jacquemin, P., and Marchetti, A. 1955. Nouveau cas Algérois de piqûre par SCLERODERMA ABDOMINALIS. Bull. Soc. Hist. Nat. Afr. Nord 46:1.
- Jacquemin, P., and Vayssiere, B. 1950. Un cas de piqûres par SCLERODERMA DOMESTICA Lat. Bull. Soc. Hist. Nat. Afr. Nord 41:49-50.
- Jansson, A. 1950. Studier over Thomsonska mikrohymenoptertyper. 1-2. Opusc. Entomol. 40:121-125.
- Jayaratnam, T. H. 1941. A study of the control of the coconut caterpillar (NEPHANTIS SERINOPA Meyr.) in Ceylon with special reference to its eulophid parasite, TRICHOSPILUS PUPIVORA Ferr. Trop. Agric. 96:3-21.
1941. The bethylid parasite (PERISIEROLA NEPHANTIDIS M.) of the coconut caterpillar (NEPHANTIS SERINOPA Meyr.). Trop. Agric. 97:115-127.
- Judd, W. W. 1960. LAELIUS UTILIS Cockerell (Hymenoptera: Bethylidae) stinging a child at London, Ontario. Entomol. News 71:104.
- Kalra, A. N., David, H., and Banerji, D. K. 1966. NEOMARASMIA SUSPICALIS Wkr. a new pyralid leaf-roller of sugarcane in India. Indian Jour. Entomol. 28:554-556.
- Kalyanam, N. P. 1960. Studies on the gall insect DACTYLETHRA CANDIDA Meyrick (Gelechiidae) and its parasites. Jour. Zool. Soc. India 12:80-84.

- Kasparyan, D. R. 1980. The functional aspect of evolution of the sting in the Hymenoptera. *Entomol. Rev.* 59:49-54.
- Kearns, C. W. 1934. A hymenopterous parasite (CEPHALONOMIA GALLICOLA Ashm.) new to the cigarette beetle (LASIODERMA SERRICORNE Fab.). *Jour. Econ. Entomol.* 27:801-806.
1934. Method of wing inheritance in CEPHALONOMIA GALLICOLA Ashmead (Bethylidae). *Ann. Entomol. Soc. Amer.* 27:533-541.
- Keeler, C. E. 1929. Thelytoky in SCLERODERMA IMMIGRANS. *Psyche* 36:41-44.
1929. Critical data upon thelytoky in SCLERODERMA IMMIGRANS. *Psyche* 36: 121-122.
- Kelner-Pillault, S. 1958. Catalogue de quelques types d'Hymenopteres provenant de la collection de l'Abbe J. J. Kieffer. *Bull. Mus. Natl. Hist. Nat.* 30:146-152.
1959. Les Bethylidae et les Belytinae (Insectes Hymenopteres) provenant de la collection de l'Abbe J. J. Kieffer. *Bull. Mus. Natl. Hist. Nat.* 31:410-422.
- Kieffer, J. J. 1904. Beschreibung neuer Proctotrypiden und Evanidae. *Ark. Zool.* 1:525-562.
1904. Nouveaux Proctotrypides myrmecophiles. *Bull. Soc. Hist. Nat. Metz* 23: 31-58.
1904. Description de nouveaux Dryininae et Bethylinae. *Ann. Mus. Civ. Stor. Nat. Genova* 41:351-412.
1904. Description d'un nouveau genre et de nouvelles especes de Proctotrypides du Chili. *Revist. Chil.* 8:142-146.
1905. Nouveaux Proctotrypides exotiques. *Ann. Mus. Civ. Stor. Nat. Genova* 42: 9-39.
1905. Description de nouveaux Proctotrypides exotiques. *Ann. Soc. Sci. Bruxelles* 29:95-142.
1905. Description de nouveaux Hymenopteres exotiques. *Bull. Soc. Hist. Nat. Moselle* 24:85-114.
1905. Proctotrypides. In Andre, Spec. Hymenopt. Eur. Alger., Fasc. 91-92. 9:65-288.
1906. Beschreibung neuer Proctotrypiden aus Nord- und Zentral-Amerika. *Berlin Entomol. Zietschr.* 50:237-290.
1906. Proctotrypides. In Andre, Spec. Hymenopt. Eur. Alger., Fasc. 93-96. 10:289-551.
1906. Description de nouveaux Hymenopteres. *Ann. Soc. Sci. Bruxelles* 30: 113-178.
1907. (1906). Beschreibung neuer im British Museum zu London aufbewahrter Proctotrypiden. *Berlin Entomol. Zeitschr.* 51:279-302.
1908. Bethylidae. In Wytsman, Genera Insectorum 76:1-50.
1908. Description de quelques nouveaux Serphides. *Bull. Soc. Hist. Nat. Meltz* 25:1-7.
1908. Nouveaux Proctotrypides et Cynipides d'Amerique. *Ann. Soc. Sci. Bruxelles* 32:7-64.
1909. Description de quelques galles et d'insectes gallicoires de Colombie. *Marcellia* 7:140-142.
1910. Description de nouveaux Bethylides (Hymen.). *Ann. Entomol. Soc. Fr.* 79: 31-56.
1910. Description de nouveaux micro-hymenopteres du Bresil. *Ann. Entomol. Soc. Fr.* 78:287-348.
1911. Cynipides et Bethylides de l'Afrique du sud (Hymenopt.). *Ann. Entomol. Soc. Fr.* 80:451-462.
1911. Nouveaux Bethylides et Dryinides exotiques du British Museum de Londres. *Ann. Soc. Sci. Bruxelles* 35:200-233.
1912. VII. Ceraphronidae, Serphidae, Belytidae, Diapiidae, Platygasteridae und Bethylidae. *Nyt. Mag. Naturvid.* 50:15-22.
1912. No. 4. Hymenoptera, Proctotrupoidea. *Trans. Linn. Soc. London, Ser. 2.* 15: 45-80.
1912. Serphidae, Cynipidae, Chalcididae, Evanidae und Stephanidae aus Aquatorialafrika. *Wissenschaftl. Erg. Deut. Zent. Afr. Exp. 1907-1908.* 3:113-119.
1913. Nouveaux microhymenopteres de l'Afrique equatoriale. *Boll. Lab. Zool. Portici* 7:105-107.
1913. Demembrement du gen. EPYRIS. *Bull. Lab. Zool. Gen. Agr. Portici* 7:108.
1913. Serphides de l'Ile Lucon. *Bull. Lab. Zool. Gen. Agr. Portici* 7:189-192.
1913. In Alluaud and Jeannel, Afrique Oriental (1911-1912). *Ins. Hymenopt.*, pp. 5-9.
1913. Nouveaux Serphides des l'Afrique du Sud. *Bull. Lab. Zool. Gen. Agr. Portici* 7:324-331.
1913. Serphides de iles Philippines. *Insecta* 3:253-260.
1913. Serphides de iles Philippines. *Insecta* 3:317-324.
1914. Enumeration des Serphides (Proctotrupides) des iles Philippines avec description de genres nouveaux et d'espèces nouvelles. *Philipp. Jour. Sci.* 9:285-311.
1914. Bethylinae. In *Das Tierreich* 41: 228-595.

1914. Description de deux genres nouveau et de quatre especies nouvelles de proctotrypides (Hym.). Bull. Soc. Entomol. Fr. (1914):180-181.
1914. Diagnoses de quelques nouveaux Bethylides exotiques (Hym.). Bull. Soc. Entomol. Fr. (1914):158.
1914. Hymenoptera III: Serphidae (Proctotrypidae). In Michaelson, Beitrag zur Kenntnis der Land- und Suswas-serfauna Deutsh-Sudwestafrikas, Vol. 1. Friederichsen, Hamburg, pp. 201-207.
1914. Trois nouveaux Bethylides (Hym.). Bull. Soc. Entomol. Fr. (1914):60-61.
1921. Nouveaux Bethylides du Doudan Egyptien. Ann. Soc. Sci. Bruxelles 40: 111-114.
1922. Philippine Serphidae (Proctotrypidae). Philipp. Jour. Sci. 20:65-103.
1924. Wissenschaftliche Ergebnisse der mit Unterstutzung der Akademie der Wissenschaften in Wien aus der Erbschaft Treitl von F. Werner unternommenen D. Bethylidae. Denksch. Akad. Wissen. Wien 99:225-227.
1926. Proctotrupides de la Sierra-Murena (Hym.). EOS 2:49-52.
- Kishitani, Y. 1961. Observations on the egg-laying habit of GONIOZUS JAPONICUS Ashmead (Hymenoptera, Bethylidae). Kontyu 29:175-179.
1962. Observations on the development of GONIOZUS JAPONICUS Ashmead (Hymenoptera: Bethylidae). Kontyu 30:160-165.
- Kloet, G. S., and Hincks, W. D. 1945. A Check List of British Insects. Stockport, p. 316.
- Klug, F. 1808. Uber die Geschlechtsverscheidenheit der Piezaten. Erste Halfte der Fabriciuschen Gattungen. Mag. Ges. Naturf. Freunde Berlin 2:48-65.
1810. Fortsetzung des im vorigen Bande abgebrochenen Versuchs über die Gattungen SCOLIA und TIPHIA. Beitr. Naturk. 2:167-216.
- Kohl, F. F. 1907. Zoologische Ergebnisse der Expedition der Kaiserlichen nach Sudarabien und Sokotra im Jahre 1898-1899. Familie: Proctotrypidae. Denksch. Akad. Wissen. Wien 71:283-285.
- Konigsmann, E. 1978. Das phylogenetische System der Hymenoptera Teil 4: Aculeata (Unterordnung Apocrita). Deut. Entomol. Zeitschr. (N.F.) 25:365-435 figs 1-13.
- Krishnamurti, B., and Usman, S. 1952. The Ragi stem borer, SESAMIA INFERENS Wlk. Bull. Dept. Agric. Mysore, Entomol. Ser., No. 15, 70 pp.
1954. Some insect parasites of economic importance noted in Mysore State. Indian Jour. Entomol. 16:327-344.
- Krogerus, R. 1927. Schulwespen aus den Dunnengebieten. Soc. Faun. Flora Fenn. Mem. 2:44-48.
- Krombein, K. V. 1954. A new PERISIEROLA from California (Hymenoptera: Bethylidae). Pan-Pac. Entomol. 30:259-260.
1955. Miscellaneous prey records of solitary wasps. I. (Hymenoptera: Aculeata). Bull. Brooklyn Entomol. Soc. 50:13-17.
1956. Biological and taxonomic notes on the wasps of Lost River State Park, West Virginia, with additions to the faunal list (Hymenoptera, Aculeata). Proc. Entomol. Soc. Wash. 58:153-161.
1957. A generic review of the Amiseginae, a group of phasmid egg parasites and notes on the Adelphinae (Hymenoptera, Bethyloidea, Chrysidae). Trans. Amer. Entomol. Soc. 82:147-215.
1958. Additions during 1956 and 1957 to the wasp fauna of Lost River State Park, West Virginia, with biological notes and descriptions of new species. Proc. Entomol. Soc. Wash. 60:49-64.
1962. Natural history of Plummers Island, Maryland. XIII. Descriptions of new wasps from Plummers Island, Maryland (Hymenoptera: Aculeata). Proc. Biol. Soc. Wash. 75:1-18.
1963. Natural history of Plummers Island, Maryland. XVII. Annotated list of the wasps (Hymenoptera: Bethyloidea, Scolioidea, Vespoidea, Pompiloidea, Sphecoidea). Proc. Biol. Soc. Wash. 76:255-280.
1967. Trap-nesting wasps and bees. Life histories, nests and associates. Smithsonian Press, Washington, D.C., 570 pp.
1979. Superfamily Bethyloidea. In Krombein, et al., Catalog of Hymenoptera in America North of Mexico, Vol. 2. Smithsonian Press, Washington, D.C., pp. 1203-1251.
- Kuhne, H. Von, and Becker, C. 1974. Zur Biologie und Okologie von SCLERODERMA DOMESTICUM Latreille (Bethylidae, Hymenoptera), einem Parasiten holzzerstörender Insektenlarven. Zeitschr. Angew. Entomol. 76:278-303.
- Kurian, C. 1952. Descriptions of four new and record of one known Bethyloidea (Parasitic Hymenoptera) from India. Agra Univ. Jour. Res., Sci. 1:63-72.
1954. Descriptions of five new and records and redescriptions of two known Bethyloidea (Parasitic Hymenoptera) from India. Agra Univ. Jour. Res., Sci. 3: 417-439.

1954. Catalogue of Oriental Bethyloidea. Agra Univ. Jour. Res., Sci. 3:253-288.
1955. Bethyloidea (Hymenoptera) from India. Agra Univ. Jour. Res., Sci. 4: 67-155.
- Kurian, C., and Antony, J. 1961. Systematic position, host preference and distribution of PERISIEROLA NEPHANTIDIS Muesebeck (Superfamily: Bethyloidea, Family: Bethylidae - a larval parasite of NEPHANTIS SERINOPA Meyr.) and its allied species. Indian Coconut Jour. 14:123-126.
- Lal, K. B. 1939. Some new species of Hymenoptera from India. Indian Jour. Entomol. 1:49-58.
- Lameere, A. 1938. Precis de Zoologie, Vol. 5, pp. 439-440.
- Latreille, P. A. 1802. Histoire Naturelle des Crustaces et Insectes, Vol. 3. Dufort, Paris.
1809. Genera Crustaceorum et Insectorum, Vol. 4. Koenig, Paris.
- Leemans, S. 1926. Over den Stand den import der Parasiten van den Koffiebessen-boeboek uit Uganda. Meded. Koffiebessen-boeboek-Fonds 9:191-201.
- Leclercq, J. 1941. Notes sur les Hymenopteres des environs de Liege. Bul. R. Mus. Nat. Hist. Brussels 17:1-16.
- Lefever, V. 1983. De aculeaten van ons Waddendistrict II. De wespen (Hym.: Chrysoidea, Scolioidea, Pompiloidea, Vespoidea, Sphecoidea). Entomol. Berich. 43:81-87.
- Legner, E. F. 1983. Establishment of GONIOZUS EMIGRATUS and GONIOZUS LEGNERI (Hym: Bethylidae) on navel orangeworm, AMYEOLOIS TRANSITELLA (Lep: Phycitidae) in California and biological control potential. Entomophaga 28:97-106.
- Legner, E. F., Gordh, G., Silveira-Guido, A., and Badgley, M. E. 1982. New wasp may help control navel orangeworm. Cal. Agric., May-June 1982, pp. 4-5.
1982. New larvical wasp to attempt control of navel orangeworm. Almond Facts, May-June 1982, pp. 56-58.
- Legner, E. F., and Medved, R. A. 1979. Influence of parasitic Hymenoptera on the regulation of pink bollworm, PECTINOPHORA GOSYPIELLA, on cotton in the lower Colorado Desert. Environ. Entomol. 8:922-930.
- Lemarie, J. 1961. Prispevek k poznani cizpasniku makadlovky borove exoteleia dodecella L. Folia Zool. 10:119-126.
- Leonard, M. D. 1928. A list of the insects of New York. Cornell Univ. Agri. Exp. Sta. Mem. 101, 1121 pp.
- Lichtenstein, J., and Picard, F. 1920. Note sur les Proctotrypides. Bull. Soc. Entomol. Fr. (1920):54-55.
- Lucas, H. 1849. Histoire naturelle des animaux articulés. III. Insectes. Explor. Scient. Algerie, Paris, pp. 1-527.
- Ly, L. S. 1976. Etude morphologique et biologique de GONIOZUS PROCERAE Risbec (Hymenoptera, Bethylidae) parasite CHILO SUPPRESSALIS Walker (Lepidoptera: Pyralidae). Fawl. de Sci. Univ. P. et M. Curie, Paris, 56 pp.
- Ma, A., Burkholder, W. E., and Carlson, S. D. 1978. Supra-anal organ: a defensive mechanism of the furniture carpet beetle, ANTHRENUS FLAVIPES (Coleoptera: Dermestidae). Ann. Entomol. Soc. Amer. 71:718-723.
- Maclellan, C. R. 1973. Natural enemies of the light brown apple moth, EPIPHYAS POSTVITTANA, in the Australian Capital Territory. Can. Entomol. 105:681-700.
- Magretti, P. 1897. Viaggio di Leonardo Fea in Birmania e regioni Vicine 74. Imenotteri. Parte Seconda. Trigonaldi, Betilidae, Crisididi. Mus. Civ. Stor. Nat. Giacomo Doria Genoa Ann. Ser 2. 17:308-326.
- Malaise, R. 1937. Fabricius as the first designator and original inventor of genotypes. Entomol. News 48:130-134.
- Mamaev, B. M. 1969. Parasites of the banded fruit moth in the orchards of Nakhichevan A.S.S.R. Dokl. Akad. Azurbaj. S.S.R. 24:41-43.
1973. Experimental study of the relationship of the sexes in SCLERODERMA TURKMENICA (Hymenoptera, Bethylidae). Zool. Zh. 5:777-780.
1979. Entomophaga feeding on pests. Hymenoptera genus SCLERODERMA Latr. (Hymenoptera, Bethylidae). Science (Inst. Evol. Morph. Ecol. Animal), pp. 44-64.
- Mamaev, B. M., and Kravchenko, M. A. 1973. Morphological features, polymorphism and ecology of a new species of parasitic Hymenoptera, SCLERODERMA TURKMENICA Mamaev and Kravchenko sp. nov. (Hymenoptera, Bethylidae). Izv. Akad. Nauk Turkmen. S.S.R., Ser. Biol. Nauk 1: 42-47.
- Mamaev, B. M., and Yagdev, Y. A.. 1979. The biology of the entomophagous species SCLERODERMA TURKMENICUM and the prospects of its use in the biological control of trunk insects. Turkmen. N.I.I.N.T.I. Gosplana Turkmen. S.S.R. 3: 76-79.

- Mamev, B. M., Yagdev, Y. A., and Abdurachmanov, M. N. 1979. SCLERODERMA TURKMENICA Ma. et Krav. found in Tadzhikistan. Izv. Akad. Nauk Turkm. S. S.R. (1979)(3):78-79.
- Mandoul, R., Bernard, F., and Jacquemin, P. 1950. Un insecte piqueur peu connu, attaquant l'homme. Bull. Soc. Path. Exot. 43:158-162.
- Maneval, H. 1930. Description et moeurs de l'adulte et de la larve d'une espece nouvelle de genus PARASCLERODERMA (Hym. Bethylidae). Bull. Soc. Entomol. Fr. 4:53-61.
1932. Notes recueillies sur les Hymenopteres. Ann. Entomol. Soc. Fr. 101:85-110.
1935. Bethylides, Dryinoides et Embolemides nouveaux ou peu connus (Hym.). Ann. Entomol. Soc. Fr. 104:1-10.
- Mann, W. M. 1914. Some myrmecophilous insects from Mexico. Psyche 21:171-184.
1915. Some myrmecophilous insects from Haiti. Psyche 22:161-166.
- Mariani, M. 1952. Su di un piccolo imenottero aculeato che punge l'uomo: SCLERODERMA DOMESTICUM Latr. (Hymenoptera-Bethylidae). Riv. Parassitol. 13: 189-191.
- Marshall, A. K., et al. 1937. The Generic Names of British Insects. R. Entomol. Soc. London, London, pp. 81-149.
- Marshall, T. A. 1874. New British species, corrections of nomenclature, etc. Entomol. Ann. (1874):114-146.
1874. Description of a new European species of Bethylides (Hymenoptera: Oxyura). Entomol. Mon. Mag. 10:222-223.
- Masi, L. 1932. Raccolte entomologiche nell'Isola di Capraia fatte da C. Mancini e F. Capra (1927-1931) III. Mem. Soc. Entomol. Ital. 11:181-205.
1933. Raccolte entomologiche nell'Isola di Capraia fatte de C. Mancini e F. Capra (1927-1931) IV. Mem. Soc. Entomol. Ital. 12:16-48.
1936. Nuova specie di MESITIUS (Hymen. Bethylidae). Ann. Mus. Civ. Stor. Nat. Giacomo Doria 58:132-134.
1939. Missione Biologica nel paese dei Borana. Hymenoptera Chalcididae, Cynipidae, Ichneumonidae, Braconidae, Bethylidae. Reale Acad. d'Ital. 17: 21-44.
- Mateu, J. 1964. La biologie de CEPHALONOMIA MATEUI Benoit. C. R. Acad. Sci. Paris 259:1203.
1965. Notes sur quelques cerambycides, lyctides et bostrychides de la region de Beni-Abbes (Sahara Nord-occidental). L'Entomologiste 21:112-113.
- Matsura, T. 1981. On the occurrence of bethylid wasp, CEPHALONOMIA GALLICOLA (Ashmead) with reference to its injuries to man in Nagoya, Japan. Jap. Jour. Saint. Zool. 32(4):339-341.
- Medler, J. T. 1980. Insects of Nigeria -- Checklist and Bibliography. Mem. Amer. Entomol. Inst., No. 30, 919 pp.
- Melander, A. L., and Brues, C. T. 1903. Guests and parasites of the burrowing bee HALICTUS. Biol. Bull. 5:1-27.
- Melville, A. R. 1958. Biological control of insect pests in coffee. Coffee Tea Ind. Flavor Field 81:121-126.
- Mendes, C. T. 1938. A broca do cafe. Rev. Agric. Piracicaba 13:405-423.
- Mendes, L. O. T. 1940. O sombreamento du cafeiro e a "Broca do cafe." Segunda contribuicao. Rev. Inst. Cafe 164: 1578-1584.
- Menozzi, C. 1925. Une nouvelle espece du genre PSEUDISOBRACHIUM Kieff. (Hymen. - Bethylidae). Cas. Cesk. Spol. Entomol. 21:111-113.
- Mercadel Peyri, J. 1953. El SCLERODERMA DOMESTICA bajo el aspecto dermatológico (Primera aportación española). Rev. Iber. Parasit. 13:357-362.
- Mertins, J. W. 1980. Life history and behavior of LAELIUS PEDATUS, a gregarious bethylid ectoparasitoid of ANTHRENUS VERBASI. Ann. Entomol. Soc. Amer. 73:686-693.
- Meunier, F. 1906. Sur deux insectes (Hymenoptere et Diptere) du copal fossile de Zanzibar. Rev. Sci. Bourbon Cent. Fr. (Mensuel), pp. 59-63.
1916. Über einige Proctotrypidae (Bethylinae, Ceraphroninae und Scelioninae) aus dem subfossilen und dem rezenten Kopal von Zanzibar und von Madagaskar. Zeitschr. Deut. Geol. Gesell. 68:392-393.
- Miwa, Y., and Sonan, J. 1935. PRISTOCERA FORMOSANA, a new species of bethylid wasp parasitizing on elaterid larvae. Taiwan Hakabutsu Gakkai Kaiho 25:90-92.
- Mocsary, A. 1889. Monographia Chrysidiidarum orbis terrarum universi. Budapest, pp. 1-643 tab. I-II.
- Moczar, L. 1966. Remarks on Kieffer's and Marshall's types ~ (Hymenoptera, Bethylidae) in the Hungarian Natural History Museum. Acta Zool. Acad. Sci. Hung. 12:339-361.
1966. Kieffer's MESITIUS and EPYRIS types in the Hungarian Natural History Museum (Hymenoptera, Bethylidae). Ann. Hist. Nat. Mus. Natl. Hung. 58: 427-443.

1969. New MESITIUS species (Hymenoptera: Bethylidae). *Acta Zool. Acad. Sci. Hung.* 15:371-377.
1970. Mestinae of world, genera SULCOMESITIUS Moczar and METRIONOTUS Moczar. II. (Hymenoptera: Bethylidae). *Acta Zool. Acad. Sci. Hung.* 16:409-451.
1970. New Mesitinae from Madagascar (Hymenoptera, Bethylidae). *Ann. Hist. Nat. Mus. Natl. Hung.* 62:317-320.
1970. Two new species of SULCOMESITIUS Moczar (Hym., Bethylidae). *Acta Biol. (Szeged)* 16:163-165.
1970. PARVOCULUS MYRMECOPHILUS new genus and new species from Kinshasa-Congo (Hymenoptera: Bethylidae). *Opusc. Zool. (Budapest)* 10:151-153.
1970. Mestinae of world with new genera and species. I. (Hymenoptera: Bethylidae). *Acta Zool. Acad. Sci. Hung.* 16:175-203.
1971. PYCNOMESITIUS new genus from Bethylidae (Hymenoptera). *Acta Biol. (Szeged)* 17:167-169.
1971. Mestinae of world, genera "MESITIUS Spinola", PILOMESITIUS Moczar, PARVOCULUS Moczar, PYCNOMESITIUS Moczar and HETEROCOELIA Dahlbom. III. (Hymenoptera: Bethylidae). *Acta Zool. Acad. Sci. Hung.* 17:295-332.
1974. On another new species of the genus METRIONOTUS Moczar (Hymenoptera: Bethylidae: Mesitinae). *Acta Biol. (Szeged)* 20:173-177.
1975. Two new species and a key for the males of the genus HETEROCOELIA Dahlbom (Hymenoptera: Bethylidae, Mesitinae). *Acta Zool. Acad. Sci. Hung.* 21:109-114.
1976. New species of SULCOMESITIUS Moczar from Laos (Hymenoptera, Bethylidae). *Ann. Hist. Nat. Mus. Natl. Hung.* 68: 279-284.
1976. New SULCOMESITIUS species from Borneo. *Acta Biol. (Szeged)* 22:97-105.
1977. A review of the genus SULCOMESITIUS Moczar (Hymenoptera: Bethylidae, Mesitinae). *Acta Zool. Acad. Sci. Hung.* 23:139-170.
1978. Two new species of Mesitinae from Egypt (Hymenoptera: Bethylidae). *Acta Biol. (Szeged)* 24:139-142.
1979. New SULCOMESITIUS and HETEROCOELIA species from Sri Lanka (Hymenoptera: Bethylidae). *Pacif. Insects* 21:241-252 figs. 1-25.
1981. New SULCOMESITIUS and HETEROCOELIA species from Southeast Asia (Hymenoptera: Bethylidae). *Acta Zool. Acad. Sci. Hung.* 27:355-367.
1982. Three new SULCOMESITIUS species from Sri Lanka (Hymenoptera: Bethylidae).
- Acta Zool. Acad. Sci. Hung. 28:337-345 figs. 1-14.
1983. Two interesting SULCOMESITIUS species from Africa (Hymenoptera: Bethylidae). *Contr. Amer. Entomol. Inst.* 20:198-200 figs. 1-6.
1983. New data of Bethylidae from the Priesner's collection (Hymenoptera). *Acta Biol. (Szeged)* 29:203-204.
1984. Oriental Mesitinae (Hymenoptera: Bethylidae). *Folia Entomol. Hung.* 45: 109-150 figs. 1-181.
1984. New and little known Mesitinae from southern Europe and Africa (Hymenoptera: Bethylidae). *Tijdschr. Entomol.* 127: 101-113.
- Mohamed, U. V. K., Abdurahiman, U. C., and Remadevi, O. K. 1982. Coconut caterpillar and its natural enemies. *Dept. Zool. Univ. Calicut Zool. Monog.* 2, 162 pp.
- Morley, C. 1930. Catalogus Oxyurarum Britannicorum. *Trans. Suffolk Nat. Soc.* 1:39-60.
- Motschulsky, V. 1863. Essai d'un Catalogue des insectes de l'ile Ceylan. *Bul. Soc. Mosc.* 36:1-153.
- Moutia, L. A. 1957. Considerations sur le complex biologique des Lepidopteres nuisibles a l'embrevadier a Maurice. *Rev. Agric. Ile. Maurice* 36:252-260.
- Muesebeck, C. F. W. 1933. Five new hymenopterous parasites of the oriental fruit moth. *Proc. Entomol. Soc. Wash.* 35:48-54.
1934. Seven new species of Indian Bethylidae. *Rec. Indian Mus.* 36:223-232.
1939. The North American species of the genus LAELIUS Ashmead (Hymen.:Bethylidae). *Proc. Biol. Soc. Wash.* 52: 171-176.
1940. Two new hymenopterous parasites of sugarcane borers in India. *Proc. Entomol. Soc. Wash.* 42:120-122.
- Muesebeck, C. F. W., and Walkley, L. M. 1951. Family Bethylidae. *In* Muesebeck, Krombein and Townes, Hymenoptera of America North of Mexico: Synoptic Catalog. *U.S.D.A. Monog.* 2, pp. 726-734.
- Myers, J. G. 1929. Notes on some natural enemies of PLODIA INTERPUNCTELLA and SILVANUS SURINAMENSIS in Australia. *Bull. Entomol. Res.* 20:425-430.
1932. Biological observations on some Neotropical parasitic Hymenoptera. *Trans. Entomol. Soc. London* 80:121-136.
- Nagaraja, H., and Sankaran, T. 1976. Investigations on natural enemies of CRYPTOPHLEBIA OMBRODELTA. *Comm. Agr. Bur. Commw. Inst. Biol. Contr. Rept.* 1975, pp. 46-47.

- Nagy, C. G. 1966. Neue Bethyliden-Arten fur die Fauna Rumaniens. *Trav. Mus. Hist. Nat. "Gr. Antipa"* 6:165-169.
1967. Contributions a la connaissance des hymenopteres Bethylidae de la faune roumaine. *Folia Entomol. Hung.* 20:87-94.
1968. La presence du genre HOLEPYRIS Kieff. (Hym. Bethylidae) dans la faune de la Roumanie. *An. Stint., Univ. 'Al. L. Cuza,' Sec. 2a.* 14:409-410.
1968. Les femelles de LAELIUS ANTHRENIVORUS Trani (Hym. Bethylidae) attaquent l'homme. *Riv. Parassitol.* 29: 71-74.
1968. A new record of Mesitinae (Hymenoptera, Bethylidae). *Mem. Soc. Entomol. Ital.* 47:168-176.
1969. Sur la sous-famille Mesitinae Berland (Hym., Bethylidae). *Lucr. Sta. Cerc. Marit. Agigea* 3:275-300.
1970. Uber die in Europa vorkommenden mikropterenischen Bethyliden-Arten (Hym., Bethylidae). *Nachrich. Bayer. Entomol.* 18:61-64.
1970. Contribution toward a revision of the European species of the genus EPYRIS Westw. (Hym., Bethylidae). *Mitt. Zool. Mus. Berlin* 46:265-272.
1970. Further records on Mesitinae (Hymenoptera: Bethylidae). *Mem. Soc. Entomol. Ital.* 51:5-18.
1974. A new bethylid subfamily allied to Protopristocerinae. *Bull. Soc. Entomol. Ital.* 106:126-130.
1976. Bethylidae (Hymenoptera) parasitizing orchard caterpillars. *Rev. Roum. Biol. - Biol. Anim.* 21:103-108.
- Ndoye, M. 1980. GONIOZUS PROCERAE Risbec (Hymenopteres, Bethylidae), ectoparasite larvaire d'ACICONA IGNEFUSALIS Hampson (Lepidopteres, Pyralide, Crambinae). *Bull. Inst. Fr. Afr. Nord* 42:394-400.
- Nichols, C. B., Pierce, W. C., and Pinkney, C. C. 1950. Parasites of the pecan nut case bearer in Texas. U.S.D.A. Tech. Bull. 1011, 21 pp.
- Nickel, J. L. 1964. Biological control of rice stem borers: a feasibility study. *Int. Rice Res. Inst. Tech. Bull.* 2, 111 pp.
- Nicoli, R. M., and Erlande-Brandenburg, G. 1957. L'envenimation par piqûre de SCLERODERMA (Hymenoptera, Bethylidae). *Ann. Parasitol. Hum. Comp.* 32:551-562.
- Nielsen, E. T. 1932. Sur les habitudes des Hymenopteres aculeates solitaires I. (Bethylidae, Scoliidae, Cleptidae, Psammocharidae). *Entomol. Medd.* 18:1-57.
- Nielsen, J. C. 1903. Om PERISEMUS FULVICORNIS Curt. En Overgangsform mellem Snylte-og Gravehvepsene. *Entomol.* Medd. 2:105-110.
- Noonan, G. R. 1984. Type specimens in the insect collections of the Milwaukee Public Museum. *Contr. Milw. Publ. Mus. Biol. Geol.* 58:1-14.
- Oatman, E. R., and Jenkens, L. 1962. The biology of the red-banded leaf roller, ARGYROTAENIA VELUTINANA (Wlkr.), in Missouri with notes on its natural control. *Univ. Mo. Coll. Agric. Res. Bull.* 789, 14 pp.
- Oda, T., Mori, A., Fujita, K., Monkada, L., Tachikawa, T., and Tanaka, S. 1981. A case of the sting of a parasitic wasp, SCLERODERMA sp. (Hymenoptera: Bethylidae). *Trop. Med.* 234:213-216.
- Ogloblin, A. A. 1925. Description of a new species of PSEUDISOBRACHIUM Kieff. (Hym. Bethylidae) from Brazil. *Cas. Cech. Spol. Entomol.* 22:24-27.
1925. Descriptions of three new species of PSEUDISOBRACHIUM Kieff. (Hym. Bethylidae) from Brazil. *Acta Soc. Entomol. Cesk.* 22:77-81.
1930. Notes on Bethylidae with the description of two new species from Misiones. *Rev. Soc. Entomol. Argent.* 3:15-24.
1938. Descripciones de Bethylidae y Dryinidae de las colecciones del Museo Argentino de Ciencias Naturales. *An. Mus. Arent. Cien. Nat.* 40:35-50.
1950. Dos Bethyloidea nuevos de la colección de la Fundación Miguel Lillo (Hymenopt.). *Acta Zool. Lilloana* 9: 487-493.
1953. Los insectos de las Islas Juan Fernandez. 14. Bethylidae y Dryinidae. *Rev. Chil. Entomol.* 3:101-115.
1960. Un betilido parasitio de la EVETRIA BUOLIANA (Schiff) (Hymenoptera, Bethylidae). *Rev. Invest. Agric.* 14:35-40.
1963. Especies nuevas del genero PSEUDISOBRACHIUM Kieff. (Fam. Bethylidae, Hymenoptera). *Rev. Soc. Entomol. Argent.* 26:133-138.
- Oken, L. 1817. Cuviers und Okens Zoologien neben einander gestellt. *Isis* 1: 1146-1185.
- Paine, R. W. 1961. Observations on the banana scab moth in the Territory of Papua and New Guinea. *Papua-New Guinea Agric. Jour.* 14:45-47.
1964. The banana scab moth NACOLEIA OCTASEMA (Meyrick): its distribution, ecology and control. *So. Pac. Comm. Tech. Pap.* 245, 70 pp.
- Paoli, G. 1931-1933. Revisione degli insetti di importanza agraria. *Prodr. Entomol. Agr. Somalia* 9-12:368-371.

- Pascalet, P. 1959. Etudes & Dossiers la lutte biologique contre STEPHANODERES HAMPEI ou Scolyte du cafeier au Cameroun. Rev. Bot. Appl. d'Agr. Trop. 19:753-764.
- Pasquier, R. Du. 1932. Principales maladies parasites du theier et du cafeier en extreme-orient. Bull. Econ. Indochine 35:223B-253B.
- Pauly, A. 1984. Les Bethylidae en Belgique (Hymenoptera). Bull. Ann. Soc. R. Entomol. Belg. 120:55-59.
- Pelley, R. H. Le. 1968. Pests of Coffee. Longman, Green and Co., London.
- Pemberton, C. E. 1932. Irritation caused by the sting of the bethylid wasp, HOLEPYRIS HAWAIIENSIS Ashm. Proc. Hawaii. Entomol. Soc. 8:125-126.
- Perez, V. 1980. El genero PSEUDISOBRACHIUM Kieffer en Chile (Hymenoptera: Bethylidae: Pristocerinae). Rev. Chil. Entomol. 10:61-62.
- Perkins, J. F. 1976. Handbook for the Identification of British Insects. Hymenoptera Bethyloidea (Excluding Chrysidae). R. Entomol. Soc. London Hndbk. 6(3a), 38 pp.
- Perkins, R. C. L. 1908. Some remarkable Australian Hymenoptera. Proc. Hawaii. Entomol. Soc. 2:27-35.
- Peyri, J. Mercadal. 1953. El SCLEROERMA DOMESTICA, bajo el aspecto dermatológico. Rev. Iber. Parasit. 13:357-362.
- Picard, F. 1919. Contribution a l'étude du peuplement d'un vegetal la faune entomologique du figuier. Ann. Serv. Epiphy. 6:34-143.
1932. Contribution a l'étude des MESITIUS du bassin mediterranean (Hym., Bethylidae). Soc. Entomol. Fr., Livre Centen 1932, pp. 403-414.
- Poulton, E. B. 1922. Notes on the life-history of a bethylid (Hymenoptera) of the genus CEPHALONOMIA Westwood, observed at Oxford by Mr. A. H. Hamm. The bethylids are fossorial Hymenoptera. Proc. Entomol. Soc. London (1922): xxvi-xxxii.
- Powell, D. 1938. The biology of CEPHALONOMIA TARSALIS (Ash.), a vespid wasp (Bethylidae: Hymenoptera) parasitic on the sawtoothed grain beetle. Ann. Entomol. Soc. Amer. 31:44-49.
- Prokopy, R. J. 1968. Parasites of the leaf rollers ARCHIPS ARGYROSPILUS and A. GRISEUS in Connecticut. Jour. Econ. Entomol. 61:348-352.
- Provancher, L. 1881. Faune Canadienne. Les Insectes - Hymenopteres. Fam. VII. Proctotrypoides. Nat. Can. 12:258-265.
1887. Additions et Corrections au Vol. II de la Faune Entomologique du Canada traitant des Hymenopteres. Darveau, Quebec, pp. 179-180.
- Pruthi, H. S. 1936. Report of the imperial entomologist. Imp. Inst. Agric. Res. Pusa, Sci. Repts. (1934-1935):141-152.
- Pruthi, H. S., and Mani, M. S. 1942. Distribution, hosts and habits of the Indian Serphoidea and Bethyloidea. Mem. Indian Mus. 13:405-444.
- Puzzi, D. 1939. Varlor do parasitismo de PROROPS NASUTA Waterston no combate a broca do cafe. Jour. Agron. 2:259-264.
- Rahman, H. A., Shaumar, N. F., Soliman, Z. A., and El-Agoze, M. A. 1981. Survey and taxonomy of parasites and predators of stored grain and grain products insects. Bul. Entomol. Soc. Egypt 61:53-74.
- Ram, A., and Subba Rao, B. R. 1967 (1968). The description of GONIOZUS STOMOPTERYCIS n. sp. (Bethylidae: Hymenoptera), a primary larval parasite of STOMOPTERYX NERTERIA (Meyrick) in South India and a revised key to the Oriental species of GONIOZUS Foerster. Bull. Entomol. Soc. India 8:73-78.
- Ramachandra Rao, Y., and Cherian, M. C. 1928. Notes on the life history and habits of PERISIEROLA sp., the bethylid parasite of NEPHANTIS SERINOPA Meyr. Madras Agric. Dept. Yr. Book 1927, pp. 11-22.
- Ramakrishna Ayyar, T. V. 1927. The parasitic Hymenoptera of economic importance noted from South India. Bull. Entomol. Res. 18:73-78.
- Ramas Menon, M. G., Chatterji, S., and Sarup, P. 1959. A new species of RHABDEPYRIS Kieffer (Bethylidae: Hymenoptera) parasitic on RHIZOPERTHA DOMINICA Fabricius, a pest of stored cereals. Indian Jour. Entomol. 21: 190-193.
- Ranaweera, D. J. W. 1950. Observations on the life-history of BETHYLUS DISTIGMA Motschulsky (GONIOZUS MONTANUS Kieff.) (Insecta, Hymenoptera, Bethylidae). Jour. Zool. Soc. India 2:127-132.
- Rao, V. P. 1964. Survey for natural enemies of sugarcane borers in India. Report for the period July 1961-December 1963. Commw. Inst. Biol. Contr. Bangalore, 98 pp.
- Rathmayer, W. 1978. Venoms of Sphecidae, Pompilidae, Mutilidae and Bethylidae. In S. Bettini (ed.), Arthropod Venoms. Springer-Verlag, Berlin, pp. 661-690.
- Reh, L., et al. 1925. In Sorauer, Handbuch der Planzenkrankheiten. Bd. IV. Tierische Schadlingen an Nutzpflanzen. Erste Teil. Paul Parey, Berlin.

- Reid, J. A. 1941. The thorax of the wingless and short-winged Hymenoptera. Trans. R. Entomol. Soc. London 91:367-444.
- Reinhard, H. von. 1862. Synonymische Bemerkungen. Berlin Entomol. Zeitschr. 6:298.
- Remadevi, O. K., Mohamed, U. V. K., and Abdurahiman, U. C. 1981. Some aspects of the biology of PARASIEROLA NEPHANTIDIS Muesebeck (Hymenoptera, Bethylidae), a larval parasitoid of NEPHANTIDIS SERINOPA Meyrick (Lepidoptera, Xylorictidae). Polskie Pism. Entomol. 51:597-604.
- Remadevi, O. K., Mohamed, U. V. K., Abdurahiman, U. C., and Narendran, T. C. 1978. Oviposition behaviour of PERISIEROLA NEPHANTIDIS Muesebeck (Bethylidae: Hymenoptera) a larval parasite of NEPHANTIS SERINOPA Meyrick (Xylorictidae: Lepidoptera). Entomon 3:303-305.
- Richards, O. W. 1932. Observations on the genus BETHYLUS Latr. (= PERISEMUS Foerst.) (Hymenoptera, Bethylidae). Trans. Entomol. Soc. So. England 8: 35-40.
1933. Notes on some British Bethylidae and Dryinidae (Hym.). Jour. Entomol. Soc. So. England 1:51-52.
1935. Notes on the nomenclature of the aculeate Hymenoptera, with special reference to British genera and species. Trans. R. Entomol. Soc. London 83:143-176.
1936. Further notes on the nomenclature of British aculeate Hymenoptera. Proc. R. Entomol. Soc. London (B) 5:169-173.
1939. The British Bethylidae (s.l.) (Hymenoptera). Trans. R. Entomol. Soc. London 89:185-344.
1952. A new species of Bethylidae (Hymenoptera) from Palestine. Ann. Mag. Nat. Hist. 5:409-410.
1955. On the Bethyloidea (Hymen.) of Israel. Bull. Res. Counc. Isr. 4:357-359.
1974. A new British species of Bethylidae (Hym.). Entomol. Mag. 110:83.
- Richards, O. W., and Herford, G. V. B. 1930. Insects found associated with cacao, spices and dried fruits in London warehouses. Ann. Appl. Biol. 17:367-395.
- Riek, E. F. 1970. Hymenoptera. In C.S.I.R.O., The Insects of Australia. Melbourne Univ. Press, Melbourne, pp. 867-959.
- Rillet, R. O. 1949. The biology of CEPHALONOMIA WATERSTONI Gahan. Can. Jour. Res. (D) 27:93-111.
- Risbec, J. 1955. Hymenopteres parasites du Cameroun. Bull. Inst. Fr. Afr. Nord, Ser. A. 17:191-266.
1956. Hymenopteres parasites du Cameroun. Bull. Inst. Fr. Afr. Nord, Ser. A. 18: 97-164.
1956. Bethylidae d'Afrique occidentale Francaise. Bull. Inst. Fr. Afr. Nord, Ser. A. 18:1182-1190.
- Rohwer, S. A. 1917. Two bethylid parasites of the pink bollworm (Hymenoptera, Bethylidae). Insector Inscit. Menstr. 5:1-3.
- Rubink, W. L., and Evans, H. E. 1979. Notes on the nesting behavior of the bethylid wasp, EPYRIS ERIOGONI Kieffer, in southern Texas. Psyche 86:313-319.
- Ruckes, H. R., Jr. 1956. A bethylid parasite of cone beetles (Hymenoptera: Bethylidae). Pan-Pac. Entomol. 32:184-185.
1963. Cone beetles of the genus CONOPHTHORUS in California. Pan-Pac. Entomol. 39:43-50.
- Rude, C. S. 1937. Parasites of pink bollworm in northern Mexico. Jour. Econ. Entomol. 30:839-842.
- Russo, G. Y. 1938. Contributo alla conoscenza dei coleotteri scolitidi fleotribi: PHLOEOTRIBUS SCARABAEOIDES (Bern.) Fauv. Parte seconda. Biografia, simbionti, danni e lotta. Boll. Lab. Entomol. Agr. Italy 2:1-420.
- Sacca, G. 1940. Secondo contributo della fauna carticola sulla biologia dello SCLERODERMA DOMESTICUM. Boll. Ist Patol. del libro 2:157-166.
1941. Partenogenesi in SCLERODERMA DOMESTICUM. Boll. Ist Patol. del libro 3: 11-12.
- Samad, K. 1973. Systematics and biology of GONIOZUS RUGOSUS -- new species (Bethylidae: Hymenoptera) a larval parasite of micro-Lepidoptera in Pakistan. Agric. Pak. 24:195-200.
- Sandor, B. 1955. A kis drotferg (AGRIOTES OBSCURUS L.) benito es pusztito parasitaja a PRISTOCERA DEPRESSA Fabr. Novenytermeles 4:241-252.
- Sarra, R. 1915. Osservazioni biologiche sull'ANARSIA LINEATELLA A., dannosa al frutto del mandorlo. Boll. Lab. Zool. Portici 10:51-65.
1930. Due nuovi Imenotteri Italiani. Boll. Lab. Zool. Portici 24:223-227.
- Satpathy, J. M., and Kotwal, D. 1973. Studies on the sex ratio of PERISIEROLA NEPHANTIDIS M. (Hymenoptera: Bethylidae) as influenced by external factors. Prak. -Utkal Univ. Jour. -Sci. 10:55-60.

- Sauer, H. F. G. 1938. Inimigos naturais da PLATYDERA GOSSYPIELLA (Saunders) no estado de São Paulo. Arq. Inst. Biol., S. Paulo 9:187-199.
- Saunders, S. S. 1881. On the habits and affinities of the hymenopterous genus SCLERODERMA, with descriptions of new species. Trans. Entomol. Soc. London (1881):109-116.
- Saussure, H. De. 1892. In Grandidier, Histoire Naturalle de Madagascar, Vol. 20, Hymenopteres. Atlas.
- Say, T. 1824. Narrative of an expedition to the source of St. Peter's River...under the command of Stephen H. Long, Vol. 2. Philadelphia, pp. 268-378.
1828. Descriptions of new species of Hymenoptera of the United States. Contrib. MacLur. Lyc. Philad. 1:67-83.
1836. Descriptions of new North American Hymenoptera, and observations on some already described. Boston Jour. Nat. Hist. 1:210-305.
- Schaefer, C. H. 1962. Life history of CONOPHTHORUS RADIATAE (Coleoptera: Scolytidae) and its principal parasite, CEPHALONOMIA UTAHENSIS (Hymenoptera: Bethylidae). Ann. Entomol. Soc. Amer. 55:569-577.
- Schmiedknecht, O. 1930. Die Hymenopteren Nord- und Mitteleuropas, 2nd ed. Fischer, Jena, 1062 pp.
- Schroder, C. 1925. Handbuch der Entomologie 3. Fischer, Jena.
- Schulz, W. A. 1906. Spolia Hymenopterologica. Paderborn, 356 pp.
1911. Zweihundert alte Hymenopteren. Zool. Ann. 4:75-220.
- Schulze, P. 1919. Eine Bethylide (Hymen.) als Qualgeist des Menschen in Mazedonien. Sitzungsber. Ges. Naturf. Freunde Berlin (1919):378-381.
- Schwitzgebel, R. B., and Waldkin, H. H. 1944. Summer infestation of farm-stored grain by migrating insects. Jour. Econ. Entomol. 37:21-24.
- Seshagira Rao, C., Raghava Rao, N., and Dharmaraju, E. 1967. Rate of multiplication and sex ratio in relation to the quantity of food material in BRACON BREVICORNIS Wesmael and PERISIEROLA NEPHANTIDIS Muesebeck. Andhra Agric. Jour. 14:165-166.
- Sharma, A. K., Saxena, J. D., and Subba Rao, B. R. (1966) 1967. A catalog of the hymenopterous and dipterous parasites of CHILO ZONELLUS (Swinhoe) (Crambidae: Lepidoptera). Indian Jour. Entomol. 28:510-542.
- Sharov, A. G. 1957. First discovery of a Cretaceous Hymenoptera Aculeata. Doklady Acad. Sci. U.S.S.R. 112:943-944.
- Sheppard, E. H. 1936. Notes on CRYPTOLESTES FERRUGINEUS Steph., a cucujid occurring in the TRICHOGRAMMA MINUTUM parasite laboratory of Colorado State College. Colo. Exp. St. Tech. Bull. 17, 20 pp.
- Silvestri, F. 1923. Contribuzioni alla conoscenza dei tortricidi delle querce. Fam. Proctotrypidae. Boll. Lab. Zool. Portici 17:78-81.
1923. Contribuzioni alla conoscenza degli insetti del nocciuolo. Fam. Proctotrypidae. Boll. Lab. Zool. Portici 17:281-283.
- Simmons, P., Reed, W. D., and McGregor, E. A. 1931. Fig insects in California. U. S.D.A. Cir. 157, 70 pp.
- Smith, D. R. 1978. Suborder Symphyta (Xyelidae - Pergidae). In Catalogus Hymenopterorum 14:I-VI + 1-193.
- Smith, F. 1860. Descriptions of hymenopterous insects collected at Bachian, Kaisaa. Linn. Soc. London, Jour. Zool. Supl. 4:136.
1864. Descriptions of new species of hymenopterous insects from the islands of Sumatra, Sula, Gilolo, Salwatty, and New Guinea, collected by Mr. A. R. Wallace. Fam. Thynnidae. Jour. Linn. Soc. Zool. 8:77-79.
- Snellen Van Vollenhoven, S. C. 1873. Nieuwe Namlijst van Nederlandsche vriesvleugelige Insecten (Hymenoptera). Tijdschr. Entomol. 16:147-208.
1878. Espèces nouvelles ou peu connues d'Hymenoptères terebrants. Tijdschr. Entomol. 21:153-188.
- Snodgrass, R. E. 1941. The male genitalia of Hymenoptera. Smithson. Inst. Misc. Coll. 99:1-86.
- Soika, G. 1932. Nota su SCLERODERMA DOMESTICUM Kieff. (Hym. Bethylidae). Soc. Venez. Stor. Nat. Boll. 1:14-18.
1933. Descrizione di un nuovo "Betilide" del genere PRISTOCERA Klug. Acad. Sci. Ven-Tren-Istr. Padua Atti S3. 23:99-101.
- Spencer, G. J. 1942. A note on LAELIUS sp., a parasite of the carpet beetle ANTHRENUS SCROPHULARIAE (L.) (Hymenoptera, Bethylidae). Proc. Entomol. Soc. B.C. 39:21-22.
1957. A further note on LAELIUS sp., Hymenoptera: Bethylidae, a parasite on the carpet beetle ANTHRENUS PIMPINELLAE Fabr. Proc. Entomol. Soc. B.C. 54:45.
- Spinola, M. 1853. Compte rendu des Hymenopteres inédits provenants du voyage entomologique de M. Ghiliani dans la Para en 1846. Mem. R. Accad. Sci. Inst. Torino 13:19-94.

- Stark, R. W., and Wood, D. L. 1964. The biology of *PISODES TERMINALIS* Hopping (Coleoptera: Curculionidae) in California. *Can. Entomol.* 96:1208-1218.
- Stadtelmann. 1894. Eine neue Hymenopterengattung aus der Familie der Prototrupidæ. *Entomol. Nachrich.* 20:199-202.
- Stelfox, A. W. 1927. A list of the Hymenoptera Aculeata (sensu lato) of Ireland. *Proc. R. Irish Acad.* 37(B): 201-355.
- Sundaramurthy, V. T., and Santhanakrishnan, K. 1979. The effect of population density of parasite *PERISIEROLA NEPHANTIDIS* (Hym.: Bethylidae) on the mortality of coconut caterpillar, *NEPHANTIS SERINOPA* (Lep.: Cryptophagidae). *Entomophaga* 24:115-117.
- Swezey, O. H. 1915. A preliminary list of the hymenopterous parasites of Lepidoptera in Hawaii. *Proc. Hawaii. Entomol. Soc.* 9:99-107.
1933. Notes and exhibition of local material. *Proc. Hawaii. Entomol. Soc.* 8:226-238.
- Szabo, J. B. 1960. The description of a new species, *MISEPYRIS ULMI* sp. n. from Bulgaria (Hymenoptera, Bethyloidea). *Folia Entomol. Hung.* 13:57-59.
- Szelenyi, G. Von. 1941. *BETHYLUS STRUVEI* n. sp., eine neue Bethylidae (Hym. Proctotrup.) aus der Fauna von Borkum. *Abh. Naturwiss. Ver. Bremen* 31(1939-1940):835-838.
1958. Über einige durch Zucht erhaltene Scelioniden und Bethyliden (Hymenoptera). *Ann. Hist. Natl. Mus. Hung.* 9: 261-270.
- Tachikawa, T. 1976. Record of *CEPHALONOMIA GALLICOLA* (Ashmead) from Japan (Hymenoptera: Bethylidae). *Trans. Shikoku Entomol. Soc.* 13(1-2):64.
1980. Bethylids with both useful and unuseful sides (I). *Nogyo Oyobi Engei* 55:1130-1134.
1980. Bethylids with both useful and unuseful sides (II). *Nogyo Oyobi Engei* 55:1261-1265.
- Tachikawa, T., and Oda, A. 1977. A bethylid parasite (Hymenoptera) of *OCTOTEMNUS LAMINIFRONS* (Coleoptera: Ciidae). *Trans. Shikoku Entomol. Soc.* 13(3-4):129.
- Taylor, T. H. C. 1933. An investigation of the banana scab moth, *NACOLEIA OCTASEMA* Meyr. and its parasites in Java, and the introduction of one of its parasites into Fiji. Pt. 1. *Fiji Agric. Jour.* 6:5-13.
- Theodorides, J. 1951. Nouveau cas de piqûre par *SCLEROERMA DOMESTICA* Latr. (Hym. Bethylidae). *Vie et Milieu* 2:533.
1955. Un groupe peu connu d'Insectes vulnerants pour l'homme: les hyménoptères bethylides du genre *SCLEROERMA*. *Biol. Med.* 44:769-773.
- Thomas, C. A. 1929. The parasites of wireworms (Coleop., Elateridae). *Entomol. News* 11:287-293.
- Thomson, G. G. 1861. Sveriges Proctotruper (Fortsattnung). *Ofvers. K. Vet. Acad. Forhandl.* 18:451-453.
- Tiberghien, G. 1971. Observations sur une espece de Bethylidae (Hym.). *Bull. Soc. Linn. Bordeaux* 1:51-52.
- Ticheler, J. H. G. 1961. Etude analytique de l'épidémiologie du scolyte des graines de café, *STEPHANODERES HAMPEI* Ferr., en côte d'Ivoire. *Medd. Landbouw. Wagen. Nederl.* 61:33-49 13 figs.
- Tillyard, R. J. 1926. *Insects of Australia and New Zealand*. Angus and Robertson Ltd., Sydney, 560 pp.
- Toledo, A. A. De. 1942. Notas sobre a biología da vespa de Uganda *PROROPS NASUTA* Waterst., (Hym. Bethyl.) no estado de S. Paulo, Brasil. *Arq. Inst. Biol.*, S. Paulo 13:233-260.
1948. Comportamento da vespa de Uganda em cafezal sombreado. *Biológico* 14:189-191.
- Toledo, A. A. De, Duval, G., and Sauer, H. 1947. A broca do café. *Biológico* 13: 113-118.
- Toledo Piza, S. De. 1938. Combate a broca do café. *Rev. Soc. Rural Brasil* 18: 12-15.
1938. Novas diretrizes para o combate a 'broca do café.' *Rev. Agric. Piracicaba* 13:424-435.
- Toledo Piza, S. De, and Fonseca, J. Pinto Da. 1935. *HETEROSPILOUS COFFEICOLA* Schmied. parasita da "Broca do Café", *STEPHANODERES HAMPEI* (Ferr.). *Achiv. Inst. Biol.* 6:179-200.
- Trani, E. 1909. Di un nuovo proctotrupide parassita delle laeve degli *ANTHRENUS MUSAERORUM*. *Ann. Mus. Zool. Univ. Napoli (N.S.)* 3:1-6.
- Trjapitzin, V. A. 1978. 1. Cem. Bethylidae. In *Opredelitel nasekomych Evropejskoj casti S.S.S.R.* 3. *Pereponcatokrylyje* 2: 6-16 figs. 1-3.
- Tullgren, A. 1904. On some Hymenoptera Aculeata from the Cameroons. *Ark. Zool.* 1:425-462.
- Turner, R. E. 1914. Notes on fossorial Hymenoptera. XII. *Ann. Mag. Nat. Hist. Ser. 8.* 14:245-257.
1915. Descriptions of new fossorial wasps from Australia. *Proc. Zool. Soc. London* (1915):41-69.

1915. Notes on fossorial Hymenoptera. XVII. On new Ethiopian species. Ann. Mag. Nat. Hist. Ser. 8. 16:286-299.
1917. New species of Hymenoptera in the British Museum. Trans. Entomol. Soc. London 65:53-84.
1928. New Hymenoptera of the family Bethylidae. Ann. Mag. Nat. Hist. 31: 129-152.
- Turner, R. E., and Waterston, J. 1916. A new parasite bred from GLOSSINA MORSITANS in Nyasaland. Bull. Entomol. Res. 7:133-135.
1917. Notes on the hymenopterous families Bethylidae and Rhopalosomatidae. Ann. Mag. Nat. Hist. 20:101-108.
- Uchida, T. 1926. On the Japanese Bethylidae. Zool. Mag. 38:181-186.
- Vance, A. M., and Parker, H. L. 1932. LAELIUS ANTHRENIVORUS Trani, an interesting bethylid parasite of ANTHRENUS VERBASCI L. in France. Proc. Entomol. Soc. Wash. 34:1-7.
- Vance, A. M., and Smith, H. D. 1933. The larval head of parasitic Hymenoptera and nomenclature of its parts. Ann. Entomol. Soc. Amer. 26:86-94.
- Vaskov, Ye. L. 1981. On the ecology of SCLERODERMA TURKMENICUM Mam. et Krav. (Hymenoptera, Bethylidae) - A parasite of pests of tree trunks. Entomol. Rev. 60:43-47.
- Venkatraman, T. V., and Chacko, M. J. 1961. Factors influencing the efficiency of GONIOZUS MARASMI Kurian, a parasite of the maize and jowar leaf roller. Proc. Indian Acad. Sci. 53:275-283.
1961. The natural enemies of MARASMIA TRAPEZALIS (Guen.), a pest of maize and jowar. Curr. Sci. 2:73-75.
- Vermeil, C. 1954. SCLERODERMA DOMESTICUM Latr. (Hymen. Bethylidae) est vulnerant pour l'homme en Tunisie. Bull. Soc. Sci. Tunisie 8:37-38.
- Voukassovitch, M. P. 1923. Sur la biologie de deux Hymenopteres parasites de la pyrale de la vigne. C. R. Acad. Sci. 177:906-908.
1924. Sur la biologie de GONIOZUS CLARIPENNIS Forst., parasite d'OENO-PHTHIRA PILLERIANA Schiff. Bull. Soc. Hist. Nat. Toulouse 52:225-246.
- Walker, F. 1843. Descriptions of chalcidites discovered in Coquimbo by C. Darwin, Esq. Ann. Mag. Nat. Hist. 11: 185-188.
1874. Notes on the Oxyura - family 3. Ceraphronidae. 4. Diapriidae. 5. Belytidae. 6. Proctotrupidae. 7. Heloridae. 8. Embolemidae. 9. Bethylidae. 10. Dryinidae. Entomologist 7:25-35.
- Walton, G. A. 1948. A minute bethylid wasp of medical interest. Proc. R. Entomol. Soc. London (A) 23:98.
- Washburn, F. L. 1918. The Hymenoptera of Minnesota. Rept. St. Entomol. Minn. 1918, p. 205.
- Wasmann, E. 1899. Die psychischen Fahigkeiten der Ameisen. Zoologica 11:1-133.
1909. Die psychischen Fahigkeiten der Ameisen. Zoologica 26:1-190.
1925. Die Ameisenmimikry. Abh. Theor. Biol. 19:86-91.
- Watanabe, C. 1939. Preliminary notes on the hymenopterous parasites of the mulberry pyralid moth, MARGARONIA PYLOALIS Walker. Kontyu 13:231-236.
1940. Hymenopterous parasites of the mulberry pyralid moth, MARGARONIA PYLOALIS Walker, in Japan (I). Insecta Matsum. 14:85-94.
- Waterston, J. 1921. Report on parasitic Hymenoptera, bred from pests of stored grain. Grain Pests Comm. Rep. R. Soc. London 9:8-32.
1923. Notes on parasitic Hymenoptera. Bull. Entomol. Res. 14:103-118.
- Weber, P. W. 1954. Recent liberations of beneficial insects - III. Proc. Hawaii. Entomol. Soc. 15:369-370.
- Westwood, J. O. 1832. Descriptions of several new British forms amongst the parasitic hymenopterous insects. London Edinburgh Philos. Mag. Jour. Sci. 1:127-129.
1833. Further notices of the British parasitic hymenopterous insects. Mag. Nat. Hist. 6:414-421.
1839. Monograph upon the hymenopterous genus SCLERODERMA. Trans. Entomol. Soc. London 2:164-172.
1840. An Introduction to the Modern Classification of Insects, Vol. 2. Longman, Orme, Brown, Green and Longmans, London.
1874. Thesaurus Entomologicus Oxoniensis. Clarendon Press, Oxford, 205 pp.
1881. Observations on the hymenopterous genus SCLERODERMA Klug, and some allied groups. Trans. Entomol. Soc. London (1881):117-138.
- Wheeler, W. M. 1928. The Social Insects: Their Origin and Evolution. Harcourt Bruce and Co., N.Y., 378 pp.
- Whittaker, O. 1929. New Bethylidae (Hymenoptera) from British Columbia. Trans. Entomol. Soc. London 76:385-390.
- Wilde, G., and Semel, M. 1966. The life history of PLATYNOTA FLAVEDANA, a leaf roller of strawberry. Jour. Econ. Entomol. 59:1037-1041.

- Williams, F. X. 1919. EPYRIS EXTRANEUS Bridwell (Bethylidae), a fossorial wasp that preys on the larva of the tenebrionid beetle, GONOCEPHALUM SERIATUM (Boisduval). Proc. Hawaii. Entomol. Soc. 4:55-63.
1927. Parasites of the pink bollworm in Hawaii. U.S.D.A. Tech. Bull. 19, 16 pp.
1931. The insects and other invertebrates of Hawaiian sugarcane fields. Hnbk. Hawaii. Sug. Pl. Assoc. Exp. Sta., 395 pp.
- Willie, J. E. 1940. El "Perforador pequeño de la bellota del Algodonero" MESONIA PERUELLA, Schaus. Inst. Altos Est. Agric. Peru, Bol. Min. Fomen. 19, 31 pp.
- Wollaston, T. V. 1858. II-Brief diagnostic characters of undescribed Madeiran insects. Ann. Mag. Nat. Hist. 1:18-28.
- Xiao, G., and Wu, J. 1983. A new species of SCLERODERMA from China (Hymenoptera, Bethylidae). Sci. Silv. Sin. Mem. For. Entomol. 8:81-82.
- Yamada, Y. 1938. Literature on ANTHRENUS VERBACI. Bochu Kagaku 2:17.
1939. Studies on the relation between the insect damage woollen goods and temperature. Bochu Kagaku 3:19-26.
1942. On ALLEPYRIS MICRONEURUS Kieffer, the natural enemy of the important wool pest, ANTHRENUS VERBACI. Part 1. Bochu Kagaku 6:1-23.
1955. Studies on the natural enemy of the woollen pest, ANTHRENUS VERBACI Linne (ALLEPYRIS MICRONEURUS Kieffer) (Hymenoptera: Bethylidae). Mushi 28:13-30.
- Yamasaki, M. 1982. Biology of sanitary injurious bethylid wasp (CEPHALONOMIA GALLICOLA (Ashmead) (Hymenoptera, Bethylidae)). Jap. Jour. Sanit. Zool. 33:221-226.
- Yasumatsu, K. 1955. Taxonomic notes on three wireworm parasites of the genus PRISTOCERA from the Far East (Hymenoptera: Bethyloidea). Jour. Fac. Agric. Kyushu Univ. 10:233-249.
1966. Distribution and bionomics of natural enemies of rice stem borers. Mushi 11th. Pac. Sci. Cong. Symp. 28: 33-44.
- Yuasa, H., and Onoe, T. 1930. PTILINEURUS MARMORATUS Reitter, an anobiid-beetle noxious to the rush mat, with description of a new parasitic bethylid-fly. Jour. Imp. Agr. Exp. St. Nishiganar 1: 215-230.
- Yukinari, M. 1981. Notes on biology of ARCHIPPUS SEMISTRUCTUS Meyrick (Lepidoptera: Tortricidae) and its parasites in Tokushima Prefecture. Jap. Jour. Appl. Entomol. Zool. 25:127-129.