

Checklist of the Alticinae of Central America, including Mexico (Coleoptera: Chrysomelidae)

David G. Furth

Department of Entomology, Smithsonian Institution
Washington, DC 20560 USA

and

Vilma Savini

Museo del Instituto de Zoología Agrícola,
Facultad de Agronomía, Universidad Central de Venezuela,
Apartado 4579, Maracay 2101-A, Venezuela

Abstract: This is a comprehensive list of all recorded species (866), including 11 subspecies, and genera (113) of Alticinae from Mexico to Panama, but also includes complete distributional data (with references) for each species. It includes all generic and specific synonymies published since the 1939-1940 Coleopterorum Catalogus. There are three new combinations and a new synonym. This checklist basically follows and, for the first time comprehensively synthesizes, the taxon arrangement of the late Jan Bechyné.

Introduction

The first comprehensive study of Neotropical Alticinae was included in the *Biología Centrali-Americana* (Jacoby, 1884, 1885, 1886, 1888, 1891, 1892)(47-52). George Horn (1889) (46) primarily treated what is now the United States; however, he included Lower California, now Baja California (Mexico). Doris H. Blake (1934-1955)(28-37) also studied some Alticinae genera in the Neotropics, especially in the Caribbean. However, the last (only) comprehensive list of Alticinae species was the *Coleopterorum Catalogus* (Heikertinger and Csiki, 1939-1940)(44, 45). However, since that time there has been considerable systematic and faunistic work on the flea beetles which has generated many new genera and species. Part 4 of "The Checklist of the Coleopterous Insects of Mexico, Central America, the West Indies, and South America", compiled by R. E. Blackwelder, in 1946 (27), is basically taken directly from Heikertinger and Csiki, 1939-1940, and is not used in the present paper as a primary reference. With the increasing interest on the Neotropical fauna for studies of biodiversity, systematics, biological control of weeds, chemical prospecting, etc., there is also an increasing need to be able to use and understand the proper nomenclature. The late Dr. Jan Bechyné and his

wife Bohumila Springlova Bechyné studied Neotropical Chrysomelidae more extensively than most previous workers and described many taxa, including Alticinae (3-26). There are more than 230 named genera of Alticinae in the Neotropics and the Bechynés described over 90 of these as well as hundreds of species. All publications by the Bechynés were after the *Coleopterorum Catalogus*. A recent checklist of the world chrysomelid genera exists (Seeno and Wilcox, 1982)(65), and a preliminary list of species for North and Central America was compiled by Wilcox (1975)(66). However, the Wilcox list is incomplete for the species names, synonymies, distributional data and references, and does not reflect the Bechyné system of nomenclature; therefore, there is no comprehensive checklist of the species. Because there is no reference which lists the species that the Bechynés considered to belong to the many Neotropical genera, the checklist contained here will allow the user to understand the majority of the Bechyné system of Neotropical Alticinae genera.

There are several generic names used in the Neotropical Region which are basically names from Old World genera and actually do not exist in the New World, or at least not in the Neotropics. *Hermaeophaga* Foudras (1860) is improperly used in the New World for species of *Syphrea* Baly

(1876). *Sphaeroderma* Stephens (1831) is also apparently incorrectly applied in the New World (Furth, 1989 [41], Flowers, et al. 1994 [40]) and, therefore, is listed below as "*Sphaeroderma*". *Asiorestia* Jacobson, 1925 and *Crepidodera* Chevrolat (1836) has been misused in the Neotropics for *Stegnea* Baly (1879), (Scherer 1983 [64], Furth 1989 [41]). Neotropical *Aphthona* Chevrolat (1836) was mostly divided into other genera (*Brasilaphthona* Bechyné (1956), *Centralaphthona* Bechyné (1960), *Genaphthona* Bechyné (1956) and does not exist in the Neotropics in the sense of this genus from the Old World. However, a number of species (see below) are still in need of detailed study in order to place them into the proper Neotropical genera and, therefore, are provisionally listed below as in "*Aphthona*".

We have changed the status of 4 species which are established in the checklist below. There are new combinations: *Omophoita aequatorialis variabilis* Jacoby (1879) as indicated by Jacoby [48] is only a variation of *O. aequatorialis* (Harold 1876); *Rhinotmetus jacobyi* Scherer (1962) (= *canescens* Jacoby 1886) cannot be used because this species epithet existed previously as *R. jacobyi* Bowditch (1915), but also because Jacoby (1886) (49) actually referred to it as *R. canescens* Clark (1860); *Strabala intermedia* J. du Val (1856), as partially used by Jacoby, 1884 (the Costa Rica record) is placed under *S. acuminata costaricensis* Blake (1953), because the true *intermedia* is apparently endemic to Cuba (Blake 1934). There is one new synonym: *Lactica inornata* was described by Jacoby (1891: 258) and as *Nephrica inornata*, in the same publication (page 277 and with a figure), it belongs in *Pedilia* Clark (1865)(Bechyné 1959) (13).

Table

The checklist below lists 866 taxa, including 11 subspecies, in 113 genera. The generic and specific synonymy given is primarily that published after the Coleopterorum Catalogus (44, 45) and a reference is provided for the establishment of the synonymies or new combinations. For each species, the author name and year of publication are given. If a species was originally described in a different genus, that genus name follows the species name and is in parentheses, unless the original genus name is given as a generic synonym. A former genus name for a species has no author indication if that genus name is listed as a primary name elsewhere in the checklist. If the distributional

data (countries) has been published after the Coleopterorum Catalogus, the numbered references in the righthand column provide the sources for that data and include the complete known distribution for each species listed. The abbreviations used for countries in the distributional data are as follows: Can. = Canada; USA = United States; Mex. = Mexico; Bel. = Belize (formerly British Honduras); Hond. = Honduras; Guat. = Guatemala; Nic. = Nicaragua; CR = Costa Rica; ES = El Salvador; Pan. = Panama; Ven. = Venezuela; Col. = Colombia; Ecuad. = Ecuador; Bol. = Bolivia; Guyana = British Guiana; Br. = Brazil; Par. = Paraguay; Arg. = Argentina; PR = Puerto Rico; DR = Dominican Republic; Jam. = Jamaica; BWI = British West Indies. A? before a species name denotes some level of uncertainty by the authors of the present paper about the determination and/or the distribution record of that taxon.

Generic Synonyms Used in Checklist

There have been many changes in generic concepts in the Neotropical Alticinae, therefore species have been placed in several different genera. In order to facilitate finding the correct placement (= valid genus) for specific names in this checklist, the following is a list of generic names which are, at least in part, used in synonymy (= old names) with species names in the checklist below. Thus, some current (valid) genera may contain species formerly placed in several other genera. The names listed under Synonym (Old Name) are still valid names used for other species.

Synonym (Old Name) Valid Genus(Current Name)

<i>Allochroma</i>	<i>Exartematopus</i>
	<i>Sparnus</i>
<i>Altica</i>	<i>Deuteraltica</i>
	<i>Disonycha</i>
	<i>Macrohaltica</i>
	<i>Syphrea</i>
<i>Aphthona</i>	<i>Brasilaphthona</i>
	<i>Centralaphthona</i>
	<i>Gioia</i>
<i>Asiorestia</i>	<i>Margaridisa</i>
	<i>Stegnea</i>
<i>Asphaera</i>	<i>Omophoita</i>
<i>Cacoscelis</i>	<i>Disonycha</i>
	<i>Prasona</i>
<i>Centralaphthona</i>	<i>Aphthona</i>

<i>Chalcoides</i>	<i>Stegnea</i>	<i>Disonycha</i>
<i>Chloëphaga</i>	<i>Capraita</i>	<i>Kuschelina</i>
<i>Chrysogramma</i>	<i>Acrocyum</i>	<i>Omophoita</i>
<i>Chrysomela</i>	<i>Alagoasa</i>	<i>Paranaita</i>
	<i>Disonycha</i>	<i>Phenrica</i>
	<i>Omophoita</i>	<i>Walterianella</i>
	<i>Systema</i>	<i>Alagoasa</i>
<i>Crepidodera</i>	<i>Epitrix</i>	<i>Walterianella</i>
	<i>Stegnea</i>	<i>Euphenges</i>
<i>Crioceris</i>	<i>Disonycha</i>	<i>Asphaera</i>
	<i>Epitrix</i>	<i>Distigmoptera</i>
<i>Diphaltica</i>	<i>Diphaulaca</i>	<i>Euphenges</i>
<i>Diphaulaca</i>	<i>Diphaltica</i>	<i>Homotyphus</i>
<i>Disonycha</i>	<i>Phenrica</i>	<i>Hypolampsis</i>
<i>Eupeges</i>	<i>Physimerus</i>	<i>Homotyphus</i>
<i>Euplectroscelis</i>	<i>Heikertingerella</i>	<i>Platiprosopus</i>
<i>Galleruca</i>	<i>Macrohaltica</i>	<i>Lupraea</i>
	<i>Platiprosopus</i>	<i>Pedilia</i>
	<i>Walterianella</i>	<i>Pseudorthygia</i>
<i>Goianinha</i>	<i>Leptophysa</i>	<i>Heikertingeria</i>
<i>Haltica</i>	<i>Altica</i>	<i>Genaphthona</i>
	<i>Dinaltica</i>	<i>Platiprosopus</i>
	<i>Disonycha</i>	<i>Hypolampsis</i>
	<i>Epitrix</i>	<i>Propiasus</i>
	<i>Lysathia</i>	<i>Caloscelis</i>
	<i>Syphrea</i>	<i>Cacoscelis</i>
	<i>Varicoxa</i>	<i>Leptophysa</i>
<i>Hemiphyrnus</i>	<i>Phrynocephala</i>	<i>Distigmoptera</i>
<i>Hermaphrodis</i>	<i>Syphrea</i>	<i>Tetragonotes</i>
<i>Homophoeta</i>	<i>Omophoita</i>	<i>Glenidion</i>
<i>Homammatus</i>	<i>Euphenges</i>	<i>Syphrea</i>
<i>Homophyla</i>	<i>Heikertingerella</i>	<i>Leptophysa</i>
<i>Hoploceras</i>	<i>Trichaltica</i>	<i>Varicoxa</i>
<i>Hylodromus</i>	<i>Euphenges</i>	<i>Physimerus</i>
<i>Idmosyne</i>	<i>Bellacincta</i>	<i>Hydmosyne</i>
	<i>Hydmosyne</i>	
<i>Lactica</i>	<i>Chalatenanganya</i>	
	<i>Cornulactica</i>	
	<i>Dinaltica</i>	
	<i>Lacpactica</i>	
	<i>Monomacra</i>	
	<i>Parasyphraea</i>	
	<i>Parchicola</i>	
	<i>Resistenciana</i>	
	<i>Strabala</i>	
<i>Metriotes</i>	<i>Allochroma</i>	
	<i>Sphaeronychus</i>	
<i>Monomacra</i>	<i>Neodiphaulaca</i>	
<i>Monoplatus</i>	<i>Glenidion</i>	
	<i>Sphaeronychus</i>	
<i>Oedionychis</i>	<i>Alagoasa</i>	
	<i>Asphaera</i>	
	<i>Capraita</i>	

Acknowledgements

The authors thank Mrs. Bohumila Springlova Bechyné (Maracay) for her assistance and encouragement and for allowing us access to an unpublished catalogue concerning Neotropical Alticinae by the late Dr. Jan Bechyné.

References

- 1) **Balsbaugh, E. U., Jr.** 1980. New collection records of three rare species of flea beetles: *Distigmoptera foveolata* Balsbaugh, *D. texana* Blake, and *Altica nancyae* Stirrett. J. Kansas Ent. Soc. 3(4):833-836.
- 2) **Barber, H. G.** 1941. Some flea beetles injurious to beans in tropical America (Genus *Diphaulaca* Family Chrysomelidae). Proc. Ent. Soc. Wash. 43(3):65-68.

- 3) **Bechyné, J.** 1951. Chrysomeloidea Americains nouveaux ou peu connus (Coleoptera). Rev. Chileana Ent. 1:75-112.
- 4) **Bechyné, J.** 1954. Chrysomeloidea aus El Salvador (Ins. Col. Phytophaga). Senckenbergiana 34(4-6):293-296.
- 5) **Bechyné, J.** 1955a. Troisième note sur les Chrysomeloidea Néotropicaux des collections de l'Institut Royal des Sciences Naturelles de Belgique (Col. Phytophaga). Première Partie. Bull. Inst. Roy. Sci. Nat. Belg. 31(5):1-23.
- 6) **Bechyné, J.** 1955b. Reise des Herrn G. Frey in Sudamerika: Alticipidae (Col. Phytophag). Ent. Arb. Mus. Frey 6:74-266.
- 7) **Bechyné, J.** 1956a. Über die Alticipiden-Sammlung Heikertinger (Col. Phytophaga). Ent. Arb. Mus. Frey 7(2):577-598.
- 8) **Bechyné, J.** 1956b. Beiträge sur Kenntniss sur neotropischen Alticipiden und Galeruciden. Ent. Arb. Mus. Frey 7(3):965-1071.
- 9) **Bechyné, J.** 1957a. Alticipides neotropicaux de la collection du Museo Civico di Storia Naturale "Giacomino Doria" di Genova (Coleopt. Chrysomelidae). Ann. Mus. Civ. Stor. Nat. Genova 69:51-74.
- 10) **Bechyné, J.** 1957b. Voyage de M. le Dr. A. Roman au Brésil (1914-1915) Eumolpides, Galerucides et Alticipides (Col. Phytophaga). Arkiv f. Zool. 11(10):133-152.
- 11) **Bechyné, J.** 1958a. Notizen zu den neotropischen Chrysomeloidea (Col. Phytophaga). Ent. Arb. Mus. Frey 9(2):478-706.
- 12) **Bechyné, J.** 1958b. Notes sur les Chrysomeloidea néotropicaux des collections du Musée Zoologique de l'Université et de la ville de Strasbourg (Col. Phytophaga). Bull. Soc. Ent. Mulhouse. 1958(Mar.-Avr.):23-24.
- 13) **Bechyné, J.** 1959. Beiträge zur Kenntniss der Alticipidenfauna Boliviens (Coleopt. Phytoph.). Beitr. Neotrop. Fauna 1(4):269-381.
- 14) **Bechyné, J., and B. S. Bechyné.** 1960. Beiträge zur Kenntnis der Salvadorensischen Chrysomeloidea (Col. Phytoph.). Pesquisas Zool. No.6:5-73.
- 15) **Bechyné, J., and B. S. Bechyné.** 1961a. Insecta Amapaensia: Chrysomeloidea (Col.). Studia Ent. 4(1-4):409-428.
- 16) **Bechyné, J., and B. S. Bechyné.** 1961b. Notas sobre Chrysomeloidea Neotropicaux II. Bol. Mus. Paraense Emilio Goeldi (N.S.) Zool. No. 37:1-93.
- 17) **Bechyné, J., and B. S. Bechyné.** 1963. Beitrag zur Kenntnis der Salvadorensischen Chrysomeloidea (Col. Phytophaga). Iheringia Zool. No.31:1-79.
- 18) **Bechyné, J., and B. S. Bechyné.** 1964a. Notes sur quelques Chrysomeloidea néotropicaux (Coleoptera Phytophaga). Rev. Bras. Ent. 11:117-137.
- 19) **Bechyné, J., and B. S. Bechyné.** 1964b. Notes sur quelques Chrysomeloidea néotropicaux (Coleoptera Phytophaga). Rev. Fac. Agron. Univ. Cent. Venez. 3(3):69-123.
- 20) **Bechyné, J., and B. S. Bechyné.** 1965. Notes sur les Chrysomeloidea capturés par le Dr. W. A. Egler au Rio Jari (Brésil: Pará/Amapa) en 1961. (Col. Phytophaga). Bol. Mus. Paraense Emilio Goeldi (N.S.) Zool. No. 53:1-44.
- 21) **Bechyné, J., and B. S. Bechyné.** 1967a. Notes sur les Phytophaga Néotropicaux (Coleoptera). Rev. Facultad Agron. Univ. Central Venez. 4(2):5-47.
- 22) **Bechyné, J., and B. S. Bechyné.** 1967b. Notes sur quelques Alticipides néotropicaux (Coleopt. Phytophaga). Ann. Mus. Civ. Stor. Nat. Genova 76:172-195.
- 23) **Bechyné, J., and B. S. Bechyné.** 1969. Notas sobre Phytophagas americanos (Coleoptera). Rev. Fac. Agron. Univ. Cent. Venez. 5(3):5-64.
- 24) **Bechyné, J., and B. S. Bechyné.** 1975. Notas sobre la serie filética de *Monomacra* y sus formas convergentes (Col. Phytophaga, Alticipidae). Rev. Fac. Agron. Univ. Cent. Venez. 8(4):25-140.
- 25) **Bechyné, J., and B. S. Bechyné.** 1976. Pytophages (Coleopteres) recoltés en Guyane Française par la mission du Museum National d'Histoire Naturelle. Ann. Soc. Ent. Fr. (N.S.) 12(4):527-556.
- 26) **Bechyné, J., and B. S. Bechyné.** 1977. Zur Phylogenesis einiger neotropischen Alticipiden (Col. Phytophaga). Studies Neotrop. Fauna Environ. 12(1977):81-145.
- 27) **Blackwelder, R. E.** 1946. Checklist of the coleopterous insects of Mexico, Central America, the West Indies, and South America. Part 4. Bull. U. S. National Mus. 185:551-925.
- 28) **Blake, D. H.** 1934. New West Indian and Central American Chrysomelidae. Bull. Brooklyn Ent. Soc. 29(2):45-56.
- 29) **Blake, D. H.** 1935. Notes on *Systema*. Bull. Brooklyn Ent. Soc. 30(3):89-109.
- 30) **Blake, D. H.** 1943. The generic position of *Hypolampsis pilosa* (Illiger) and some related new species (Coleoptera, Halticipidae). Proc. Ent. Soc. Wash. 45(9):207-221.
- 31) **Blake, D. H.** 1951a. Synonymies and new species of flea beetles (Coleoptera, Chrysomelidae). Proc. Ent. Soc. Wash. 53(3):138-147.
- 32) **Blake, D. H.** 1951b. New species of chrysomelid beetles of the genera *Trirhabda* and *Disonycha* (Coleoptera, Chrysomelidae). J. Wash. Acad. Sci. 41(10):324-328.
- 33) **Blake, D. H.** 1952. Six new species of *Megistops* with key to the known species. Psyche 59:1-12
- 34) **Blake, D. H.** 1953a. The chrysomelid beetles of the genus *Strabala* Chevrolat. Proc. U. S. Nat. Mus. 103(3319):129
- 35) **Blake, D. H.** 1953b. Eight new neotropical chrysomelid beetles (Coleoptera). J. Wash. Acad. Sci. 43(7):2327-237.
- 36) **Blake, D. H.** 1954. Five new species of chrysomelid beetles. J. Wash. Acad. Sci. 44(8):246-250.
- 37) **Blake, D. H.** 1955. A revision of the vittate species of the chrysomelid genus *Disonycha* from the Amer-

- icas south of the United States. Proc. U. S. Nat. Mus. 104(3338):1-86.
- 38) **Crotch, G. R.** 1873. Checklist of the Coleoptera of America, north of Mexico. Salem, Massachusetts, 139 pp. (see *Omophoita 8-maculata*)
- 39) **Dominguez, Y., and J. I. Carrillo.** 1976. Lista de insectos en la coleccion entomologica del Instituto Nacional de Investigaciones Agricolas. Segundo Suppl. Inst. Nac. Invest. Agric. Foll. Misc. No. 29: 1-242.
- 40) **Flowers, R. W., D. G. Furth, and M. C. Thomas.** 1994. Notes on the distribution and biology of some Florida leaf beetles (Coleoptera: Chrysomelidae). Coleopt. Bull. 48(1):79-89.
- 41) **Furth, D. G.** 1989. Metafemoral spring studies of some Neotropical genera of Alticinae. Entomography 6:497-510.
- 42) **Furth, D. G.** 1992. The New World *Blepharida* Group, with a key to genera and a new species (Coleoptera: Chrysomelidae). J. N. Y. Ent. Soc. 100(2):399-414.
- 43) **Harold, E. von.** 1876. Beitrage zur Kenntniss der Fauna von Neu-Granada. (Halticinae II.). Coleopt. Hefte 15:1-36.
- 44) **Heikertinger, F., and C. Csiki.** 1939. Coleopterorum Catalogus, Halticinae, I, 25(166):1-336.
- 45) **Heikertinger, F., and C. Csiki.** 1940. Coleopterorum Catalogus, Halticinae, II, 25(169):337-635.
- 46) **Horn, G. H.** 1889. A synopsis of the Halticini of boreal America. Trans. Amer. Ent. Soc. 16:163-320.
- 47) **Jacoby, M.** 1884. Biologia Centrali-Americana, Insecta, Coleoptera, Galerucidae. 6(1):1-185.
- 48) **Jacoby, M.** 1885. Biologia Centrali-Americana, Insecta, Coleoptera, Galerucidae. 6(1):337-408.
- 49) **Jacoby, M.** 1886. Biologia Centrali-Americana, Insecta, Coleoptera, Galerucidae. 6(1):409-496.
- 50) **Jacoby, M.** 1888. Biologia Centrali-Americana, Insecta, Coleoptera, Galerucidae. 6(1):585-625.
- 51) **Jacoby, M.** 1891. Biologia Centrali-Americana, Insecta, Coleoptera, Supplement to Phytophaga. 6(1):233-312.
- 52) **Jacoby, M.** 1892. Biologia Centrali-Americana, Insecta, Coleoptera, Supplement to Phytophaga. 6(1):313-348.
- 53) **King, A. B. S., and J. L. Saunders.** 1984. Las plagas invertebradas de cultivos anuales alimenticios en America Central. Overseas Development Administration, London. 182pp.
- 54) **LeSage, L.** 1991. Family Chrysomelidae. Leaf Beetles. In: Y. Bousquet (Ed.). Checklist of the Beetles of Canada and Alaska. Res. Branch Agric. Can. Publ. No. 1861/E: 301-323. Canada Commercial Group, Ottawa.
- 55) **Maes, J.-M., and C. L. Staines.** 1991. Catalogo de los Chrysomelidae (Coleoptera) de Nicaragua. Rev. Nicaraguense Ent. 18:1-53.
- 56) **Pallister, J. C.** 1953. The leaf beetles of North Central Mexico collected on the David Rockefeller Mexican Expedition (Coleoptera, Chrysomelidae). Amer. Mus. Novitates 1623:1-95.
- 57) **Parry, R. H.** 1974. Revision of the genus *Dibolia* Latreille in America north of Mexico (Coleoptera: Chrysomelidae). Can. J. Zool. 52(11):1317-1354.
- 58) **Passoa, S.** 1983. Lista de los insectos asociados con los granos basicos y otros cultivos selectos en Honduras. Ceiba 25(1):1-97.
- 59) **Savini, V.** 1991. Revision de las especies Centro y Suramericanas del genero *Gioia*, Bechyné (Coleoptera: Chrysomelidae, Alticinae). Bol. Ent. Venez. (N.S.) 6(2):143-193.
- 60) **Savini, V.** 1994. Dos especies nuevas y un nuevo registro para América Central del género *Gioia* Bechyné (Coleoptera, Chrysomelidae: Alticinae). Rev. Biol. Trop. 42(1/2):189-193.
- 61) **Scherer, G.** 1960. Beitrag zur Kenntniss der Altidenfauna Brasiliens (Col. Phytoph.). Ent. Arb. Mus. Frey 11:180-272.
- 62) **Scherer, G.** 1962. Bestimmungsschlüssel der neotropischen Alticinae-Genera (Coleoptera: Chrysomelidae: Alticinae). Ent. Arb. Museum G. Frey 13(2):497-607.
- 63) **Scherer, G.** 1983. Diagnostic key for the Neotropical alticine genera (Coleoptera: Chrysomelidae: Alticinae). Ent. Arb. Mus. Frey 31/32:1-89. [English translation of Scherer 1962 (54)]
- 64) **Seeno, T. N., and J. A. Wilcox.** 1982. Leaf beetle genera (Coleoptera: Chrysomelidae). Entomography 1:1-221.
- 65) **Wilcox, J. A.** 1975. Leaf beetles (Red Version). Checklist of the Beetles of Canada, United States, Mexico, Central America, and the West Indies. BRIA (Biol. Res Insts. Amer), NABFP. 1(7):1-166.

Table

Genus/Species/Author/Synonymy:	Distribution:	Reference:	Genus/Species/Author/Synonymy:	Distribution:	Reference:
<i>Acallepitrix</i> Bechyné, 1959: (= <i>Epitrix</i> Foudras, 1859, part)			<i>Alagoasa</i> Bechyné, 1955: (= <i>Oedionychus</i> Berthold, 1827, part: = <i>Oedionychis</i> Latreille, 1829, part)		
<i>anila</i> Bechyné & Bechyné, 1963	ES	17	<i>acutangula</i> (Jacoby, 1886)	Mex.;Guat.:ES	17
<i>castanea</i> (Jacoby, 1885)	Mex.;Guat.:Nic.	9	<i>aemulae</i> (Hom, 1889)	USA; Mex.	
<i>clypeata clypeata</i> (Jacoby, 1885)	Bel.;Guat.		<i>albomarginea</i> (Latreille, 1811)	Mex.	
<i>clypeata heteronitens</i> Bechyné & Bechyné, 1963	ES	17	<i>anienmalis</i> (Jacoby, 1886)	Pan.	
<i>estebania</i> Bechyné & Bechyné, 1963	ES	17	<i>arcuatofasciata</i> (Jacoby, 1905)	Mex.	
<i>fulvifrons</i> (Jacoby, 1885)	Mex.;Guat.;Nic.	9	<i>atroguttata</i> (Jacoby, 1886)	Mex.	
<i>hylophila</i> Bechyné & Bechyné, 1963	ES	17	<i>bipunctata</i> (Chevrolat, 1834)	Mex.;Bel.;Guat.:ES	17
<i>iris</i> Bechyné & Bechyné, 1963	ES	17	(= <i>salvini</i> (Jacoby, 1880))	CR	
<i>morazonica</i> Bechyné & Bechyné, 1963	ES	17	<i>brunneovittata</i> (Jacoby, 1894)	Pan.	
<i>orbitalis</i> Bechyné & Bechyné, 1963	ES	17	<i>cazieri</i> Pallister, 1953	Mex.	56
<i>peruavis</i> Bechyné & Bechyné, 1963	ES	17	<i>centurio</i> (Jacoby, 1894)	Pan.;Ven.:Col.	21
<i>ponderosa</i> Bechyné & Bechyné, 1963	ES	17	<i>ceracollis</i> (Say, 1835)	Mex.;Bel.;Guat.:ES	17
<i>rubrifrons</i> Bechyné & Bechyné, 1963	ES	17	<i>championi</i> (Jacoby, 1886)	Pan.	
			<i>chevrolati</i> (Baly, 1878)	Mex.;Bel.;Guat.	
			<i>clypeata</i> (Jacoby, 1892)	Mex.	
			<i>decemguttatus</i> (Fabricius, 1801)	Mex.;Bel.;Guat.;	53,55
				Nic.;CR;Pan.;Br.:PR	
<i>Acanthomycha</i> Jacoby, 1891:			<i>discoidea</i> (Jacoby, 1886)	Pan.	
<i>championi</i> Bechyné, 1959	Pan.	13	<i>discolor</i> (Jacoby, 1886)	Pan.	
<i>jacobyi</i> Bechyné, 1959	Mex.;Guat.;Bel.;	13;14	<i>donckleri</i> (Jacoby, 1905)	Mex.	
(= <i>elegantula</i> Jacoby, 1891)	ES;Nic.;CR;Pan.		<i>dugesi</i> (Jacoby, 1886)	Mex.	
<i>quadriuberculata</i> Bechyné, 1959	CR	13	<i>duodecimmaculata</i> (Jacoby, 1886)	Guat.	
<i>roseocarminea</i> Bechyné, 1959	CR	13	<i>durangoensis</i> (Jacoby, 1892)	USA;Mex.	
<i>stali</i> Jacoby, 1905	CR	13	<i>exquisita</i> (Jacoby, 1886)	Pan.	
			<i>extrema</i> (Harold, 1880)	Mex.;Guat.:ES	17
			(= <i>brevicornis</i> Jacoby, 1886)		
			<i>fimbriata</i> (Forster, 1771)	USA;Mex.	
			(<i>Chrysomela</i> Linnaeus, 1758)		
<i>Acrocymum</i> Jacoby, 1885: (see Furth, 1992)			<i>forreri</i> (Jacoby, 1886)	Mex.	
<i>dorsalis</i> Jacoby, 1885	Mex.		<i>frontalis</i> (Jacoby, 1886)	Mex.;Guat.	
<i>interposita</i> (Bechyné & Bechyné, 1963)	ES	17	<i>fulvofasciata</i> (Jacoby, 1886)	Guat.;Nic.	
(<i>Chrysogramma</i>)			<i>gemmata</i> (Jacoby, 1886)	Pan.	
<i>maculicollis</i> Jacoby, 1885	Mex.		<i>godmani</i> (Jacoby, 1880)	Mex.;Guat.;Nic.;	
<i>sallei</i> Jacoby, 1885	Mex.			CR;Pan.	
<i>tarsatum</i> Jacoby, 1885	Guat.		<i>haroldi</i> (Jacoby, 1892)	Mex.	
			<i>högei</i> (Jacoby, 1886)	Mex.	
			<i>hondurensis</i> (Jacoby, 1886)	Bel.	
			<i>illigeri</i> (Jacoby, 1886)	Mex.;Pan.	44
			<i>imitans</i> (Jacoby, 1886)	Pan.	

Table

Genus/Species/Author/Synonymy:	Distribution:	Reference:	Genus/Species/Author/Synonymy:	Distribution:	Reference:
<i>Alagoasa</i> (continued):			<i>Allochroma</i> Clark, 1860:		
<i>inconspicua</i> (Jacoby, 1886)	Mex.		<i>apicicorne</i> (Jacoby, 1886)	Pan.	62
<i>inconstans</i> (Schaufuss, 1874)	Col.;Pan.		(<i>Metriotes</i> Clark, 1860)		
<i>infirmata</i> (Jacoby, 1886)	Mex.		<i>baiyi</i> Clark, 1860	Mex.;?S.Amer.	
<i>insepta</i> (Harold, 1877)	Pan.;Peru		<i>basalis</i> (Jacoby, 1886)	Pan.	62
<i>jalapa</i> Bechyné, 1958	Mex.	11	<i>bimaculatum</i> Jacoby, 1879	Nic.;Pan.	
<i>jansoni</i> (Jacoby, 1886)	Nic.		<i>biplagiatum</i> Jacoby, 1886	Pan.	
<i>lateralis</i> (Jacoby, 1886)	USA;Mex.		<i>castaneum</i> Jacoby, 1886	Pan.	
<i>longicollis</i> (Jacoby, 1886)	Mex.		<i>chiriquense</i> Jacoby, 1886	Pan.	
<i>millepora</i> (Jacoby, 1905)	Mex.;Col.		<i>coccineum</i> Clark, 1860	Guat.;Br.	
<i>montana</i> (Jacoby, 1886)	Pan.		<i>fasciatum</i> Clark, 1860	Mex.;Guat.;CR; S.Amer.	
<i>nicaraguensis</i> (Jacoby, 1879)	Nic.			Guat.;Br.	
<i>olivaceae</i> (Jacoby, 1886)	Pan.		<i>festivum</i> Clark, 1860		
<i>ornata</i> (Jacoby, 1980)	Mex.;Guat.	44	<i>flavicolle</i> (Jacoby, 1886)		
(<i>Lactica</i>)			(<i>Metriotes</i>)	Pan.	62
<i>panamensis</i> (Jacoby, 1886)	Pan.		<i>flavonotatum</i> Jacoby, 1886	Pan.	
<i>paraphana</i> Bechyné & Bechyné, 1963	ES	17	<i>florhi</i> Jacoby, 1892	Mex.	
<i>pavonina</i> (Jacoby, 1892)	Mex.		<i>frontale</i> Jacoby, 1886	Pan.	
<i>persimilis</i> (Jacoby, 1905)	Mex.		<i>fulvoplagiatum</i> Jacoby, 1886	Mex.	
<i>purulensis</i> (Jacoby, 1886)	Guat.		<i>godmani</i> Jacoby, 1886	Mex.	
<i>quadri-lineata</i> (Harold, 1881)	Mex.		<i>guatemalense</i> Jacoby, 1886	Guat.	
<i>quaerula</i> (Harold, 1881)	Pan.;Ven.;Bol.;Br.;	6,8,11,13	<i>högei</i> Jacoby, 1886	Mex.	
	Par.;Arg.		<i>mexicanum</i> Jacoby, 1886	Mex.	
<i>sempurpurea</i> (Jacoby, 1886)	Mex.		<i>nigricolle</i> (Jacoby, 1886)	Pan.	
<i>seriata</i> (Baly, 1878)	Mex.;Hond.;Guat.;	17,55,58	(<i>Metriotes</i>)		
	Nic.;ES		<i>posticatum</i> Jacoby, 1886	Pan.	
<i>signata</i> (Jacoby, 1886)	Mex.;Guat.;Bel.		<i>puncticolle</i> Jacoby, 1886	Guat.	
<i>tehuacana</i> Bechyné, 1955	Mex.	6	<i>quatuorpusulatus</i> Clark, 1860	Mex.	
<i>tenuilineata</i> (Horn, 1889)	USA;Mex.		<i>sempunctatum</i> Jacoby, 1886	Bel.;Guat.;CR;Pan.;	
<i>tibialis</i> (Jacoby, 1886)	CR		<i>sexmaculatum</i> Clark, 1860	Br.	
<i>transversalis</i> (Jacoby, 1886)	Nic.;Pan.			Bel.;Br.	
<i>tridecimmaculata</i> (Jacoby, 1886)	Mex.		<i>sexsignatum</i> Clark, 1860	Mex.	
<i>trilineata</i> (Jacoby, 1886)	Pan.		<i>teapense</i> Jacoby, 1892		
<i>trifasciata escuintla</i> Bechyné & Bechyné, 1955	Mex.;Guat.;Nic.	6,11,26			
<i>trifasciata macromela</i> Bechyné, 1958	CR;Pan.	11,26	<i>Altica</i> Geoffroy, 1762:		
<i>trifasciata recuperata</i> Bechyné, 1959	Pan.;Col.	26	(= <i>Halica</i> Illiger, 1801)		
<i>violaceomarginata</i> (Jacoby, 1886)	Mex.				
<i>virgata</i> (Harold, 1880)	Mex.;Hond.;Nic.	55,58	<i>umicula</i> (Jacoby, 1891)	Mex.	
<i>wagneri</i> (Harold, 1880)	CR		<i>angulicollis</i> (Jacoby, 1891)	Mex.	
			<i>himarginata</i> (Sav. 1824)	USA;Mex.;Guat.	
			<i>brevis</i> (Harold, 1875)	ES;Pan.;Col.	4

Table

Genus/Species/Author/Synonymy:	Distribution:	Reference:	Genus/Species/Author/Synonymy:	Distribution:	Reference:
<i>Altica</i> (continued):			<i>maculipennis</i> Jacoby, 1885	Mex.;Guat.;Pan.:PR:	6,7
<i>complicata</i> (Harold, 1876)	Mex.		<i>mexicana</i> Jacoby, 1885	St.Vincent;Grenada	
<i>cupricollis</i> (Jacoby, 1891)	Mex.	39	<i>pallidipennis</i> Jacoby, 1885	Mex.;Pan.	
<i>flavicollis</i> Jacoby, 1884	Mex.		<i>pallipes</i> Jacoby, 1885	Guat.	
<i>foliacea</i> (LeConte, 1858)	USA;Mex.		<i>pectoralis</i> Jacoby, 1891	Mex.;Guat.	
<i>forreri</i> (Jacoby, 1884)	Mex.		<i>pilatei</i> Baly, 1877	Guat.;Pan.	
<i>fulvipes</i> (Jacoby, 1891)	Nic.;Pan:		<i>purpurea</i> Jacoby, 1891	Mex.	
<i>gracilis</i> (Jacoby, 1891)	Pan.		<i>robusta</i> Jacoby, 1885	Pan.	
<i>ignita</i> (Illiger, 1807)	Can.;USA; Mex.:	27	<i>semipunctata</i> Jacoby, 1884	Mex.;Guat.;Pan.	
	Bahamas		<i>smithi</i> Jacoby, 1891	Mex.	
<i>limitata</i> (Jacoby, 1884)	Guat.		<i>substriata</i> Harold, 1876	Mex.;Pan.;Ven.;Col.	6
<i>marevagans</i> Horn, 1889	USA;Mex.		<i>tumidicornis</i> Csiki, 1939	Pan.	44
<i>nitidiventris</i> Fall, 1910	USA;Mex.	27	<i>unicolor</i> Jacoby, 1891	Mex.	
<i>obliterata</i> LeConte, 1859	USA;Mex.		<i>variabilis</i> Jacoby, 1885	Pan.	
<i>patruelis</i> Harold, 1875	Mex.	39			
<i>rugicollis</i> Jacoby, 1884	Mex.		<i>Argopistes</i> Motschulsky, 1860:		
<i>rugosa</i> Jacoby, 1891	Mex.		<i>rubicundus</i> Blake, 1934	Mex.	
<i>satellitina</i> (Jacoby, 1891)	Mex.;Guat.;	27			
	St.Vincent;Grenada		<i>Asiorestia</i> Jacobson, 1925 (see <i>Siegea</i>)		
<i>tincta</i> LeConte, 1859	USA;Mex.	27			
<i>torquata</i> LeConte, 1858	USA;Mex.		<i>Asphaera</i> Chevrolat, 1842:		
			<i>abdominalis</i> (Chevrolat, 1834)	USA;Mex.;Bel.;	17
<i>Aphanocera</i> Jacoby, 1884:			(<i>Oedionychis</i>)	Guat.;Nic.;ES;CR;	
<i>fulveola</i> Jacoby, 1884	Pan.		<i>callosipennis</i> (Bechyné, 1955)	Pan.;Ven.;Col.;Br.	
			(<i>Omophota</i>)	CR;Pan.;Col.	
" <i>Aphthona</i> " Chevrolat, 1836:		64	<i>carilloensis</i> Jacoby, 1905	CR	
<i>amulensis</i> Jacoby, 1891	Mex.		<i>chontalensis</i> Jacoby, 1885	Nic.;Col.	
<i>aterrima</i> Jacoby, 1885	Guat.		<i>cyanopsis</i> Harold, 1876	Mex.;CR	
<i>brevicornis</i> Jacoby, 1885	Pan.		<i>icteridera</i> (Harold, 1876)	Mex.;Guat.	
<i>brunnea</i> Jacoby, 1885	Guat.		(<i>Oedionychis</i>)		
<i>championi</i> Jacoby, 1885	Mex.;Guat.		<i>lustrans</i> (Crotch, 1873)	USA;Mex.	
<i>chiriquensis</i> Jacoby, 1885	Pan.		(<i>Oedionychis</i>)		
<i>dimidiaticornis</i> Jacoby, 1891	Mex.		<i>marginicollis</i> Jacoby, 1885	Pan.	
<i>femorata</i> Jacoby, 1891	Pan.		<i>mexicana</i> (Harold, 1876)	Mex.	
<i>fulvipennis</i> Jacoby, 1885	Guat.		(<i>Oedionychis</i>)		
<i>fulvitaris</i> Jacoby, 1891	Mex.		<i>nigrofasciata</i> Jacoby, 1885	Guat.;CR;Col.	

Table

Genus/Species/Author/Synonymy:	Distribution:	Reference:	Genus/Species/Author/Synonymy:	Distribution:	Reference:
<i>Asphaera</i> (continued):					
<i>nobilitata</i> (Fabricius, 1787)	Bel.;Guat.;Nic.; CR;Pan.;Col.; Fr.Guiana;Trinidad	27,55	<i>mexicana</i> Jacoby, 1885	Mex.	
<i>pallida</i> Jacoby, 1879	CR;Pan.		<i>multimaculata</i> Jacoby, 1905	Mex.	
<i>polita</i> Jacoby, 1885	Mex.;Guat.		<i>pallida</i> Blake, 1954	Mex.	36
<i>quadrifasciata</i> (Fabricius, 1787)	Nic.;Pan.;Ven.; Col.;Ecu.;Peru;	8,13,55	<i>punctatissima</i> Jacoby, 1885	Mex.	
<i>recticollis</i> (Baly, 1874)	Bol.;Br.;Fr.Guiana;		<i>quatuordecimpunctata</i> Jacoby, 1885	Mex.	
(<i>Oedionychis</i>)	Mex.;Guat.		? <i>rhois</i> Chevrolat, 1836	?Mex.;Nic.	55
<i>reichei</i> (Harold, 1876)	Mex.;Bel.;Guat.;	17	<i>singularis</i> Jacoby, 1892	Mex.	
(<i>Oedionychis</i>)	Nic.;CR;ES;Pan.		<i>suturalis</i> Jacoby, 1885	Guat.;ES	17
<i>semifulva</i> Jacoby, 1885	CR		<i>trifasciata</i> Jacoby, 1885	Mex.	
<i>transversofasciata</i> Jacoby, 1885	Pan.		<i>unicolor</i> Jacoby, 1885	Mex.	
<i>xanthocephala</i> Harold, 1876	Mex.				
			<i>Blepharonycha</i> Fall, 1927:		
<i>Ayalata</i> Bechyné & Bechyné, 1960:			<i>melanoptera</i> Fall, 1927	Mex.	
<i>minor</i> Bechyné & Bechyné, 1960	ES				
<i>salvadorensis</i> Bechyné & Bechyné, 1960	ES		<i>Brasilaphthona</i> Bechyné, 1956: (= <i>Aphthona</i> Chevrolat, 1836, part)		
			<i>palpatis</i> (Jacoby, 1885)	Pan.	
<i>Bellacincta</i> Scherer, 1962:					
<i>clarki</i> (Jacoby, 1886)	Nic.;Pan.	62	<i>Cacoscelis</i> Chevrolat, 1836:		
(<i>Idmasyne</i> Gemminger & Harold, 1876)			<i>bicolorata</i> Clark, 1865	Mex.	
			<i>coerulea</i> Csiki, 1939	Mex.	
<i>Blepharida</i> Chevrolat, in Dejean, 1836:			<i>compta</i> Erichson, 1847	Nic.;Peru	55
<i>alternata</i> Jacoby, 1891	Mex.		<i>flava</i> Clark, 1865	Mex.	
<i>alticola</i> Achard, 1922	Mex.		<i>guazapa</i> Bechyné & Bechyné, 1960	ES	14
<i>balyi</i> Bryani, 1937	Mex.		<i>marginata binotata</i> Illiger, 1807	Nic.;CR;Pan.;	3,5,6
<i>flavocostata</i> Jacoby, 1905	Mex.			Ven.;Col.;Bol.;	
<i>flohri</i> Jacoby, 1885	Mex.		<i>nigripes</i> Jacoby, 1891	Ecu.;Peru;Guyana;	
<i>franclemonti</i> Furth, 1992	Mex.	42	<i>sallei</i> Jacoby, 1884	Br.	
<i>godmani</i> Jacoby, 1885	Mex.		<i>varians</i> (Jacoby, 1891)	Guat.;CR	
<i>jacobyana</i> Csiki, 1940	Mex.		(<i>Prasona</i>)	Mex.	
<i>maculicollis</i> Jacoby, 1885	Mex.			Mex.;Guat.	
			<i>Calliphron</i> Jacoby, 1891:		
			<i>ferrugineum</i> Jacoby, 1891	Pan.	

Table

Genus/Species/Author/Synonymy;	Distribution:	Reference:	Genus/Species/Author/Synonymy;	Distribution:	Reference:
<i>Calascelis</i> Clark, 1865:			<i>Cerichrestus</i> Clark, 1860:		
<i>nigripennis</i> (Jacoby) (<i>Plectotetra</i>)	Mex.		<i>clarki</i> Jacoby, 1886	Pan.	
<i>Capraita</i> Bechyné, 1957: (= <i>Oedionychis</i> Latreille, 1829 part; = <i>Chloéphaga</i> Weise, 1899)			<i>Chaetocnema</i> Stephens, 1831:		
<i>conspurcata</i> (Jacoby, 1886)	Mex.;Guat.	9	<i>acroiabris</i> Bechyné & Bechyné, 1963	ES	17
<i>hypocrita</i> (Jacoby, 1886)	Guat.;Nic.	55	<i>arcifera</i> Bechyné & Bechyné, 1963	ES	17
<i>maculata</i> (Harold, 1876)	Mex.; Guat.; ES	17	<i>balyi</i> Jacoby, 1892	Mex.	
<i>Centralaphthona</i> Bechyné, 1960: (= <i>Aphthona</i> Chevrolat, 1842, part)			<i>bellorhina</i> Bechyné & Bechyné, 1963	ES	17
<i>castanea</i> (Jacoby, 1891)	Pan.	14	<i>capitata</i> Jacoby, 1885	Mex.;Guat.	
<i>desmodita</i> Bechyné & Bechyné, 1960	ES	14	<i>cephalotes</i> Jacoby, 1885	Guat.	
<i>deyrollei</i> (Baly, 1877)	Mex.;Guat.; ES;Nic.	9,14	<i>confinis</i> Crotch, 1873	USA;ES	53
<i>diversa</i> (Baly, 1877)	Mex.;Guat.;ES;Pan.	14	<i>costatipennis</i> Jacoby, 1892	Mex.	
<i>durri</i> Bechyné & Bechyné, 1960	ES	14	<i>diegoana</i> Bechyné & Bechyné, 1963	ES	17
<i>gaetana</i> Bechyné & Bechyné, 1960	ES	14	<i>discoidalis</i> Jacoby, 1885	Mex.	
<i>lessmanni</i> Bechyné & Bechyné, 1960	ES	14	(= <i>mexicana</i> Harold, 1879)	Guat.	
<i>nemorivaga</i> Bechyné & Bechyné, 1960	ES	14	<i>frontalis</i> Jacoby, 1885	Mex.;Guat.	
<i>obscuripennis</i> (Jacoby, 1885)	Guat.;ES	14	<i>fulvicornis</i> Jacoby, 1885	Mex.	
<i>orbiliifera</i> Bechyné & Bechyné, 1960	ES	14	<i>fulvilabris</i> Jacoby, 1892	Mex.	
<i>pacifica</i> (Jacoby, 1891)	Guat.;ES	14	<i>gravida</i> Baly, 1877	ES	17
<i>peripherica</i> Bechyné & Bechyné, 1960	ES	14	<i>guija</i> Bechyné & Bechyné	Mex.	
<i>perpetualis</i> Bechyné & Bechyné, 1960	ES	14	<i>horni</i> Jacoby, 1892	Mex.	
<i>primordialis</i> Bechyné & Bechyné, 1960	ES	14	<i>interstitialis</i> Jacoby, 1892	ES	17
<i>selecta</i> Bechyné & Bechyné, 1960	ES	14	<i>itica</i> Bechyné & Bechyné, 1963	ES	17
<i>semicoerulea</i> (Jacoby, 1885)	Mex.		<i>jacintha</i> Bechyné & Bechyné, 1963	ES	17
<i>xanthochrysa</i> Bechyné & Bechyné, 1960	ES	14	<i>lagunaria</i> Bechyné & Bechyné, 1963	ES	17
			<i>leptocephala</i> Bechyné & Bechyné, 1963	ES	17
			<i>mexicana</i> Baly, 1877	Mex.;Bel.;Guat.;	6,17
			(= <i>divergens</i> Baly, 1877)	Nic.;CR;ES;Pan.	
			<i>nepotica</i> Bechyné & Bechyné, 1963	ES	17
			<i>obtusilabris</i> Bechyné & Bechyné, 1963	ES	17
			<i>parcepunctata</i> Crotch, 1873	USA; Mex.	
			<i>perquinensis</i> Bechyné & Bechyné, 1963	ES	17
			<i>sallei</i> Baly, 1877	Mex.	
			<i>separata</i> Baly, 1877	CR;Pan.;Col.	53
			<i>sitarina</i> Bechyné & Bechyné, 1963	ES	17
			<i>smithi</i> Jacoby, 1892	Mex.	
			<i>transversicollis</i> Jacoby, 1885	Pan.	
			<i>vega</i> Bechyné & Bechyné, 1963	ES	

Table

Genus/Species/Author/Synonymy:	Distribution:	Reference:	Genus/Species/Author/Synonymy:	Distribution:	Reference:
<i>Chalatenanganya</i> Bechyné & Bechyné, 1953:			<i>Cyrsylus</i> Jacoby, 1891:		
<i>frontalis</i> (Jacoby, 1884)	Guat.;CR		<i>basalis</i> Jacoby, 1891	Pan.	
(<i>Lactica</i> Erichson, 1847)			<i>crassicornis</i> Jacoby, 1891	Guat.	
<i>quadrijida</i> Bechyné & Bechyné, 1963	ES	17	<i>fulvipes</i> Jacoby, 1891	Mex.	
			<i>recticollis</i> Jacoby, 1891	Mex.;Bel.;Hond.;	6,9,11
				Guat.;Nic.;ES;CR;	
				Pan.;Ven.	
				Mex.	
<i>Chlamophora</i> Chevrolat, 1836:			<i>Deuteraltica</i> Bechyné & Bechyné, 1960:		
<i>nigritarsis</i> Jacoby, 1885	Pan.		<i>longicornis</i> (Jacoby, 1891)	Mex.;Guat.;ES	14
<i>salvini</i> Jacoby, 1885	Guat.		(<i>Altica</i>)		
<i>Chrysogramma</i> Jacoby, 1885:			<i>Dibolia</i> Latreille, 1829:		
(see Furth, 1992)			<i>championi</i> Jacoby, 1885	USA;Mex.;Guat.	57
<i>octomaculata</i> Jacoby, 1885	Mex.;Guat.	39	<i>constricta</i> Jacoby, 1891	Mex.	
<i>omiltenaia</i> Jacoby, 1891	Mex.		<i>ovata</i> LeConte, 1859	USA;Mex.	27
<i>pictipennis</i> Jacoby, 1891	Mex.		<i>violacea</i> Jacoby, 1891	Mex.	
<i>septempunctata</i> Jacoby, 1891	Mex.				
<i>trifasciata</i> Jacoby, 1891	Mex.				
<i>Cleophes</i> Jacoby, 1886:			<i>Dinaltica</i> Bechyné, 1956:		
<i>unifasciata</i> Jacoby, 1886	Pan.		(= <i>Lactica</i> Erichson, 1844, part)		
<i>Cornulactica</i> Bechyné, 1955:			<i>anilina</i> Bechyné & Bechyné, 1963		
<i>varicornis</i> (Jacoby, 1892)	Mex.;Guat.	24	<i>aeneipennis</i> (Jacoby, 1884)	ES	17
(<i>Lactica</i>)			<i>chevrolati</i> (Jacoby, 1884)	Guat.	
				Mex.	
<i>Crimissa</i> Stål, 1858:			<i>Diphaltica</i> Barber, 1941:		
<i>cruralis</i> Stål, 1858	Pan.;Col.;Ecuad.;	9,11,13	(= <i>Diphaulaca</i> , Chevrolat, 1836, part)		
	Bol.;Peru;Fr.Guiana;		<i>brevicollis</i> (Jacoby, 1884)	Pan.	
	Br.;Arg.;Par.		<i>chiriquensis</i> (Jacoby, 1884)	Pan.	
			<i>columbica</i> (Harold, 1875)	Mex.;Col.	
			<i>crassicornis</i> (Jacoby, 1884)	Guat.;Pan.	
			<i>fossifrons</i> (Harold, 1875)	Mex.;Ven.;Col.	6
			<i>irazuensis</i> (Jacoby, 1884)	CR	
			<i>mitida</i> (Jacoby, 1884)	Mex.;Bel.;Guat.;CR	

Table

Genus/Species/Author/Synonymy:	Distribution:	Reference:	Genus/Species/Author/Synonymy:	Distribution:	Reference:
<i>Diphaltica</i> (continued):					
<i>panamensis</i> (Jacoby, 1884)	Pan.		<i>collata</i> (Fabricius, 1801)	USA:Mex.:Guat.:ES:	17
<i>quadraticollis</i> (Jacoby, 1884)	Pan.		(<i>Crioceris</i> Müller, 1764)	CR:Pan.	
<i>sallei</i> (Harold, 1876)	Mex.		<i>cordigera</i> Blake, 1955	Pan.:Col.	37
(<i>Haltica</i>)			<i>crenicollis</i> Say, 1835	USA: Mex.	
<i>sobrina</i> Jacoby, 1884	Mex.		<i>didyma</i> Blake, 1955	Pan.	37
<i>trifiniensis</i> Bechyné & Bechyné, 1960	ES	14	<i>dorsata</i> Harold, 1880	Mex.:Bel.:Guat.:	
				Hond.	
			<i>eximia</i> Harold, 1876	CR:Pan.:Ven.:Col.:	28,37
			(= <i>laevigata</i> Jacoby, 1897)	Jam.:Haiti:DR:	
				Grenada	
<i>Diphaulaca</i> Chevrolat, 1836:			<i>figurata</i> Jacoby, 1889	USA: Mex.: Hond.:	17,37
<i>aulica aulica</i> (Olivier, 1808)	CR:Pan.:Ven.:Col.:	24,53		Guat.:ES: CR; Pan.	
(<i>Altica</i>)	Br.:Guyana:Surinam;		<i>fumata fumata</i> LeConte, 1858	USA:Mex.:Guat.:	37
(= <i>panamae</i> Barber, 1941)	Fr.Guiana:Trinidad			Nic.:Hond.:CR:ES	
(= <i>meridae</i> Barber, 1941)			<i>fumata labiata</i> Jacoby, 1901	USA:Mex.:Guat.:	17,55
<i>aulica cordobae</i> Barber, 1941	Mex.:Guat.:ES:Nic.:	2,14,24		Nic.:Hond.:CR:ES	
	CR		<i>giabrata</i> (Fabricius, 1781)	USA:Mex.:Bel.:	17,37,58
<i>intermedia</i> Jacoby, 1883	Mex.:Panama		(<i>Crioceris</i>)	Hond.:Guat.:ES;	
<i>jucunda</i> Harold, 1875	Pan.:Ven.:Col.	4		Nic.:Pan.:Ven.;	
<i>salvadorensis</i> Bechyné & Bechyné, 1960	ES	14		Col.:Ecuador:	
<i>wagneri</i> Harold, 1875	Mex.:Guat.:Hond.:	2,11,14,		Bol.:Peru:Br.:	
	ES:Nic.:CR:Pan.:	24,53		Fr.Guiana:Trinidad:	
	Ven.:Col.			Jam.:Grenada	
			<i>gracilis</i> Blake, 1955	Mex.	37
			<i>guatemalensis</i> Jacoby, 1884	Mex.:Guat.:Bel.:	17,37
				Hond.:ES	
<i>Disonycha</i> Chevrolat, 1836:				Mex.	
<i>abbreviata</i> Melsheimer, 1847	USA:Mex.:Guat.		<i>högei</i> Jacoby, 1884	Mex.	
<i>affinis</i> Jacoby, 1891	Guat.		<i>horni</i> Jacoby, 1891	Mex.:ES	37
<i>angulata</i> Jacoby, 1891	Mex.:Guat.		<i>jalapensis</i> Blake, 1955	Mex.	37
<i>annulata</i> Blake, 1955	USA:Mex.	37	<i>knabi</i> Blake, 1955	Can.:USA:Mex.	37,54
<i>antennata</i> Jacoby, 1884	USA:Mex.	37	<i>latiovittata</i> Hatch & Beller, 1932	USA:Mex.:Guat.	37
<i>apicalis</i> Jacoby, 1884	Mex.		<i>leptolineata texana</i> Schaeffer, 1919	Mex.	
<i>arizonae</i> Casey, 1884	Can.:USA:Mex.	37,54	<i>limbata</i> Jacoby 1891	Pan.	37
<i>barberi</i> Blake, 1951	USA:Mex.:Nic.	32,55	<i>longipennis</i> Blake, 1955	Mex.	
<i>brevicollis</i> Jacoby, 1907	Mex.		<i>maculipes</i> Jacoby, 1891	Mex.	
<i>brevilineata</i> Jacoby, 1884	Mex.:Guat.:Hond.:	37,17	<i>melanocephala</i> Jacoby, 1884	Mex.:Guat.:Nic.:ES	17
	ES		<i>mexicana</i> Jacoby, 1884	Mex.:Guat.:Hond.:	37
	USA:Mex.:Bel.:	37,17	<i>militaris</i> Jacoby, 1884	ES:Nic.:Pan.:Col.	
	Guat.:Nic.:CR			Mex.	
<i>caroliniana</i> (Fabricius, 1775)	USA:Mex.:Bel.:		<i>nigripennis</i> Jacoby, 1884	CR:Pan.	
(<i>Chrysomela</i>)	Guat.:Nic.:CR		<i>nigripes</i> Jacoby, 1884	Guat.:ES	17
			<i>nigrita</i> Jacoby, 1884		

Table

Genus/Species/Author/Synonymy:	Distribution:	Reference:	Genus/Species/Author/Synonymy:	Distribution:	Reference:
<i>Disonycha</i> (continued):					
<i>ovata</i> Blake, 1931	ES		<i>orchidophila</i> Blake, 1951	Mex.	31
<i>panamensis</i> Jacoby, 1884 (<i>Halica</i>)	CR;Pan.;Col.		<i>suturalis</i> (Jacoby, 1892) (<i>Omotyphus</i> Gemminger & Harold, 1876)	Mex.	
<i>pennsylvanica</i> (Illiger, 1807)	Can.;USA;Hond.	37,54	<i>Dysphenges</i> Hom, 1894:		
<i>peruana</i> Jacoby, 1905	Pan.;CR;Peru;Col.; Ven.		<i>elongatula</i> Hom, 1894	Mex.	27
<i>pluriligata</i> LeConte, 1858	USA;Mex.;Guat.				
<i>poliula</i> Horn, 1889	USA;Mex.		<i>Epitrix</i> Foudras, 1859:		
<i>procera</i> Casey, 1884	USA;Mex.		<i>aenicollis</i> Jacoby, 1891	Mex.;Guat.	
<i>quinquelineata</i> (Latreille, 1811) (<i>Alica</i>)	Mex.;Guat.;Bel.; Hond.;ES;Nic.;CR;	17,37	<i>anahoria</i> Bechyné & Bechyné, 1960	ES	14
<i>recticollis</i> (Jacoby, 1884)	Pan.;Col.		<i>angelina</i> Bechyné & Bechyné, 1960	ES	14
<i>sallei</i> (Baly, 1859) (<i>Oedionychis</i>)	Mex.;Guat.;Nic.;CR; Pan.		<i>apanecana</i> Bechyné & Bechyné, 1960	ES	14
<i>scriptipennis</i> (Jacoby, 1884) (<i>Cacoscelis</i>)	Mex.		<i>atripes</i> <i>atripes</i> Harold, 1875	CR;Pan.;Col.	14
<i>steinheili</i> Harold, 1876	Mex.;Guat.;ES	17	<i>atripes silvicola</i> Bechyné & Bechyné, 1960	Guat.;ES	14
<i>subaenea</i> Jacoby, 1884	CR;ES;Pan.;Col;Ven.	7,17	<i>auricoma</i> Bechyné & Bechyné, 1960	ES	14
<i>subcostata</i> (Clark, 1865) (<i>Caeporis</i> Clark, 1865)	Mex.		<i>convexa</i> Jacoby, 1885	Mex.;Guat.;Nic.	9
<i>teapensis</i> Blake, 1933	Mex.		<i>cucumeris</i> (Harris, 1851)	USA;Mex.;Guat.;	55
<i>tenuicornis</i> Hom, 1889	USA;Mex.	37	<i>dilaticornis</i> Jacoby, 1885	Nic.;PR	55
<i>trifasciata</i> Clark, 1865	Guat.;Nic.;ES;CR;	17	<i>fasciata</i> Blatchley, 1918	Guat.;ES;Nic.;Pan.	14
	Pan.;Ven.;Col.			USA;Mex.;Guat.;	55
	USA;Mex.	37	<i>flavotestacea</i> Hom, 1894	Nic.;Pan.;Bahamas;	
	CR	37	<i>fuscata</i> (Jacqueline du Val, 1856) (<i>Crepidodera</i> Chevrolat, 1836)	Cuba;PR;St.Vincent;	
	Pan.;Ven.;Col.	37	<i>fuscata</i> Crotch, 1873	Grenada	
	ES	17	<i>haroldi</i> Jacoby, 1885	Mex.	
			<i>hirtula</i> Harold, 1875	Guat.;Cuba;PR;	
			<i>integralis</i> Bechyné & Bechyné, 1960	L.Antilles	
			<i>jacobyi</i> Weise, 1929	USA;Mex.	
			<i>lacustris</i> Bechyné & Bechyné, 1960	Guat.	
			<i>metallica</i> Jacoby, 1891	ES	14
			<i>minuta</i> Jacoby, 1885	Mex.;Pan.	
			<i>montana</i> Jacoby, 1885	Mex.;Guat.	
			<i>nicolina</i> Bechyné & Bechyné, 1960	Mex.;Guat.	
			<i>nigroaenea</i> Harold, 1875	ES	14
			<i>ninfa</i> Bechyné & Bechyné, 1960	Mex.;Pan.;Ven.;Col.	6
			<i>nycteroptera</i> Bechyné & Bechyné, 1960	ES	14
			<i>obliterata</i> Jacoby, 1891	ES	14
				Mex.	
<i>Distigmoptera</i> Blake, 1943:					
<i>alhopilosa</i> (Jacoby, 1886) (<i>Rhinotmetus</i>)	Pan.				
<i>brevihirta</i> Blake, 1943	CR	30			
<i>capillosa</i> Blake, 1943	CR	30			
<i>chrysoaedala</i> Blake, 1951	Mex.	31			
<i>foveolata</i> Balsbaugh, 1958	USA;Mex.	1			

Table

Genus/Species/Author/Synonymy:	Distribution:	Reference:	Genus/Species/Author/Synonymy:	Distribution:	Reference:
<i>Epitrix</i> (continued):			<i>Exarriematopus</i> Clark, 1860:		
<i>opacicollis</i> Harold, 1875	Nic.;Ven.:Col.	6	<i>nigroplagiatum</i> (Jacoby, 1886)	Guat.	62
<i>paludicola</i> Champion, 1920	CR		(<i>Allochroma</i>)		
<i>parvula</i> (Fabricius, 1801)	USA;Mex.:Guat.;	6,7,61	<i>Exoceras</i> Jacoby, 1891:		
(<i>Crioceris</i>)	Pan.;Ven.:Br.:Cuba;		<i>cyanescens</i> Bechyné, 1955	CR	6
(= <i>hirtipennis</i> Melsheimer, 1847)	PR;Grenada;		<i>facialis</i> Jacoby, 1891	Pan.	
	Guadeloupe;	14	<i>Genaphthona</i> Bechyné, 1956:		
<i>perquinensis</i> Bechyné & Bechyné, 1960	St.Vincent		<i>transversicollis</i> (Jacoby, 1885)	Guat.;ES	14
<i>piceomarginata</i> Jacoby, 1891	ES		(<i>Phylloreta</i>)		
<i>puichella</i> Jacoby, 1885	Mex.		<i>virikii</i> Bechyné & Bechyné, 1960	ES	14
<i>puncticollis</i> Jacoby, 1885	Mex.;Pan.		<i>Gioia</i> Bechyné, 1955:		
<i>robusta</i> Jacoby, 1891	Guat.		<i>excepta</i> Savini, 1994	CR	60
<i>rufula</i> Weise, 1929	Mex.		<i>furthi</i> Savini, 1991	CR	59
<i>subcostata</i> Jacoby, 1885	Guat.		<i>jolyi</i> Savini, 1991	Pan.	59
<i>subcrinita</i> (LeConte, 1860)	Mex.		<i>josephinae</i> Savini, 1991	Pan.	59
(<i>Haltica</i>)	Pan.		<i>Glenidion</i> Clark, 1860:		
<i>subglabrata</i> Jacoby, 1885	Guat.		(= <i>Sangaria</i> Harold, 1876)		
<i>thoracica</i> Jacoby, 1885	ES	14	<i>jacobyi</i> (Bechyné, 1955)	Mex.;Guat.;ES	6,17
<i>thoracolyssa</i> Bechyné & Bechyné, 1960	ES	14	(= <i>haagi</i> (Jacoby, 1885))		
<i>triangularis</i> Bechyné & Bechyné, 1960	ES	14	<i>quadricolle</i> (Jacoby, 1886)	Guat.;CR;ES	6,17
<i>ubaquensis</i> Harold, 1875	Guat.;Pan.;Ven.:Col.	22	(<i>Monoplatus</i> Clark, 1860)		
<i>vincentina</i> Bechyné & Bechyné, 1960	ES	14	<i>Glyptina</i> LeConte, 1859:		
<i>violacea</i> Jacoby, 1885	Guat.		<i>atriventris</i> Horn, 1889	USA;Mex.	
<i>Euphenges</i> Clark, 1860:			<i>cerina</i> (LeConte, 1857)	USA;Mex.	27
(= <i>Homammatus</i> Clark, 1860;		62	(<i>Haltica</i>)		
= <i>Oammatus</i> (Gemminger & Harold, 1876)	Pan.				
<i>basalis</i> (Jacoby, 1886)					
(<i>Hyliodromus</i>)	Mex.				
<i>fuliginosus</i> (Clark, 1860)					
(<i>Omotyphus</i>)	Pan.;Col.				
<i>nitidus</i> (Clark, 1860)	Pan.				
<i>sericeus</i> (Jacoby, 1886)					
<i>Euplectroscelis</i> Crotch, 1873:					
<i>xanti</i> Crotch, 1873	Mex.				

Table

Genus/Species/Author/Synonymy:	Distribution:	Reference:	Genus/Species/Author/Synonymy:	Distribution:	Reference:
<i>Heikeringerella</i> Csiki, 1940:			<i>Homotyphus</i> Clark, 1860: (= <i>Omotyphus</i> Gemminger & Harold, 1876)		
<i>allopantha</i> Bechyné & Bechyné, 1960	ES	14	<i>albomaculatus</i> (Jacoby, 1886)	Nic.;Pan.	
<i>brachycaula</i> Bechyné & Bechyné, 1960	ES	14	(<i>Omototus</i>)		
<i>brachygena</i> Bechyné & Bechyné, 1960	ES	14	<i>asper</i> (Clark, 1860)	Mex.;Br.	
<i>brevicornis</i> (Jacoby, 1885)	Guat.		<i>jacobyi</i> Bowditch, 1915	Guat.	
<i>chiriquensis</i> (Jacoby, 1892)	Pan.		<i>maculicornis</i> (Clark, 1860)	Mex.	
(<i>Homophyla</i> Harold, 1877)			<i>panamensis</i> (Csiki, 1940)	Pan.	
<i>chontalensis</i> (Jacoby, 1885)	Nic.		<i>semifasciatus</i> (Jacoby, 1886)	Pan.	
(<i>Euplectroscelis</i> Jacoby, 1885)			<i>squalidus</i> Clark, 1860	Mex.	
<i>fulvifrons</i> (Jacoby, 1891)	Mex.		<i>varicornis</i> (Jacoby, 1886)	Guat.	
(<i>Homophyla</i>)					
<i>hamagira</i> Bechyné & Bechyné, 1960	ES	14	<i>Hydamosyne</i> Clark, 1860: (= <i>Idamosyne</i> Gemminger & Harold, 1876)		
<i>irraheiai</i> Bechyné & Bechyné, 1960	ES	14	<i>incluta</i> Clark, 1860	Pan.	62
<i>macrogena</i> Bechyné & Bechyné, 1960	ES	14	(= <i>Zeteticus panamensis</i> Jacoby, 1886)		
<i>pallida</i> Jacoby, 1891	Mex.		<i>panamensis</i> Jacoby, 1886	Pan.	
<i>palliditarsis</i> Bechyné, 1855	CR	6			
<i>planiceps</i> Bechyné & Bechyné, 1967	Pan.	22	<i>Hylodromus</i> Clark, 1860: (see also Scherer, 1962 = <i>Hypolampsis</i>)		
<i>siliconia</i> Bechyné & Bechyné, 1960	ES	14	<i>clarki</i> Blake, 1953	CR	35
<i>subhemisphaerica</i> Bechyné, 1951	CR	3			
<i>teapensis</i> (Weise, 1921)	Mex.		<i>Hypolampsis</i> Clark, 1860: (= <i>Physimerus</i> Clark, 1860, part)(see Scherer, 1962)		
(<i>Homophyla</i>)			<i>basalis</i> (Jacoby, 1886)	Pan.	
<i>trifiniensis</i> Bechyné & Bechyné, 1960	ES	14	<i>brunnea</i> (Jacoby, 1886)	Pan.	
<i>variabilis</i> (Jacoby, 1885)	Mex.;Bel.;Guat.;ES;	3,14	<i>chiriquensis</i> (Jacoby, 1886)	Pan.	62
(<i>Euplectroscelis</i>)	Nic.;Pan.;Ven.		(<i>Omotyphus</i>)		
<i>xanthocarya</i> Bechyné & Bechyné, 1960	ES	14	<i>constricticollis</i> (Jacoby, 1886)	Pan.	
			<i>elongatula</i> (Jacoby, 1892)	Mex.	
			<i>flavopilosa</i> (Jacoby, 1892)	Pan.	
			<i>inornata</i> Jacoby, 1892	Mex.;PR	27
			<i>labialis</i> (Clark, 1860)	Mex.	
			<i>maculicollis</i> (Jacoby, 1886)	Pan.	
			<i>maculipennis</i> (Jacoby, 1886)	Pan.	
			(<i>Omotyphus</i>)		
			<i>mimula</i> (Harold, 1875)	Pan.;Peru	
<i>Heikeringeria</i> Csiki, 1939: (= <i>Peilonia</i> Clark, 1865)					
<i>balyi</i> (Jacoby, 1884)	Pan.				
<i>clarki</i> (Jacoby, 1884)	Guat.				
<i>seminigra</i> (Jacoby, 1884)	Pan.;Ven.	24			

Table

Genus/Species/Author/Synonymy:	Distribution:	Reference:	Genus/Species/Author/Synonymy:	Distribution:	Reference:
<i>Hypolampsis</i> (continued):			<i>Longiarsus</i> Berthold, 1827:		
<i>nigricornis</i> (Jacoby, 1886)	Pan.		<i>amulensis</i> Jacoby, 1891	Mex.	
<i>obscuroplagiata</i> (Jacoby, 1886)	Pan.		<i>angusticollis</i> Jacoby, 1885	Pan.	
<i>pygmaea</i> (Jacoby, 1886)	Pan.;Mex.		<i>aniennatus</i> Jacoby, 1891	Mex.	
<i>rubicunda</i> (Jacoby, 1886)	Pan.		<i>apicicornis</i> Jacoby, 1885	Guat.	
<i>scutellata</i> (Jacoby, 1886)	Pan.		<i>argopterus</i> Bechyné & Bechyné, 1960	ES	14
(<i>Omotyphus</i>)			<i>asteriscus</i> Bechyné & Bechyné, 1960	ES	14
<i>tibialis</i> (Jacoby, 1886)	Guat.		<i>berryi</i> Bechyné & Bechyné, 1960	ES	14
(<i>Omotyphus</i>)			<i>bogotanus</i> Harold, 1876	Guat.;Col.	
<i>varicornis</i> (Jacoby, 1886)	Guat.		<i>buckleyi</i> Baly, 1877	Guat.;Ecuad.	
<i>zapotensis</i> (Jacoby, 1886)	Guat.		<i>chiriquensis</i> Jacoby, 1885	Pan.	
			<i>chontalensis</i> Jacoby, 1885	Nic.	
<i>Iphitroides</i> Jacoby, 1891:			<i>columbicus centroamericanus</i> Bechyné & Bechyné, 1960	Guat.;ES	14
<i>nigrocinctus</i> Jacoby, 1891	Mex.		<i>concinus</i> Baly, 1877	Mex.	
<i>quadrifaculatus</i> Jacoby, 1891	Mex.		<i>crisiohalensis</i> Bechyné & Bechyné, 1967	Pan.	22
<i>quadrifaculatus</i> Jacoby, 1891	Mex.		<i>gerodontus</i> Bechyné & Bechyné, 1960	ES	14
<i>violaceipennis</i> Jacoby, 1891	Mex.		<i>haroldi</i> Jacoby, 1891	Mex.	
			<i>intermedius</i> Jacoby, 1885	Pan.	
<i>Kuschelina</i> Bechyné, 1951:			<i>livens</i> LeConte, 1858	USA;Mex.	27
(= <i>Oedionychis</i> Latreille, 1829 part)		3	<i>mexicanus</i> Csiki, 1939	Mex.	
<i>laeta</i> (Perbosc, 1839)	USA;Mex.;Guat.	8	<i>nigricornis</i> Jacoby, 1885	Nic.	
(= <i>interjectiona</i> (Crotch, 1873))			<i>orphanus</i> Bechyné & Bechyné, 1960	ES	14
<i>modesta</i> (Jacoby, 1886)	Mex.		<i>ovipennis</i> Jacoby, 1891	Mex.	
			<i>perichromus</i> Bechyné & Bechyné, 1960	ES	14
<i>Lacpactica</i> Bechyné & Bechyné, 1977:			<i>repandus</i> LeConte, 1858	USA;Mex.	27
<i>bifasciata</i> (Jacoby)	Pan.;Fr.Guiana;	6,25	<i>scurrilis</i> Bechyné & Bechyné, 1960	ES	14
(<i>Lactica</i>)	Ven.;Col.;Trinidad		<i>seraphinus</i> Bechyné & Bechyné, 1960	ES	14
			<i>somaticus</i> Bechyné & Bechyné, 1960	ES	14
<i>Leptophysa</i> Baly, 1877:			<i>sparnus</i> Bechyné & Bechyné, 1960	ES	14
(= <i>Pseudoepitrix</i> Jacoby, 1885;			<i>teapensis</i> Jacoby, 1891	Mex.	
= <i>Goianinha</i> Bechyné 1957) (see Scherer, 1962)		62	<i>varicornis</i> Suffrian, 1868	USA;Mex.;Guat.;	6,7,14,
				Pan.;Ven.;Col.;	19,23,27
<i>hirtipennis</i> (Jacoby, 1885)	Pan.			Cuba;PR;Antillies	
<i>quadraticollis</i> (Jacoby, 1884)	Pan.	22	<i>Lupraea</i> Jacoby, 1885:		
(<i>Systema</i>)			(= <i>Palaeothona</i> Jacoby, 1885)		
<i>vittatipennis</i> (Jacoby, 1885)	Pan.		<i>acamhonychina</i> Bechyné & Bechyné, 1960	ES	14
			<i>dilaticornis</i> (Jacoby, 1891)	Mex.	
			<i>elongata</i> (Jacoby, 1891)	Mex.	
			<i>flavicollis</i> (Jacoby, 1891)	Pan.	

Table

Genus/Species/Author/Synonymy:	Distribution:	Reference:	Genus/Species/Author/Synonymy:	Distribution:	Reference:
<i>Lupraea</i> (continued):			<i>jamaicensis</i> (Fabricius, 1792)	Nic.;CR;Pan.;Col;	55
<i>frontalis</i> (Jacoby, 1885)	Mex.		(<i>Galleruca</i> Müller, 1764)	Jam.;Cuba;PR;?Haiti	
<i>fulvicollis</i> Jacoby, 1885	Bel.;Guat.;ES;Nic.		<i>mexicana mexicana</i> (Jacoby, 1884)	Mex.;Guat.;	9,13
<i>godmani</i> (Jacoby, 1891)	Mex.;Guat.		(<i>Haltica</i>)	Nic.	
<i>guatemalensis</i> (Jacoby, 1885)	Mex.;Guat.		<i>mexicana salvadorensis</i> Bechyné, 1954	ES	4
<i>imitans</i> (Jacoby, 1891)	Mex.		<i>patruelis</i> (Harold, 1875)	Mex.	
<i>longicornis</i> Jacoby, 1885:359	Guat.	48	(<i>Haltica</i>)		
(= <i>longicornis</i> (Jacoby, 1885:378))		48			
<i>marginipennis</i> Jacoby, 1891	Pan.		<i>Margaridisa</i> Bechyné, 1958:		
<i>nigricollis</i> (Jacoby, 1891)	Guat.;ES		<i>managua</i> (Bechyné, 1957)	Nic.	
<i>occipitalis</i> Bechyné & Bechyné, 1964	Mex.	18	(<i>Asiorestia</i> Jacobson, 1925)		
<i>portilloi</i> Bechyné & Bechyné, 1960	ES	14			
<i>rugifrons</i> (Jacoby, 1885)	Mex.		<i>Megasus</i> Jacoby, 1884:		
<i>santaneca</i> Bechyné & Bechyné, 1960	ES	14	<i>bimaculatus</i> Jacoby, 1884	Guat.	
<i>semifulva</i> (Jacoby, 1885)	Pan.;Guadeloupe	27			
<i>smithi</i> (Jacoby, 1891)	Mex.		<i>Megistops</i> Boheman, 1859:		
<i>subrugosa</i> (Jacoby, 1885)	Pan.		<i>costaricensis</i> Blake, 1952	CR	33
<i>unicostata</i> (Jacoby, 1885)	Guat.				
<i>violacea</i> (Jacoby, 1885)	Guat.		<i>Mesodera</i> Jacoby, 1885:		
<i>viridis</i> (Jacoby, 1891)	Pan.		<i>brevicollis</i> Jacoby, 1892	Mex.	
			<i>fulvicollis</i> Jacoby, 1885	Guat.	
<i>Lysathia</i> Bechyné, 1959:					
<i>comasagua</i> Bechyné & Bechyné, 1960	ES	14	<i>Monomacra</i> Chevrolat, 1836:		
<i>jacobyi</i> (Csiki, 1939)	Mex.		(= <i>Lactica</i> Erichson, 1847, part)		
(<i>Haltica</i>)			<i>abdominalis</i> (Jacoby, 1884)	Bel.	
<i>rockefelleri</i> Pallister, 1953	Mex.	56	<i>antennalis</i> (Jacoby, 1884)	Guat.	
<i>simplex</i> (Jacoby, 1891)	Guat.;ES;Pan.;Br	14	<i>binotata</i> (Baly, 1876)	Mex.;Guat.	
(<i>Haltica</i>)			<i>chontalensis</i> (Jacoby, 1884)	Nic.	
<i>volcanica</i> Bechyné & Bechyné, 1960	ES	14	<i>costatipennis</i> (Jacoby, 1902)	Guat.	
			<i>crassicornis</i> (Jacoby, 1891)	Mex.	
<i>Macrohalica</i> Bechyné, 1959:			<i>cupreata</i> (Jacoby, 1884)	Mex.	
<i>amethystina</i> (Olivier, 1808)	Mex.;Bel.;Hond.;	6,12,23,	<i>dives</i> (Harold, 1875)	Pan.;Col.	
(<i>Altica</i>)	Guat.; CR;Pan.;	58	<i>dixtra</i> Bechyné & Bechyné, 1963	ES	17
	?Haiti;Ven.;Col.;				
	Ecud.;Peru;Br.				

Table

Genus/Species/Author/Synonymy:	Distribution:	Reference:	Genus/Species/Author/Synonymy:	Distribution:	Reference:
<i>Monomacra</i> (continued):			<i>Neothona</i> Bechyné, 1955:		
<i>elongata</i> (Jacoby, 1884)	Mex.		<i>quatuordecima</i> Bechyné & Bechyné, 1960	ES	14
<i>germari</i> (Jacoby, 1884)	Guat.		<i>quindecima</i> Bechyné & Bechyné, 1960	ES	14
<i>godmani</i> (Jacoby, 1884)	Pan.		<i>sedecima</i> Bechyné & Bechyné, 1960	ES	14
<i>gracilicornis</i> (Jacoby, 1902)	Mex.	17	<i>tredecima</i> Bechyné & Bechyné, 1960	ES	14
<i>guazapa</i> Bechyné & Bechyné, 1963	ES				
<i>hidalgoensis</i> (Jacoby, 1892)	Mex.				
<i>hógei</i> (Jacoby, 1884)	Mex.		<i>Notozona</i> Chevrolat, 1836:		
<i>hypocrita</i> (Harold, 1875)	Pan.;Ven.;Col.	6	<i>elegans</i> Clark, 1865	Mex.	
<i>lecontei</i> (Jacoby, 1884)	Pan.		<i>guatemalensis</i> Duvivier, 1884	Guat.	
<i>mexicana</i> (Jacoby, 1884)	Mex.;Guat.		<i>histrionica</i> Baly, 1865	Mex.	
<i>nicotinae</i> (Jacoby, 1905)	Mex.		<i>humilis</i> Clark, 1865	Mex.	
<i>nigromaculata</i> (Jacoby, 1884)	Guat.		<i>nicaraguensis</i> Jacoby, 1885	Nic.	
<i>obscura</i> (Jacoby, 1984)	Nic.;Pan.		<i>rufofusca</i> Clark, 1865	Hond.	
<i>perplexa</i> (Jacoby, 1884)	Guat.;Pan.		<i>semifasciata</i> Jacoby, 1885	Guat.	
<i>pusilla</i> (Jacoby, 1884)	Mex.		<i>sparsa</i> Clark, 1865	Mex.	
<i>quadrinotata</i> (Jacoby, 1891)	Guat.	9	<i>tenella</i> Clark, 1865	Mex.	
<i>salvini</i> (Jacoby, 1884)	Guat.;Nic.				
<i>semiviolacea</i> (Jacoby, 1884)	Mex.		<i>Octogonotes</i> Drapiez, 1819:		
<i>violaceipennis</i> (Jacoby, 1884)	Mex.;Br.	17	<i>fulvomarginatus</i> Jacoby, 1886	Pan.	
<i>violacea</i> (Jacoby, 1884)	Guat.;ES		<i>rufipennis</i> Jacoby, 1886	Pan.	
<i>viridipennis</i> (Jacoby, 1884)	Guat.				
<i>vittatipennis</i> (Jacoby, 1892)	Guat.;Pan		<i>Omophoita</i> Chevrolat, in Dejean, 1836: (= <i>Homophoeta</i> Erichson, 1847)		
<i>Nasigona</i> Jacoby, 1902:			<i>abbreviata</i> (Fabricius, 1798)	Bel.;Guat.;Nic.;Pan.: 55 Ven.;Col.;Fr.Guiana; Guadeloupe	
<i>tibialis</i> Bechyné & Bechyné, 1967	Pan.	22	<i>aequatorialis</i> (Harold, 1876) (=var. <i>variabilis</i> (Jacoby, 1879)) New Combination (see 43)	Mex.;Pan.;Ven.;Col.: 6,13 Ecuador;Peru;Bol.;Br.	
<i>Neodiphaulaca</i> Bechyné & Bechyné, 1975: (<i>Lactica</i> Erichson, 1847, part)			<i>aequinoctialis aequinoctialis</i> (Linnaeus, 1758)(<i>Chrysomela</i>)	Mex.;Bel.;Hond.: 6,7,8 Guat.;Nic.;CR;Pan.: 13,55, Ven.;Ecuador;Col.: 58 Peru;Br.;Guyana; Fr.Guiana;Surinam; Antilles;Trinidad	
<i>elegans</i> (Harold, 1875)	Pan.;Col.	24	<i>aequinoctialis macrosticta</i> Bechyné & Bechyné, 1977	Pan.;Ven.;Col.	26
<i>elongatula</i> (Harold, 1875)	Mex.;Col.				

Table

Genus/Species/Author/Synonymy:	Distribution:	Reference:	Genus/Species/Author/Synonymy:	Distribution:	Reference:
<i>Omophoia</i> (continued):			<i>Orodes</i> Jacoby, 1891:		
<i>affinis</i> (Jacoby, 1880)	Guat.:ES	17	<i>nigropictus</i> Jacoby, 1891	Pan.	
<i>albofasciata</i> (Jacoby, 1879)	CR:Pan.				
<i>championi</i> (Jacoby, 1885)	Mex.:CR:Pan.	39	<i>Panchrestus</i> Clark, 1860:		
<i>cinctipennis</i> (Chevrolat, 1834)	Mex.		<i>denticollis</i> Blake, 1953	CR	35
(<i>Oedionychis</i>)			<i>Paranaita</i> Bechyne, 1955:		
<i>clerica</i> (Erichson, 1848)	Guat.;Nic.:Hond.;	6,10,15	(= <i>Oedionychis</i> , Latreille, 1829, part)		
(<i>Asphaera</i>)	ES;CR; Pan.;Ven.;		<i>limbaiipennis</i> (Jacoby, 1886)	?Mex.;Pan.	39
	Col.:Ecud.:Peru;				
	Bol.;Br.;Guianas;		<i>Parasyphraea</i> Bechyné, 1959:		
	Trinidad		<i>minuta</i> (Jacoby, 1884)	Mex.:Guat.:Pan.	24
<i>elegantissima euornata</i> Bechyné, 1956	Guat.:CR:Pan.	8,13	(<i>Lactica</i>)		
(= <i>ornata</i> (Baly, 1859))			<i>Parchicola</i> Bechyné & Bechyné, 1975:		
(<i>Oedionychis</i>)			(= <i>Lactica</i> Erichson, 1847, part)		
<i>longicollis</i> (Schaufuss, 1874)	Pan.:Ven.:Col.:Ecud.:	6,8,11,	<i>chiriquiensis</i> (Jacoby, 1884)	Pan.;Ven.	24
(<i>Oedionychis</i>)	Peru;Bol.:Guianas;	13,21,61	<i>uniformis</i> (Jacoby, 1884)	Nic.;Pan.;Ven.	24
(= <i>unata</i> (Fabricius, 1801)	Br.:Antilles:BWI		<i>variabilis</i> (Jacoby, 1884)	Mex.;Guat.:	17
in Jacoby, 1885 (<i>Asphaera</i>))				ES:Pan.	
<i>octomaculata</i> (Crotch, 1873)	USA;Mex.:CR;	6,12,38	<i>Pedilia</i> Clark, 1865:		
(<i>Oedionychis</i>)	Antilles:Jam.		<i>inornata</i> (Jacoby, 1891:277)	Mex.:CR:Pan.;Ven.	
<i>punctulata</i> (Bechyné & Bechyné, 1963)	Mex.;Guat.:ES;CR	17	(= <i>Lactica inornata</i> Jacoby,		
<i>quadrinotata costaricensis</i> Bechyné, 1955	CR;Nic.;ES:Pan.	6,17,26	1891:258 New Synonym)		
<i>quadrinotata centralamericana</i> Bechyné, 1955	Mex.:Guat.	6	(<i>Nephrica</i> Harold, 1877)		13
<i>simulans</i> (Jacoby, 1892)	Mex.:Hond.;	6,17,58			
(<i>Asphaera</i>)	Guat.;ES				
<i>violacea</i> Jacoby, 1892	Mex.				
<i>Omototus</i> Clark, 1860:					
<i>discoidalis</i> Jacoby, 1886	Pan.				
<i>Oreinodera</i> Bechyné & Bechyné, 1963:					
<i>aptera</i> Bechyné & Bechyné, 1963	ES	17			

Table

Genus/Species/Author/Synonymy:	Distribution:	Reference:	Genus/Species/Author/Synonymy:	Distribution:	Reference:
<i>Phenrica</i> Bechyné, 1959: (= <i>Disonycha</i> Chevrolat, 1836, part)			<i>Phyllotreta</i> Chevrolat, 1836:		
<i>austriaca</i> (Schaufuss, 1874) (<i>Oedionychis</i>)	Guat.;Pan.; Ven.; Col.;Peru; Ecuad.;Br. Mex.	6,20,61	<i>abdominalis</i> Jacoby, 1885	Pan.	
<i>cordovana</i> (Jacoby, 1884)			<i>crotchi</i> Jacoby, 1885	Mex.	
<i>costaricensis</i> Bechyné, 1956	CR	8	<i>guatemalensis</i> Jacoby, 1885	Guat.	
<i>dimidiata</i> (Jacoby, 1884)	Pan.		<i>lativittata</i> Jacoby, 1891	Mex.	
<i>pallidicornis</i> (Jacoby, 1884)	Pan.		<i>mexicana</i> Jacoby, 1885	Mex.;Guat.	
<i>panamensis</i> Bechyné, 1959	Pan.	13	<i>nigricollis</i> Jacoby, 1885	Panama	
<i>sexmaculata</i> (Jacoby, 1884)	Mex.		<i>pusilla</i> Horn, 1889	USA; Mex.	
			<i>submetallica</i> Jacoby, 1885	Guat.	
			<i>subrugosa</i> Jacoby, 1891	Mex.	
<i>Phrynocephala</i> Baly, 1861: (= <i>Hemiphrynus</i> Horn, 1889; see Scherer, 1960)		61	<i>Physimerus</i> Clark, 1860: (= <i>Thrasyozeus</i> Clark, 1860)		
<i>capitata</i> Jacoby, 1884	Mex.		<i>cordovensis</i> (Jacoby, 1886)	Mex.	
<i>deyrollei</i> Baly, 1876	Mex.;Guat.		<i>femorialis</i> (Jacoby, 1886)	Guat.;ES	17
<i>elongaia</i> Jacoby, 1884	Mex.		<i>melanchimus</i> Blake, 1953	CR;Pan.	35
<i>intermedius</i> Jacoby, 1884	USA;Mex.		<i>nigripennis</i> Jacoby, 1886	Pan.	
<i>laevicollis</i> Jacoby, 1884	Guat.;ES	14	<i>salvini</i> (Jacoby, 1886)	Guat.	
<i>pulchella</i> Baly, 1861	Mex.;Guat.;Nic.	55	<i>scabrosus</i> (Clark, 1860)	Mex.;Guat.;Br	
<i>punctulata</i> Pallister, 1953	Mex.	56	(<i>Eupeges</i> Clark, 1860)		
<i>sulcatipennis</i> (Jacoby, 1891)	Mex.		<i>tibialis</i> (Jacoby, 1886)	Pan.	
<i>tenuicornis</i> (Jacoby, 1891)	Mex.				
<i>Phydania</i> Horn, 1839: (see Furth, 1992)		42	<i>Platiprosopus</i> Chevrolat, 1834: (= <i>Oxygona</i> Chevrolat, 1836; = <i>Phyllotrupes</i> Hope, 1840) (see Seeno & Wilcox, 1982)		64
<i>nigriventris</i> Jacoby, 1891	Mex.		<i>bifasciatus</i> (Jacoby, 1885)	Pan.	
			<i>limbatus</i> Blake, 1953	CR	35
<i>Phylacticus</i> Clark, 1860:			<i>pallens</i> (Fabricius, 1792) (<i>Galleruca</i>)	Mex.;Bel.;Hond.; Guat.;Nic.;CR;Pan.;	19,55,58
<i>major</i> Jacoby, 1886	Pan.		(= <i>acutangula</i> Chevrolat, 1834)	Ven.;Col.;Bol.;Arg.; Guyana;Antilles; Guadeloupe	

Table

Genus/Species/Author/Synonymy:	Distribution:	Reference:	Genus/Species/Author/Synonymy:	Distribution:	Reference:
<i>Plectrotetra</i> Baly, 1862:			<i>Pseudogona</i> Jacoby, 1885:		
<i>basalis</i> Jacoby, 1884	Guat.		<i>chiriquensis</i> Jacoby, 1885	Pan.	
<i>chiriquensis</i> Jacoby, 1884	Pan.		<i>panamensis</i> Jacoby, 1885	Pan.	
<i>clarki</i> Baly, 1862	Mex.;Guat.;Pan.		<i>Pseudorthygia</i> Csiki, 1940: (= <i>Orthygia</i> Jacoby, 1891)		
<i>dohrni</i> Jacoby, 1884	Mex.		<i>nigritarsis</i> Jacoby, 1891	Mex.	
<i>stohri</i> Jacoby, 1884	Mex.		<i>unifasciata</i> Jacoby, 1891	Mex.	
<i>guatemalensis</i> Jacoby, 1891	Mex.;Guat.		<i>Psylliodes</i> Berthold, 1827:		
<i>hirsuta</i> Jacoby, 1884	Pan.		<i>capitata</i> Jacoby, 1891	Mex.	
<i>inaequalis</i> Jacoby, 1884	Mex.		<i>guatemalensis</i> Jacoby, 1885	USA: Guat.	
<i>montrosa</i> Jacoby, 1884	Nic.		<i>melanocephala</i> Jacoby, 1891	Mex.	
<i>multipunctata</i> Jacoby, 1891	Mex.		<i>mexicana</i> Jacoby, 1891	Mex.	
<i>nigripes</i> Jacoby, 1884	Guat.;ES	17	<i>sublaevis</i> Horn, 1889	USA;Mex.	
<i>proxima</i> Jacoby, 1884	Guat.		<i>tristis</i> Jacoby, 1885	Guat.	
<i>regularis</i> Jacoby, 1884	Guat.		<i>Ptocadica</i> Harold, 1876:		
<i>rugosa</i> Jacoby, 1884	Mex.;Guat.;Pan.		<i>bifasciata</i> Jacoby, 1891	CR	
<i>sallei</i> Jacoby, 1884	Mex.		<i>straminea</i> Harold, 1876	Pan.;Col.;Peru	
<i>submetallica</i> Jacoby, 1884	Mex.		<i>Resistenciana</i> Bechyné, 1956:		
<i>surquia</i> Bechyné & Bechyné, 1963	ES	17	<i>cardiophora</i> Bechyné & Bechyné, 1960	ES	14
<i>Podaltica</i> Bechyné & Bechyné, 1963:			<i>ornata</i> (Jacoby, 1884)	Mex.;ES	17
<i>harrietta</i> Bechyné & Bechyné, 1963	ES	17	(<i>Lactica</i>)		
<i>Prasona</i> Baly, 1861: (<i>Systema</i> Chevrolat, 1836, in part)			<i>panamensis</i> (Jacoby, 1884)	Pan.	
<i>viridis</i> Baly, 1861	Mex.;Pan.	23	(<i>Lactica</i>)		
(= <i>robusta</i> Jacoby, 1891)			<i>Rhinotmetus</i> Clark, 1860:		
<i>Propiasus</i> Csiki, 1939: (= <i>Piasus</i> Jacoby 1892)			<i>albopilosus</i> Jacoby, 1886	Pan.	
<i>fulvus</i> (Jacoby, 1892)	Mex.		<i>depressus</i> Clark, 1860	?Mex.;Br.	
<i>Pseudodibolia</i> Jacoby, 1891:					
<i>picea</i> Jacoby, 1891	Mex.				

Table

Genus/Species/Author/Synonymy:	Distribution:	Reference:	Genus/Species/Author/Synonymy:	Distribution:	Reference:
<i>Rhinotmetus</i> (continued) :			<i>Stegnea</i> Baly, 1879:		
<i>flavovittatus</i> Jacoby, 1886	Pan.		(= <i>Asiolestia</i> Jacobson, 1925, part,		7,11,16
<i>canescens</i> Clark, 1860	?Guat.:Br.	62	= <i>Crepidodera</i> auctorum,		
(= <i>jacobyi</i> Scherer, 1962)			nec Chevrolat, 1836, part, in Bechyné, 1955,		
New Combination			Bull. Inst. R. Sci. Nat. Belg. 31:9,		
<i>minutus</i> Jacoby, 1892	Mex.		= <i>Chalcoides</i> Foudrias, 1860)		
<i>modestus</i> Jacoby, 1892	Mex.				
<i>parvulus</i> Jacoby, 1886	Pan.		<i>ampliocollis</i> (Jacoby, 1891)	Mex.	
			<i>atra</i> (Jacoby, 1891)	Mex.	
			<i>chiriquensis</i> (Jacoby, 1885)	Pan.	
			<i>flaveola</i> (Jacoby, 1891)	Pan.	
			<i>guatemalensis</i> (Jacoby, 1885)	Guat.:Nic.	
			<i>obliterata</i> (Jacoby, 1885)	Mex.:Guat.:Pan.	
			<i>pallipes</i> (Jacoby, 1885)	Guat.	
			<i>tibialis</i> (Jacoby, 1891)	Pan.	
			<i>zapotensis</i> (Jacoby, 1891)	Guat.	
<i>Scelidopsis</i> Jacoby, 1888:			<i>Strabala</i> Chevrolat, 1836:		
<i>guatemalensis</i> Jacoby, 1888	Guat.		<i>acuminata teapensis</i> Blake, 1953	Mex.	34
<i>rufafemorata</i> Jacoby, 1888	Mex.		<i>acuminata costaricensis</i> Blake, 1953	Guat.:?Nic.:CR	34,55
<i>subcostata</i> Jacoby, 1888	Pan.		(= <i>intermedia</i> Jacqueline du Val, 1856,		
<i>violacea</i> Jacoby, 1892	Mex.		in Jacoby, 1884:273 (<i>Lactica</i>)(part))		
			New Combination		
			<i>durangoensis</i> Bechyné, 1975	Mex.	24
			<i>rotunda</i> Blake, 1953	Mex.:Guat.:Pan.	34
			<i>rufa</i> Illiger, 1807	Can.:USA:	54
				Mex.:Bel.:Guat.;	
				Nic.:CR:	
				Col.:Br.:Fr.Guiana;	
				Cuba:Jam.:PR	
				Mex.:Guat.	
			<i>subcostata</i> (Jacoby, 1884)		
			(<i>Lactica</i>)		
<i>Sparnus</i> Clark, 1860:			<i>Styrepitrix</i> Bechyné & Bechyné, 1963:		
<i>apicalis</i> Jacoby, 1886	Pan.		<i>boqueronica</i> Bechyné & Bechyné, 1963	ES	17
<i>chiriquensis</i> Jacoby, 1886	Pan.				
(= <i>chiriquianus</i> Csiki, 1940)					
<i>flavicollis</i> Jacoby, 1886	Nic.				
<i>intermedius</i> (Jacoby, 1886)	Pan.	62			
(<i>Allochroma</i>)					
" <i>Sphaeroderma</i> " Stephens, 1831:			<i>Suetes</i> Jacoby, 1891:		
<i>caerulea</i> Jacoby, 1891	Pan.		<i>niger</i> Jacoby, 1891	Mex.	
<i>Sphaeronychus</i> Dejean, 1836:					
(= <i>Monoplatus</i> Clark, 1860, part;					
= <i>Metriotes</i> Clark, 1860, part)					
<i>fulvus</i> (Baly, 1879)	Mex.;Guat.:Pan.;	13			
<i>puncticollis</i> (Jacoby, 1892)	Bol.:Peru				
	Mex.				

Table

Genus/Species/Author/Synonymy:	Distribution:	Reference:	Genus/Species/Author/Synonymy:	Distribution:	Reference:
<i>Syphrea</i> Baly, 1876: (= <i>Hermacophaga</i> Foudras, 1860, part) (= <i>Syphraea</i> Csiki, 1939)			<i>Systema</i> Chevrolat, 1836:		
<i>abdominalis</i> (Jacoby, 1891) (<i>Haltica</i>)	Mex.:Guat.		<i>abbreviata</i> Jacoby, 1902	Mex.	
<i>aeneipennis</i> (Jacoby, 1891)	Guat.		<i>apicicornis</i> Jacoby, 1884	Pan.	
<i>angustata</i> Jacoby, 1891	Mex.		<i>blanda</i> Melsheimer, 1847 (= <i>eniata</i> Say, 1824) (= <i>ochracea</i> LeConte, 1858)	Can.:USA:Mex.	27,54,65
<i>arevaloi</i> Bechyné & Bechyné, 1960	ES	14	<i>brunneovittata</i> Jacoby, 1884	Guat.	
<i>arhenia</i> Bechyné & Bechyné, 1960	ES	14	<i>candella</i> Bechyné & Bechyné, 1963	ES	17
<i>balnearia</i> Bechyné & Bechyné, 1960	ES	14	<i>capitata</i> Jacoby, 1884	Mex.	
<i>bibiana</i> Bechyné, 1955	Hond.	6	<i>championi</i> Jacoby, 1884	Guat.	
<i>chrysoderma</i> Bechyné & Bechyné, 1960	ES	14	<i>chloropus</i> Harold, 1876	Guat.;CR:Pan.; Ven.:Col.	6,11
<i>cyaneipennis</i> (Jacoby, 1891)	Mex.		<i>comigua</i> Jacoby, 1884	Mex.:Guat.	
<i>discors</i> (Harold, 1876) (<i>Haltica</i>)	Pan.;Ven.:Col.;	22,24	<i>costifera</i> Bechyné & Bechyné, 1963	ES	17
<i>flavicollis</i> (Jacoby, 1884) (<i>Haltica</i>)	Tinidad		<i>dilatipennis</i> Jacoby, 1884	Pan.	
<i>frigida</i> Bechyné & Bechyné, 1960	Mex.		<i>discicollis</i> Clark, 1865	Mex.	
<i>fulva</i> (Jacoby, 1891)	ES	14	<i>elongatula</i> Csiki, 1939	Guat.:ES	17
<i>fulvitaris</i> (Jacoby, 1891)	Guat.:ES:Nic.	9,14	<i>guija</i> Bechyné & Bechyné, 1963	ES	17
<i>idiotlepis</i> Bechyné & Bechyné, 1960	ES	14	<i>laticollis</i> Jacoby, 1884	Guat.	
<i>minuta</i> (Jacoby, 1884) (<i>Haltica</i>)	Mex.: Pan.		<i>leponina</i> Bechyné & Bechyné, 1963	ES	17
<i>palaciosi</i> Bechyné & Bechyné, 1960	ES	14	<i>marginata</i> Jacoby, 1884	Mex.:Guat.	
<i>palomita</i> Bechyné & Bechyné, 1960	ES	14	<i>marmorata</i> Jacoby, 1885	Pan.	
<i>parvula</i> (Jacoby, 1884) (<i>Haltica</i>)	Mex.:Guat.;Nic.;Pan.	9	<i>megasceloides</i> Jacoby, 1885	Guat.	
<i>petulans</i> (Harold, 1875)	ES	14	<i>melanosterna</i> Bechyné & Bechyné, 1963	ES	17
<i>pretiosa</i> Baly, 1876	Mex.:Guat.;ES:CR	14	<i>mesochlora</i> Blake, 1935	CR	
<i>quintanillai</i> Bechyné & Bechyné, 1960	ES	14	<i>mexicana</i> Jacoby, 1884	Mex.:Guat.	
<i>rufobadia</i> Bechyné & Bechyné, 1960	ES	14	<i>nigroplagiata</i> Jacoby, 1884	Mex.:Guat.	
<i>semistriata</i> (Jacoby, 1891)	Pan.		<i>oberthüri</i> Baly, 1878	Pan.	
<i>smithi</i> (Jacoby, 1891)	Mex.:Guat.		<i>obliterata</i> Pallister, 1953	Mex.	56
<i>sublaevipennis</i> (Jacoby, 1891) (<i>Altica</i>)	Mex.		<i>palmeri</i> Jacoby, 1884	Mex.	
<i>suntia</i> Bechyné & Bechyné, 1960	ES	14	<i>pectoralis</i> Clark, 1865	Mex.:Bel.;Guat.:ES;	17
<i>teapensis</i> (Jacoby, 1891)	Mex.:Guat.:ES;Pan.	14,22	<i>posticata</i> Jacoby, 1884	Pan.	
			<i>puncticollis</i> Jacoby, 1884	Mex.	
			<i>regularis</i> Jacoby, 1884	Pan.	
			<i>salvini</i> Jacoby, 1884	Guat.	
			<i>scutellaris</i> Jacoby, 1884	Mex.	
			<i>semivittata</i> Jacoby, 1884	Mex.	

Table

Genus/Species/Author/Synonymy:	Distribution:	Reference:	Genus/Species/Author/Synonymy:	Distribution:	Reference:
<i>Systema</i> (continued):			<i>Trifiniocola</i> Bechyné & Bechyné, 1963:		
<i>s-littera</i> (Linnaeus, 1758) (<i>Chrysomela</i>)	Mex.;Hond.;Guat.; Nic.;CR;Pan.; Ven.;Col.;Ecuad.; Peru;Surinam; Guyana;Fr.Guiana; Br.;Arg.;Trinidad; BWI;Grenada; St.Vincent	9,15,26, 27,58	<i>freundi</i> Bechyné & Bechyné, 1963	ES	17
<i>subcostata</i> Jacoby, 1884	Mex.		<i>Varicoxa</i> Bechyné, 1955: (= <i>Systema</i> Chevrolat, 1836, part)		
<i>subrugosa</i> Jacoby, 1884	Mex.		<i>cayetumya</i> Bechyné & Bechyné, 1960	ES	14
<i>sulcata</i> Bechyné & Bechyné, 1963	ES	17	<i>coxalis</i> (Jacoby, 1884)	Guat.	22
<i>sulphurea</i> Jacoby, 1891	Mex.		<i>longicornis</i> (Jacoby, 1884)	Guat.	22
<i>thoracica</i> Jacoby, 1884	Mex.;Bel.;Hond.; Guat.;Nic.ES	17,29,55	<i>metallica</i> (Jacoby, 1884)	Guat.	22
<i>undulata</i> Jacoby, 1884	Mex.		<i>minuta</i> (Jacoby, 1891)	Bel.;Guat.;Pan.	11
<i>variabilis</i> Jacoby, 1884	Mex.;Guat.;CR;ES; Pan	17	<i>nehalemia</i> Bechyné, 1958	CR	11
<i>viridilimbata</i> Jacoby, 1891	Mex.		<i>purulensis</i> (Jacoby, 1891) (<i>Haltica</i>)	Guat.	11
<i>Temnocrepis</i> Bechyné & Bechyné, 1963:			<i>sylvia</i> Bechyné & Bechyné, 1960	ES	14
<i>trifiniensis</i> Bechyné & Bechyné, 1963	ES	17	<i>ustulata centralis</i> Bechyné, 1955	Mex.;Guat.;ES; Nic.;CR	6,11,14
<i>Tetragonotes</i> Clark, 1860: (= <i>Rhoicus</i> Gemminger & Harold, 1876, in Jacoby, 1886)			<i>ustulata inconstans</i> Bechyné & Bechyné, 1967	Pan.	22
<i>fasciaticollis</i> Jacoby, 1886	CR		<i>viridipennis</i> (Jacoby, 1884)	Mex.	22
<i>militaris</i> Harold, 18875	Guat.;Pan.		<i>Walterianella</i> Bechyné, 1955: (= <i>Oedionychus</i> Latreille, 1829, part)		
<i>octomaculata</i> (Jacoby, 1886)	Pan.		<i>biarcuata</i> (Chevrolat, 1834) (<i>Oedionychus</i>)	Mex.;Bel.;Guat.; Nic.;ES	17,55
<i>oculata</i> Harold, 1875	Guat.;Pan.		<i>exocosia</i> Bechyné & Bechyné, 1963	ES	17
<i>rogersi</i> (Jacoby, 1886)	CR		<i>gouini</i> Bechyné, 1958	Mex.	12
<i>unifasciata</i> (Jacoby, 1886)	Pan.		<i>humeralis</i> (Fabricius, 1801) (<i>Galleruca</i>)	Guat.;Nic.;CR;Pan.;	6,26,55
<i>vittatus</i> Clark, 1860	Guat.;Nic.;Pan.;Br.		(= <i>proximus</i> (Jacoby, 1889))	Ven.;Col.;Br.;	
<i>Trichaltica</i> Harold, 1876:			<i>inscripta</i> (Jacoby, 1886)	Fr. Guiana	
<i>bogotana</i> Harold, 1876	Pan.;Col.		<i>oculata</i> (Fabricius, 1801) (<i>Galleruca</i>)	Mex.;Nic.	55
<i>semihirsuta</i> (Jacoby, 1885) (<i>Crepidodera</i>)	Mex.;Guat.	61	<i>reinata</i> Bechyné, 1958	Pan.;Ven.	11
<i>tibialis</i> (Jacoby, 1892) (<i>Hoplocrates</i> Jacoby, 1892) (= <i>virescens</i> Schaeffer, 1906)	Mex.	65	<i>sublineata</i> (Jacoby, 1886)	Mex.;Bel.; Guat.;Pan.	17
<i>variabilis</i> Jacoby, 1885	Bel.;Guat.;ES;Pan.	17	<i>temuicincta</i> (Jacoby, 1886)	Mex.;Bel.;	
			<i>venustula</i> (Schaufuss, 1874) (= <i>hypocrita</i> Jacoby, 1886)	Guat.;Hond.;ES; Nic.;CR;Pan.;	6,11
				Ven.;Col.	