

Beetle fauna of the island of Tobago, Trinidad and Tobago, West Indies

Stewart B. Peck and Joyce Cook

Department of Biology
Carleton University
Ottawa, ON K1S 5B6, Canada,

Jerry D. Hardy, Jr.

NMFS, National Systematics Laboratory
National Museum of Natural History,
Smithsonian Institution
Washington, DC, 20560, USA

Abstract. Tobago is a biologically rich but poorly investigated island. In this paper we report the occurrence of 672 species of beetles representing 69 families. Of these, only 95 had been previously reported from the island.

Introduction

Tobago is an island on the northeastern shoulder of South America. It lies 30 km northeast of the island of Trinidad and forms part of the nation of Trinidad and Tobago. Tobago is generally considered to be a continental-shelf (or land-bridge) island and its biota to be similar to that of neighboring South America, and different in some degree from that of the islands of the Lesser Antilles.

Tobago is separated from Trinidad by an ocean depth of somewhat over 74 m (40 fathoms). Thus, at times of Pleistocene low sea levels, Tobago was certainly connected by land to Trinidad. This connection was last severed by rising sea levels about 14,000 yBP (Comeau 1991-1992). The shallower land connection between Trinidad and Venezuela (as little as 11 km distant on the adjacent coast of northern South America) was last broken by rising sea level about 10,000 yBP.

The biota of Tobago is generally similar to that of Trinidad and the nearby South American mainland. But there are some unusual distributions that show that the fauna is not entirely a simple subset of that of Trinidad. For the better known vertebrates, Hardy (1982) noted that there are 11 resident birds, four frogs, and two reptiles on Tobago which are strikingly similar or identical to species occurring in northern South America, but which are unknown in Trinidad. Furthermore, the herpetofauna of Tobago is unique in having more frogs of the genus *Eleutherodactylus* (3 in Tobago : 1 in Trinidad), lizards of the genus *Bachia* (2:1), and snakes of the genus *Atractus* (2:1) than occur on the adjacent and much larger island of Trinidad. Addi-

tionally, the Anuran family Centrolenellidae, represented on Tobago by a single species, is unknown on Trinidad. Lack (1976), in his study of the biodiversity of Caribbean birds, proposed a faunal boundary between Grenada and Tobago which he called "Bond's Line" (for the American ornithologist James Bond). Bird faunas north and south of Bond's Line are noticeably distinct; and the line also separates, to a greater or lesser degree, populations of amphibians and reptiles. It is not clear if this faunal difference is reflected in insect faunas; but at least one West Indian beetle, *Aphodius cuniculus* Chevrolat, crosses Bond's Line, reaching the southern limit of its known range in Tobago.

Jackson and Donovan (1994) state that "The island of Tobago is located in the southeastern corner of the Caribbean Plate and has been interpreted as part of the allochthonous terrane that forms the easternmost fragment of the Caribbean Mountain System." In a more detailed regional study, Robertson and Burke (1989) indicate that Tobago is part of a 250-km wide east-west-trending plate-boundary zone extending southward from Grenada to the mouth of the Orinoco River. Maps presented by Iturralde-Vinent and MacPhee (1999: 30, 34, 38) indicate that Tobago was exposed land on the Aves Ridge, far to the west of its present position, during the Eocene/Early Oligocene (the period of maximum Cenozoic exposure). It was submerged under "shallow water" during the late Oligocene and was then moving eastward with the Caribbean Plate. By the Middle Miocene it was still submerged and was located west of the present position of Trinidad and just north of what is now

the Paria Peninsula. At present it forms the eastern end of the "Aruba/Tobago Belt".

One of us (JDH) has been conducting a survey of the entire biota of Tobago, and asked the other authors of this paper to help with the insects, and especially the beetles. Few summaries exist for insects of this part of the Caribbean. Stirling's (1986) work on butterflies is one exception, and others are the lists of the terrestrial arthropods of Barbados by Bennett and Alam (1985) and the list for Grenada and the Grenadines (Woodruff et al. 1997). Works with a focus on insect groups of Tobago are Cock (1982) and Barcant (1970) on butterflies, Hynes (1948) and Nieser and Alkins-Koo (1991) on aquatic Hemiptera-Heteroptera, and Flint (1996) on Trichoptera. The earliest mention of beetles on Tobago was Blandford's observation of the scolytid "*Xyloborus perforans* Wollaston" attacking sugar cane on the island. However, this is an Old World species and Blandford's (1892) observations were therefore, presumably, based on a misidentification. Blackwelder (1944: 916) cites a questionable record of the Old World weevil *Diocladandra frumenti subfasciata* Boheman, 1839, from Tobago. Most of the early work on Tobago beetles concerned harmful species and their control.

As part of the project on Tobago's biota the following list of beetle species was partially assembled from published literature and as communications from specialists. The third author (JDH) searched the literature for records of Tobago beetles. This included Blackwelder (1944), other relevant historic literature such as agricultural reports, and Zoological Record from volume 1 to present. With the staggering amount of data already available to Blackwelder on Neotropical beetles in 1944, it is incredible to us how few Tobago records were in existence at that time. A total of 95 species were found to be reported from Tobago. We think it is amazing how small the list of published records still is, 60 years after Blackwelder (1944). It must be noted as a source of error, that on rare occasions the island has been confused (in the Zoological Record and elsewhere) with other places of the same or similar name: (1) a small island of the same name in the US Virgin Islands; (2) the Panamanian island of Taboga, near the southern entrance of the Panama Canal; (3) Tobago Cay in the Grenadines of the Lesser Antilles; and (4) Botel Tobago (Orchid Island) off the coast of Taiwan.

Additional data is here presented from (1) field work (of SBP) in June 1993; (2) a malaise trap operated on the edge of a neglected citrus orchard

bordering on primary forest, near Goldsborough, February to June, 1994, by M. Sommeijer of University of Utrecht; and (3) specimens collected by William Rowe (Smithsonian Institution, retired) and JDH in 1979. Voucher specimens collected by SBP are in the collections of the specialists who supplied identifications or are in the Canadian Museum of Nature, Aylmer, Quebec. Most of the Sommeijer material is with the Florida State Collection of Arthropods, and at least some of the specimens collected by Rowe and JDH are in the collection of the United States National Museum of Natural History. Identifications of the SBP specimens were made by the first two authors, or by the taxonomic specialist indicated for each family. Many of the taxa are not yet known by genus or species names, but we think it useful to indicate their presence in Tobago. As a result of this work, we now can document 672 species of beetles on the island of Tobago.

We assume that many of the beetle species presently known from Trinidad will ultimately be found to occur on Tobago. But a list for Trinidad is not available. C.K. Starr (unpublished) estimates that Trinidad may have as many as 80,000 to 400,000 terrestrial arthropod species, and that Tobago tends to have one fifth to one half and usually one third as many species as Trinidad. The ratios of shared insect species vary by taxonomic group. Flint (1996:108) lists 53 species of Trichoptera from Trinidad and 33 species from Tobago (62.3%). Seven (21%) of the Tobago species are endemic, and one occurs on Tobago and on the South American mainland, but not on Trinidad. Hynes (1948) and Nieser and Alkins-Koo (1991) document the occurrence of 81 species of water bugs (Heteroptera: Nepomorpha and Gerromorpha) from Trinidad, and 16 (19.8%) from Tobago. Oddly, the numerical relationship between the two infraorders varies greatly between the two islands. Tobago has 6.1% of the number of species of Nepomorpha that are found on Trinidad (2 : 33); while 71.8% of the Gerromorpha are recorded for Tobago (48 : 14). Barcant (1970) records 617 species of butterflies from Trinidad and 123 from Tobago (19.9%). In a more detailed study of the Hesperiidae (Lepidoptera) of the two islands, Cock (1982) records 272 species from Trinidad and 57 species from Tobago (21.0%). The only paper of which we are aware that deals specifically with a group beetles from the two islands is Hinton's review of the Elmidae of Trinidad and Tobago (Hinton, 1971). The same six species which occur on Trinidad also occur on Tobago (100%).

If the fauna of Trinidad conservatively contains 60,000 insect species, and if the insect fauna of Tobago is 1/3 that of Trinidad, and if beetles are about 20% of an insect fauna (Grove and Stork, 2000, and references), this conservatively predicts a total of about 4000 species of beetles in Tobago. By comparison, the nearby but smaller oceanic islands of Grenada and the Grenadines have 507 beetle species now reported or suspected (Woodruff et al., 1997). The following list is offered as a contribution to an understanding of the insects of the Caribbean. It shows how incompletely known the fauna still is. Tobago has the oldest forest reserve system in the New World (Beard, 1944) and there are well-developed trails through many areas of natural habitats (Comeau et al., 1992). A possible contact for visiting biologists to either Tobago or Trinidad is through the Chair of the Department of Life Sciences, University of the West Indies, St. Augustine, Trinidad, West Indies; tel (868) 645-3232, ext. 3096, fax (868) 645-3535 ext 2208 or 663-9684.

Starr and Nelson (1995) provide information about collecting regulations and procedures. Insect collecting and export permits for Trinidad and Tobago can be coordinated through: Head, Wildlife Section, Forestry Division, Farm Road, St. Joseph, Trinidad; Tel. (809) 662-5114; Fax (809) 645-4288. They use the information in their species conservation and habitat monitoring programs. Tobago itself also requires permission from the Secretary of Agriculture, Tobago House of Assembly, Scarborough, Tobago: Tel. (809) 639-2570; Fax (809) 639-1746. It is probably best to first contact the Department of Life Sciences at the University of the West Indies before contacting the Forestry Division.

The third author solicits additional information from specialists on published or unpublished records of Tobago beetles and all other insects, and will fully acknowledge such help.

Order: Coleoptera

Families and higher classification and numbering used here follow Lawrence and Newton (1995), as modified by Arnett and Thomas (2001). To conserve space, subfamilies are usually indicated only for traditional families that are now used at a subfamily rank. Genera are listed alphabetically under family or subfamily. We do not use full subfamily and tribal classifications because they would greatly lengthen this contribution. Listing of only a family or genus name means that the taxon is present in the voucher collections but that

species identification was not possible. Records from the literature are indicated by one or more reference citations. We have not attempted to confirm the identity of specimens cited in the literature for which we did not have recent material. We give only the author and year of publication for species known to occur in Tobago but which were described from other countries. We do not cite these in the references and they can be found in Blackwelder (1944). Even though many species names are not now known, we believe that listing this material to the species level by whatever higher taxon name is possible is still of interest in helping to make known the diversity of the fauna.

Suborder Adephaga

Section Geadephaga

10. Carabidae

Carabinae (G.E. Ball and D. Shpeley identifications)

- Amblygnathus darlingtoni* Ball & Maddison, 1987
- Apenes steinheili* Ball and Shpeley, 1992
- Aspidoglossa schach* (Fabricius, 1792) Nichols, 1988: 99
- Athrostictus paganus* Dejean, 1831
- Calleida* species
- Clivina (Paraclivina)* species
- Colliuris rugofrons* Dejean, 1825
- Colliuris (Colliurella)* species
- Cylindronotum* species
- Hyboptera dilutior* Oberthür, 1884
- Lebia bitaeniata* Chevrolat, 1834
- Lebia* species; cf. *rugatifrons* Chaudoir, 1871
- Micratopus* species
- Notiobia* species
- Pachyteles*, 2 species
- Paratachys*, 2 species
- Pentagonica flavipes picipes* Darlington, 1935
- Perigona nigriceps* Dejean, 1831
- Platynus aeneipennis* Dejean, 1831
- Polyderis* species
- Pseudaptinus* (s. str.) species
- Pseudaptinus (Thalpius)* species
- Selenophorus chalybeus* Dejean, 1829
- Selenophorus discopunctatus* Dejean, 1829
- Selenophorus parvus* Darlington, 1934
- Selenophorus ruficollis* species group
- Selenophorus* species

- Stenocrepis insulana* Jacquelin du Val, 1856: specimens in USNM.
- Tachymenis* species
- Cicindelinae (see Freitag, 1992)
- Cicindela suturalis hebraea* Klug, 1834; Wagenaar Hummelinck, 1983: 78 (as *Cicindela suturalis hebraea*); Freitag, 1992: 141, 157 (as *Cicindela (Plectographa) suturalis f. hebraea*).
- Cicindela trifasciata* Fabricius, 1781; Wagenaar Hummelinck, 1983: 74; Freitag, 1992: 156 (as *Cicindela (Cicindelidia) trifasciatus*)
- Odontocheila marginegutta* Dejean, 1825
- Section Hydradephaga
14. Noteridae
Notomicrus species
17. Dytiscidae (identifications courtesy of R. Roughley and P. Spangler)
- Copelatus posticatus* (Fabricius), 1801
Copelatus unidecimstriatus Aubé, 1838
Copelatus species (group 6, Roughley, unpub.)
Desmopachria species
- Suborder Polyphaga
- Series Staphyliniformia
- Superfamily Hydrophiloidea
18. Hydrophilidae (identifications courtesy of R. Roughley)
- Cercyon* species
Enochrus, 2 species
Epimetopus species
Halobata species
Hydrobius species
Paracymus species
Pelosoma species
Phaenonotum species
Omicrus species
Oosternum costatum Sharp, 1882
21. Histeridae
Acritus species
Epeirus species
Hister species
Histerini, undetermined genus and species
- Superfamily Staphylinoidea
22. Hydraenidae
Hydraenus species
23. Ptiliidae
Nossidium (?) species
undetermined genus and species
25. Leiiodidae
Adelopsis species
Aglyptinus species
Dissochaetus species
Eucatops species
Zeadolopus species
26. Scydmaenidae (identifications courtesy of A. Davies)
Euconnus (Napochus) sommerijeri Makham, 1997: 136 (Makham did not use the subgenus)
Protoconnus (?) species
Scydmaenus (*s. str.*) spp.
Microscydmus species
undetermined genus and species
28. Staphylinidae (see Blackwelder, 1943, additional identifications courtesy of A.F. Newton)
- Acylophorus* species
Achenomorphus species
Aleochara (Aleochara) lustrica Say, 1836;
Klimaszewski and Génier, 1987: 247
Anotylus insignitus (Gravenhorst), 1806;
Herman, 2001: 1360; Blackwelder, 1943: 98
(as *Oxytelus*).
Atanygnathus species
Baeocera species
Belonuchus rufipennis (Fabricius), 1801;
Blackwelder, 1943: 433; Herman, 2001: 2570.
Biocrypta species
Bledius caribbeanus Blackwelder, 1943: 113
[Type locality]; Herman, 1972: 145 (as
Psamatobledius); Herman 1986: 300; 2001:
1523; Blackwelder, 1983: 15.
Cafius bistriatus *bistriatus* (Erichson), 1840;
Blackwelder, 1943: 439; Herman, 2001: 2570.
Carpelimus species
Clavilispinus species
Coproporus, 3 species
Diochus species
Holisus species
Homoeotarsus obsolescens Blackwelder, 1943:
329 [Type locality]
Lithocharis species

- Megalopinus* species
Monista species
Nacaeus species
Neohypnus attenuatus (Erichson), 1839;
 Blackwelder, 1943: 479 (as *Xantholinus*);
 Herman, 2001: 3709.
- Ochthephilum* species
Oligota minuta Cameron, 1931; Commonwealth
 Institute of Biological Control, 1977: 3; Frank
 et al., 1992: 377.
- Oxytelus incisus* Motschulsky, 1857;
 Blackwelder, 1943: 98; Herman, 2001: 1434.
- Paederomimus* species
Palaminus species
Perinthus bolivari Seevers, 1946; 1957: 170.
Perinthus xenocostalis Seevers, 1937; 1957: 170.
Philonthus hepaticus Erichson, 1840;
 Blackwelder, 1943: 402; Herman, 2001: 2837.
Philonthus ventralis Gravenhorst, 1802;
 Blackwelder; 1943: 402; Herman, 2001: 2997.
- Philothalpus* species
Piestus penicillatus (Dalman), 1821;
 Blackwelder, 1943: 47; Herman, 2001: 1793.
- Platystethus* species
Rugilus species
Scaphisoma species
Sepedophilus species
Stenus species
Suniotrichus species
Thinodromus species
Thyreoxenus parviceps Mann, 1923; Seevers
 1957: 175
Xantholinus illucens Erichson, 1839;
 Blackwelder, 1943: 489; Herman, 2001: 3800.
- Pselaphinae* (see Park et al. 1976; additional identifications courtesy of D.S. Chandler).
- Apharus hexagonus* Park, et al., 1976: 67 [Type locality]
Apharus species
Barrojuba species
Biblomimus species
Briaraxis depressus Brendel, 1894 (previously known only from Dry Tortugas Keys, Florida)
Batrybraxis species
Bythinoplectus laminatus Park, et al., 1976: 5 [Type locality]; Comellini, 1985: 727
Bythinoplectini (3 species, genus not determined)
Dalmonexus tobagoensis Park, et al., 1976: 17 [Type locality]
Euphalepus species
Euplectus episcopalalis Park, et al., 1976, [Type locality]
- Euplectus* species
Euplectini, 6 species, genera not determined
Eurhexius incertus Park, et al., 1976: 20 [Type locality]
Hamotus soror Raffray, 1904; Park, et al., 1976: 72, 78.
Insulomodes excavatus Park, et al., 1976: 16 [Type locality]
Insulomodes tobagoensis Park, et al., 1976: 16 [Type locality]
Jubus, 6 species
Neotyrus tobagoensis Park, et al., 1976: 78 [Type locality]
Ocabaraja species
Oxarthrius species
Rhexinia species
Sebaga, 5 species
Thesium pearcei Park, et al., 1976: 23 [Type locality]
- Series Scarabaeiformia
- Superfamily: Scarabaeoidea
30. Passalidae (data courtesy of J. Schuster)
Passalus cf. *interruptus* Linnaeus, 1758;
 Bennett, 1952: 5 [as *Passalus (interruptus?)*];
 Longstaff, 1912: 333
Passalus interstitialis Eschscholtz, 1829;
 Longstaff, 1912: 333 [as *Scalmus (Ninus) interstitialis*]
Passalus latifrons Percheron, 1844; Schuster,
 1992: 363 [as *Passalus (Pertinax) latifrons*]
Passalus punctiger Lepeletier and Serville, 1825
Passalus unicornis Serville, 1825
Spasalus robustus Percheron, 1835; Schuster,
 1992: 363
Verres furcalabris Eschscholtz, 1829; Schuster,
 1992: 360
37. Scarabaeidae (identifications courtesy of H.F. Howden and B. Gill)
Aegopsis species (near *A. trinidadensis* or *A. curvicornis*), Longstaff, 1912: 333.
Ancistrosoma tobagoensis Arrow, 1913: 428 [Type locality]; Imperial Bureau of Entomology, 1917: 171
Anomala species
Aphodius cuniculus Chevrolat, 1864; Chapin,
 1940: 7; Woodruff, 1973: 87; Cartwright and Chalumeau, 1978: 8 [as *Aphodius (Nialus) cuniculus*]; Arnett, 1983a: 20.
Astaena insulana Moser, 1913

- Ataenius gracilis* (Melsheimer), 1844
Ataenius picipes Fleutiaux and Sallé, 1897
Ataenius strigicauda Bates, 1887
Ataenius, 2 species
Ateuchus species
Barybas aenescens Moser, 1926
Canthon cyanocephalus Harold, 1868
Canthon triangularis Drury, 1770
Canthon velutinus Harold, 1868
Coelosis biloba (Linnaeus), 1767
Coilodes ovalis Robinson, 1948
Coprophanaeus dardanus (Macleay), 1819
Cyclocephala amazon Linnaeus, 1767
Cyclocephala melanocephala (Fabricius), 1775
Deltochilum orbignyi Blanchard, 1843
Dynastes hercules Linnaeus, 1758; Redd, 1982: 25
Germarostes rotundatus Paulian, 1982
Gymnetis pulchra Swederus, 1787
Ipselissus species
Isonychus species
Ligyrus fossor (Latrelle), 1833
Neoathyreus lanei (Martinez), 1952
Onthophagus lojanus Balthazar, 1939
Pelidnota near *aeruginosa* (Linnaeus), 1758
Pelidnota laevissima Burmeister, 1855
Pelidonta velutipes Arrow, 1900
Phyllophaga species
Pleurophorus parvulus (Chevrolat), 1864
Termitodes species
Uroxys species
- Series Elateriformia
- Superfamily Scirtoidea
39. Eucinetidae
 undetermined genus and species
40. Clambidae
Clambus panamensis insularis Endrödy-Younga, 1998: 387 (occurrence on Tobago is explicitly indicated only on the distribution map).
41. Scirtidae (identifications courtesy of R. Roughley)
Scirtes, 3 species
Prionocyphon species
- Superfamily Buprestoidea
44. Buprestidae (identifications courtesy of B. Dzierz)
Agrilus, 2 species
Leiopleura species
Mastogenius species
Pachyschelus species
Paragrilus species
Taphrocerus species
- Superfamily Byrrhoidea
46. Elmidae
Elsianus clypeatus Hinton, 1936: 254
Heterelmis simplex codrus Hinton, 1971: 264 [paratype]
Hexacylloepus smithi (Grouvelle), 1898; Hinton, 1971: 263
Microcylloepus carinatus Hinton, 1940; Hinton, 1971: 261
Neoelmus pusio Hinton, 1971: 258 [Type locality]; 1972: 134
Phanocerus congener Grouvelle, 1898; Hinton, 1971: 254
53. Ptilodactylidae
 undetermined genus, 4 species
54. Chelonariidae
Chelonarium, 2 species
- Superfamily Elateroidea
60. Eucnemidae
Deltometopus species
Fornax species
 undetermined genus and species
61. Throscidae
 undetermined genus, 3 species
62. Elateridae (identifications courtesy of E.C. Beckер)
Aeolus, 2 species
Cardiorhinus species
Chalcolepidius species
Conoderus species
Drapetes species
Heterodera species
Ischiodontus species
Physorrhinus species
Pyrophorus s. lat. species

67. Lycidae
Plateros (?) species
Lycinae, undetermined, 2 genera, 2 species

69. Phengodidae
Mastocerini, undetermined genus and species
Pseudophengodes pulchella Guérin, 1843;
 Longstaff, 1912: 333 (as *Phengodes pulchella*)
 undetermined genus and species

70. Lampyridae
Aspisoma ignitum (Linnaeus), 1767: 645;
 Hackett et al., 1992: 181
Photinus, 2 species, genus first recorded by
 Longstaff, 1912: 333.
Photuris, 2 species
 undetermined genus, 6 species

72. Cantharidae
Cauliognathus species
Discodon ? species
Podabrus ? species
Silis? species
Omethini, undetermined genus and species
 undetermined genus, 6 species

Series Bostrichiformia

Superfamily Bostrichoidea

75. Dermestidae
Cryptorhopalum species
Orphinus species
 undetermined genus, 4 species

76. Bostrichidae
Dinoderus species
 undetermined genus, 2 species
Lyctus species

77. Anobiidae
Byrrhodes species
Caenocara species
Calymmaderus species
Tricorynus species
 undetermined genus, 2 species

Series Cucujiformia

Superfamily Lymexyloidea

79. Lymexylidae
Melittomma species

81. Trogossitidae
Corticotomus species
Tenebroides species

83. Cleridae
 undetermined genus, 2 species

87. Melyridae
Ablechrus species
 undetermined genus and species

Superfamily Cucuojoidea

91. Nitidulidae
Amphicrossus species
Brachypeplus species
Colopterus species
Conotelus species
Cybocephalus species
Haptoncus species
Lobiopa species
Pallodes species
Pityophagus species
Stelidota species
 unidentified genera, 12 species

93. Monotomidae
Monotoma species
Monotominae, undetermined genus and species

97. Silvanidae (identifications courtesy of M.C. Thomas)
Monanus concinnulus (Walker), 1858
Telephanus species
 undetermined genus, 2 species

100. Laemophloeidae (identifications courtesy of M.C. Thomas)
Charaphloeus convexus (Grouvelle), 1876
Cryptolestes uncicornis (Reitter), 1876
Laemophloeus suturalis Reitter, 1876
Placonotus politissimus (Wollaston), 1867

102. Phalacridae
 undetermined genera and 8 species

105. Cryptophagidae
Ephistemus species

107. Languriidae
Cryptophilus species

- Hapalips* species
Toramus species
undetermined genus, 3 species
108. Erotylidae (identifications courtesy of P. Skelley)
Iphiclus (Brachymerus) near *nigropictus*
(Lacordaire), 1772
Ischyurus fulmineus Delkeskamp, 1957; Skelley,
1998: 127
Ischyurus insolens Crotch, 1867; Skelley, 1998:
37, 82.
Oligocorynus zebra (Fabricius), 1787
109. Oedemeridae
Paroxacis antillarum (Champion, 1896); Arnett
1983b: 5
110. Biphyllidae
Diplocoelus, 3 species
111. Bothrideridae
undetermined genus and species
112. Cerylonidae
Cerylonini, undetermined genus and species
Murmidiinae, undetermined genus and species
115. Endomychidae
Stenotarsus species
undetermined genus and species
116. Coccinellidae (identifications courtesy of R. Gordon)
Azya orbignera orbignera Mulsant, 1850; Bennett,
1952: 6
Azya species
Coleomegilla maculata Degeer, 1775; Bennett
and Simmonds, 1964: 93
Cryptognatha nodiceps Marshall, 1912;
Bennett, 1952: 6
Cryptognatha species Bennett and Simmonds,
1964: 89
Cycloneda sanguinea Linnaeus, 1758; Bennett,
1952: 6; Bennett and Simmonds, 1964: 93
Exoplectra species; Bennett and Simmonds,
1964: 91
Hyperaspis species
Lioscymnus diversipes Champion, 1913;
Bennett, 1952: 6
Microscymnus calvus Champion, 1913; Bennett
and Simmonds, 1964: 85
Nephus aeneipennis (Sicard), 1929
- Nephus (Scymnobius)* species; Bennett and
Yaseen, 1978a: 2; 1978b: 55 (as *Nephus*)
Pentilia species; Bennett and Simmonds, 1964:
90; Bennett, 1952: 6 lists *Pentilia confluens*
without author or year of publication. We are
unable to verify this name.
Prodilis species; Bennett, 1952: 6
Pseudoazyatrinitatis (Marshall), 1912; Bennett,
1952: 6 (as *Azya trinitatus*); Bennett and
Simmonds, 1964: 91 (as *Azya trinitatus*);
Gordon, 1980: 196
Scymnus floralis Fabricius, 1792; Bennett and
Simmonds, 1964: 83
Scymnus, 3 species
Stethorus species; Bennett and Simmonds, 1964:
82
117. Corylophidae
Bathona species
Saciini, undetermined genus and species
Sericoderus species
undetermined genera, 7 species
118. Latridiidae
Cartodere ? species
Corticaria ? species
- Superfamily Tenebrionoidea
119. Mycetophagidae
undetermined genus and species
122. Ciidae
Cis species
Orthocis species
Strigocis species
124. Melandryidae
undetermined genus and species
125. Mordellidae
Mordella species; Bennett, 1952: 5
Mordellistena species
Tomoxia serricornis Ray, 1939: 277 [type
locality]
undetermined genera, 18 species
126. Rhipiphoridae
Trigonoderus species
undetermined genus and species
127. Colydiidae
Acolobicus species

- Bitoma* species
Eucicones species
Nematidium species
undetermined genus, 5 species
129. Zopheridae
Meralius species
134. Tenebrionidae (see Marcuzzi, 1984; identifications courtesy of C.A. Triplehorn)
Alphitobius laevigatus (Fabricius), 1781
Ammodonus ciliatus (Champion), 1896
Anaedus species
Blapstinus buqueti Champion, 1885; Marcuzzi, 1962: 23, 36, 43; 1977: 26, 47; 1984: 80.
Calymmus cucullatus Pascoe, 1871
Corticeus species
Liodesma serricornis Bates, 1873
Neomidia deltocera Triplehorn, 1965
Opatrinus gemellatus Olivier, 1795; Marcuzzi, 1962: 31; 1977: 22, 47; 1984: 78
Palorus subdepressus Wollaston, 1864
Paratenetus species
Phaleria angustata Chevrolat, 1878; Marcuzzi, 1977: 34, 39
Phaleria picipes Say, 1824
Platydema guatemalense Champion, 1886
137. Oedemeridae
Hypasclera species
Oxycopis species
Paroxacis species
139. Meloidae
Tetraonyx species (from *Epicharis* bee nest)
140. Mycteridae (data courtesy of D. Pollock)
Physcius species
145. Salpingidae (data courtesy of D. Pollock)
Lanthanus species
Prostominiinae, undetermined genus and species
146. Anthicidae
undetermined genus, 2 species
147. Aderidae
undetermined genus, 4 species
148. Scaptiidae
undetermined genus, 2 species
- Superfamily Chrysomeloidea
149. Cerambycidae
Aerenea species
Adetus species
Bactriola vittulata Bates, 1885
Callopogon armillatum (Linnaeus), 1767
Estola species
Hippopsis meinerti Aurivillius, 1900; Galileo and Martins, 1988:181, 185 (subspecies *tobagoensis* synonomized); Breuning, 1962:9,10 (as *Hippopsis lemniscata* ssp. *tobagoensis* [type locality])
Lagocheirus araneiformis fulvescens Dillon, 1957: 151 [paratype]; Duffy, 1960:236 (as *Lagocheirus araneiformis*)
Lepturges species
Lochmaeocles zonatus Dillon and Dillon, 1946: 214 [Type locality]
Megaderus stigma (Linnaeus), 1758; Duffy, 1960: 411
Neoclytus rufus Olivier, 1895
Stenodontes dasytomus (Say), 1823; Duffy, 1960: 62 [as *Stenodontes* (s. g. *Mallodon*) *dasytomus*]
Stizocera species
Taeniotes species, Guppy, 1911: 14
Tethystola species
150. Bruchidae (identifications courtesy of J.M. Kingsolver)
Acanthoscelides apicalis (Sharp), 1885
Acanthoscelides dominicana Johnson, 1986
Acanthoscelides johnique Johnson, 1986: 267
Acanthoscelides zeteki Kingsolver, 1969.
Amblycerus, 2 undescribed species
Caryedes clitoriae (Gyllenhal), 1839
Ctenocolum crotonae Fahraeus, 1839; Johnson and Kingsolver, 1981: 418
Ctenocolum podagricus (Fabricius), 1801; Alvarez-Marin and Kingsolver, 1997: 219
Megacerus cubicus Motschulsky, 1874; Johnson and Kingsolver, 1981: 411
Meibomeus panamensis Kingsolver and Whitehead, 1976
Merobruchus columbinus (Sharp), 1885
Sennius rufomaculatus (Motschulsky), 1874; Alvarez-Marin and Kingsolver, 1997: 220
Sennius, 2 species
151. Chrysomelidae (identification courtesy of E.G. Riley)
Acalymma species, *gouldi* species group
Acalymma species, *peregrinum* species group

- Agroiconota tristriata* (Fabricius), 1792
Agrostema species
Alagoasa species
Allocolaspis species
Antitypona species
Asphaera species
Aulacochalamys species
Brachypnoea species
Capraita species
Cerotoma salvini Baly, 1866
Chaetocnema, 2 species
Chalepus species
Charidotella zona (Fabricius), 1801; Borowiec,
 1996: 149
Charidotella species
Chlamisus species
Colaspis melanchalica group
Colaspis, 2 species
Cryptocephalus species
Diabrotica, 2 species
Diachus species
Diaphaularaca, 3 species
Epitrix species
Glyptina, 3 species
Griburius species
Gynandrobrotica species
Heikertingerella, 3 species
Hypolampsis ? species
Lexiphanes species
Longitarsus, 2 species
Luperaltica group, species
Lysathia species
Microctenochira fraterna (Boheman), 1850
Microctenochia reticulata (DeGeer), 1775;
 Borowiec, 1996: 201
Monomacra group, 3 species
Myochrous species
Neobrotica praecleara Weise, 1929; Blake, 1966:
 306
Neolema, 2 species
Nesaecrepidia, probably *rufomarginata* Blake,
 1964
“*Oulema*” species
Pachybrachis species
Phaedon species
Phenrica species
Schematiza cordiae Barber, 1947; Simmonds,
 1949: 276
Strabala species
Syphrea species
Styena s-littera (Linnaeus), 1758
Trichobrotica species
Yingaresca species
- Zepherina trinidadensis* Weise, 1929; Wilcox, 1983:
 78
- Superfamily Curculionoidea
153. Anthribidae
Euxenus species
Euparinus species
Ormiscus species
Toxonotus species
159. Curculionidae (determinations courtesy of R.A.
 Anderson)
Acamptus species
Anchonus, 2 species
Anthonomus species
Apion species
Baradini, 9 genera, 9 species
Baris, 2 species
Caulophilus species
Catolethrus species
Cleogonus armatus Champion, 1904
Conotrachelus cristatus Fahraeus, 1837
Conotrachelus tuberosus Fielder, 1840
Conotrachelus, 3 species
Cosmopolites sordidus Germar, 1824;
 Freeman 1925: 24 (as “plantain weevil”; later
 identified as *C. sordidus*, Imperial Bureau of
 Entomology, 1925:493; Stell, 1935: 50; Urich,
 1925: 40; Ali et al., 1973
Cossonus species
Crionyx, 2 species
Cryptorhynchus formosus Chevrolat, 1906
Cryptorhynchus, 3 species
Cryptorhynchini, 9 genera, 9 species
Dryophthorous species
Dynamis borrassi Fabricius, 1801:
 Wattanapongsira, 1966: 203 (Tobago
 misspelled as “Tabago”; but Panama (Tabogo)
 clearly not intended).
Eubulus, 4 species
Eugnamptus species
Geraeus, 5 species
Hilipinus species
Hiotus species
Hypocoeloides, 5 species
Huaca species
Laemosaccus species
Lechriops canescens Champion, 1906
Lechriops, 3 species
Lepilius species
Metamasius hemipterus (Linnaeus), 1764
Microhyus species

Oxyptenopterus, 2 species
Paranchonus species
Penestes species
Phyllerythrurus sanguinolentus Olivier, 1790:
 Blackwelder, 1944: 912
Piazorhinus species
Plocamus species
Prionarthrus species
Promecops, 3 species
Prosaldius, 5 species
Pseudanthonus species
Pseudanthonomus species
Pseudapotrepus species
Pseudopinara species
Psomus species
Rhinanisus ? species
Rhynchophorus palmarum (Linnaeus), 1764;
 Urich, 1911: 7; Urich and Guppy, 1911: 7;
 Devinish, 1913: 325; Griffith, 1979: 365;
 Maharaj, 1964: 3; Wattanapongsira, 1966:
 56; Gerber and Gilbin-Davis, 1990: 143, 144
Rhysomatus, 2 species
Sibariops species
Zygopini, genus, species
Zygops species
 Platypodinae (identification courtesy of D. Bright)
Platypus parallelus Fabricius, 1801
Platypus hians Chapuis, 1865
 Scolytinae (identifications courtesy of D. Bright)
Araptus hymenaceae (Eggers), 1933
Chaetophloeus mandibularis Bright, 1981: 160
 [Type locality]
Cnesinus species
Coccotrypes carpophagus (Hornung), 1842
Corthylus species (near *minimus* Wood, 1975)
Cryptocarenus heveae (Hagedorn), 1912
Dryocoetoides cristatus (Fabricius), 1801
Gymnochilus reitteri Eichhoff, 1878
Hypothenemus birmanus (Eichhoff), 1878
Hypothenemus cylindricus Hopkins, 1915
Hypothenemus eruditus (Westwood), 1836
Hypothenemus plumerira (Nordlinger), 1856
Hypothenemus rotundicollis (Eichhoff), 1878
Hypothenemus squamosus (Hopkins), 1915
Microborus boops Blandford, 1897
Phloeotribus squamatus Wood, 1982
Pycnarthrum species
Pycnarthrum hispidum (Ferrari), 1867
Scolytodes prob. *guayanaensis* (Schedl), 1937
Trischidias species
Xyleborus affinis Eichhoff, 1868
Xyleborus asper Eggers, 1933
Xyleborus ferrugineus (Fabricius), 1801

Xyleborus volvulus (Fabricius), 1775
Xyleborus species
Xylosandrus morigerus (Blandford), 1894

Acknowledgements

The field work of SBP was partly supported by research grants from the Natural Sciences and Engineering Council of Canada. Field work in Trinidad and Tobago was greatly aided by Dr. C. K. Starr. Field work of JDH (1979) was supported by The Organization of American States and Earthwatch and recent library research by the Tobago House of Assembly, Scarborough, Tobago. The Florida State Collection of Arthropods provided many unsorted beetle specimens. The many taxonomic specialists are thanked for contributing identifications. Without their help such contributions to summaries of species diversity are not possible.

Literature Cited

- Ali, R., V. Thomasos, K. Morton-Gittens, W. Augustin-Coryat, K. Beckles, and G. Bally. 1973. Land Capability Studies. Phase II. Trinidad and Tobago. Report no. 8. Agriculture in Tobago. Ministry of Planning and Development [Trinidad and Tobago], iv+99 pp.
- Alvarez-Marin, M. D., and J. M. Kingsolver. 1997. A preliminary list of the Bruchidae (Coleoptera) of Cuba. Entomological News 108: 215-221.
- Arnett, R. H., Jr. 1983a. Family 34. Scarabaeidae, the scarab beetles. [completed April, 1974], 120pp., In: Arnett, R. H., Jr. and others (compilers and editors). 1983. Checklist of Beetles of North and Central America and the West Indies. Volume 3. The Scarab Beetles, Buprestid Beetles, and Related Groups. North American Beetle Fauna Series. Flora and Fauna Publications, Gainesville, Florida, pages varied.
- Arnett, R. H., Jr. 1983b. Family 119. Oedemeridae, the false blister beetles. Revised edition: correct through February, 1983. 6 pp., In: Arnett, R. H., Jr. and other (compilers and editors). 1985. Checklist of beetles of North and Central America and the West Indies. Volume 6. The Darkling Beetles, Strepsiptera, and Related Groups. North American Beetle Fauna Series. Flora and Fauna Publications, Gainesville, Florida, pages varied

- Arnett, R. H. Jr., and M. C. Thomas (eds.).** 2001. American Beetles; vol. 1. CRC Press, Boca Raton, Florida. 443 pp.
- Arrow, G. J.** 1913. Synopsis of the melolonthid genus *Ancistrosoma*, with descriptions of new species and an allied new genus. The Annals and Magazine of Natural History 12: 424-433.
- Ball, G. E.** 1992. Geographical distribution and evolution of the Selenophori (Harpalini) and *Apenes* LeConte (Lebiini) in the Antilles (Coleoptera: Carabidae), pp. 79-121, In: G.R. Noonan, G.E. Ball and N.E. Stork (eds.), Biogeography of ground beetles of mountains and islands. Intercept Ltd., U.K., pp. vii+256.
- Barcant, M.** 1970. Butterflies of Trinidad and Tobago. Collins, London. 314 pp.
- Beard, J. S.** 1944. The natural vegetation of the island of Tobago, British West Indies. Ecological Monographs 14: 135-163.
- Bennett, F. D.** 1952. Report on a visit to Tobago, September 4-13, 1952. Commonwealth Institute of Biological Control. 6 pp.
- Bennett, F. D., and M. M. Alam.** 1985. An annotated checklist of the insects and allied terrestrial arthropods of Barbados. Caribbean Agriculture Research and Development Institute (CARDI), Bridgetown, Barbados. 81 pp.
- Bennett, F. D., and F. J. Simmonds.** 1964. Distribution and host records of Coccinellidae in the Caribbean area. Commonwealth Institute of Biological Control, Commonwealth Agricultural Bureaux, Technical Bulletin 4: 81-94.
- Bennett, F. D., and M. Yaseen.** 1978a. Investigations on the natural enemies of cassava mealybugs (*Phenacoccus* spp.) in the Neotropics. Report for April 1977 - March 1978. Commonwealth Institute of Biological Control, Cuepe, Trinidad, 4 pp.
- Bennett, F. D., and M. Yaseen.** 1978b. Biological control of cassava mealybugs, *Phenacoccus* spp. (for IDRC, Canada - CIBC No. 442, started April 1977), pp.55-57, In: Commonwealth Agricultural Bureaux, Commonwealth Institute of Biological Control, Report of Work Carried out January 1977 - March 1978, West Indian Station, pp. 54-66.
- Blackwelder, R.** 1943. Monograph of the West Indian beetles of the family Staphylinidae. United States National Museum Bulletin 182: xiii+658 pp.
- Blackwelder, R.** 1944. Checklist of the Coleopterous Insects of Mexico, Central America, the West Indies, and South America. United States National Museum Bulletin 185. Reprinted 1982.
- Blackwelder, R. E.** 1983. Family 27. Staphylinidae [completed July, 1973], 167 pp., In: Arnett, R. H., Jr. and others (compilers and editors). 1983. Checklist of the Beetles of North and Central America and the West Indies. Volume 2. The Rove Beetles and Related Groups. North American Beetle Fauna Series. Flora and Fauna Publications, Gainesville, Florida, pages varied.
- Blake, D. H.** 1966. A review of the beetles of the genus *Neobrotica* and some closely related genera. Proceedings of the United States National Museum 118: 267-372.
- Blandford, W. F. H.** 1892. Sugar-cane borers in the West Indies. The Agricultural Record (Official Journal of the Central Agricultural Board of Trinidad), October, 1892, pp. 103-137.
- Borowiec, L.** 1996. Faunistic records of Neotropical Cassidinae (Coleoptera: Chrysomelidae). Polskie Pismo Entomologiczne 65: 119-251.
- Breuning, S.** 1962. Revision des Agapanthiini Muls. américains (Col. Cerambycidae). Pesquisas Zoologica 13: 1-48 + 9 figures, 2 unnumbered index pages.
- Bright, D. E.** 1981. Studies on West Indian Scolytidae (Coleoptera) I. New species, new distribution records and taxonomic notes. Studies on Neotropical Fauna and Environment 16: 151-164.
- Cartwright, O. L., and F. E. Chalumeau.** 1987. Bredin-Archbold-Smithsonian biological survey of Dominica. The superfamily Scarabaeoidea (Coleoptera). Smithsonian Contributions to Zoology no. 279: iv+32 pp.
- Chapin, E. A.** 1940. A revision of the West Indian beetles of the scarabaeid subfamily Aphodinae. Proceedings of the United States National Museum 89 (no. 3092): 1-41.
- Cock, M. J. W.** 1982. The skipper butterflies (Hesperiidae) of Trinidad. Part II. A systematic list of the Trinidad and Tobago Hesperiidae. Occasional Paper No. 5, Department of Zoology, University of the West Indies, Trinidad, ii+47pp.
- Comeau, P. L.** 1991-1992. Geological events influencing natural vegetation in Trinidad. Living World, Journal of the Trinidad & Tobago Field Naturalists Club, 29-38.
- Comeau, P. L. Guy, E. Heesterman, and C. Hull.** 1992. The Trinidad and Tobago Field Naturalist's Club trail guide. Imprint Caribbean Ltd., Port of Spain, Trinidad. 276 pp.

- Comellini, A.** 1985. Notes sur les Psélaphides néotropicaux (Coleoptera). - La tribu des Pyxidicerini. *Revue Suisse Zoologie* 92: 707-759.
- Commonwealth Institute of Biological Control.** 1977. West Indian Station, Commonwealth Institute of Biological Control, Quarterly Report for October - December 1977, 3pp.
- Devinish, A.** 1913. Report of the assistant entomologist. *Bulletin of the Department of Agriculture, Trinidad and Tobago* (July-December, 1912): 325.
- Dillon, L. S.** 1957. Revision of the Neotropical Acanthocinini (Coleoptera: Cerambycidae). II. The genus *Lagochierus*. *Bulletin of the British Museum (Natural History), Entomology* 6: 1-166.
- Dillon, L. S., and E. S. Dillon.** 1946. The tribe Onciderini (Coleoptera: Cerambycidae). Part II. Reading Public Museum and Art Gallery, Scientific Publications 6: 187-413, 17 plates.
- Duffy, E. A.** 1960. A monograph of the immature stages of Neotropical timber beetles (Cerambycidae). *British Museum (Natural History)*, 327 pp.
- Endrödy-Younga, S.** 1998. The genus *Clambus* in Central and South America (Coleoptera: Euclinetioidea: Clambidae). *Annals of the Transvaal Museum* 36: 373-403.
- Flint, O. S., Jr.** 1996. Studies of Neotropical caddisflies LV: Trichoptera of Trinidad and Tobago. *Transactions of the American Entomological Society* 122(3+4):67-113.
- Frank, J. H., F. D. Bennett, and H. L. Cromroy.** 1992. Distribution and prey records for *Oligota minuta* (Coleoptera: Staphylinidae), a predator of mites. *Florida Entomologist* 75: 376-380.
- Freeman, W. G.** 1925. Administrative Report of the Director of Agriculture for the year 1924. Council Paper No. 52 of 1925. Laid before the Legislative Council on the 15th May, 1925. Department of Agriculture, Trinidad, 26 pp.
- Freitag, R.** 1992. Biogeography of West Indian tiger beetles, pp. 123-158, In: G.R. Noonan, G.E. Ball and N.E. Stork (eds.), *Biogeography of ground beetles of mountains and islands*. Intercept Ltd., U.K., viii+256.
- Galileo, M. H. M., and U. R. Martins.** 1988. Notas sobre Agapanthiini (Coleoptera, Cerambycidae, Lamiinae). I. *Hippopis* do grupo *Solangeae*. *Revista Brasileira de Entomologia* 32: 179-185.
- Gerber, K., and R. M. Geblin-Davis.** 1990. *Teratorhabditis palmarum* n. sp. (Nemata: Rhabditidae): an associate of *Rhynchophorus palmarum* and *R. cruentatus*. *Journal of Nematology* 22: 337-347.
- Gordon, R. D.** 1980. The tribe Azyini (Coleoptera: Coccinellidae): historical reviews and taxonomic revision. *Transactions of the American Entomological Society* 106: 149-196.
- Griffith, R.** 1979. The major coconut pests and diseases of Trinidad and Tobago and Latin America. *Journal of the Agricultural Society of Trinidad and Tobago* 78(3): 200-217.
- Grove, S. J., and N. E. Stork.** 2000. An inordinate fondness for beetles. *Invertebrate Taxonomy* 14: 733-739.
- Guppy, P. L.** 1911. Insect notes for the year 1910-1911. Board of Agriculture, Trinidad, Circular 3: 3-14.
- Hackett, K. J., R. F. Whitcomb, J. G. Tully, J. E. Lloyd, J. J. Anderson, T. B. Clark, R. B. Henegar, D. L. Rose, E. A. Clark, and J. L. Vaughn.** 1992. Lampyridae (Coleoptera): a plethora of Mollicue associations. *Microbial Ecology* 23: 181-193.
- Hardy, J. D., Jr.** 1982. Biogeography of Tobago, West Indies, with special reference to amphibians and reptiles: a review. *Bulletin of the Maryland Herpetological Society* 18(2): 37-141.
- Herman, J. H., Jr.** 1972. Revision of *Bledius* and related genera. Part I. The *aequatorialis*, *mandibularis*, and *semiferugineus* groups and two new genera (Coleoptera, Staphylinidae, Oxytelinae). *Bulletin of the American Museum of Natural History* 149: iii + 354 pp.
- Herman, J. H., Jr.** 1986. Revision of *Bledius*. Part IV. Classification of species groups, phylogeny, natural history, and catalogue (Coleoptera, Staphylinidae, Oxytelinae). *Bulletin of the American Museum of Natural History* 184 (1): 1-368.
- Herman, J. H., Jr.** 2001. Catalogue of the Staphylinidae (Insecta: Coleoptera): 1758 to the end of the second millennium. Parts I to VII. *Bulletin of the American Museum of Natural History* 265. 4218 pp.
- Hinton, H. E.** 1971. The Elmidae (Coleoptera) of Trinidad and Tobago. *Bulletin of the British Museum (Natural History), Entomology* 26: 246-265.
- Hinton, H. E.** 1972. The Venezuelan species of *Neoelmis* (Coleoptera: Elmidae). *Proceedings of the Royal Entomological Society of London, Series B, Taxonomy* 41 (2): 133-144.
- Hynes, H. B. N.** 1948. Notes on the aquatic Hemiptera-Heteroptera of Trinidad and Tobago, B.

- W. I., with a description of a new species of *Martarega* B. White (Notonectidae). Transactions of the Royal Entomological Society of London 99 (10): 341-360.
- Imperial Bureau of Entomology.** 1917. [Abstract]. "Urich (F. W.). Insect pests in Trinidad. - Entomologist's Report, Minutes meeting Bd. Agric., Trinidad, 1916, pp. 1-56". The Review of Applied Entomology 5, Series A: Agriculture (Part 4): 171.
- Imperial Bureau of Entomology.** 1925. [Abstract]. "Freeman (W. G.). Plant Pathology. - Rept. Dept. Agric. Trinidad and Tobago, 1924, pp. 22-24. Trinidad, 1925". Review of Applied Entomology 13, Series A: Agriculture (Part 10):493.
- Iturralde-Vinent,, M. A. and R. D. E. MacPhee.** 1999. Paleogeography of the Caribbean Region: Implications for Cenozoic biogeography. Bulletin of the American Museum of Natural History 238: 1-95.
- Jackson, T. A., and S. K. Donovan.** 1994. Tobago, pp. 193-207, In: Donovan, S. K. and T. A. Jackson. 1994. Caribbean Geology: An Introduction. The University of the West Indies Publisher's Association, Mona, Kingston, Jamaica, iii+289pp.
- Johnson, C. D.** 1986. *Acanthoscelides johnique*, new species (Coleoptera: Bruchidae) from the West Indies. Coleopterists Bulletin 40: 265-268.
- Johnson, C. D., and J. M. Kingsolver.** 1981. Checklist of the Bruchidae (Coleoptera) of Canada, United States, Mexico, Central America, and the West Indies. Coleopterists Bulletin 35: 409-422.
- Klimaszewski, J., and F. Génier.** 1987. A revision of the genus *Aleochara* Gravenhorst of America north of Mexico (Coleoptera: Staphylinidae, Aleocharinae). Supplement and new distribution data and description of new species. Coleopterists Bulletin 41: 241-248.
- Lack, D.** 1976. Island Biology, Illustrated by the Land Birds of Jamaica. Studies in Ecology. Volume 3. University of California Press, Berkeley and Los Angeles, xvii+445pp.
- Lawrence, J. F., and A. F. Newton.** 1995. Families and subfamilies of Coleoptera (with selected genera, notes, references and data on family group names. In J. Pakaluk and S.A. Slipinski (editors), Biology, Phylogeny, and Classification of Coleoptera.. Museum i Instytut Zoologii PAN, Warsaw, Poland, pp. 779-1006.
- Longstaff, G. B.** 1912. Butterfly hunting in many lands. Notes of a field naturalist. Longmans, Green, and Co., London, xviii+11+728 pp.
- Maharaj, S.** 1964. The development of the palm weevil in felled coconut trees. Journal of the Agricultural Society of Trinidad and Tobago 64(1): 67-74
- Makham, D.** 1997. Twenty-six new Scydmaenidae species from South America (Coleoptera: Scydmaenidae). Annales Historico-Naturales Musei Nationalis Hungarica 89: 123-136.
- Marcuzzi, G.** 1962. Tenebrionid beetles of the West Indies. Studies on the Fauna of Curaçao and other Caribbean Islands 13: 21-48.
- Marcuzzi, G.** 1977. Further studies on Caribbean tenebrionid beetles. Studies on the Fauna of Curaçao and other Caribbean Islands 170: 1-66.
- Marcuzzi, G.** 1984. A catalogue of tenebrionid beetles (Coleoptera: Heteromera) of the West Indies. Folia Entomologica Hungarica 45: 69-108.
- Nichols, S. W.** 1988. Kaleidoscopic biogeography of West Indian Scaritinae (Coleoptera: Carabidae), pp. 71-115, In: J. K. Liebherr (ed.), Zoogeography of Caribbean Insects, Comstock Publishing Associates, Cornell University Presss, Ithaca and London, ii+285 pp.
- Nieser, N., and M. Alkins-Koo.** 1991. The water bugs of Trinidad and Tobago. Occasional Paper 9, Universiy of the West Indies, St. Augustine, Trinidad, iii+127 pp.
- Park, O., J. Wagner, and M. W. Sanderson.** 1976. Review of the pselaphid beetles of the West Indies (Coleoptera: Pselaphidae). Fieldiana: Zoology 68: 1-90.
- Ray, E.** 1939 (1941). A taxonomic study of Neotropical beetles of the family Mordellidae, with descriptions of new species. Proceedings of the Unites States National Museum 87 (no. 3075): 271-314.
- Redd, S.** 1982. Blacklight trapping on Tobago. Naturalist Magazine 4(7): 24-26.
- Robertson, P., and K. Burke.** 1989. Evolution of the Caribbean Plate boundary, vicinity of Trinidad and Tobago. The American Association of Petroleum Geologists Bulletin 73(4): 490-509.
- Schuster, J. C.** 1992. Passalidae: state of larval taxonomy with description of New World species. Florida Entomologist 75: 357-369.
- Seevers, C. H.** 1957. A monograph on the termitophilous Staphylinidae (Coleoptera). Fieldiana: Zoology 40: 1-334.

- Simmonds, F. J.** 1949. Insects attacking *Cordia macrostachys* (Jacq.) Roem. and Schult in the West Indies. II. *Schematiza cordiae* Barb. (Coleoptera, Galerucidae). Canadian Entomologist 81: 275-276.
- Skelley, P.** 1998. Revision of the genus *Ischyurus* Lacordaire (1842) of North and Central America (Coleoptera: Erotylidae: Tritominae). Occasional Papers Florida State Collection of Arthropods 9: 1-130.
- Starr, C. K., and H. Nelson.** 1995. Regulations and procedures for collecting land arthropods in Trinidad and Tobago. Insect Collection News No. 10: 16-17.
- Stell, F.** 1935. Report of Mycologist, 1934, p. 47-50, In: Department of Agriculture, Trinidad and Tobago, 1935. Administrative Report of the Director of Agriculture for the year 1934. Council Paper (72) of 1935. Government Printing Office, Trinidad, 56pp.
- Stirling, P. D.** 1986. Butterflies and other insects of the eastern Caribbean. Macmillan Publishers Ltd., London and Basingstoke. 85 pp.
- Urich, F. W.** 1911. Report of the entomologist. Board of Agriculture, Trinidad. Circular 2: 5-8.
- Urich, F. W.** 1925. The plantain weevil. Bulletin of the Department of Agriculture, Trinidad and Tobago 11: 40-42.
- Urich, F. W., and P. L. Guppy.** 1911. Preliminary notes on some insects affecting the coconut palm. Board of Agriculture, Trinidad and Tobago, Circular 5: 1-30, 3 plates.
- Wagenaar Hummelinck, P.** 1983. Additional notes on Caribbean tiger-beetles of the genera *Cicindela* and *Megacephala*. Studies on the fauna of Curaçao and other Caribbean Islands 65: 69-135.
- Wattanapongsira, A.** 1966. A revision of the genera *Rhynchophorus* and *Dynamis* (Coleoptera: Curculionidae). Department of Agriculture Science Bulletin, Department of Agriculture, Bangkok, Thailand 1: iv+328 pp.
- Wilcox, J. A.** 1983. Family 129. Chrysomelidae [completed January, 1975], 166 pp. In: Arnett, R H., Jr. and others (compilers and authors). 1983. Checklist of the beetles of North and Central America and the West Indies. Volume 8. The Leaf Beetles and the Bean Weevils. North American Beetle Fauna Series. Flora and Fauna Publications, Gainesville, Florida. Pages varied.
- Woodruff, R. E.** 1973. Arthropods of Florida and neighboring land areas. Volume 8. The scarab beetles of Florida (Coleoptera: Scarabaeidae). Part I. The Laparosticti (Subfamilies: Hybosoridae, Ochodaeinae, Geotrupinae, Acantherocerinae). Florida Department of Agriculture and Consumer Services, Division of Plant Industry, xi+220 pp.
- Woodruff, R. E., B. M. Beck, P. E. Skelley, C. Y. L. Schotman, and M. C. Thomas.** 1997. Checklist and bibliography of the insects of Grenada and the Grenadines. Sandhill Crane Press, Gainesville, FL. 286 pp.