

CONTENUTO - CONTENTS

| | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| R. K. WALIA, S. N. NANDAL and D. S. BHATTI | | |
| Nematicidal efficacy of plant leaves and <i>Paecilomyces lilacinus</i> , alone or in combination, in controlling <i>Meloidogyne incognita</i> on okra and tomato | Pag. | 3 |
| X. GAO, H. CHENG and C. FANG | | |
| New diagnostic characters for <i>Pratylenchus vulnus</i> | " | 9 |
| M. CIOBANU, E. GERAERT and I. POPOVICI | | |
| <i>Rotylenchus jagatpurensis</i> Sultan, 1985, a particular finding from Romania (Nematoda: Tylenchida) | " | 15 |
| A. ADIKO and S. R. GOWEN | | |
| The parasitic activity of <i>Meloidogyne incognita</i> as affected by the dynamics of acquisition of <i>Pasteuria penetrans</i> spores | " | 21 |
| R. M. KHAN and P. PARVATHA REDDY | | |
| Concomitant influence of hydrogen peroxide, water temperature gradient and root processing method on burrowing nematode egress from banana roots | " | 27 |
| I. K. A. IBRAHIM, W. T. SHAHDA and O. A. I. DAWOOD | | |
| Pathogenicity and control of <i>Meloidogyne incognita</i> on eggplant | " | 31 |
| A. HASEEB, P. K. SHUKLA and F. BUTOOL | | |
| Pathogenic potential of <i>Pratylenchus thornei</i> on some medicinal and aromatic plants | " | 35 |
| M. NAGESH, P. PARVATHA REDDY, T. JANAKIRAM and T. M. RAO | | |
| Sequential biochemical changes in roots of <i>Callistiphus chinensis</i> lines resistant and susceptible to <i>Meloidogyne incognita</i> race 1 | " | 39 |
| J. PHILIS | | |
| The life cycle of the Mediterranean cereal cyst nematode <i>Heterodera latipons</i> in Cyprus | " | 43 |
| I. STOLLÁROVÁ | | |
| The occurrence, distribution and abundance of plant parasitic nematodes in forest and fruit nurseries of Slovakia | " | 47 |
| D. KRŇJAIC, S. KRŇJAIC, F. LAMBERTI and A. AGOSTINELLI | | |
| New record of <i>Longidorus distinctus</i> Lamberti <i>et al.</i> , 1983 (Nematoda: Longidoridae) from eastern Serbia | " | 57 |
| F. LAMBERTI, S. MOLINARI, F. DE LUCA, A. AGOSTINELLI and M. DI VITO | | |
| Longidorids (Nematoda: Dorylaimida) from Syria with description of <i>Longidorus pauli</i> sp. n. and <i>Paralongidorus halepensis</i> sp. n. with SOD isozymes and PCR-RFLP profiles | " | 63 |
| Z. SUÁREZ H., L. C. ROSALES y A. RONDÓN | | |
| Efecto sinérgico de los hongos <i>Macrophomina</i> y <i>Fusarium</i> con el nematodo agallador <i>Meloidogyne</i> spp. sobre un decaimiento en guayabo | | |
| <i>Synergistic effect of the fungi Macrophomina and Fusarium with the root-knot nematode Meloidogyne spp. on decline of guava</i> | " | 79 |

| | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| F. LAMBERTI, R. CROZZOLI, S. MOLINARI, F. DE LUCA, A. AGOSTINELLI and N. GRECO Two species of <i>Xiphidorus</i> Monteiro (Nematoda: Dorylaimida): new records for Venezuela | Pag. 83 |
| R. CROZZOLI y N. PARRA Patogenicidad del nematodo agallador, <i>Meloidogyne incognita</i> , en yuca (<i>Manihot esculenta</i>) <i>Pathogenicity of the root-knot nematode, Meloidogyne incognita, on cassava (Manihot esculenta)</i> | " 95 |
| A. LEONE, V. MIANO, F. LAMBERTI, R. CROZZOLI and T. BLEVE-ZACHEO Defence response of rice and tomato to <i>Xiphidorus minor</i> and <i>Xiphinema vulgare</i> (Nematoda: Dorylaimida) | " 101 |
| J. S. PRASAD, K. V. SESHU REDDY and R. A. SIKORA Life cycle of <i>Pratylenchus goodeyi</i> in banana roots | " 111 |
| S. RAMAKRISHNAN and G. RAJENDRAN Comparison of different methods of control of <i>Meloidogyne incognita</i> in relation to growth and yield of papaya | " 115 |
| S. RAMAKRISHNAN and G. RAJENDRAN Changes induced by <i>Meloidogyne incognita</i> and <i>Rotylenchulus reniformis</i> , individually and in combination, on physiology, chlorophyll and nutrients content of papaya | " 119 |
| E. I. JONATHAN, K. R. BARKER and F. F. ABD-EL-ALEEM Host status of banana for four major species and host races of <i>Meloidogyne</i> | " 123 |
| L. BARSÌ and F. LAMBERTI Five undescribed species of <i>Xiphinema</i> (Nematoda: Dorylaimida) from the former territory of Yugoslavia | " 127 |
| L. AMBROGIONI, A. COTRONEO, F. MORETTI, R. TACCONI and T. IRDANI First record of the yellow beet cyst nematode (<i>Heterodera trifolii</i>) in Italy | " 151 |
| M. W. BRZESKI and M. SZCZECHE Effect of continuous soil amendment with coniferous sawdust on nematodes and microorganisms | " 159 |
| S. MOLINARI Changes of catalase and SOD activities in the early response of tomato to <i>Meloidogyne</i> attack | " 167 |
| L. ORSELLI and M. T. VINCIGUERRA Nematodes from Italian sand dunes. 4. Four new and one rare species of Dorylaimina | " 173 |
| A. I. NICO, N. VOVLAS, A. TROCCOLI and P. CASTILLO Reproduction of the banana root-lesion nematode, <i>Pratylenchus goodeyi</i> , in monoxenic cultures | " 187 |
| S. SASANELLI and T. D'ADDABBO Modelling of the <i>in vitro</i> effect of cadusafos on <i>Meloidogyne incognita</i> | " 193 |
| RECENSIONI - BOOK REVIEWS | " 203 |

Contents of these papers will be abstracted in C. A. B. Nematological Abstracts and indexed on our Web site:

<http://www.ba.cnr.it/~nemafe01/nemmed.html>

on which journal information is also available.