

CUMULATIVE INDEX TO SELBYANA, VOLUMES 1–21 (1975–2000) ARRANGED ALPHABETICALLY BY AUTHOR

COMPILED BY EDNA SIEFF AND BARRY WALSH

Marie Selby Botanical Gardens, 811 South Palm Ave., Sarasota, FL 34236 USA

To mark 25 years of publication (1975–2000), we provide an author index updating the Cumulative Index that appeared in 18(2) 1997. The *Selbyana* Cumulative Author Index also is available online at the Marie Selby Botanical Gardens website [www.selby.org/research/pubs].

A note of thanks is due the 546 authors, to date, who have contributed articles to the journal, describing the results of their often pioneering research and conservation work. A special thanks to the numerous manuscript reviewers and to *Selbyana*'s top-ten epiphyte and canopy authors, by number of articles published. They are Carlyle Luer, Harry Luther, David Benzing, Hans Wiehler, John Atwood, Calaway Dodson, Meg Lowman, Nalini Nadkarni, Michael Madison, and Barry Hammel.

Note: A = abstract. Cover dates agree with print dates except for 10(1) 1987 [2 Mar. 1988], 18(2) 1997 [4 Feb. 1998], and 19(2) 1998 [29 Jan. 1999].

-
- Abbott, K.L. See H. Heatwole (1999).
Abe, S. See T. Nakashizuka (1998).
Ackerman, J.D. 1979. *Dodsonia*, a new Ecuadorian genus of the Zygopetalinae (Orchidaceae). 5(2): 116–119.
———. 1981. Two new species of the *Chondrorhyncha* complex (Orchidaceae: Zygopetalinae). 5(3–4): 297–301.
———. 1986. Coping with the epiphytic existence: pollination strategies. 9(1): 52–60.
———. 1998. Evolutionary potential in Orchids: Patterns and strategies for conservation. 19(1): 8–14.
Ackerman, J.D. and A.M. Montalvo. 1986. Two new species of *Epidendrum* (Orchidaceae) with lateral inflorescences. 9(1): 126–129.
Adachi, N. and T. Okuda. 1998. Distribution and dynamics of canopy gaps in a tropical forest in Malaysia. 19(2): A 267.
Adams, R.M. See R.P. Saulea (1978).
Adams, W.W. III and C.E. Martin. 1986. Heterophylly and its relevance to evolution within the Tillandsioideae (Bromeliaceae). 9(1): 121–125.
Adis, J., A.Y. Harada, J.A. Rafael and S. Vidal. 1998. Do ants control gall midges in neotropical canopies? 19(2): A 267.
Aguirre-Leon, E. 1992. Vascular epiphytes of Mexico: a preliminary inventory. 13: 72–76.
Alarcon, D. See J. Clement (1998).
Allison, A., G.A. Samuelson and S.E. Miller. 1993. Patterns of beetle species diversity in New Guinea rain forest as revealed by canopy fogging: preliminary findings. 14: 16–20.
Almeda, F. See G.U. Dodero (1991).
Ammer, U. See H. Schubert (1998).
Amorim de Freitas, C. and F.R. Scarano. 1998. Habitat choice in two facultative epiphytes of the genus *Nidularium* (Bromeliaceae). 19(2): 236–239.
Anderson, S.J. See A.C. Medeiros (1993).
Anderton, J.M. See S.P. Bush (1998, 1999).
Anhuf, D. 1998. Transpiration measurements: the Surumoni Crane Project, Venezuela. 19(2): A 267.
———. See J. Szarzynski (1998).
Anhuf, D., T. Motzer, R. Rollenbeck, B. Schroder and J. Szarzynski. 1999. Water budget of the Surumoni Crane Site (Venezuela). 20(1): 179–185.
Antunes, M.S. See S.P. Ribeiro (1998).
Appanah, A. See P. Ashton (1995).
Arenas, M.A.S. See E. Hagsater (1998).
Arthur, M. See R.L. Kitching (1993).
Ashton, P., A.S. Chan and H.T. Chan. 1994. Tree prosthesis for crown access. 15(2): A 3.
Ashton, P., S. Appanah and H.T. Chan. 1995. Tree prosthesis for crown access. 16(2): 174–178.
Astuti, I.P. See S. Mursidawati (1999).
Atkinson, S. See J.F. Smith (1998).
Atwood, J.T. 1978. A new species of *Mormolyca* Fenzl (Orchidaceae) from Bolivia. 2(4): 343–344.
———. 1981. Two new species of *Maxillaria* (Orchidaceae) from Nicaragua. 5(3,4): 302–305.
———. 1984. The relationships of the slipper orchids (subfamily Cypripedioideae: Orchidaceae). 7(2–4): 129–247.
———. 1984. Two new species of the *Maxillaria notyloglossa* Rehb.f. complex (Orchidaceae) from Bolivia. 7(2–4): 248–251.
———. 1986. The size of the Orchidaceae and the systematic distribution of epiphytic orchids. 9(1): 171–186.
———. 1987. A new species and new combination of Costa Rican Orchidaceae. 10(1): 60–62.
———. 1987. The vascular flora of La Selva Biological Station, Costa Rica: Orchidaceae. 10(1): 76–145.
———. 1995. Two overlooked species of *Maxillaria* from Central America. 16(2): 242–245.
———. 1997. Editorial: Orchid Conservation 97, A Preview. 18(1): 1–3.
———. 1997. Editorial: Some thoughts on orchid conservation. 18(2): 151.
———. 1998. Seven new species of *Maxillaria* from Panama and Costa Rica. 19(2): 254–264.
Atwood, J.T. and J. Beckner. 1998. *Ceratostylis incognita* J.T. Atwood and J. Beckner, a new species from the Philippines. 19(2): 265–266.

- Atwood, J.T. and N.H. Williams. 1978. The utility of epidermal cell features in *Phragmipedium* and *Paphiopedilum* (Orchidaceae) for determining sterile specimens. 2(4): 356–366.
- Atwood, J.T. and R.L. Dressler. 1995. Another new species of *Stellilabium* (Orchidaceae) from Monteverde, Costa Rica. 16(2): 239–241.
- . 1998. Clarifications and new combinations in the *Phragmipedium caudatum* complex from Central America. 19(2): 245–248.
- Atwood, J.T. and D.E. Mora. 1997. *Maxillaria cedraensis*, a new species from the highlands of Costa Rica. 18(1): 31–32.
- Atwood, J.T. See N.H. Williams (1981).
- Ausserer, J. See P. Hietz (1998).
- Badola, H.K. 1998. Growth and size-frequency distribution of shoot populations in canopy layers of *Quercus leucotrichophora* (Fagaceae). 19(2): A 268.
- . 2000. Growth and size of shoot populations in canopy layers of *Quercus leucotrichophora* (Fagaceae). 21(1,2): 97–104.
- Baker, R.A. See T.B. Croat (1978).
- Balogh, P. 1982. *Rhizanthella* R.S. Rogers, a misunderstood genus (Orchidaceae). 7(1): 27–33.
- Barker, M. 1995. Sap flow rate and sap nutrient content of a tropical rain forest canopy species, *Dryobalanops aromatica* (Dipterocarpaceae), in Brunei. 16(2): 201–211.
- . 1997. An update on low-tech methods for forest canopy access and on sampling a forest canopy. 18(1): 61–71.
- Barker, M. and P. Becker. 1994. Water and nutrient relations of the upper canopy in dipterocarp and heath forests of Brunei. 15(2): A 3.
- Barneby, R.C. 1977. A new species of *Odontocarya* (Menispermaceae) from Ecuador. 2(1): 47–48.
- Barrios, H. See A. Valderrama (1998).
- Barthelemy, D. 1994. Modeling and simulation of canopy architecture. 15(2): A 3–4.
- Barthlott, W. See D. Rudolph (1998); J. Nieder (1998, 1999).
- Basset, Y. 1993. Patterns in the organization of the arthropod community associated with an Australian rain forest tree: how distinct from elsewhere? 14: 13–15.
- . 1998. Insect fauna differences between mature rain forest trees and their seedlings: an example from Guyana. 19(2): A 268.
- Basset, Y. and R. Höft. 1994. Can apparent leaf damage in tropical trees be predicted by arbivore load on host-related variables? A case study in Papua New Guinea. 15(2): 3–13.
- Basset, Y., E. Charles and V. Novotny. 1999. Insect herbivores on parent trees and conspecific seedlings in a Guyana rain forest. 20(1): 146–158.
- Batcheller, F.N. 1978. \times *Heppimenes*, a new intergeneric hybrid in the Gesneriaceae. 2(2,3): 323–324.
- Bawa, K.S. See D.A. Murawski (1993).
- Bazzaz, F.A. See J. Cavender-Bares (1998).
- Beach, J.H. See S.P. Bush (1995).
- Beaufort-Murphy, H.T. 1983. The seed surface morphology of the Gesneriaceae utilizing the scanning electron microscope and a new system for diagnosing seed morphology. 6(1–4): 220–422.
- . 1984. Shoot and root formation obtained on selected species of the Gesneriaceae through tissue culture. 7(2–4): 274–280.
- Becker, P. See M. Barker (1994, 1995).
- Beckers, G.J.L. See K.J.F. Verhoeven (1998, 1999).
- Beckner, J. 1998. Orchid conservation beyond the nineteenth century. 19(1): 1–7.
- . See J.T. Atwood (1998).
- Belsky, J.M. and S.F. Siebert. 1994. Contested resource: managing rattan harvesting for forest conservation in Kerinci-Seblat National Park, Sumatra. 15(2): A 4.
- . 1995. Managing rattan harvesting for local livelihoods and forest conservation in Kerinci-Seblat National Park, Sumatra. 16(2): 212–222.
- Bennett, B.C. 1986. Patchiness, diversity and abundance relationships of vascular epiphytes. 9(1): 70–75.
- . 1992. Uses of epiphytes, lianas and parasites by the Shuar people of Amazonian Ecuador. 13: 99–114.
- . 1994. Ethnobotany and economic botany of epiphytes, lianas and other host-dependent plants: an overview. 15(2): A 4.
- Bent, A. See D.H. Benzing (1982).
- Benzing, D.H. 1976. Bromeliad trichomes: structure, function and ecological significance. 1(4): 330–348.
- . 1978. The nutritional status of three *Encyclia tampensis* (Orchidaceae) populations in southern Florida as compared with that of *Tillandsia circinnata* (Bromeliaceae). 2(2,3): 224–229.
- . 1978. The life history profile of *Tillandsia circinnata* (Bromeliaceae) and the rarity of extreme epiphytism among the angiosperms. 2(4): 325–337.
- . 1978. Germination and early establishment of *Tillandsia circinnata* Schlecht. (Bromeliaceae) on some of its hosts and other supports in southern Florida. 5(1): 95–106.
- . 1979. Alternative interpretations for the evidence that certain orchids and bromeliads act as shoot parasites. 5(2): 135–144.
- . 1981. Mineral nutrition of epiphytes: an appraisal of adaptive features. 5(3,4): 219–223.
- . 1981. Why is Orchidaceae so large, its seeds so small and its seedlings mycotrophic? 5(3,4): 241–242.
- . 1981. Bark surfaces and the origin and maintenance of diversity among angiosperm epiphytes: a hypothesis. 5(3,4): 248–255.
- . 1981. The population dynamics of *Tillandsia circinnata* (Bromeliaceae): Cypress crown colonies in southern Florida. 5(3,4): 256–263.
- . 1986. The vegetative basis of vascular epiphytism. 9(1): 23–43.
- . 1994. How much is known about Bromeliaceae in 1994? 15(1): 1–7.
- . 1994. Plant responses to resource gradients and microclimate in forest canopies. 15(2): A 4–5.
- . 1995. The physical mosaic and plant variety in forest canopies. 16(2): 159–168.
- . See R.G.M. Hofstede (1993).
- Benzing, D.H., A. Bent, D. Moscow, G. Peterson and A. Renfrow. 1982. Functional correlates of decid-

- uousness in *Catasetum integerrimum* (Orchidaceae). 7(1): 1–9.
- Benzing, D.H. and D. Bermudes. 1991. Epiphytic bromeliads as air quality monitors in south Florida. 12: 46–53.
- Benzing, D.H. and W.E. Friedman. 1981. Patterns of foliar pigmentation in Bromeliaceae and their adaptive significance. 5(3,4): 224–240.
- . 1981. Mycotrophy: its occurrence and possible significance among epiphytic Orchidaceae. 5(3,4): 243–247.
- Benzing, D.H. and J. Seemann. 1978. Nutritional piracy and host decline: a new perspective on the epiphyte-host relationship. 2(2,3): 133–148.
- Berg, D.R. See D.C. Shaw (1993).
- Bergstrom, D.M. See J.D. Shaw (1997, 1998).
- Bermudes, D. See D.H. Benzing (1991).
- Bernard, E. 1998. Vertical stratification of bat communities in tree-fall gaps in central Amazonian primary forests. 19(2): A 268–269.
- Best, V. See N.E. Stork (1994).
- Betancur, J. and M.A. Jaramillo. 1998. Distribution de la familia Bromeliaceae en dos vertientes andinas del Sur de Colombia. 19(1): 52–65.
- Biernier, M. 1994. Biodiversity knowledge: Still a major question mark. 15(2): 1–2.
- Blair, B. See R. Dubayah (1998); J.F. Weishampel (2000).
- Block, N. See M. Lowman (1993).
- Bogaert, J. See D. Salvador-Van Eysenrode (1998, 1999).
- Bøgh, A. 1992. Composition and distribution of the vascular epiphyte flora of an Ecuadorian montane rain forest. 13: 25–34.
- Bohlman, S. 1996. A multiple scale study of seasonal variation in canopy leaf density in the Amazon Basin using remote sensing. 17(1): A 104.
- Bouricius, B. See M. Lowman (1993, 1995); W. Bouricius (1998); T.H. Kunz (1998).
- Bouricius, B. and M.D. Lowman. 1994. Canopy walkways in temperate and tropical forests: techniques for their design and construction. 15(2): A 5.
- Bouricius, W., B. Bouricius and P. Whitman. 1998. Calculating construction parameters for canopy walkway systems. 19(2): A 269.
- Breast, J.D. 1997. Orchid management vs. orchid conservation. 18(2): 157–159.
- Brockelman, W. 1996. A new method for climbing rain forest trees using double rope loops. 17(1): A 104.
- . 1997. A method for climbing rain forest tree boles without using vertical ropes. 18(1): 72–76.
- Brown, G.K. and A.J. Gilmartin. 1986. Chromosomes of the Bromeliaceae. 9(1): 88–93.
- Brown, G.K., C.A. Palací and H.E. Luther. 1997. Chromosome Numbers in Bromeliaceae. 18(1): 85–88.
- Brown, V.K. See S.P. Ribeiro (1998, 1999).
- Burd, W.I. See S.P. Bush (1998).
- Burger, W.C. See C.M. Taylor (1991).
- Burns-Balogh, P. 1984. Classification of the tribe Diurideae (Orchidaceae) I: subtribe Prasophyllinae Schlechter. 7(2–4): 318–327.
- Burns-Balogh, P. and M.S. Foster. 1984. A new species of *Sarcoglottis* (Orchidaceae) from Paraguay. 7(2–4): 359–360.
- . 1986. A new species of *Sarcoglottis* (Orchidaceae) from Paraguay. 9(1): 189–190.
- Bush, S.P. and J.H. Beach. 1995. Breeding systems of epiphytes in a tropical montane wet forest. 16(2): 155–158.
- Bush, S.P., W.E. Kutz, J.M. Anderton, W.I. Burd and M. Robinson. 1998. Genetic diversity of temperate epiphytes examined with RAPDs: preliminary results. 19(2): A 269.
- Bush, S.P., W.E. Kutz and J.M. Anderton. 1999. RAPD variation in temperate populations of the epiphytic orchid *Epidendrum conopseum* and the epiphytic fern *Pleopeltis polypodioides*. 20(1): 120–124.
- Bye, R.A. See R.M. Cid V. (1998).
- Caballé, G. See J. Prósperi (1998).
- Calderón, O. See S.J. Wright (1998).
- Campbell, J., D.S. Coxson and S. Stevenson. 1998. Sampling arboreal lichen communities as microclimate indicators in wet-temperate rain forests of northern interior British Columbia. 19(2): A 269–270.
- Campbell, J., S.K. Stevenson and D.S. Coxson. 1999. Estimating epiphyte abundance in high-elevation forests of Northern British Columbia. 20(2): 261–267.
- Cardelús, C. and J.E. Watkins, Jr. 1998. Epiphytic fern diversity and stratification on trunks of *L. yeronima alchorneiodes* (Euphorbiaceae) at La Selva Biological Station, Costa Rica. 19(2): A 270.
- Carlsen, M. 1998. Structure and diversity of the vascular epiphyte community in the overstory of a tropical rain forest in Surumoni, Amazonas State, Venezuela. 19(2): A 270.
- . 2000. Structure and diversity of the vascular epiphyte community in the overstory of a tropical rain forest in Surumoni, Amazonas State, Venezuela. 21(1,2): 7–10.
- Carnevali Fernández-Concha, G. 1998. Systematics, phylogeny, and twig epiphytism in *Cryptocentrum* (Orchidaceae). 19(2): A 271.
- . See I. Ramírez (1994).
- Carnevali Fernández-Concha, G. and W. Fritz. 2000. The *Maxillaria porrecta* Lindley complex (Orchidaceae) in northeastern South America, including a new species. 21(1,2): 144–150.
- Carrington, C.M.S. See R.P. Sheridan (1998).
- Carruthers, G. See M.D. Lowman (1996).
- Carter, J.P. and C.E. Martin. 1994. The occurrence of crassulacean acid metabolism among epiphytes in a high-rainfall region of Costa Rica. 15(2): 104–106.
- Carvalho, M.T.V. See H. Mercier (1997).
- Cavelier, J. See G. Goldstein (1993); M.A. Jaramillo (1998); A. Parrado-Rosselli (1998).
- Cavender-Bares, J. and F.A. Bazzaz. 1998. Linking leaf life span to plant growth strategies in 15 species of co-occurring oaks (*Quercus fagaceae*). 19(2): A 271.
- Cedeño, A., T. Mérida and J. Zerarra. 1998. Ant gardens of the rain forest canopy of Surumoni, Venezuela. 19(2): A 271–272.
- . 1999. Ant gardens of Surumoni, Venezuela. 20(1): 125–132.
- Chan, H.T. See P. Ashton (1995).
- Charles, E. See Y. Basset (1999).

- Charpentier, C. See G.E. Crow (1987).
- Chase, M.W. 1987. Obligate twig epiphytism in the Oncidiinae (Orchidaceae) and other neotropical orchids. 10(1): 24–30.
- . See D.A. Murawski (1993).
- Children's Environmental Trust Workshop Members. See P. Wittman (1998).
- Christenson, E.A. 1986. Nomenclatural changes in the Orchidaceae subtribe Sarcanthinae. 9(1): 167–170.
- . 1987. Type material of Stolz's African Orchidaceae conserved at the Naturhistoriska Riksmuseet, Stockholm (S). 10(1): 63–64.
- . 1987. Schlechter's Asian collections of Orchidaceae conserved at the Swedish Museum of Natural History, Stockholm (S) and the National Museum, Prague (PR). 10(1): 65–72.
- . 1989. Unpublished isotypes of Orchidaceae conserved at the Marie Selby Botanical Gardens (SEL). 11: 58–60.
- Churchill, H.W. See M.H. Grayum (1989).
- Cid V., R.M. and R.A. Bye. 1998. Site conditions of an urban wooded area of Mexico City that hosts *Cladocolea loniceroides* Van Tieghem (Loranthaceae). 19(2): A 272.
- Clark, D.B. See R. Dubayah (1998); S.F. Oberbauer (1998, 2000); J.F. Weishampel (2000).
- Clark, K. See N.M. Nadkarni (1994).
- Clement, J. See N.M. Nadkarni (1994).
- Clement, J., M. Moffett, D. Shaw, A. Lara, D. Alarcon and O. Larrain. 1998. Biodiversity and architecture in the crowns of Chile's ancient alerce trees (*Fitzroya cupressoides*). 19(2): A 272.
- Cobb, A., N. Nadkarni and G. Ramsey. 1998. Recolonization of bigleaf maple branches by epiphytic bryophytes following experimental disturbance: evidence for autogenic factors in early succession. 19(2): A 273.
- Cochrane, T.S. 1977. *Podandrogynae brevipedunculata* (Capparidaceae), a new species from Ecuador. 2(1): 32–36.
- Cogliatti-Carvalho, L., D. Ribeiro de Almeida and C.F.D. Rocha. 1998. Phenotype response of *Neoregelia johannis* (Bromeliaceae) dependent on light intensity reaching the plant microhabitat. 19(2): 240–244.
- Coley, P.D. See T.A. Kursar (1994); M. Lowman (1995).
- Coppens d'Eeckenbrugge, G. See F. Leal 1998.
- Corbara, B. See A. Dejean (1999).
- Cordell, S. and G. Goldstein. 1998. Morphological versus physiological adjustment of o'hia across nutrient and substrate age gradients in Hawaii. 19(2): A 273.
- . 1999. Light distribution and photosynthesis of *Metrosideros polymorpha* forests at both ends of a nutrient and substrate age gradient in Hawaii. 20(2): 350–356.
- Costa, A. See T. Fontoura (1991).
- Coxson, D. See N.M. Nadkarni (1994); J. Campbell (1998, 1999).
- Coxson, D.S., M. Jull and S. Stevenson. 1998. Silvicultural systems design and forest canopy processes. 19(2): A 273–274.
- Crist, T.O. See J.C. Gering (1998, 2000).
- Croat, T.B. 1975. A new species of *Dracontium* (Araceae) from Panama. 1(2): 168–171.
- . 1976. Studies in Araceae I: section *Leptanthurium* Schott: the *Anthurium gracile-friedrichsthali* complex of Central and South America. 1(4): 357–364.
- . 1981. Studies in Araceae III: new species of *Anthurium* from Central America. 5(3,4): 315–341.
- . 1986. The distribution of *Anthurium* (Araceae) in Mexico, Middle America and Panama. 9(1): 94–99.
- and R.A. Baker. 1978. Studies in Araceae II: *Anthurium* section *Polyphyllum*. 2(2,3): 230–238.
- . See M. Kessler (1999).
- Crossley, D.A. Jr. See B.C. Reynolds (1995, 2000); B.L. Haines (1998); M.D. Hunter (1998).
- Crow, G.E., D.I. Rivera and C. Charpentier. 1987. Aquatic vascular plants of two Costa Rican ponds. 10(1): 31–35.
- Currah, R. and K. Richardson. 1994. The fungal community associated with Neotropical epiphyte roots. 15(2): A 5.
- Currah, R.S. See K.A. Richardson (1995).
- Dalström, S. 1997. *Phragmipedium besseae*. A living legend. 18(1): 6.
- . 1999. The genus *Solenidiopsis* Senghas (Orchidaceae: Oncidiinae), a discussion and revision. 20(1): 1–9.
- Daniel, T.F. 1993. A synopsis of *Lophostachys* (Acanthaceae) in Mexico and Central America. 14: 64–70.
- Daniels, J.D. and R.O. Lawton. 1993. A natural history of strangling by *Ficus crassiuscula* in a Costa Rican lower montane rain forest. 14: 59–63.
- D'Arcy, W.G. 1977. A new species of *Solanum* (Solanaceae) from Ecuador. 2(1): 63–64.
- Daviña, J.R. See M. Dematteis (1999).
- Dayanandan, B. See D.A. Murawski (1993).
- Dejean, A., B. Corbara and J. Orivel. 1998. Ant-plant relationships: comparing canopies of two tropical Atlantic forests. 19(2): A 274.
- . 1999. The arboreal ant mosaic in two Atlantic rain forests. 20(1): 133–145.
- Delaney, T.W. See L.W. Zettler (1998).
- Dematteis, M. 1997. The karyotypes of *Oncidium moranoi* and *O. pumilum* (Orchidaceae). 18(2): 186–187.
- Dematteis, M. and J.R. Daviña. 1999. Chromosome studies on some orchids from South America. 20(2): 235–238.
- Derbyshire, E. See H. Mercier (1997).
- Determann, R.O. 1981. A new species of *Quekettia* (Orchidaceae) from Surinam. 5(3,4): 306–307.
- . 1982. A new species of *Scelochilus* (Orchidaceae) from French Guyana. 7(1): 88–89.
- de Vasconcelos, M.J.V. S.P. Ribeiro (1998).
- DeVries, P.J. and D. Murray. 1994. Effects of forest degradation on fruit-feeding nymphalid butterflies in an Ecuadorian rain forest. 15(2): A 6.
- Devy, M.S. 1998. Breeding systems in bee-pollinated canopy forests of southwestern Ghats, India. 19(2): A 274.
- . See T. Ganesh (1998, 2000).
- Dezhi Li and Shujie Wu. 2000. Spatial patterns of can-

- opy leaves of saplings of four woody species in a forest environment. 21(1,2): 88–96.
- Dial, R. 1993. The role of wind and dispersal ability in a canopy level predator-prey community. 14: A 12.
- . 1994. Consequences of canopy architecture for animal communities at two spatial scales. 15(2): A 6.
- Dial, R. and S.C. Tobin. 1994. Description of arborist methods for forest canopy access and movement. 15(2): 24–37.
- Díaz Santos, F. 1998. Preference of orchids for tree genus groups in a Nicaraguan tropical rain forest. 19(2): A 274–275.
- . 2000. Orchid preference for host tree genera in a Nicaraguan tropical rain forest. 21(1,2): 25–29.
- Dodero, G.U. and F. Almeda. 1991. *Blakea costaricensis* (Melastomataceae): a remarkable new epiphyte from southeastern Costa Rica. 12: 1–4.
- Dodson, C.H. 1975. Clarification of some nomenclature in the genus *Stanhopea* (Orchidaceae). 1(1): 46–55.
- . 1975. Orchids of Ecuador: *Stanhopea*. 1(2): 114–129.
- . 1975. *Dressleria* and *Clowesia*: a new genus and an old one revived in the Catasetinae (Orchidaceae). 1(2): 130–137.
- . 1977. New orchids from western Ecuador. 2(1): 48–56.
- . 1978. Three new South American species of *Catasetum* (Orchidaceae). 2(2,3): 156–158.
- . 1978. The catasetums (Orchidaceae) of Tapakuma, Guyana. 2(2,3): 159–168.
- . 1978. Two new orchids from Rio Palenque, Ecuador. 2(2,3): 289–290.
- . 1984. Corrections of identifications in *Icones Plantarum Tropicarum*, plates 001–1000. 7(2–4): 354–358.
- . See N.H. Williams (1981, 1984).
- Dodson, C.H. and C.A. Luer. 1975. A new *Oncidium* (Orchidaceae) from Bolivia. 1(1): 44–45.
- Dodson, C.H. and A.H. Gentry. 1977. *Epiphyllum phyllanthus* (L.) Haw. (Cactaceae) and its allies in Ecuador. 2(1): 30–31.
- . 1977. New species in the Urticaceae and Sapindaceae from the Rio Palenque Science Center, Ecuador. 2(1): 64–66.
- . 1978. Heliconias (Musaceae) of the Rio Palenque Science Center, Ecuador. 2(2,3): 291–299.
- . 1978. Flora of the Rio Palenque Science Center, Los Rios Province, Ecuador. 4(1–6): 1–628.
- Dodson, C.H., A.H. Gentry and F.M. Valverde. 1986. Flora of Juaneche, Los Rios, Ecuador. 8(1–4): 1–512.
- Donahue, P. and T. Wood. 1994. A safe, flexible and non-invasive technique for climbing tropical trees. 15(2): A 6–7.
- . 1995. A safe, flexible and non-injurious technique for climbing tall trees. 16(2): 196–200.
- Donovan, C. See H. Heatwole (1997).
- Dorrington, G. 1994. Use of lighter-than-air vehicles for access to the upper canopy of tropical forests. 15(2): A 7.
- . 1995. Use of lighter-than-air vehicles for mobile access to the upper canopy. 16(2): 141–143.
- Dovholuk, A. See K. Sokolski (1997).
- Dovholuk, L. See K. Sokolski (1997).
- Dressler, R.L. 1978. Two noteworthy ornamentals from the Caribbean coast of Panama. 2(2,3): 300–302.
- . 1979. The subfamilies of the Orchidaceae. 5(2): 197–206.
- . 1989. Pollinia-presentation in *Dendrobium* section *Pedilonum* (Orchidaceae). 11: 35–38.
- . See N.H. Williams (1976); J.T. Atwood (1995, 1998).
- Dubayah, R. See J.F. Weishampel (2000).
- Dubayah, R., S. Prince, B. Blair, R. Knox, D. Clark and J. Weishampel. 1998. The Vegetation Canopy LIDAR Mission: canopy structure from La Selva, Costa Rica. 19(2): A 275.
- Dunn, R.R. 2000. Bromeliad communities in isolated trees and three successional stages of an Andean cloud forest in Ecuador. 21(1,2): 137–143.
- Dunsterville, G.C.K. 1978. A new species of *Pleurothallis* from Venezuela (Orchidaceae). 2(2,3): 210–211.
- Durán, R. See D. Mondragón (1998, 1999).
- Dwyer, J.D. 1977. New species of *Cephaelis* and *Gonzalagunia* (Rubiaceae) from Ecuador. 2(1): 57–59.
- Dyanandan, S. See Gunatilleke (1994).
- Edwards, M.B., T.B. Harrington and Mingguang Xu. 1998. Characteristics of southern pine beetle gaps in central Georgia, USA. 19(2): A 275.
- Eilu, G. 2000. Liana abundance in three tropical rain forests of western Uganda. 21(1–2): 30–37.
- Eilu, G., D. Hafashimana and P. Mucunguzi. 1998. Diversity of lianas and vascular epiphytes in tropical forests of the Albertine Rift, western Uganda. 19(2): A 275–276.
- Engwald, S. See J. Nieder (1998, 1999).
- Ertelt, J.B. 1992. Horticultural aspects of growing and displaying a wide variety of epiphytes. 13: 95–98.
- Erwin, T.L. 1993. Stratification of neotropical forest microhabitats and associated arthropod faunules: a progress report. 14: A 10.
- . 1994. Arthropods of the subcanopy in the Neotropical forest. 15(2): A 7.
- Erwin, T. and D. Southard. 1998. Amazonian beta-diversity and its implications for the conservation of canopy arthropods. 19(2): A 276.
- Escobar, R.R. See C.A. Luer (1982).
- Espejo-Serna, A. See A.R. López-Ferrari (1998).
- Fagan, L.L. and N.N. Winchester. 1998. Arboreal oribatid mites: diversity and rates of canopy colonization in a Canadian montane forest. 19(2): A 276.
- . 1999. Arboreal arthropods: Diversity and rates of colonization in a temperate montane forest. 20(1): 171–178.
- Faletta, P. See Sokolski (1997).
- Ferrell-Ingram, K. See N.M. Nadkarni (1992); S.W. Ingram (1996).
- Figueroa-Rangel, B.L. and M. Olvera Vargas. 1998. Canopy species composition and site conditions in mixed-oak forests of Sierra de Manantlan, Mexico. 19(2): A 276–277.

- Fitzjarrald, D.R. and K.E. Moore. 1994. Physical mechanisms of canopy-atmosphere exchange. 15(2): A 7–8.
- Flick, C. See D.C. Shaw (1998, 1999).
- Floren, A. and K.E. Linsenmair. 1998. Diversity and recolonization of arboreal Formicidae and Coleoptera in a lowland rain forest in Sabah, Malaysia. 19(2): 155–161.
- . 1998. Changes in arthropod community structure on a disturbance gradient in the Tropics. 19(2): A 277.
- . 1999. Changes in arboreal arthropod communities along a disturbance gradient. 20(2): 284–289.
- Fonseca, C.R.V. See J.C. Hurtado Guerrero (1998).
- Fontoura, T. 1994. New synonymies in the genus *Billbergia* Thunberg (Bromeliaceae) 15(2): 79–81.
- . 1995. Distribution patterns of five Bromeliaceae genera in Atlantic rain forest, Rio de Janeiro State, Brazil. 16(1): 79–93.
- . 1998. Epiphytic biomass in cocoa plantations of northeastern Brazil. 19(2): A 277.
- Fontoura, T., A. Costa and T. Wendt. 1991. Preliminary checklist of the Bromeliaceae of Rio de Janeiro State, Brazil. 12: 5–45.
- Foster, A.S. See P. Burns-Balogh (1984).
- Foster, R.B. and M.D. Lowman. 1994. Crown status of tropical trees. 15(2): A 8.
- Frank, J.H. 1999. Bromeliad-eating weevils. 20(1): 40–48.
- Franklin, J.F. See D.C. Shaw (1993).
- Freiberg, M. 1997. Spatial and temporal pattern of temperature and humidity of a tropical premontane rain forest tree in Costa Rica. 18(1): 77–84.
- . 1998. The influence of canopy epiphytes on temperature in a tropical rain forest of French Guiana. 19(2): A 277–278.
- Friedman, W.E. See D.H. Benzing (1981).
- Fritz, W. See G. Carnevali Fernández-Concha (2000).
- Fubusa, Y. 1998. The Jane Goodall Institute: the last tree. 19(2): A 278.
- Gamon, J. See S. Mulkey (1994).
- Ganesan, V. and K. Paliwal. 1998. Assessing the successional status of *Terminalia bellirica* (Combretaceae). 19(2): A 278.
- Ganesh, T. and M.S. Devy. 1998. Flower use by arboreal mammals and pollination of a rain forest tree species in southwestern Ghats, India. 19(2): A 278–279.
- . 2000. Flower use by arboreal mammals and pollination of a rain forest tree in southwestern Ghats, India. 21(1,2): 60–65.
- García-Franco, J.G. and V. Rico-Gray. 1992. Frequency of galls in the roots of *Tillandsia ionantha* (Bromeliaceae) in a tropical dry forest in the state of Vera Cruz, Mexico. 13: 57–61.
- Gardner, C.S. 1978. A new species of *Tillandsia* (L.) (Bromeliaceae) from Mexico. 2(4): 338–339.
- . 1984. New species and nomenclatural changes in Mexican *Tillandsia* (Bromeliaceae) I. 7(2–4): 361–379.
- . 1984. Natural hybridization in *Tillandsia* subgenus *Tillandsia* (Bromeliaceae). 7(2–4): 380–393.
- . 1986. Inferences about pollination in *Tillandsia* (Bromeliaceae). 9(1): 76–87.
- . 1986. Preliminary classification of *Tillandsia* (Bromeliaceae) based on floral characters. 9(1): 130–146.
- Gentry, A.H. 1977. New species of Leguminosae, Lauraceae and Monimiaceae and new combinations in Bignoniaceae from western Ecuador. 2(1): 39–45.
- . See C.H. Dodson (1977, 1978, 1986); R.C. Kaastra (1978).
- Gerard, F. See A. Millington (1996).
- Gering, J.C. and T.O. Crist. 1998. Patterns of beetle (Coleoptera) diversity among canopies of representative tree species in an old-growth temperate deciduous forest. 19(2): A 279.
- . 2000. Patterns of beetle (Coleoptera) diversity in crowns of representative tree species in an old-growth temperate deciduous forest. 21(1,2): 38–47.
- Gilbert, G. 1994. The effects of pathogens on juvenile mortality in tropical trees. 15(2): A 8.
- . 1995. Rain forest plant diseases: The canopy-understory connection. 16(1): 75–77.
- Gillison, A.N. 1994. The distribution of plant functional types within and below a rain forest canopy. 15(2): A 9.
- Gilmartin, A.J. 1981. A new species of *Aechmea* (Bromeliaceae) from Ecuador. 5(3,4): 308–309.
- . See G.K. Brown (1986).
- Gleissner, P. 1998. How the problem of sexes is dealt with in tree branching. 19(2): A 279–280.
- . 1999. How the problem of sexes is dealt with in tree branching. 20(2): 332–338.
- Godin, J. See G.J. Husk (1998).
- Goldstein, G. See S. Cordell (1998, 1999).
- Goldstein, G., F. Meinzer, J. Cavelier, P. Jackson and N.M. Holbrook. 1993. Stomatal and environmental regulation of water use efficiency and carbon isotope discrimination in a tropical forest canopy. 14: A 24.
- Gomez, M. See I. Olmsted (1994).
- Gorb, E. and S. Gorb. 1996. Correlation between size classes of ants *Formica polyctena* and seed on myremecochorous plants of deciduous forest (Central Ukraine, East Europe). 17(1): A 104–105.
- Gorb, S. See E. Gorb (1996).
- Gouda, E.J. 1999. Studies on the flora of the Guianas No. 90: Checklist of Bromeliaceae of the Guianas with notes on critical species. 20(1): 30–39.
- . See T. Krömer (1999).
- Grant, J.R. and G. Zijlstra. An annotated catalogue of the generic names of the Bromeliaceae. 19(1): 91–121.
- Grayum, M.H. and H.W. Churchill. 1989. The vascular flora of La Selva Biological Station, Costa Rica—Lycopodiophyta. 11: 61–65.
- . 1989. The vascular flora of La Selva Biological Station, Costa Rica—Polypodiophyta. 11: 66–118.
- Gregg, K.B. 1975. The effect of light intensity on sex expression in species of *Cynoches* and *Catantum* (Orchidaceae). 1(2): 101–113.
- . 1978. The interaction of light intensity, plant

- size and nutrition in sex expression in *Cynoches* (Orchidaceae). 2(2,3): 212–223.
- Gross, E. 1998. The type specimens of Bromeliaceae in the herbarium of the Institute of Systematic Botany of the University of Heidelberg, Germany. 19(2): 191–217.
- Grubbauer, P. See M. Preleuthner (1998).
- Gruner, D. 1998. Herbivory and arthropod diversity across a long age gradient in the Hawaiian Islands. 19(2): A 280.
- Guevara, S., J. Laborde, U. Hietz-Seifert and P. Hietz. 1994. Ecology of fragmented canopy remnants of tropical rain forest. 15(2): A 9.
- Guevara, S., J. Laborde and G. Sánchez. 1998. Are isolated remnant trees in pastures a fragmented canopy? 19(1): 34–43.
- Gunatilleke, C.V.S. See I.A.U.N. Gunatilleke (1994).
- Gunatilleke, I.A.U.N., C.V.S. Gunatilleke and S. Dayanandan. 1994. Reproductive biology of Sri Lankan diptocarps. 15(2): A 9–10.
- Hadley, J. 1998. A preliminary model of carbon exchange by an old-growth eastern hemlock stand. 19(2): A 280.
- Hadwen, W.L., R.L. Kitching and M.F. Olsen. 1998. Folivory levels of seedlings and canopy trees in tropical and subtropical rain forests in Australia. 19(2): 162–171.
- Hafashimana, D. See G. Eilu (1998).
- Hafellner, J. See H. Komposch (1998, 2000).
- Hågsater, E. and M.A.S. Arenas. 1998. Orchid conservation in Mexico. 19(1): 15–19.
- Haines, B.L. and D.A. Crossley, Jr. 1998. Defoliation of a southern Appalachian hardwood forest by canker-worm (*Alsophila pomataria*): impact on throughfall, litter, soil, and stream solution chemistry. 19(2): A 280–281.
- Hall, P. See D.A. Murawski (1993).
- Hallé, F. See O. Pascal (1994); M. Lowman (1995).
- Hamer, F. 1988. Orchids of Central America: an illustrated field guide (A–L). 10 Supplement: 1–422.
- . 1990. Orchids of Central America: an illustrated field guide (M–Z). 11 Supplement: 423–860.
- Hamid, A.A. See T. Inoue (1994, 1995).
- Hammel, B.E. 1986. New species of Clusiaceae from Central America with notes on *Clusia* and synonymy in the tribe Clusieae. 9(1): 112–120.
- . 1986. Characteristics and phytogeographical analysis of a subset of the flora of La Selva (Costa Rica). 9(1): 149–155.
- . 1986. The vascular flora of La Selva Biological Station, Costa Rica: Cecropiaceae. 9(1): 192–195.
- . 1986. The vascular flora of La Selva Biological Station, Costa Rica: Cycanthaceae. 9(1): 196–202.
- . 1986. The vascular flora of La Selva Biological Station, Costa Rica: Guttiferae. 9(1): 203–217.
- . 1986. The vascular flora of La Selva Biological Station, Costa Rica: Lauraceae. 9(1): 218–233.
- . 1986. The vascular flora of La Selva Biological Station, Costa Rica: Marantaceae. 9(1): 234–242.
- . 1986. The vascular flora of La Selva Biological Station, Costa Rica: Moraceae. 9(1): 243–259.
- . See C.M. Taylor (1991).
- Hammond, P. See J.C. Hurtado Guerrero (1998).
- Hanke, J.K. See H.J.F. Van Dunne (1998).
- Hanneman, A. 2000. Construction of a lightweight canopy walkway in a chocó cloud forest, Ecuador. 21(1–2): 151–155.
- Harada, A.Y. See J. Adis (1998 A).
- Harding, D.J. See J.F. Weishampel (1996).
- Harrington, T.B. See M.B. Edwards (1998).
- Hart, J. and T. Hart. 1994. Impact of browsing by okapi (*Giraffidae*), a large mammalian folivore on canopy seedlings in Ituri Forest, Zaire. 15(2): A 10.
- Hart, T. See J. Hart (1994).
- Hartshorn, G.S. 1996. Tropical Forests: Are conservation and forestry compatible? 17(1): 1–5.
- Heatwole, H. 1993. Distribution of epiphytes on trunks of the arborescent fern, *Blechnum palmiforme*, at Gough Island, South Atlantic. 14: 46–58.
- Heatwole, H. and W. Higgins. 1993. Canopy research methods: a review. 14: A 23.
- Heatwole, H., M.D. Lowman, C. Donovan and M. McCoy. 1997. Phenology of leaf-flushing and macroarthropod abundances in canopies of *Eucalyptus* saplings. 18(2): 200–214.
- Heatwole, H., M. Lowman and K. Abbott. 1998. How variable is the intensity of insect grazing in eucalypt canopies of Australia and elsewhere? 19(2): A 281.
- Heatwole, H., M.D. Lowman and K.L. Abbott. 1999. Grazing on Australian eucalypt leaves by insects. 20(2): 299–323.
- Henderson, A. See S. Zona (1989).
- Herwitz, S.R. and R.E. Slye. 1992. Spatial variability in the interception of inclined rainfall by a tropical rain forest canopy. 13: 62–71.
- Herwitz, S.R., R.E. Slye and S.M. Turton. 1994. Lateral shading and the differential interception of angular direct-beam radiation among neighboring tropical rain forest canopy trees. 15(2): A 10.
- Hietz, P. See S. Guevara (1994).
- Hietz, P. and U. Hietz-Seifert. 1995. Intra- and interspecific relations within an epiphyte community in a Mexican humid montane forest. 16(2): 135–140.
- Hietz, P. and J. Ausserer. 1998. Population dynamics and growth of epiphytes in a humid montane forest in Mexico. 19(2): A 281.
- Hietz-Seifert, U. See S. Guevara (1994); P. Heitz (1995).
- Higgins W. See H. Heatwole (1993).
- Hofstede, R.G.M., J.H.D. Wolf and D.H. Benzing. 1993. Epiphytic biomass and nutrient status of a Colombian upper montane rain forest. 14: 37–45.
- Höft, R. See Y. Basset (1994).
- Hogan, K.P. See A.P. Smith (1993).
- Holbrook, N.M. See F.E. Putz (1986); G. Goldstein (1993).
- Holst, B.K. 1994. Checklist of Venezuelan Bromeliaceae with notes on species distribution by state and levels of endemism. 15(1): 132–149.
- . See F. Leal (1998); T. Krömer (1999).
- . 2000. A quarter century of epiphytes: dedication and foreword. 21(1,2): 1–2.

- Holst, B.K. and P. Worley. 2000. Taxonomic novelties published in Selbyana 1975–2000, Volumes 1–21. 21(1-2): 177–192.
- Holthe, P.A., A. Patel and I.P. Ting. 1992. The occurrence of CAM in *Peperomia*. 13: 77–87.
- Horan, S. See D. McClearn (1996).
- Hotta, M. See F. Koike (1998).
- Hunter, M.D. See B.C. Reynolds (1998, 2000).
- Hunter, M.D. and D.A. Crossley, Jr. 1998. Canopy-forest floor interactions in theory and practice. 19(2): A 281–282.
- Hurtado Guerrero, J.C., C.R.V. Fonseca, P. Hammond and N. Stork. 1998. Diversity of arthropods associated with Sapotaceae and Lecythidaceae tree canopies at the Adolpho Ducke Forest Reserve, Manaus, Amazonas, Brazil. 19(2): A 282.
- Husk, G.J., J. Godin and J. Weishampel. 1998. Biogeochemistry of Spanish moss in Orange County, Florida: a 25-year revisit. 19(2): A 282.
- Hussein, N.A. See N. Adachi (1998).
- Ibisch, P.L. See T. Krömer (1999).
- Iltis, H.H. 1978. Studies in the Cappariaceae XIV: *Capparis ecuadorica*, a new species. 2(2,3): 303–307.
- Impens, I. See D. Salvador-Van Eysenrode (1998, 1999).
- Ingram, S.W., K. Ferrell-Ingram and N.M. Nadkarni. 1996. Floristic composition of vascular epiphytes in a neotropical cloud forest, Monteverde, Costa Rica. 17(1): 88–103.
- Inoue, T. See T. Yumoto (1994).
- Inoue, T. and A.A. Hamid. 1994. Canopy biology program in Sarawak. 15(2): A 11.
- Inoue, T., T. Yumoto, A.A. Hamid, L.H. Seng and K. Ogino. 1995. Construction of a canopy observation system in a tropical rain forest of Sarawak. 16(1): 24–35.
- Inque, T. See S. Sakai (1998).
- Irvine, T. 1994. Why do tropical American rain forests have more large flowers than tropical Australian rain forests? A visual tour of Australian flora. 15(2): A 11.
- Itino, T. See T. Yumoto (1997).
- Jackson, P. See G. Goldstein (1993).
- Jacques-Félix, H. 2000. The discovery of a bromeliad in Africa: *Pitcairnia feliciana*. 21(1,2): 118–124.
- Jaramillo, M.A. See J. Betancur (1998).
- Jaramillo, M.A. and J. Cavellier. 1998. Fenología de dos especies de *Tillandsia* (Bromeliaceae) en un bosque montano alto de la Cordillera Oriental Colombiana. 19(1): 44–51.
- Jordan, K. See S. Hughes (1994).
- Judrez, M.G. See I. Olmsted (1996).
- Jull, M. See D.S. Coxson (1998).
- Kaastra, R.C. and A.H. Gentry. 1978. A new *Erythronium* (Rutaceae) from Ecuador. 2(2,3): 287–288.
- Kahembwe, F. 1998. Tropical high forest canopy management practices in Uganda: a case study of the Budongo Forest. 19(2): A 282–283.
- Kakubari Yoshitaka. See Li Xiaoming (1998).
- Kalko, E.K.V. 1998. Vertical stratification in neotropical bat communities. 19(2): A 283.
- Kato, M. See S. Sakai (1998).
- Kennedy, H. 1977. A new *Calathea* (Marantaceae) from Ecuador. 2(1): 46, 48.
- . 1994. *Calathea amazonica*, a new species in *Calathea* section *Comasae* (Marantaceae) from Peru. 15(2): 63–65.
- . 1997. Two new endemic Costa Rican species of *Calathea* (Marantaceae): *Calathea hammelii* and *C. gloriana*. 18(1): 33–37.
- Kerbaui, G. See H. Mercier (1995, 1997).
- Kernan, C. 1994. A method for estimating bark surface in forest canopies. 15(2): 14–17.
- Kessler, M. See T. Krömer (1999).
- Kessler, M. and T.B. Croat. 1999. State of knowledge of Bolivian Araceae. 20(2): 224–234.
- Kikuzawa, K. 1998. Leaf longevity of forest trees. 19(2): A 283.
- Kitajima, K. See S. Mulkey (1994, 1995).
- Kitajima, K. and S.S. Mulkey. 1998. Ecophysiology of canopy leaves: constraints on resource allocations in time and space. 19(2): A 283–284.
- Kitching, R.L. and M. Arthur. 1993. The biodiversity of arthropods from Australian rain forest canopies: summary of projects and the impact of drought. 14: 29–35.
- . See M.D. Lowman (1996); W.L. Hadwen (1998).
- Knott, C. 1998. Negotiating the canopy with the largest canopy animal—the orangutan. 19(2): A 284.
- Knox, R. See R. Dubayah (1998); J.F. Weishampel (2000).
- Koeniger, W. 1981. A new *Trisetella* from Peru (Orchidaceae). 5(3,4): 296.
- Koike, F., S. Riswan, T. Partomihardjo, E. Suzuki and M. Hotta. 1998. Canopy structure and insect community distribution in a tropical rain forest of West Kalimantan. 19(2): 147–154.
- Komposch, H. and J. Hafellner. 1998. Biodiversity and ecology of lichens in an Amazonian tropical lowland rain forest. 19(2): A 284.
- . 2000. Diversity and vertical distribution of lichens in a Venezuelan tropical lowland rain forest. 21(1-2): 11–24.
- Koopowitz, H. 1992. A stochastic model for the extinction of tropical orchids. 13: 115–122.
- Kress, W.J. 1986. A symposium: The biology of tropical epiphytes. 9(1): 1.
- . 1986. The systematic distribution of vascular epiphytes: an update. 9(1): 2–22.
- . 1986. New heliconias (Heliconiaceae) from Panama 9(1): 156–166.
- . 1989. New taxa and notes on *Heliconia* (Heliconiaceae). 11: 49–53.
- . See J.B. Watson (1987).
- Krings, A. 2000. Floristics and ecology of mesoamerican montane climber communities of Monteverde, Costa Rica. 21(1,2): 156–164.
- Krömer, T. 1998. Distribution and ecology of Bromeliaceae along two altitudinal transects in the Bolivian Andes. 19(2): A 284–285.
- . 1998. Nectar-sugar composition of Bromeliaceae in relation to pollinator types. 19(2): A 285.
- Krömer, T., M. Kessler, B.K. Holst, H.E. Luther, E.J. Gouda, P.L. Ibisch, W. Till and R. Vásquez. 1999. Checklist of Bolivian Bromeliaceae with notes on

- species distribution and levels of endemism. 20(2): 201–223.
- Krügel, P. See W. Morawetz (1996).
- Kunz, T.H., B. Bouricius and P. Wittman. 1998. A new canopy walkway at the Tiputini Biodiversity Station in Ecuador. 19(2): A 285.
- Kursar, T.A. and P.D. Coley. 1994. Physiological diversity among shade-tolerant species. 15(2): A 11–12.
- Kutz, W.E. See S.P. Bush (1998, 1999).
- Laborde, J. See S. Guevara (1994, 1998).
- Laman, T.G. 1994. Strangler fig seedling establishment in the rain forest canopy of Borneo—implications for the maintenance of *Ficus* species diversity. 15(2): A 12.
- . 1995. The ecology of strangler fig seedling establishment. 16(2): 223–229.
- . 1998. Gliding vertebrates in rain forest canopies: a new hypothesis to explain their unequal geographical distribution. 19(2): A 285–286.
- Lara, A. See J. Clement (1998).
- Larkin, D. 1998. Youth in the canopy: one organization's success in the Peruvian Amazon. 19(2): A 286.
- Larrain, O. See J. Clement (1998).
- Larson, R.J. 1992. Population dynamics of *Encyclia tampensis* in Florida. 13: 50–56.
- Laumonier, Y. 1994. Rain forest canopy large scale mapping: techniques, applications and prospects. 15(2): A 12–13.
- Lawton, R.O. See J.D. Daniels (1993).
- Lawton, R.O. and G. Williams-Linera. 1994. The population biology of hemiepiphytes. 15(2): A 13.
- . 1996. Hemiepiphyte-host relationships: Research problems and prospects. 17(1): 71–74.
- Leal, F., G. Coppens d'Eeckenbrugge and B.K. Holst. 1998. Taxonomy of the genera *Ananas* and *Pseudananas*—an historical review. 19(2): 227–235.
- Lellinger, D.B. 1978. Rio Palenque fern notes. 2(2,3): 283–285.
- Leme, E.M.C. 1995. Miscellaneous new species of Brazilian Bromeliaceae. 16(1): 110–122.
- Leme, E.M.C. and H.E. Luther. 1998. Miscellaneous new species of Brazilian Bromeliaceae—II. 19(2): 183–190.
- Lerdau, M. 1998. Biological diversity and trace gas exchanges between forest canopies and the atmosphere. 19(2): A 286.
- Li Xiaoming, Zeng Fanjiang, Zhang Ximing and Kakubari Yoshitaka. 1998. Gas exchange characteristics of four *Populus* species in a forest canopy at the southern margin of Taklimakan Desert, China. 19(2): A 286–287.
- Linsenmair, K.E. See A. Floren (1998).
- Listabarth, C. See W. Morawetz (1996).
- Loescher, H. See S.F. Oberbauer (1998, 2000).
- Longino, J.T. 1986. Ants provide substrate for epiphytes. 9(1): 100–103.
- . 1994. Species richness of ants (Formicidae) in a tropical forest canopy, using insecticidal fogging and richness estimation procedures. 15(2): A 13.
- Loope, L.L. See A.C. Medeiros (1993).
- Lopes Paz, N.P. See T. Wendt (2000).
- López-Ferrari, A.R. and A. Espejo-Serna. 1998. The type specimens of Bromeliaceae in the herbarium "Eizi Matuda" (CODAGEM) of the Comisión Botánica Exploradora del Estado de México. 19(1): 66–82.
- Lovett, G.M. 1998. Canopy herbivory and soil nutrient availability. 19(2): A 287.
- Lovett, G.M. and K.C. Weathers. 1994. Atmospheric deposition and forest canopy structure. 15(2): A 14.
- Lowman, M.D. 1993. Forest canopy research: New World, Old World comparisons. 14: 1–2.
- . 1993. Leaf growth and herbivory in Australian rain forest canopies—how does it compare to Africa? 14: A 9.
- . 1995. Linking systematics and ecology to promote conservation. 16(2): 125–126.
- . 1999. Forest Canopies 1998: Global Perspectives—A new beginning for the new millennium. 20(1): 61–65.
- . See R.B. Foster (1994); B. Bouricius (1994); P.H. Taylor (1996); L. Zapfack (1996); H. Heattwole (1997, 1999); E. Preisser (1998); B.A. Nkongmeneck (1998).
- Lowman, M.D. and B. Bouricius. 1993. Canopy walkways—techniques for their design and construction. 14: A 4.
- . 1995. The construction of platforms and bridges for forest canopy access. 16(2): 179–184.
- Lowman, M.D., M. Moffett and H.B. Rinker. 1993. A new technique for taxonomic and ecological sampling in rain forest canopies. 14: 75–79.
- Lowman, M.D., P. Taylor and N. Block. 1993. Vertical stratification of small mammals and insects in the canopy of a temperate deciduous forest: a reversal of tropical forest distribution? 14: A 25.
- Lowman, M.D. and S.J. Wright. 1994. Temporal and spatial variability in herbivory between Neotropical and Paleotropical rain forest canopies. 15(2): A 14.
- Lowman, M.D., F. Hallé, B. Bouricius, P. Coley, N. Nadkarni, G. Parker, K. Saterson and S.J. Wright. 1995. What's up? Perspectives from the first International Forest Canopy Conference at Sarasota, Florida, 1994. 16(1): 1–11.
- Lowman, M.D., R.L. Kitching and G. Carruthers. 1996. Arthropod sampling in Australian subtropical rain forests—how accurate are some of the more common techniques? 17(1): 36–42.
- Luer, C.A. 1975. Icones Pleurothallidarum, *Pleurothallis* (Orchidaceae) of Ecuador I. 1(1): 56–100.
- . 1975. Icones Pleurothallidarum, *Pleurothallis* (Orchidaceae) of Ecuador II. 1(2): 172–195.
- . 1975. Icones Pleurothallidarum, *Pleurothallis* (Orchidaceae) of Mexico and Central America. 1(2): 196–211.
- . 1975. Icones Pleurothallidarum, *Pleurothallis* (Orchidaceae) of Ecuador, addenda et corrigenda. 1(2): 212.
- . 1975. Icones Pleurothallidarum, new discoveries in *Acostaea* (Orchidaceae). 1(3): 213–217.
- . 1975. Icones Pleurothallidarum, *Physothallis* (Orchidaceae). 1(3): 218–219.

- . 1975. Icones Pleurothallidarum, *Pleurothallis* (Orchidaceae) of Ecuador III. 1(3): 220–303.
- . 1975. Icones Pleurothallidarum, *Pleurothallis* (Orchidaceae) of Mexico and Central America II. 1(3): 304–323.
- . 1975. Icones Pleurothallidarum, addenda et corrigenda. 1(3): 324.
- . 1976. Icones Pleurothallidarum, *Pleurothallis* (Orchidaceae) of Ecuador IV. 1(4): 410–425.
- . 1976. Icones Pleurothallidarum, addenda et corrigenda. 1(4): 426.
- . 1976. Icones Pleurothallidarum, *Dresslerella* (Orchidaceae), a new genus in the Pleurothallidinae. 3(1,2): 1–9.
- . 1976. Icones Pleurothallidarum, miscellaneous new species in *Barbosella*, *Lepanthes*, *Masdevallia*, *Platystele* and *Scaphosepalum* (Orchidaceae). 3(1,2): 10–37.
- . 1976. Icones Pleurothallidarum, miscellaneous species of *Pleurothallis* (Orchidaceae). 3(1,2): 38–201.
- . 1976. Icones Pleurothallidarum (Orchidaceae), addenda et corrigenda. 3(1,2): 202.
- . 1977. Icones Pleurothallidarum, miscellaneous species in the Pleurothallidinae: addenda et corrigenda, *Barbosella*, *Masdevallia*, *Physothallis*, *Platystele*, *Pleurothallis* (Orchidaceae). 3(3,4): 203–407.
- . 1977. Index to the genera and species of Pleurothallidinae (Orchidaceae) in [Selbyana] Volume I and Volume III. 3(3,4): 408–412.
- . 1978. Icones Pleurothallidarum and *Reetataea*, a new genus in the Pleurothallidinae (Orchidaceae). 2(2,3): 183–184.
- . 1978. Icones Pleurothallidarum, additions to the genus *Dresslerella* (Orchidaceae). 2(2,3): 185–189.
- . 1978. Icones Pleurothallidarum, *Dracula*, a new genus in the Pleurothallidinae (Orchidaceae). 2(2,3): 190–198.
- . 1978. Icones Pleurothallidarum, *Restrepiopsis*, a new genus in the Pleurothallidinae (Orchidaceae). 2(2,3): 199–204.
- . 1978. Icones Pleurothallidarum, new combinations in *Triaristella* (Orchidaceae). 2(2,3): 205–206.
- . 1978. Icones Pleurothallidarum, *Dryadella*, a new genus in the Pleurothallidinae (Orchidaceae). 2(2,3): 207–209.
- . 1978. Icones Pleurothallidarum, miscellaneous new species and combinations in the Pleurothallidinae (Orchidaceae). 2(4): 367–390.
- . 1978. Icones Pleurothallidarum (Orchidaceae), addenda et corrigenda. 2(4): 391.
- . 1979. Icones Pleurothallidarum, miscellaneous new species in the Pleurothallidinae (Orchidaceae). 5(2): 145–194.
- . 1981. *Epidendrum troxalis* (Orchidaceae), a new species from Ecuador. 5(3,4): 385.
- . 1981. *Barbrodria*, a new genus in the Pleurothallidinae (Orchidaceae). 5(3,4): 386–387.
- . 1981. A re-evaluation of the genus *Physosiphon* (Orchidaceae). 5(3,4): 388.
- . 1981. Miscellaneous new species in the Pleurothallidinae (Orchidaceae). 5(3,4): 389–396.
- . 1982. A re-evaluation of the genus *Myoxanthus* (Orchidaceae). 7(1): 34–54.
- . 1982. *Ophidion* and *Zootrophion*, two new genera in the Pleurothallidinae (Orchidaceae). 7(1): 79–87.
- . 1982. Miscellaneous new species and combinations in the Pleurothallidinae (Orchidaceae). 7(1): 100–128.
- . See C.H. Dodson (1975).
- Luer, C.A. and R. Escobar R. 1982. New species and combinations in *Dracula* and *Masdevallia* (Orchidaceae) from Colombia and Venezuela. 7(1): 64–78.
- Lugo, A.E. and F.N. Scatena. 1992. Epiphytes and climate change research in the Caribbean: a proposal. 13: 123–130.
- Luther, H.E. 1981. Miscellaneous new taxa of Bromeliaceae (I). 5(3,4): 310–314.
- . 1982. Miscellaneous new taxa of Bromeliaceae (II). 7(1): 90–93.
- . 1984. Miscellaneous new taxa of Bromeliaceae (IV). 7(2–4): 348–352.
- . 1984. Noteworthy range extensions of Bromeliaceae. 7(2–4): 351, 353.
- . 1986. A new species of *Guzmania* (Bromeliaceae) from western Ecuador. 9(1): 187–188.
- . 1987. New taxa of Bromeliaceae (V). 10(1): 56–59.
- . 1989. Miscellaneous new taxa of Bromeliaceae (VI). 11: 54–57.
- . 1991. Miscellaneous new taxa of Bromeliaceae (VIII). 12: 68–90.
- . 1994. A guide to the species of *Tillandsia* regulated by Appendix II of CITES. 15(1): 112–131.
- . 1994. Diversity and distribution of *Guzmania* (Bromeliaceae) in Andean South America. 15(2): A 14.
- . 1995. An annotated checklist of the Bromeliaceae of Costa Rica. 16(2): 230–234.
- . 1995. Miscellaneous new taxa of Bromeliaceae (X). 16(2): 235–238.
- . 1997. Miscellaneous new taxa of Bromeliaceae (XI). 18(1): 95–102.
- . 1998. Miscellaneous new taxa of Bromeliaceae (XII). 19(1): 83–90.
- . 1998. Miscellaneous new taxa of Bromeliaceae (XIII). 19(2): 218–226.
- . 1999. Miscellaneous new taxa of Bromeliaceae (XIV). 20(1): 10–15.
- . 2000. Miscellaneous new taxa of Bromeliaceae (XV). 21(1,2): 125–131.
- . See R.W. Read (1991); E.M.C. Leme (1998); T. Krömer (1999).
- Luther, H.E. and E. Sieff. 1994. De rebus Bromeliacearum I. 15(1): 9–93.
- . 1997. De rebus Bromeliacearum II. 18(1): 103–148.
- . 1997. De rebus Bromeliacearum: Addenda et corrigenda. 18(2): 215.
- Machado, J.L. See A.P. Smith (1993).
- Madigosky, S.R. and S. Skelly. 1998. Micrometeorologic characteristics of a primary tropical Amazon rain forest at ACEER in Iquitos, Peru. 19(2): A 287.

- Madigosky, S.R. and I. Vatnick. 2000. Microclimatic characteristics of a primary tropical Amazonian rain forest, ACEER, Iquitos, Peru. 21(1,2): 165–172.
- Madison, M. 1976. *Alloschemone* and *Scindapsus* (Araceae). 1(4): 325–327.
- . 1976. A new species of *Rhodospatha* (Araceae) from Colombia. 1(4): 328–329.
- . 1977. Vascular epiphytes: their systematic occurrence and salient features. 2(1): 1–13.
- . 1977. New aroids from western Ecuador. 2(1): 22–25.
- . 1978. The species of *Anthurium* (Araceae) with palmately divided leaves. 2(2,3): 239–282.
- . 1978. A new *Anthurium* (Araceae) from western Ecuador. 2(2,3): 286.
- . 1978. A new *Anthurium* (Araceae) from eastern Ecuador. 5(1): 94.
- . 1979. Additional observations on ant-gardens in Amazonas. 5(2): 107–115.
- . 1979. Distribution of epiphytes in a rubber plantation in Sarawak. 5(2): 207–213.
- . 1981. Notes on *Caladium* (Araceae) and its allies. 5(3,4): 342–377.
- . 1984. Notes on *Caladium* (Araceae) and its allies. 7(2–4): 353.
- Maikhuri, R.K. See K.S. Rao (1998, 2000).
- Maini, S.A. See J.C. Voltolini (1998).
- Malcolm, J.R. and J.C. Voltolini. 1994. The three-dimensional structure of Amazon and Congo basin small mammal communities. 15(2): A 15.
- Manokaran, N. See N. Adachi (1998).
- Mantovani, A. 1998. Considering epiphytism in the family Araceae. 19(2): A 287–288.
- . 1999. Leaf morpho-physiology and distribution of epiphytic aroids along a vertical gradient in a Brazilian rain forest. 20(2): 241–249.
- Martin, C.E. See W.W. Adams III (1986).
- Martin, C.E. See J.P. Carter (1994).
- McClearn, D. See L. Padilla (1998).
- McClearn, D., H. Roman, S. Horan and W. Rose. 1996. Canopy mammal trapping on Barro Colorado Island, Panama: A six month survey. 17(1): 27–35.
- McConnell, M. See N.M. Nadkarni (1994).
- McCoy, M. See H. Heatwole (1997).
- McNeely, J.A. 1998. The science of the canopy: Who needs the information and how they can use it. 19(2): 135–140.
- Medeiros, A.C., L.L. Loope and S.J. Anderson. 1993. Differential colonization of epiphytes on native (*Cibotium* spp.) and alien (*Cyathea cooperi*) tree ferns in a Hawaiian rain forest. 14: 71–74.
- Medianero, E. See A. Valderrama (1998).
- Medley, M.E. 1991. Notes on *Cleistis* and *Triphora* (Orchidaceae). 12: 102–103.
- . 1996. Notes on collections of *Triphora* (Orchidaceae) from the American tropics. 17(1): 83–87.
- Meinzer, F. See G. Goldstein (1993).
- Meirelles, S.T. See F. Reinert (1993).
- Mercier, H. 1994. Importance of tissue culture technique for conservation of endangered Brazilian bromeliads from Atlantic forest canopy. 15(2): A 15.
- Mercier, H. and G.B. Kerbauy. 1995. The importance of tissue culture technique for conservation of endangered Brazilian bromeliads from Atlantic rain forest canopy. 16(2): 147–149.
- Mercier, H., G.B. Kerbauy, M.T.V. Carvalho and E. Derbyshire. 1997. Growth and GDH and AAT isoenzyme patterns in terrestrial and epiphytic bromeliads as influenced by nitrogen source. 18(1): 89–94.
- Mérida, T. See A. Cedeño (1998, 1999).
- Miller, S.E. See A. Allison (1993).
- Millington, A., J. Wellens, B. Wyatt and F. Gerard. 1996. Forest canopy measurements as inputs to tropical forest mapping from remotely sensed data. 17(1): A 106.
- Mingguang Xu. See M.B. Edwards (1998).
- Moffett, M.W. 1993. The tropical rain forest canopy: researching a new frontier. 14: A 3–4.
- . See M. Lowman (1993); J. Clement (1998).
- Momose, K. See S. Sakai (1998).
- Mondragón, D., R. Durán and I. Ramírez. 1998. Population dynamics of *Tillandsia brachycaulos* in a tropical deciduous forest. 19(2): A 288.
- Mondragón, D., R. Durán, I. Ramírez and I. Olmsted. 1999. Population dynamics of *Tillandsia brachycaulos* Schltdl. (Bromeliaceae) in Dzibilchaltun National Park, Yucatán. 20(2): 250–255.
- Montalvo, A.M. See J.D. Ackerman (1986).
- Mora, D.E. and F. Pupulin. 1997. Two new species of *Macroclinium* (Orchidaceae) from Costa Rica. 18(1): 7–10.
- Mora, D.E. See J.T. Atwood (1997).
- Mora-Retana, D.E. See F. Pupulin (1994).
- Morawetz, W., P. Krügel, C. Listabarth and M. Roithmair. 1996. Surumoni Project—towards an understanding of the structure and function of a neotropical rain forest ecosystem with special reference to its canopy. 17(1): A 105.
- Mori, S.A. 1977. *Gustavia dodsonii* (Lecythidaceae), a new species from Rio Palenque, Ecuador. 2(1): 37–38.
- . 1994. Exploring for plant diversity in the canopy of a French Guianan forest. 15(2): A 15–16; 16(1): 94–98.
- Morris, M.W. 1989. *Spiranthes* (Orchidaceae) in Mississippi. 11: 39–48.
- Morrison, A. 1997. Orchid Conservation 97: Keynote address. 18(2): 152–156.
- Moscow, D. See D.H. Benzing (1982).
- Motai, H. See T. Nakashizuka (1998).
- Motzer, T. See D. Anhof (1999).
- Mucunguzi, P. See G. Eilu (1998).
- Mulkey, S.S. See K. Kitajima (1998).
- Mulkey, S., S.J. Wright, K. Kitajima, R.W. Pearce and J. Gamon. 1994. Plant phenology and allocation in response to seasonal and vertical light gradients in the upper canopy of a tropical dry forest. 15(2): A 16.
- Mulkey, S., K. Kitajima and S.J. Wright. 1995. Photosynthetic capacity and leaf longevity in the canopy of a dry tropical forest. 16(2): 169–173.
- Murawski, D.A. 1994. Mating patterns and genetic structure in tropical trees. 15(2): A 16.
- Murawski, D.A., M. Chase, B. Dayanandan, P. Hall and K.S. Bawa. 1993. Mating patterns of canopy trees in the new and old world tropics. 14: A 11.

- Murray, D. See P.J. DeVries (1994).
- Murrell, J.T., N.H. Williams, A.M. Pridgeon and C.H. Dodson. 1981. Floral fragrances in *Angraecum* (Orchidaceae). 5(3,4): 286–290.
- Mursidawati, S. 1998. Distribution of *Pomatocalpa spicata* (Orchidaceae) within and among host trees in Manusela National Park, Maluku Archipelago, Indonesia. 19(2): A 288.
- Mursidawati, S., D.A. Norton and I.P. Astuti. 1999. Distribution of *Pomatocalpa spicata* Breda (Orchidaceae) within and among host trees in Manusela National Park, Seram, Maluku Archipelago, Indonesia. 20(1): 116–119.
- Mustalich, R. and S.L. Timme. 1998. How strategic partnerships among scientists and policy makers foster natural resources decision making in the Peruvian Amazon. 19(2): A 288–289.
- Muul, I. 1999. Development of canopy walkways by Illar Muul and Associates: A brief history. 20(1): 186–190.
- Nadkarni, N.M. 1986. The nutritional effects of epiphytes on host trees with special reference to alteration of precipitation chemistry. 9(1): 44–51.
- . 1992. The Second International Symposium on the Biology and Conservation of Epiphytes. 13: 1–2.
- . 1992. The conservation of epiphytes and their habitats: summary of a discussion at the international symposium on the biology and conservation of epiphytes. 13: 140–142.
- . 1998. International Canopy Network: a pathway of global communication to foster forest canopy research, education, policy, and conservation. 19(2): A 289.
- . 1998. Seeing the canopy world in three dimensions: the Canopy Mobile. 19(2): A 289.
- . See M. Lowman (1995); S.W. Ingram (1996); A. Cobb (1998).
- Nadkarni, N.M. and R.B. Primack. 1989. The use of gamma spectrometry to measure within-plant nutrient allocation of a tank bromeliad, *Guzmania lingulata*. 11: 22–25.
- Nadkarni, N.M. and K. Ferrell-Ingram. 1992. A bibliography of biological literature on epiphytes: an update. 13: 3–24.
- Nadkarni, N.M. and G.G. Parker. 1994. A profile of forest canopy science and scientists—who we are, what we want to know and obstacles we face: results of an international survey. 15(2): 38–50.
- Nadkarni, N.M., D. Coxson, K. Clark and D. Schaefer. 1994. Nutrient cycling in montane cloud forest canopies: what we know and what we need to investigate. 15(2): A 16–17.
- Nadkarni, N.M., G.G. Parker, J. Clement and M. McConnell. 1994. Initiation of an international canopy network: discussion on interdisciplinary and intercontinental links to enhance forest canopy research, education and conservation. 15(2): A 17.
- Nagamasu, H. See T. Yumoto (1997).
- Nakashizuka, T., H. Tanaka, S. Abe and H. Motai. 1998. Applying Canopy Architectural Dynamics to tree population dynamics. 19(2): A 290.
- Nauman, C.E. and R.W. Sanders. 1991. Preliminary classificatory studies in *Coccothrinax* (Palmae: Coryphoideae). 12: 91–101.
- Nevling, L.I., Jr. 1978. A new species of *Daphnopsis* (Thymelaeaceae) from Ecuador. 2(2,3): 308–309.
- Newton, G.D. and N.H. Williams. 1978. Pollen morphology of the Cyrtipedioideae and the Apostasioideae (Orchidaceae). 2(2,3): 169–182.
- Nieder, J. See D. Rudolph (1998).
- Nieder, J., S. Engwald and W. Barthlott. 1998. Patterns of epiphyte diversity in neotropical rain forests. 19(2): A 290.
- . 1999. Patterns of neotropical epiphyte diversity. 20(1): 66–75.
- Nkongmeneck, B.A. 1996. Fauna of marsupial pouches of *Scaphopetalum thonneri*. 17(1): A 107.
- . 1996. Layering of some understory ligneous plants in the tropical rain forests of Cameroon. 17(1): A 107.
- . See L. Zapfack (1996, 1998).
- Nkongmeneck, B.A. and M.D. Lowman. 1998. Epiphytes in Cameroon: a survey of host trees and human activity. 19(2): A 290.
- North, M.P. See R. Van Pelt (1999).
- Norton, D.A. See S. Mursidawati (1999).
- Novotny, V. See Y. Basset (1999).
- Núñez Vargas, M.P. 1998. Forest canopy flora of the historical sanctuary of Machu Picchu, Urubamba Cusco, Peru. 19(2): A 290–291.
- Oates, R. 1994. Climbing to the canopy, a mixture of arborist, climber, and caver methods. 15(2): A 17.
- Oberbauer, S.F., H. Loescher and D.B. Clark. 1998. Carbon and energy exchange from a lowland forest in Costa Rica. 19(2): A 291.
- . 2000. Effects of climate factors on daytime carbon exchange from an old-growth forest in Costa Rica. 21(1,2): 66–73.
- O'Dowd, D.J. See D.E. Walter (1994, 1995).
- Ogino, K. See T. Inoue (1995).
- Okuda, T. See N. Adachi (1998).
- Olmsted, I. See D. Mondragón (1999).
- Olmsted, I. and M. Gomez. 1994. Conservation of epiphytes on the Yucatan Peninsula. 15(2): A 18.
- . 1996. Distribution and conservation of epiphytes on the Yucatan peninsula. 17(1): 58–70.
- Olsen, M.F. See W.L. Hadwen (1998).
- Olvera Vargas, M. See B.L. Figueroa-Rangel (1998).
- Orivel, J. See A. Dejean (1998, 1999).
- Ozanne, C.M.P. 1996. The arthropod communities of coniferous forest trees. 17(1): 43–49.
- . 1998. Canopy arthropods of temperate coniferous and broad-leaved trees: a comparative study. 19(2): A 291.
- . 1999. A comparison of the canopy arthropod communities of coniferous and broad-leaved trees in the United Kingdom. 20(2): 290–298.
- Pabst, G.F.J. 1978. An illustrated key to the species of the genus *Mormodes* Lindl. (Orchidaceae). 2(2,3): 149–155.
- Padilla, L. and D. McClearn. 1998. Monitoring canopy mammal activity with infra-red activated automatic cameras (Trailmaster[®]). 19(2): A 292.
- Paiva, E. See S.P. Ribeiro (1998).
- Palací, C.A. See G.K. Brown (1997).
- Paliwal, K. See V. Ganesan (1998).

- Parker, G.G. 1993. Structure and dynamics of the outer canopy in a Panamanian dry forest. 14: A 5.
- . 1994. Canopy access with construction cranes. 15(2): A 18.
- . 1994. Structure and microclimate of forest canopies. 15(2): A 18–19.
- . 1998. A survey of vertical light transmittance in forest canopies: average patterns, variation, and implications. 19(2): A 292.
- . See N.M. Nadkarni (1994); M. Lowman (1995).
- Parrado-Rosselli, A. and J. Cavellier. 1998. Fruit size and primary seed dispersal of five canopy plant species of the Colombian Amazon. 19(2): A 292–293.
- Partomihardjo, T. See F. Koike (1998).
- Pascal, O. and F. Hallé. 1994. Interactive canopy methods—the future of the raft/dirigible. 15(2): A 19.
- Patel, A. See P.A. Holthe (1992).
- Pearcy, R.W. See S. Mulkey (1994).
- Peck, R.W. 1993. Arthropod abundance and community structure associated with o’hia canopy foliage (*Metrosideros polymorpha*) from the Hawaiian islands: data from two studies. 14: A 21–22.
- Perry, D.R. 1994. Ecotourism and its potential impact on the Costa Rican rain forest canopy. 15(2): A 19.
- Peterson, G. See D.H. Benzing (1982).
- Pfeifer, H.W. 1977. A new Ecuadorian dutchman’s pipe, *Aristolochia pichinchensis* (Aristolochiaceae). 2(1): 29–30.
- Pilz, G.E. 1977. Two large-leaved species of *Pouteria* (Sapotaceae) from Ecuador. 2(1): 60–62.
- Pitkänen, S. 1998. Classifying vegetation diversity to manage boreal forests for biodiversity. 19(2): A 293.
- Platas, T. See G. Williams-Linera (1995).
- Platt, W.J. See K. Robertson (1992).
- Preisser, E., D.C. Smith and M.D. Lowman. 1998. Canopy and ground level insect distribution in a temperate forest. 19(2): 141–146.
- Preleuthner, M., P. Grubbauer and H. Winkler. 1998. Are canopy birds ethologically and ecologically distinct? 19(2): A 293.
- Pridgeon, A.M. 1981. Shoot anatomy of two additional species of *Dresslerella* (Orchidaceae). 5(3,4): 274–278.
- . 1984. On the integrity of *Restrepiopsis* (Orchidaceae). 7(2–4): 312–314.
- Pridgeon, A.M. and W.L. Stern. 1982. Vegetative anatomy of *Myoxanthus* (Orchidaceae). 7(1): 55–63.
- Pridgeon, A.M. and N.H. Williams. 1979. Anatomical aspects of *Dresslerella* (Orchidaceae). 5(2): 120–134.
- Primack, R.B. See N.M. Nadkarni (1989).
- Prince, S. See R. Dubayah (1998).
- Pritchard, H.W. and P.T. Seaton. 1993. Orchid seed storage: historical perspective, current status and future prospects for long-term conservation. 14: 89–104.
- Prósperi, J. and G. Caballé. 1998. Lianas and hemiepiphytes: “epi-phenomena” or real players in forest dynamics? 19(2): A 294.
- Pupulin, F. See D.E. Mora (1997).
- Pupulin, F. and D.E. Mora-Retana. 1994. A revision of Costa Rican species of *Trichocentrum* (Orchidaceae). 15(2): 87–103.
- Putz, F.E. 1994. Tree fates in vine tangles. 15(2): A 20.
- Putz, F.E. and N.M. Holbrook. 1986. Notes on the natural history of hemiepiphytes. 9(1): 61–69.
- Rafael, J.A. See J. Adis (1998 A).
- Ramírez, I. 1994. Notes on *Neoregelia* subgenus *Hylaeicum* (Bromeliaceae: Bromelioideae). 15(2): 82–84.
- . See D. Mondragón (1998, 1999).
- Ramírez, I. and G. Carnevali. 1994. New records for Venezuela (Bromeliaceae). 15(2): 85–86.
- Ramsey, G. See A. Cobb (1998).
- Ranker, T.A. 1992. Genetic diversity of endemic Hawaiian epiphytic ferns: implications for conservation. 13: 131–137.
- Ranson, K.J. 1994. Remote sensing of forest canopies. 15(2): A 20.
- . See J.F. Weishampel (1996).
- Rao, K.S., R.K. Maikhuri, R.L. Semwal and K.G. Saxena. 1998. Canopy development studies in an ecoregeneration site in Garhwal, Himalaya. 19(2): A 294.
- . 2000. Canopy development studies in an ecoregeneration site in Garhwal Himalaya, India. 21(1,2): 105–111.
- Rauh, W. 1992. Are tillandsias endangered plants? 13: 138–139.
- Read, R.W. and H.E. Luther. 1991. The *Aechmeal Gravisia* complex (Bromeliaceae). 12: 54–67.
- Reagan, D. 1994. The effect of hurricane severity on canopy lizard populations in a Puerto Rican rain forest. 15(2): A 20–21.
- Reinert, F. and S.T. Meirelles. 1993. Water acquisition strategy shifts in the heterophylous saxicolous bromeliad, *Vriesea geniculata* (Wawra) Wawra. 14: 80–88.
- Renfrow, A. See D.H. Benzing (1982).
- Renner, S.S. 1986. The neotropical epiphytic Melastomataceae: phytogeographic patterns, fruit types and floral biology. 9(1): 104–111.
- Reynolds, B.C. and D.A. Crossley, Jr. 1995. Use of a canopy walkway for collecting arthropods and assessing leaf area removed. 16(1): 21–23.
- Reynolds, B.C. and M.D. Hunter. 1998. Effects of canopy herbivory on soil processes along an elevation gradient in the southern Appalachians. 19(2): A 294.
- Reynolds, B.C., M.D. Hunter and D.A. Crossley, Jr. 2000. Effects of canopy herbivory on nutrient cycling in a northern hardwood forest in western North Carolina. 21(1,2): 74–78.
- Ribeiro de Almeida, D. See L. Cogliatti-Carvalho (1998).
- Ribeiro, S.P., M.J.V. de Vasconcelos, M.S. Antunes, E. Paiva and V.K. Brown. 1998. Contrasting genetic diversity of *Tabebuia* (Bignoniaceae) in the wetland Pantanal and Cerrado of Brazil. 19(2): A 295.
- Ribeiro, S.P. and V.K. Brown. 1999. Insect herbivory in tree crowns of *Tabebuia aurea* and *T. ochracea* (Bignoniaceae) in Brazil: Contrasting the Cerrado with the “Pantanal Matogrossense.” 20(1): 159–170.
- Richardson, K. See R. Currah (1994).

- Richardson, K. and R.S. Currah. 1995. The fungal community associated with the roots of some rain forest epiphytes of Costa Rica. 16(1): 49–73.
- Rico-Gray, V. See J.G. Garcia-Franco (1992).
- Ring, R.A. 1994. Temperate rain forest canopy access systems in British Columbia. 15(2): A 21.
- . See N.N. Winchester (1994, 1996, 1999).
- Ring, R.A. and N.N. Winchester. 1996. Coastal temperate rain forest canopy access systems in British Columbia, Canada. 17(1): 22–26.
- Rinker, H.B. 1994. The rain forest canopy: a frontier of exploration for high school students. 15(2): A 21.
- . 1998. Canopy ecology: a high-priority link between research and education. 19(2): A 295.
- . 1998. Canopy mist-netting from an aerial laboratory. 19(2): A 295–296.
- . See M. Lowman (1993).
- Rios, R.I. See T. Wendt (2000).
- Risley, L. 1998. Herbivory in the canopy and decomposition on the forest floor: insects forge a link. 19(2): A 296.
- Riswan, S. See F. Koike (1998).
- Rivera, D.I. See G.E. Crow (1987).
- Rivero, R.E. 1998. Targeting orchids and other epiphytes in a conservation education program in Costa Rica. 19(1): 20–26.
- Roberts, K.A. 1997. Orchid conservation 97: An invitation. 18(1): 4–5.
- Robertson, K. and W.J. Platt. 1992. Effects of fire on bromeliads in subtropical hammocks of Everglades National Park, Florida. 13: 39–49.
- Robinson, M. See S.P. Bush (1998).
- Rocha, C.F.D. See L. Cogliatti-Carvalho (1998).
- Rodgers, D. See D.T. Siegenthaler (2000).
- Roesel, C.S. See J.B. Watson (1987).
- Roithmair, M. See W. Morawetz (1996).
- Rollenbeck, R. 1998. Studies of the hydrological cycle at the Rio Surumoni Crane Project, Venezuela. 19(2): A 296.
- . See D. Anhuf (1999).
- Roman, H. See D. McClearn (1996).
- Romero, G.A. 1986. A new species of *Coryanthes* (Orchidaceae) from southern Venezuela. 9(1): 147–148.
- . 1987. A new *Catasetum* (Orchidaceae) from southern Venezuela. 10(1): 73–75.
- Rose, W. See D. McClearn (1996).
- Rosenberger, T. and K. Williams. 1999. Responses of vascular epiphytes to branch-fall gap formation in *Clusia* trees in a montane rain forest. 20(1): 49–58.
- Rudolph, D., G. Rauer, J. Nieder and W. Barthlott. 1998. Distributional patterns of epiphytes in the canopy and phorophyte characteristics in a western Andean rain forest in Ecuador. 19(1): 27–33.
- Sah, S.P. 1998. Sal forest management options in the Nepal terai. 19(2): A 296.
- . 2000. Management options for sal forests (*Shorea robusta* Gaertn.) in the Nepal terai. 21(1,2): 112–117.
- Sakai, S., K. Momose, T. Yumoto, M. Kato and T. Inoue. 1998. Beetle pollination of *Shorea parvifolia* (Section Mutica, Dipterocarpaceae) in a general flowering period in Sarawak, Malaysia. 19(2): A 297.
- Salvador, M.A. See J.C. Voltolini (1998).
- Salvador-Van Eysenrode, D., J. Bogaert and I. Impens. 1998. Horizontal canopy gap occlusion at the Tiputini Biodiversity Station, Amazonian Ecuador. 19(2): A 297.
- . 1999. Canopy gap morphology determinants in an Amazonian rain forest. 20(2): 339–344.
- Samuelson, G.A. See A. Allison (1993).
- Sanders, G. See S. Guevera (1998).
- Sanders, R.W. 1991. Cladistics of *Bactris* (Palmae): survey of characters and refutation of Burret's classification. 12: 105–133.
- . See C.E. Nauman (1991).
- Santiago, L.S. 1998. A bottom-up approach to scaling canopy transpiration in a Hawaiian montane forest. 19(2): A 297–298.
- Saterson, K. See M. Lowman (1995).
- Sauleda, R.P. and R.M. Adams. 1978. A new species of *Encyclia* Hook. (Orchidaceae) from the Caicos Islands, B.W.I. 2(4): 340–342.
- Saxena, K.G. See K.S. Rao (1998).
- Saylor, W.R. 1978. The first intergeneric hybrid between *Codonanthe* and *Nematanthus* (Gesneriaceae). 5(1): 1–3.
- Scarano, F.R. See C. Amorim de Freitas (1998).
- Scatena, F.N. See A.E. Lugo (1992).
- Schaefer, D. 1994. Solution chemistry in forest canopies. 15(2): A 22.
- . See N.M. Nadkarni (1994).
- Schowalter, T. 1994. Canopy invertebrate communities and herbivory in temperate and tropical forests. 15(2): A 22.
- . 1995. Canopy invertebrate community response to disturbance and consequences of herbivory in temperate and tropical forests. 16(1): 41–48.
- . 1998. Canopy herbivore effects on forest floor processes in coniferous forest of the Pacific northwestern USA. 19(2): A 298.
- Schroder, B. See D. Anhuf (1999).
- Schroeder, B. 1998. Application of geographical information systems and digital elevation models in basic research projects. 19(2): A 298.
- Schubert, H. and U. Ammer. 1998. Comparison of the arthropod fauna in canopies of natural and managed forests of southern Germany. 19(2): A 298.
- Schultz, B.L. See A.E. Stokes (1995).
- Schultz, J.C. 1994. Insects in temperate forest canopies: What's up? 15(2): A 22–23.
- Seaton, P.T. See H.W. Pritchard (1993).
- Seemann, J. See D.H. Benzing (1978).
- Semwal, R.L. See K.S. Rao (1998, 2000).
- Seng, L.H. See T. Inoue (1995).
- Shaw, D.C. See J. Clement (1998).
- Shaw, D.C. and C. Flick. 1998. Are resident songbirds stratified within the canopy of a coniferous old-growth forest? 19(2): A 299.
- . 1999. Are resident songbirds stratified within the canopy of a coniferous old-growth forest? 20(2): 324–331.
- Shaw, D.C., D.R. Berg and J.F. Franklin. 1993. A tower crane for canopy research in temperate coniferous forest.

- erous rain forests, Washington state, USA. 14: 26–28.
- Shaw, J.D. and D.M. Bergstrom. 1997. A rapid assessment technique of vascular epiphyte diversity at forest and regional levels. 18(2): 195–199.
- . 1998. Epiphyte richness in subtropical rain forests of Queensland, Australia. 19(2): A 299.
- Sheridan, R.P. 1994. Adaptive morphology of the tropical wet montane epiphyte *Anthurium hookeri* (Araceae). 15(2): 18–23.
- Sheridan, R.P. and C.M.S. Carrington. 1998. Impact of microclimate and mineral status on nitrogen fixation in the moist gully forests of Barbados, West Indies. 19(2): 172–182.
- Shujie Wu. See Dezhi Li (2000).
- Siebert, S.F. 1998. Elevational distribution of rattan in Sulawesi, Indonesia. 19(2): A 299.
- . See J.M. Belsky (1994, 1995).
- Sieff, E. 1994. Cumulative Index to Selbyana, Volumes 1–15. 15(2): B1–B19.
- . 1997. Cumulative Index to Selbyana, Volumes 1–18. 18(2): 216–226.
- . See H.E. Luther (1994, 1997).
- Sieff, E. and B. Walsh. 2000. Cumulative Index to Selbyana, Volumes 1–21. 21(1,2): 193–210.
- Siegenthaler, D.T., S.M. Turton and D. Rodgers. 2000. Data collection module for improved measurement of microclimates in dense forest canopies. 21(1,2): 173–176.
- Siegerist, E.S. 1984. Herbarium specimens of the Orchidaceae of Central America—a checklist. 7(2–4): 281–311.
- Sillett, S.C. 1996. Branch epiphyte assemblages in the forest interior and on the clearcut edge of a 700-year-old Douglas-fir canopy in western Oregon. 17(1): A 106.
- . 1998. Tree crown structure and vascular epiphytes in old-growth coast redwood forest canopies. 19(2): A 300.
- . 1999. Tree crown structure and vascular epiphyte distribution in *Sequoia sempervirens* rain forest canopies. 20(1): 76–97.
- Simon, U. 1998. Spider species composition: is it predictable in pine tree crowns? 19(2): A 300.
- . See S. Stuntz (1998, 1999).
- Skelly, S. See S.R. Madigosky (1998).
- Skog, L.E. 1982. New Gesneriaceae from Peru and Ecuador. 7(1): 94–99.
- . 1984. A review of chromosome numbers in the Gesneriaceae. 7(2–4): 252–273.
- Slye, R.E. See S.R. Herwitz (1992, 1994).
- Smith, A.P., K.P. Hogan and J.L. Machado. 1993. Plant ecophysiology in a tropical forest canopy: methods and preliminary results. 14: 6–8.
- Smith, D.C. See E. Preisser (1998).
- Smith, F.B. 1997. The greening of education. 18(2): 167–171.
- Smith, J.F. and S. Atkinson. 1998. Phylogenetic analysis of the tribes Gloxinieae and Gesnerieae (Gesneriaceae): data from *ndhF* sequences. 19(1): 122–131.
- Smith, S.F. and D.C. Wasshausen. 1999. New taxa in *Begonia* (Begoniaceae) from Brazil. 20(1): 16–29.
- Soddell, J. See S.M. Turton (1999).
- Sokolski, K., A. Dovholuk, L. Dovolhuk and P. Faletra. Axenic seed culture and micropropagation of *Cypripedium reginae*. 18(2): 172–182.
- Sosa, V. See G. Williams-Linera (1995).
- Southard, D. See T. Erwin (1998).
- Spellman, D.L. 1977. A new *Fischeria* (Asclepiadaceae). 2(1): 26–28.
- Stern, W.L. See A.M. Pridgeon (1982).
- Stevenson, S.K. See D.S. Coxson (1998); J. Campbell (1999).
- Stokes, A.E. and B.B. Schultz. 1995. Mist netting birds from canopy platforms. 16(2): 144–146.
- Stork, N. 1994. Studies of tropical and temperate canopy arthropods: past, present and future. 15(2): A 23.
- . See J.C. Hurtado Guerrero (1998).
- Stork, N. and V. Best. 1994. European Science Foundation—Results of a survey of European canopy research in the tropics. 15(2): 51–62.
- Stuntz, S., U. Simon and G. Zotz. 1998. Arthropod diversity related to vascular epiphytes and the increasing structural heterogeneity of tropical forest canopies. 19(2): A 300–301.
- . 1999. Assessing the potential influence of vascular epiphytes on arthropod diversity in tropical tree crowns: Hypotheses, approaches, and preliminary data. 20(2): 276–283.
- Subba Rao, M.V. 1998. Conserving biodiversity in the forests of Eastern Ghats, India, with special reference to species richness: an overview. 19(2): A 301.
- . 2000. Conserving biodiversity in the species-rich forests of Andhra Pradesh in Eastern Ghats, India. 21(1,2): 52–59.
- Sugden, A.M. 1981. Aspects of the ecology of vascular epiphytes in two Colombian cloud forests. 5(3,4): 264–273.
- Sunley, J.A. See L.W. Zettler (1998).
- Suzuki, E. See F. Koike (1998).
- Szarzynski, J. See D. Anhuf (1999).
- Szarzynski, J. and D. Anhuf. 1998. Meteorological regime and energy exchanges of a neotropical rain forest in southern Venezuela (Surumoni-Crane Project). 19(2): A 301.
- Tan, K.W. 1975. Taxonomy of *Arachnis*, *Armadorum*, *Esmeralda* and *Dimorphorchis* (Orchidaceae), part I. 1(1): 1–15.
- . 1976. Taxonomy of *Arachnis*, *Armadorum*, *Esmeralda* and *Dimorphorchis* (Orchidaceae), part II. 1(4): 365–373.
- Tanaka, H. See T. Nakashizuka (1998).
- Tapper, N.J. See S.M. Turton (1999).
- Taylor, C.M. 1989. Revision of *Hillia* subg. *Ravnia* (Rubiaceae: Cinchonioideae). 11: 26–34.
- . 1991. The vascular flora of the La Selva Biological Station, Costa Rica: Rubiaceae. 12: 141–190.
- Taylor, C.M., B.E. Hammel and W.C. Burger. 1991. New species, combinations and records in Rubiaceae from the La Selva Biological Station, Costa Rica. 12: 134–140.
- Taylor, P. See M. Lowman (1993).
- Taylor, P. and M.D. Lowman. 1996. Vertical stratification of the small mammal community in a northern hardwood forest. 17(1): 15–21.

- Thorne, R.F. 1995. Vascular plants of Fort DeSoto Park, Pinellas County, Florida. 16(1): 100–109.
- Till, W. 1992. Systematics and evolution of the tropical-subtropical *Tillandsia* subgenus *Diaphoranthema* (Bromeliaceae). 13: 88–94.
- . 1994. The type specimens of Bromeliaceae in the herbarium of the Museum of Natural History in Vienna, Austria. 15(1): 94–111.
- . See T. Krömer (1999).
- Timme, S.L. See R. Mustalich (1998).
- Ting, I.P. See P.A. Holthe (1992).
- Tobin, S.C. See R. Dial (1994).
- Tremblay, R.L. 1997. *Lepanthes caritensis*, an endangered orchid: No sex, no future? 18(2): 160–166.
- Tsi, Z. 1997. A provisional checklist of the orchids of Ghizhou Province, China. 18(1): 11–30.
- Turton, S.M. See D.T. Siegenthaler (2000).
- Turton, S.M., N. Tapper and J. Soddell. 1999. A proposal to measure diurnal and seasonal energetics above and within a lowland tropical rain forest canopy in northeastern Australia. 20(2): 345–349.
- Ulloa, L.F. 1998. Building sky walks and platforms in tree canopies of Colombia: alternatives for environmental education, conservation, and ecotourism. 19(2): A 301.
- Valderrama, A., E. Medianero and H. Barrios. 1998. Biodiversity of leaf-mining and gall-making insects in the tropical rain forest canopy. 19(2): A 302.
- Valverde, F.M. See C.H. Dodson (1986).
- Van der Meer, P.J. 1997. Vegetation development in canopy gaps in a tropical rain forest in French Guiana. 18(1): 38–50.
- Van Dulmen, A. 1996. Reproductive characteristics of two Amazonian rain forest communities: a study at canopy level. 17(1): A 105.
- Van Dunne, H.J.F. and J.K. Hanke. 1998. Spatially explicit sampling of epiphytes and substrates in secondary montane rain forests in the Colombian Central Cordillera. 19(2): A 302.
- Van Pelt, R. and M.P. North. 1999. Testing a ground-based canopy model using the Wind River Canopy Crane. 20(2): 357–362.
- Vásquez, R. See T. Krömer (1999).
- Vatnick, I. See S.R. Madigosky (2000).
- Verhoeven, K.J.F. and G.J.L. Beckers. 1998. Canopy farming: an innovative strategy for sustainable use of rain forests. 19(2): A 303.
- . 1999. Canopy farming: An innovative strategy for the sustainable use of rain forests. 20(1): 194–200.
- Vermeulen, J.J. 1982. A provisional checklist of the continental African taxa of the genus *Bulbophyllum* Thouars (Orchidaceae). 7(1): 10–19.
- . 1982. New species and combinations in the genus *Bulbophyllum* Thouars (Orchidaceae). 7(1): 20–26.
- Vidal, S. See J. Adis (1998 A).
- Villiers, J.F. See L. Zapfack (1996).
- Voltolini, J.C. 1998. Vertical stratification of marsupials and rodents in the Atlantic rain forest of southeastern Brazil. 19(2): A 303.
- . See J.R. Malcolm (1994).
- Voltolini, J.C., M.A. Salvador and S.A. Maini. 1998. Vertical stratification of egg predation in the Atlantic rain forest of southeastern Brazil. 19(2): A 303.
- Wagner, T. 1998. Distribution patterns and specificity of chrysomelids (Coleoptera) in central African forests. 19(2): A 304.
- Walsh, B. 2000. A Selbyana retrospective. 21(1,2): 3–6.
- . See E. Sieff (2000).
- Walter, D.E. 1994. Beneath biodiversity: factors influencing the diversity and abundance of canopy mites. 15(2): A 23.
- Walter, D.E. and D.J. O'Dowd. 1995. Beneath biodiversity: Factors influencing the diversity and abundance of canopy mites. 16(1): 12–20.
- Walters, T.W. (1987/1988). Electrophoretic evidence for the evolutionary relationship of the tetraploid *Chenopodium berlandieri* (Chenopodiaceae) to its putative diploid progenitors. 10(1): 36–55.
- Wasshausen, D.C. 1977. New taxa of Acanthaceae from the Rio Palenque Science Center in Ecuador. 2(1): 14–21.
- . See S.F. Smith (1999).
- Watkins, Jr., J.E. See C. Cardelús (1998).
- Watson, J.B., W.J. Kress and C.S. Roesel. 1987. A bibliography of biological literature on vascular epiphytes. 10(1): 1–23.
- Weathers, K.C. See G.M. Lovett (1994).
- Weishampel, J. See R. Dubayah (1998); G.J. Husk (1998).
- Weishampel, J.F., K.J. Ranson and D.J. Harding. 1996. Remote sensing of forest canopies. 17(1): 6–14.
- Weishampel, J.F., J.B. Blair, R. Dubayah, D.B. Clark and R.G. Knox. 2000. Canopy topography of an old-growth tropical rain forest landscape. 21(1,2): 79–87.
- Wellens, J. See A. Millington (1996).
- Wendt, T. 1994. *Pitcairnia* L'Héritier (Bromeliaceae) of Rio de Janeiro State, Brazil. 15(2): 66–78.
- . See T. Fontoura (1991).
- Wendt, T., N.P. Lopes Paz and R.I. Rios. 2000. A morphometric analysis of a putative hybrid between *Pitcairnia albiflos* and *Pitcairnia staminea* (Bromeliaceae). 21(1,2): 132–136.
- Whitlow, C.E. 1997. *Cypripedium* and conservation philosophy: A practical and personal perspective. 18(2): 183–185.
- Whitten, M.W. See N.H. Williams (1984).
- Wiehler, H. 1975. *Neomortonia*, a new genus in the Gesneriaceae. 1(1): 16–21.
- . 1975. The re-establishment of *Moussonia* Regel (Gesneriaceae). 1(1): 22–31.
- . 1975. Name changes in neotropical Gesneriaceae. 1(1): 32–35.
- . 1975. Three new species of *Trichantha* (Gesneriaceae) from Ecuador and Peru. 1(1): 36–43.
- . 1975. *Rufodorsia*, a new Central American genus in the Gesneriaceae. 1(2): 138–149.
- . 1975. *Besleria* L. and the re-establishment of *Gasteranthus* Benth. (Gesneriaceae). 1(2): 150–156.
- . 1975. *Codonanthe luteola* (Gesneriaceae), a new species from Panama. 1(2): 157–164.
- . 1975. *Nautilocalyx cataractarum* (Gesneriaceae).

- aceae), a new species from Angel Falls, Venezuela. 1(2): 165-167.
- . 1976. A report of the classification of *Achimenes*, *Eucodonia*, *Gloxinia*, *Goyazia*, and *Aentanthus* (Gesneriaceae). 1(4): 374-404.
- . 1976. New hybrid genera in the Gesneriaceae. 1(4): 405-409.
- . 1977. New genera and species of Gesneriaceae from the Neotropics. 2(1): 67-132.
- . 1978. *Parakohleria*, a new South American genus in the Gesneriaceae. 5(1): 4-10.
- . 1978. The genera *Episcia*, *Alsobia*, *Nautilocalyx* and *Paradrymonia* (Gesneriaceae). 5(1): 11-60.
- . 1978. Miscellaneous transfers and new species of neotropical Gesneriaceae. 5(1): 61-93.
- . 1979. Two new species of *Codonanthe* (Gesneriaceae). 5(2): 214-216.
- . 1979. A reduction of *Pterobesleria* to *Besleria* (Gesneriaceae). 5(2): 217-218.
- . 1981. New species and name changes in neotropical Gesneriaceae. 5(3,4): 378-384.
- . 1983. A synopsis of the neotropical Gesneriaceae. 6(1-4): 1-219.
- . 1984. Miscellaneous new species in the Gesneriaceae. 7(2-4): 328-347.
- Wilbur, R.L. 1986. The vascular flora of La Selva Biological Station, Costa Rica: introduction. 9(1): 191.
- Williams, K. See T. Rosenberger (1999).
- Williams, N.H. 1978. Pollen structure and the systematics of the neotropical Gesneriaceae. 2(2,3): 310-322.
- . 1978. A preliminary bibliography on euglossine bees and their relationships with orchids and other plants. 2(4): 345-355.
- . 1981. Floral fragrance components of *Brassavola* (Orchidaceae: Laeliinae). 5(3,4): 279-285.
- . See G.D. Newton (1978); J.T. Atwood (1978); A.M. Pridgeon (1979).
- Williams, N.H., J.T. Atwood and C.H. Dodson. 1981. Floral fragrance analysis in *Anguloa*, *Lycaste*, and *Mendoncella* (Orchidaceae). 5(3,4): 291-295.
- Williams, N.H. and R.L. Dressler. 1976. Euglossine pollination of *Spathiphyllum* (Araceae). 1(4): 349-356.
- Williams, N.H., W.M. Whitten and C.H. Dodson. 1984. Preliminary analyses of the floral fragrances of species of *Acineta*, *Houllettia*, *Lueddemannia*, *Lycormorium*, *Paphinia*, and *Sievekingia* (Orchidaceae). 7(2-4): 315-317.
- Williams-Linera, G. 1992. Distribution of the hemiepiphyte *Oreopanax capitatus* at the edge and interior of a Mexican lower montane forest. 13: 35-38.
- . 1998. Leaf dynamics in a tropical cloud forest: herbivory, life-span, and phenology. 19(2): A 304.
- . 1999. Leaf dynamics in a tropical cloud forest: Phenology, herbivory, and life span. 20(1): 98-105.
- Williams-Linera, G., V. Sosa and T. Platas. 1995. The fate of epiphytic orchids after fragmentation of a Mexican cloud forest. 16(1): 36-40.
- Winchester, N. 1998. Biodiversity of arthropods in northern temperate rain forests: factual foundations or fictional myths? 19(2): A 304.
- . See R.R. Ring (1996); L.L. Fagan (1998).
- Winchester, N.N. and R.A. Ring. 1994. Centinela extinctions: extirpation of northern temperate old-growth rain forest arthropod communities. 15(2): A 24.
- . 1996. Centinela extinctions: extirpation of northern temperate old-growth rain forest arthropod communities. 17(1): 50-57.
- . 1999. The biodiversity of arthropods from northern temperate ancient coastal rain forests: Conservation lessons from the high canopy. 20(2): 268-275.
- Winkler, H. See M. Preleuthner (1998).
- Wittman, P.K. 2000. The animal community associated with canopy bromeliads of the lowland Peruvian Amazon rain forest. 21(1,2): 48-51.
- . See W. Bouricius (1998); T.H. Kunz (1998).
- Wittman, P. and Children's Environmental Trust Workshop Members. 1998. The animal community associated with canopy bromeliads of a lowland rain forest in the Peruvian Amazon. 19(2): A 305.
- Wolf, J.H.D. 1995. Non-vascular epiphyte diversity patterns in the canopy of an upper montane rain forest (2550-3670 m), central Cordillera, Colombia. 16(2): 185-195.
- . See R.G.M. Hofstede (1993).
- Wood, T. See P. Donahue (1994, 1995).
- Worley, P.J. 1979. \times *Niphimenes* (*Niphaea* \times *Achimenes*); a new hybrid combination in the Gesneriaceae. 5(2): 195-196.
- . See B.K. Holst (2000).
- Wright, S.J. See S. Mulkey (1994, 1995); M.D. Lowman (1994, 1995).
- Wright, S.J. and O. Calderón. 1998. Mast fruiting in a neotropical forest in Panama. 19(2): A 305.
- Wyatt, B. See A. Millington (1996).
- Yanoviak, S.P. 1998. Vertical stratification of community structure in water-filled tree holes in Panama. 19(2): A 305.
- . 1999. Community structure in water-filled tree holes of Panama: Effects of hole height and size. 20(1): 106-115.
- Young, T. 1994. Rich edges in forest canopies and aca-cia shrublands. 15(2): A 24.
- . 1995. Landscape mosaics created by canopy gaps, forest edges and bushland glades. 16(2): 127-134.
- Yumoto, T. 1994. Plant phenology and plant-animal interactions observed in a tropical lowland forest in Sarawak, Malaysia. 15(2): A 24-25.
- . See T. Inoue (1995); S. Sakai (1998).
- Yumoto, T., T. Itino and H. Nagamasu. 1997. Pollination of hemiparasites (Loranthaceae) by spider hunters (Nectariniidae) in the canopy of a Bornean tropical rain forest. 18(1): 51-60.
- Zapfack, L., A.B. Nkongmeneck, J.F. Villiers and M. Lowman. 1996. The importance of pteridophytes in the epiphytic flora of some phorophytes of the Cameroonian semi-deciduous rain forest. 17(1): 76-81, A 106.
- Zapfack, L. and B.A. Nkongmeneck. 1998. Ecology of

- vascular epiphytes in two biotopes of Cameroon-ian semi-deciduous forest. 19(2): A 306.
- Zeng Fanjiang. See Li Xiaoming (1998).
- Zerarra, J. See A. Cedeño (1998, 1999).
- Zettler, L.W. 1997. Terrestrial orchid conservation by symbiotic seed germination: Techniques and perspectives. 18(2): 188–194.
- Zettler, L.W., T.W. Delaney and J.A. Sunley. 1998. Seed propagation of the epiphytic green-fly orchid, *Epidendrum conopseum* R. Brown, using its endophytic fungus. 19(2): 249–253.
- Zhang Ximing. See Li Xiaoming (1998).
- Zijlstra, G. See J.R. Grant (1998).
- Zona, S. and A. Henderson. 1989. A review of animal-mediated seed dispersal of palms. 11: 6–21.
- Zotz, G. 1994. Ecology and demography of vascular epiphytes. 15(2): A 25.
- . 1995. How fast does an epiphyte grow? 16(2): 150–154.
- . 1998. Altitudinal changes in diversity and abundance of nonvascular epiphytes: an ecophysiological explanation. 19(2): A 306.
- . 1999. Altitudinal changes in diversity and abundance of non-vascular epiphytes in the Tropics—an ecophysiological explanation. 20(2): 256–260.
- . See S. Stuntz (1998, 1999).