

## A Catalog of the Order Zoraptera (Insecta)

Michael D. Hubbard

Entomology

Florida A&M University

Tallahassee, Florida 32307 USA

### Abstract

A catalog of references to the genus *Zorotypus* of the monogenic order Zoraptera and its 30 nominal species is presented, along with other general non-specific references to the order and a complete list of literature cited.

### Introduction

The order Zoraptera, originally established in 1913 by Silvestri, is one of the smallest and least known of the insect orders. It presently contains only one family, Zorotypidae Silvestri, with 30 nominal species (29 Recent and one Eocene) all of which are in the genus *Zorotypus* Silvestri, and most of which are tropical in distribution.

This paper is an attempt to catalog all references in the scientific literature to the species of the order Zoraptera. No attempt, however, has been made to include all references in textbooks, field guides, popular articles, and other sources not of the primary scientific literature.

Each mention of a taxon is given in chronological order, followed by the author of the reference, the date and page and figure numbers, if any. For each reference to a species the stage (adult male, adult female, nymph, egg) described or figured (if able to be determined) is listed. Other annotations are included as appropriate. The known geographical distribution for each species is listed at the end of its list of references.

Following the taxonomic catalog are a list of non-specific references to Zoraptera which are of interest and a complete list of literature cited.

### *Genus Zorotypus Silvestri*

*Zorotypus* Silvestri, 1913: 196 (Type-species: *Zorotypus guineensis* Silvestri, type by original designation).  
*Zorotypus*; Caudell, 1920: 84.  
*Zorotypus*; Gurney, 1942: 43.  
*Zorotypus*; Delamare-Debouteville, 1947: 145.  
*Zorotypus*; Delamare-Debouteville, 1948a: 347.  
*Zorotypus*; Denis, 1949: 545.  
*Zorotypus*; Delamare-Debouteville, 1954: 130.  
*Zorotypus*; Gurney, 1938: 57.  
*Zorotypus*; Weidner, 1969: 30.  
*Zorotypus*; Matsuda, 1970: 218.  
*Zorotypus*; Smithers, 1970: 302.  
*Zorotypus*; Gurney, 1974: 32.  
*Zorotypus*; Huang, 1981a: 1087.  
*Zorotypus*; Huang, 1982: 269.

### *Zorotypus barberi* Gurney

*Zorotypus barberi* Gurney, 1938: 70, fig. 32-39 (male).  
*Zorotypus barberi*; Delamare-Debouteville, 1948a: 348.  
*Zorotypus barberi*; Denis, 1949: 551 (male).  
*Zorotypus barberi*; Delamare-Debouteville, 1954: 130.  
*Zorotypus barberi*; Bolivar y Pieltain & Coronado-G., 1963: 99.  
*Zorotypus barberi*; Weidner, 1969: 31.  
*Zorotypus barberi*; Weidner, 1970: 2, fig. 18 (male).  
*Zorotypus barberi*; Shetlar, 1974: 8.  
*Zorotypus barberi*; Weidner, 1976: 175.  
*Zorotypus barberi*; New, 1978: 362.  
*Zorotypus barberi*; Huang, 1981a: 1089.

*Zorotypus barberi*; Huang, 1982: 270.  
*Zorotypus barberi*; Poinar, 1988: 257.  
*Zorotypus barberi*; Choe, 1989: 152, fig. 1, 6-9,  
 14-18, 20 (male, female, nymph, egg).  
*Zorotypus barberi*; Choe, in press, fig. 7-9, 11,  
 13, 15, 17 (male, female, egg).  
 Distribution: Costa Rica [Cocos Island],  
 Panama, Dominican Republic.

### *Zorotypus brasiliensis* Silvestri

*Zorotypus brasiliensis* Silvestri, 1947: 1, fig. 1-4  
 (female, nymph, egg).  
*Zorotypus brasiliensis*; Denis, 1949: fig. 192 (fe-  
 male).  
*Zorotypus brasiliensis*; Delamare-Deboutteville,  
 1956, fig. 37 (female).  
*Zorotypus brasiliensis*; Bolivar y Pieltain &  
 Coronado-G., 1963: 98.  
*Zorotypus brasiliensis*; Weidner, 1969: 31, fig. 2.  
*Zorotypus brasiliensis*; Delamare-Deboutteville,  
 1970: fig. 48 (female).  
*Zorotypus brasiliensis*; Weidner, 1970: 2, fig. 1,  
 6, 12, 24 (female, egg).  
*Zorotypus brasiliensis*; Matsuda, 1976: 168, fig.  
 40d (female).  
*Zorotypus brasiliensis*; Remane, Storch, &  
 Welsch, 1976: fig. 235.  
*Zorotypus brasiliensis*; Weidner, 1976: 174.  
*Zorotypus brasiliensis*; New, 1978: 362.  
*Zorotypus brasiliensis*; Nachtigall, 1979: fig. 2  
 (female; wings).  
*Zorotypus brasiliensis*; Huang, 1981a: 1089.  
*Zorotypus brasiliensis*; Huang, 1982: 270.  
*Zorotypus brasiliensis*; Poinar, 1988: 257.  
*Zorotypus brasiliensis*; Choe, 1989: 150.  
*Zorotypus brasiliensis*; Choe, in press, fig. 3-4  
 (female).  
 Distribution: Brazil.

### *Zorotypus buxtoni* Karny

*Zorotypus buxtoni* Karny, 1932: 118, fig. 1.  
*Zorotypus buxtoni*; Gurney, 1938: 73.  
*Zorotypus buxtoni*; Gurney, 1939: 163.  
*Zorotypus buxtoni*; Delamare-Deboutteville,  
 1948a: 348.  
*Zorotypus buxtoni*; Delamare-Deboutteville,  
 1954: 130.

*Zorotypus buxtoni*; Bolivar y Pieltain & Coron-  
 ado-G., 1963: 98.  
*Zorotypus buxtoni*; Weidner, 1970: 2.  
*Zorotypus buxtoni* [sic]; Shetlar, 1974: 8.  
*Zorotypus buxtoni*; Weidner, 1976: 176.  
*Zorotypus buxtoni*; New, 1978: 362.  
*Zorotypus buxtoni*; Huang, 1981a: 1089.  
*Zorotypus buxtoni*; Huang, 1982: 270.  
*Zorotypus buxtoni*; Poinar, 1988: 257.  
*Zorotypus buxtoni*; Choe, in press.  
 Distribution: Samoa.

### *Zorotypus caudelli* Karny

"*Zorotypus aus Wai Lima*" Karny, 1923: 15, fig.  
 1-7 (male, female, nymph).  
*Zorotypus caudelli* Karny, 1927: 1, fig. 1, pl. 1.  
*Zorotypus caudelli*; Karny, 1932: 119.  
*Zorotypus caudelli*; Gurney, 1938: 73, fig. 27-28  
 (male).  
*Zorotypus caudelli*; Bolivar y Pieltain & Coro-  
 nado-G., 1963: 98.  
*Zorotypus caudelli*; Weidner, 1969: 31.  
*Zorotypus caudelli*; Weidner, 1970: 2, fig. 13  
 (adult).  
*Zorotypus caudelli*; Shetlar, 1974: 8.  
*Zorotypus caudelli*; New, 1978: 362.  
*Zorotypus caudelli*; Huang, 1981a: 1089.  
*Zorotypus caudelli*; Huang, 1982: 270.  
*Zorotypus caudelli*; Poinar, 1988: 257.  
*Zorotypus caudelli*; Choe, in press.  
 Distribution: Sumatra [Wai Lima] (Indo-  
 nesia).

### *Zorotypus ceylonicus* Silvestri

*Zorotypus ceylonicus* Silvestri, 1913: 207, fig. 8-  
 12 (adult, nymph).  
*Zorotypus ceylonicus*; Caudell, 1918: 381.  
*Zorotypus ceylonicus*; Ferrante, 1918: 23.  
*Zorotypus ceylonicus*; Caudell, 1922: 135.  
*Zorotypus ceylonicus*; Karny, 1923: 19.  
*Zorotypus ceylonicus*; Karny, 1932: 118.  
*Zorotypus ceylonicus*; Gurney, 1938: 74, fig. 31.  
*Zorotypus ceylonicus*; Denis, 1949: 551.  
*Zorotypus ceylonicus*; Paulian, 1949: 80.  
*Zorotypus ceylonicus*; Bolivar y Pieltain &  
 Coronado-G., 1963: 98.  
*Zorotypus ceylonicus*; Weidner, 1969: 30.

- Zorotypus ceylonicus*; Weidner, 1970: 2, fig. 20 (male, nymph).
- Zorotypus ceylonicus*; van Ryn-Tournel, 1971: 106 (adult, nymph).
- Zorotypus ceylonicus*; Huang, 1974: 424.
- Zorotypus ceylonicus*; Shetlar, 1974: 8.
- Zorotypus ceylonicus*; Weidner, 1976: 176.
- Zorotypus ceylonicus*; New, 1978: 362.
- Zorotypus ceylonicus*; Huang, 1981a: 1089.
- Zorotypus ceylonicus*; Huang, 1982: 270.
- Zorotypus ceylonicus*; Poinar, 1988: 257.
- Zorotypus ceylonicus*; Choe, in press.  
Distribution: Sri Lanka.
- Zorotypus congensis* van Ryn-Tournel
- Zorotypus congensis* van Ryn-Tournel, 1971: 102, fig. 1-10 (adult, nymph).
- Zorotypus congensis*; Gurney, 1974: 32.
- Zorotypus congensis*; Huang, 1981a: 1089.
- Zorotypus congensis*; Huang, 1982: 270.
- Zorotypus congensis*; Poinar, 1988: 257.
- Zorotypus congensis*; Choe, 1989: 153.
- Zorotypus congensis*; Choe, in press.  
Distribution: Zaire.
- Zorotypus cramptoni* Gurney
- Zorotypus cramptoni* Gurney, 1938: 69, fig. 49-54 (male, female, nymph).
- Zorotypus cramptoni*; Bolivar y Pieltain, 1940: 519.
- Zorotypus cramptoni*; Bolivar y Pieltain & Coronado-G., 1963: 98.
- Zorotypus cramptoni*; Weidner, 1969: 31.
- Zorotypus cramptoni*; Weidner, 1970: 2.
- Zorotypus cramptoni*; Shetlar, 1974: 8.
- Zorotypus cramptoni*; Weidner, 1976: 174.
- Zorotypus cramptoni*; New, 1978: 362.
- Zorotypus cramptoni*; Huang, 1981a: 1089.
- Zorotypus cramptoni*; Huang, 1982: 270.
- Zorotypus cramptoni*; Poinar, 1988: 257.
- Zorotypus cramptoni*; Choe, 1989: 150.
- Zorotypus cramptoni*; Choe, in press.  
Distribution: Guatemala.
- Zorotypus delamarei* Paulian
- Zorotypus delamarei* Paulian, 1949: 78, fig. 1-2 (male, female).
- Zorotypus delamarei*; Paulian, 1951: 33, fig. 4 (male).
- Zorotypus delamarei*; Delamare-Deboutteville, 1951: 37, fig. 1-2 (male).
- Zorotypus delamarei*; Delamare-Deboutteville, 1956: 38, fig. 32 (male).
- Zorotypus delamarei*; Bolivar y Pieltain & Coronado-G., 1963: 99.
- Zorotypus delamarei*; Delamare-Deboutteville, 1970: 47, fig. 43 (male).
- Zorotypus delamarei*; van Ryn-Tournel, 1971: 100.
- Zorotypus delamarei*; Gurney, 1974: 32.
- Zorotypus delamarei*; Weidner, 1969: 31.
- Zorotypus delamarei*; Weidner, 1970: 2, fig. 14 (male).
- Zorotypus delamarei*; Shetlar, 1974: 8.
- Zorotypus delamarei*; Weidner, 1976: 176.
- Zorotypus delamarei*; New, 1978: 362.
- Zorotypus delamarei*; Huang, 1981a: 1089.
- Zorotypus delamarei*; Huang, 1982: 270.
- Zorotypus delamarei*; Poinar, 1988: 257.
- Zorotypus delamarei*; Choe, 1989: 154.
- Zorotypus delamarei*; Choe, in press.  
Distribution: Madagascar.
- Zorotypus guineensis* Silvestri
- Zorotypus guineensis* Silvestri, 1913: 205, fig. 1-7 (adult).
- Zorotypus guineensis*; Silvestri, 1916: 120.
- Zorotypus guineensis*; Caudell, 1918: 381.
- Zorotypus guineensis*; Ferrante, 1918: 23.
- Zorotypus guineensis*; Caudell, 1922: 135.
- Zorotypus guineensis*; Karny, 1923: 15.
- Zorotypus guineensis*; Handlirsch, 1925: fig. 438.
- Zorotypus guineensis*; Tillyard, 1926: fig. M1.
- Zorotypus guineensis*; Caudell, 1927: 145.
- Zorotypus guineensis*; Handlirsch, 1930: fig. 907 (male).
- Zorotypus guineensis*; Lameere, 1935: fig. 395-396 (male).
- Zorotypus guineensis*; Gurney, 1938: 74, fig. 30.
- Zorotypus guineensis*; Delamare-Deboutteville, 1947: 145.

*Zorotypus guineensis*; Delamare-Deboutteville, 1948a: 348.  
*Zorotypus guineensis*; Delamare-Deboutteville, 1948b: 97 (feeding, predators).  
*Zorotypus guineensis*; Paulian, 1949: 77.  
*Zorotypus guineensis*; Denis, 1949: 551, fig. 193, 198, 201 (nymph).  
*Zorotypus guineensis*; Delamare-Deboutteville, 1954: 130.  
*Zorotypus guineensis*; Bolivar y Pieltain & Coronado-G., 1963: 98.  
*Zorotypus guineensis*; Matsuda, 1965: 120.  
*Zorotypus guineensis*; Weidner, 1969: 30.  
*Zorotypus guineensis*; Grassé, Poisson, & Tuzet, 1970: 695, fig 598.  
*Zorotypus guineensis*; Matsuda, 1970: fig. 90b, c, 91.  
*Zorotypus guineensis*; Weidner, 1970: 2, fig. 3, 8 (male).  
*Zorotypus guineensis*; van Ryn-Tournel, 1971: 100.  
*Zorotypus guineensis*; Gurney, 1974: 32.  
*Zorotypus guineensis*; Shetlar, 1974: 8.  
*Zorotypus guineensis*; New, 1978: 362.  
*Zorotypus guineensis*; Bitsch & Matsuda, 1979: fig. 73b, c, 74.  
*Zorotypus guineensis*; Huang, 1981a: 1089.  
*Zorotypus guineensis*; Huang, 1982: 270.  
*Zorotypus guineensis*; Poinar, 1988: 257.  
*Zorotypus guineensis* [sic]; Choe, in press.

Distribution: Guinea, Ghana, Ivory Coast.

### *Zorotypus gurneyi* Choe

*Zorotypus gurneyi* Choe, 1989: 149, fig. 1-5, 10-13, 19 (male, female, nymph, egg).  
*Zorotypus gurneyi*; Choe, in press, fig. 10, 12, 14, 16, 18 (male, female, egg).

Distribution: Panama.

### *Zorotypus hamiltoni* New

*Zorotypus hamiltoni* New, 1978: 365, fig. 16-23 (male, female).  
*Zorotypus hamiltoni*; Huang, 1981a: 1089.  
*Zorotypus hamiltoni*; Huang, 1982: 270.  
*Zorotypus hamiltoni*; Poinar, 1988: 257.  
*Zorotypus hamiltoni*; Choe, 1989: 150.  
*Zorotypus hamiltoni*; Choe, in press.

Distribution: Colombia, Barbados.

### *Zorotypus hubbardi* Caudell

"Termitophilous psocid" Hubbard in Snyder, 1915: 71.  
*Zorotypus hubbardi* Caudell, 1918: 377 (male, female, nymph).  
*Zorotypus hubbardi*; Caudell, 1920: 85, fig. 1-4 (female, nymph).  
*Zorotypus hubbardi* [sic]; Crampton, 1920b: 98, fig. 1-5 (male, female).  
*Zorotypus hubbardi*; Banks & Snyder, 1920: 119.  
*Zorotypus hubbardi*; Snyder, 1920: 118 (adult, nymph).  
*Zorotypus hubbardi*; Crampton, 1921b: 97.  
*Zorotypus hubbardi*; Crampton, 1921a: 111, fig. 11.  
*Zorotypus hubbardi*; Caudell, 1922: 135.  
*Zorotypus hubbardi*; Walker, 1922: 50, pl. 8 fig. 78-79 (male).  
*Zorotypus hubbardi*; Caudell, 1923a: 61.  
*Zorotypus hubbardi*; Karny, 1923: 18.  
*Zorotypus hubbardi*; Wheeler, 1923: 346 (sociality).  
*Zorotypus hubbardi*; Handlirsch, 1925: fig. 437 (female).  
*Zorotypus hubbardi*; Tillyard, 1926: fig. M2 (wing).  
*Zorotypus hubbardi*; Handlirsch, 1930: fig. 908 (female).  
*Zorotypus hubbardi*; Lameere, 1935: fig. 397 (female).  
*Zorapterus* [sic] *hubbardi*; Navás, 1937: 54.  
*Zorotypus hubbardi*; Snodgrass, 1937: 18, fig. 5.  
*Zorotypus hubbardi*; Costa Lima, 1938: 331, fig. 156 (adult, nymph).  
*Zorotypus hubbardi*; Gurney, 1938: 60, fig. 1-10 (male, female, nymph, egg).  
*Zorotypus hubbardi*; Gurney, 1939: 164.  
*Zorotypus hubbardi*; Gurney, 1942: 43, fig. 1-3.  
*Zorotypus hubbardi*; Delamare-Deboutteville, 1947: 145.  
*Zorotypus hubbardi*; Delamare-Deboutteville, 1948a: 347.  
*Zorotypus hubbardi*; Delamare-Deboutteville, 1948b: 97 (feeding, predators).

- Zorotypus hubbardi*; Denis, 1949: 551, fig. 194-195, 197, 200c (male, female, nymph).
- Zorotypus hubbardi*; Valentine & Wilson, 1949: 180.
- Zorotypus hubbardi*; Riegel, 1950: 124.
- Zorotypus hubbardi*; Copeland, 1953: 314.
- Zorotypus hubbardi*; Copeland, 1954: 98.
- Zorotypus hubbardi*; Delamare-Deboutteville, 1954: 130.
- Zorotypus hubbardi*; St. Amand, 1954: 131.
- Zorotypus hubbardi*; Delamare-Deboutteville, 1956: 38, fig. 33 (male).
- Zorotypus hubbardi*; Riegel, 1956b: 188.
- Zorotypus hubbardi*; Riegel, 1956a: 227.
- Zorotypus hubbardi*; Riegel, 1957a: 33.
- Zorotypus hubbardi*; Riegel, 1957b: 265.
- Zorotypus hubbardi*; Riegel & Koestner, 1957: 512.
- Zorotypus hubbardi*; Frost, 1959: 78, fig. 48 (female).
- Zorotypus hubbardi*; Gurney, 1959: 183.
- Zorotypus hubbardi*; Marsh, 1959: 511.
- Zorotypus hubbardi*; Van Cleave & Goin, 1959: 22.
- Zorotypus hubbardi*; Riegel & Ferguson, 1960: 213.
- Zorotypus hubbardi*; Van Cleave, Drew, & Goin, 1962: 157.
- Zorotypus hubbardi*; Bolivar y Pieltain & Coronado-G., 1963: 99.
- Zorotypus hubbardi*; Riegel, 1963: 744, fig. 1-3.
- Zorotypus hubbardi*; Matsuda, 1965, fig. 48b.
- Zorotypus hubbardi*; Riegel, 1968: 125.
- Zorotypus hubbardi*; Mignot & Sillings, 1969: 72.
- Zorotypus hubbardi*; Shetlar, 1969: 104.
- Zorotypus hubbardi*; Weidner, 1969: 31, fig. 8 (nymph).
- Zorotypus hubbardi*; Matsuda, 1970: fig. 90a, d.
- Zorotypus hubbardi*; Smithers, 1970: fig. 17.1-17.2.
- Zorotypus hubbardi*; Delamare-Deboutteville, 1970: 47, fig. 44 (male).
- Zorotypus hubbardi*; Weidner, 1970: 2, fig. 4-5, 9-10, 15, 21-23 (male, female, nymph).
- Zorotypus hubbardi*; Darst, Cooper, Paul, & Steen, 1974: 224.
- Zorotypus hubbardi*; Riegel, 1974: 106 (life history).
- Zorotypus hubbardi*; Shetlar, 1974: 1, fig. 1-7 (male, female, nymph).
- Zorotypus hubbardi*; Tietjen, Faircloth, & Edge, 1974: 87.
- Zorotypus hubbardi*; Kristensen, 1975: fig. 7.
- Zorotypus hubbardi*; Seeger, 1975: 139 (antennae).
- Zorotypus hubbardi*; Cooper, 1976: 57.
- Zorotypus hubbardi*; Matsuda, 1976: 167, fig. 40a, e-f (male).
- Zorotypus hubbardi*; Mizell & Nebeker, 1976: 58.
- Zorotypus hubbardi*; Sperka, 1976: 270.
- Zorotypus hubbardi*; Morrison & Carpenter, 1977: 141.
- Zorotypus hubbardi*; New, 1978: 361.
- Zorotypus hubbardi*; Riegel, 1978: III, fig. (male).
- Zorotypus hubbardi*; Shetlar, 1978: 217, fig. 1.
- Zorotypus hubbardi*; Slifer & Sekhon, 1978: 1, fig. 1-7 (male, female).
- Zorotypus hubbardi*; Bitsch & Matsuda, 1979: fig. 73a, d.
- Zorotypus hubbardi*; Huang, 1981a: 1087.
- Zorotypus hubbardi*; Huang, 1982: 270.
- Zorotypus hubbardi*; Roonwal & Rathore, 1983: 339.
- Zorotypus hubbardi*; Valentine, 1986: 150 (grooming behavior).
- Zorotypus hubbardi*; Riegel, 1987: 184, fig. 19.1-19.4 (egg, nymph).
- Zorotypus hubbardi*; Urrelo, Rice, & Blocker, 1987: 153.
- Zorotypus hubbardi*; Poinar, 1988: 257.
- Zorotypus hubbardi*; Choe, 1989: 150.
- Zorotypus hubbardi*; Choe, in press, fig. 5.
- Distribution: Southeastern United States [Alabama, Arkansas, Delaware, Florida, District of Columbia, Georgia, Illinois, Indiana, Iowa, Kansas, Kentucky, Louisiana, Maryland, Mississippi, Missouri, North Carolina, Ohio, Oklahoma, Pennsylvania, South Carolina, Tennessee, Texas, Virginia, West Virginia].
- Zorotypus huxleyi* Bolivar y Pieltain & Coronado G.

*Zorotypus huxleyi* Bolivar y Pieltain & Coronado G., 1963: 93, fig. 1-4, pl. 4 fig. 1-5 (male, female).

*Zorotypus huxleyi*; Weidner, 1969: 31.

*Zorotypus huxleyi*; Weidner, 1970: 2.

*Zorotypus huxleyi*; Weidner, 1976: 175.

*Zorotypus huxleyi*; New, 1978: 368, fig. 24-28 (male).

*Zorotypus huxleyi*; Huang, 1981a: 1089.

*Zorotypus huxleyi*; Huang, 1982: 270.

*Zorotypus huxleyi*; Poinar, 1988: 257.

*Zorotypus huxleyi*; Choe, 1989: 150.

*Zorotypus huxleyi*; Choe, in press.

Distribution: Peru, Brazil.

### *Zorotypus javanicus* Silvestri

*Zorotypus javanicus* Silvestri, 1913: 208, fig. 12-13 (nymph).

*Zorotypus javanicus*; Caudell, 1918: 381.

*Zorotypus javanicus*; Ferrante, 1918: 23.

*Zorotypus javanicus*; Caudell, 1922: 135.

*Zorotypus javanicus*; Karny, 1923: 15.

*Zorotypus javanicus*; Karny, 1927: 1, fig. 1-3, pl. 1.

*Zorotypus javanicus*; Karny, 1932: 118.

*Zorotypus javanicus*; Denis, 1932: 109 (nymph, adult).

*Zorotypus javanicus*; Gurney, 1938: 73, fig. 29.

*Zorotypus javanicus*; Delamare-Deboutteville, 1948a: 347.

*Zorotypus javanicus*; Delamare-Deboutteville, 1954: 129.

*Zorotypus javanicus*; Bolivar y Pieltain & Coronado-G., 1963: 98.

*Zorotypus javanicus*; Weidner, 1969: 30.

*Zorotypus javanicus*; Weidner, 1970: 2.

*Zorotypus javanicus*; van Ryn-Tournel, 1971: 107 (female).

*Zorotypus javanicus*; Shetlar, 1974: 8.

*Zorotypus javanicus*; Weidner, 1976: 176.

*Zorotypus javanicus*; New, 1978: 362.

*Zorotypus javanicus*; Huang, 1981a: 1089.

*Zorotypus javanicus*; Huang, 1982: 270.

*Zorotypus javanicus*; Poinar, 1988: 257.

*Zorotypus javanicus*; Choe, in press.

Distribution: Java (Indonesia).

### *Zorotypus leleupi* Weidner

*Zorotypus leleupi* Weidner, 1976: 162, fig. 1-9 (female, nymph, egg).

*Zorotypus leleupi*; New, 1978: 362.

*Zorotypus leleupi*; Poinar, 1988: 257.

*Zorotypus leleupi*; Choe, 1989: 150.

*Zorotypus leleupi*; Choe, in press.

Distribution: Galapagos Islands.

### *Zorotypus longicercatus* Caudell

*Zorotypus longicercatus* Caudell, 1927: 144, fig. 1-2 (nymph).

*Zorotypus longicercatus*; Karny, 1932: 119.

*Zorotypus longicercatus*; Gurney, 1938: 71, fig. 26.

*Zorotypus longicercatus*; Delamare-Debouteville, 1948a: 348.

*Zorotypus longicercatus*; Delamare-Debouteville, 1954: 130.

*Zorotypus longicercatus*; Bolivar y Pieltain & Coronado G., 1963: 98.

*Zorotypus longicercatus*; Weidner, 1969: 31.

*Zorotypus longicercatus*; Weidner, 1970: 2.

*Zorotypus longicercatus*; Shetlar, 1974: 7.

*Zorotypus longicercatus*; Weidner, 1976: 176.

*Zorotypus longicercatus*; New, 1978: 361.

*Zorotypus longicercatus*; Huang, 1981a: 1089.

*Zorotypus longicercatus*; Huang, 1982: 270.

*Zorotypus longicercatus*; Poinar, 1988: 257.

*Zorotypus longicercatus*; Choe, 1989: 150.

*Zorotypus longicercatus*; Choe, in press.

Distribution: Jamaica.

### *Zorotypus machadoi* Delamare-Debouteville

*Zorotypus machadoi* Delamare-Debouteville, 1951: 37 (nomen nudum).

*Zorotypus machadoi*; van Ryn-Tournel, 1971: 101 (nomen nudum).

*Zorotypus machadoi*; Gurney, 1974: 32 (nomen nudum).

Distribution: Angola.

The name "*Zorotypus machadoi*" has only been used without an associated description and must be considered a *nomen nudum*. It is therefore unavailable as a species name in the sense of the International Code of Zoological

Nomenclature (International Commission for Zoological Nomenclature, 1985).

*Zorotypus manni* Caudell

*Zoraptera* [sic; error for *Zorotypus*] *manni* Caudell, 1923a: 60 (female).

*Zorotypus manni*; Caudell, 1923b: 104.

*Zorotypus manni*; Karny, 1932: 119.

*Zorotypus manni*; Gurney, 1938: 71, fig. 40-41 (female).

*Zorotypus manni*; Delamare-Deboutteville, 1948a: 348.

*Zorotypus manni*; Delamare-Deboutteville, 1954: 130.

*Zorotypus manni*; Bolivar y Pieltain & Coronado-G., 1963: 98.

*Zorotypus manni*; Weidner, 1969: 31.

*Zorotypus manni*; Weidner, 1970: 2.

*Zorotypus manni*; Shetlar, 1974: 9.

*Zorotypus manni*; New, 1978: 362.

*Zorotypus manni*; Huang, 1981a: 1089.

*Zorotypus manni*; Huang, 1982: 270.

*Zorotypus manni*; Poinar, 1988: 257.

*Zorotypus manni*; Choe, 1989: 150.

*Zorotypus manni*; Choe, in press.

Distribution: Bolivia.

*Zorotypus medoensis* Huang

*Zorotypus medoensis* Huang, 1978: 225, fig. 1, 3, 5. (male).

*Zorotypus medoensis*; Huang, 1980: 216, fig. 1-2 (male).

*Zorotypus medoensis*; Huang, 1981a: 1087 (male).

*Zorotypus medoensis*; Huang, 1981b: 124, fig. 1-2, pl. 3 (male).

*Zorotypus medoensis*; Huang, 1982: 269, fig. 1c-d (male).

*Zorotypus medoensis*; Poinar, 1988: 257.

*Zorotypus medoensis*; Choe, in press.

Distribution: Tibet.

*Zorotypus mexicanus* Bolivar y Pieltain

*Zorotypus mexicanus* Bolivar y Pieltain, 1940: 516, pl. 77 fig. 1, pl. 78 fig. 1-10 (male, female).

*Zorotypus mexicanus*; Bolivar y Pieltain & Coronado-G., 1963: 99.

*Zorotypus mexicanus*; Weidner, 1969: 31, fig. 3.

*Zorotypus mexicanus*; Weidner, 1970: 2, fig. 2 (adult).

*Zorotypus mexicanus*; Gurney, 1974: fig. 8.

*Zorotypus mexicanus*; Shetlar, 1974: 9.

*Zorotypus mexicanus*; Weidner, 1976: 175.

*Zorotypus mexicanus*; New, 1978: 362.

*Zorotypus mexicanus*; Huang, 1981a: 1089.

*Zorotypus mexicanus*; Huang, 1982: 270.

*Zorotypus mexicanus*; Poinar, 1988: 257.

*Zorotypus mexicanus*; Choe, 1989: 150.

*Zorotypus mexicanus*; Choe, in press.

Distribution: Mexico.

*Zorotypus neotropicus* Silvestri

*Zorotypus neotropicus* Silvestri, 1916: 120 (adult, nymph).

*Zorotypus neotropicus*; Caudell, 1918: 380.

*Zorotypus neotropicus*; Caudell, 1922: 135.

*Zorotypus neotropicus*; Karny, 1932: 119.

*Zorotypus neotropicus*; Gurney, 1938: 72.

*Zorotypus neotropicus*; Silvestri, 1947: 9, fig. 5-6 (female, nymph, egg).

*Zorotypus neotropicus*; Delamare-Deboutteville, 1956: 40 (female).

*Zorotypus neotropicus*; Bolivar y Pieltain & Coronado-G., 1963: 98.

*Zorotypus neotropicus*; Weidner, 1969: 31, fig. 4-7.

*Zorotypus neotropicus*; Delamare-Deboutteville, 1970: 47 (female).

*Zorotypus neotropicus*; Weidner, 1970: 2.

*Zorotypus neotropicus*; Shetlar, 1974: 9.

*Zorotypus neotropicus*; Seeger, 1975: 139 (antennae).

*Zorotypus neotropicus*; Weidner, 1976: 174.

*Zorotypus neotropicus*; New, 1978: 362.

*Zorotypus neotropicus*; Huang, 1981a: 1089.

*Zorotypus neotropicus*; Huang, 1982: 270.

*Zorotypus neotropicus*; Poinar, 1988: 257.

*Zorotypus neotropicus*; Choe, 1989: 150.

*Zorotypus neotropicus*; Choe, in press, fig. 6 (nymph).

Distribution: Costa Rica.

### *Zorotypus palaeus* Poinar

*Zorotypus palaeus* Poinar, 1988: 254, fig. 1-7 (female).

*Zorotypus palaeus*; Choe, 1989: 150.

*Zorotypus palaeus*; Choe, in press.

Distribution: Dominican Republic (Eocene amber).

### *Zorotypus philippinensis* Gurney

*Zorotypus philippinensis* Gurney, 1938: 72, fig. 55-56 (female).

*Zorotypus philippinensis*; Delamare-Deboutteville, 1948a: 348.

*Zorotypus philippinensis*; Delamare-Deboutteville, 1954: 130.

*Zorotypus philippinensis*; Bolivar y Pieltain & Coronado-G., 1963: 98.

*Zorotypus philippinensis*; Weidner, 1969: 31.

*Zorotypus philippinensis*; Weidner, 1970: 2.

*Zorotypus philippinensis*; Shetlar, 1974: 9.

*Zorotypus philippinensis*; Weidner, 1976: 176.

*Zorotypus philippinensis*; New, 1978: 362.

*Zorotypus philippinensis*; Huang, 1981a: 1089.

*Zorotypus philippinensis*; Huang, 1982: 270.

*Zorotypus philippinensis*; Poinar, 1988: 257.

*Zorotypus philippinensis*; Choe, in press.

Distribution: Philippines.

### *Zorotypus shannoni* Gurney

*Zorotypus shannoni* Gurney, 1938: 66, fig. 44-48 (male).

*Zorotypus shannoni*; Denis, 1949: 550.

*Zorotypus shannoni*; Delamare-Deboutteville, 1956: 40 (male).

*Zorotypus shannoni*; Bolivar y Pieltain & Coronado-G., 1963: 99.

*Zorotypus shannoni*; Weidner, 1969: 31.

*Zorotypus shannoni*; Delamare-Deboutteville, 1970: 47 (male).

*Zorotypus shannoni*; Weidner, 1970: 2.

*Zorotypus shannoni*; Shetlar, 1974: 9.

*Zorotypus shannoni*; New, 1978: 363, fig. 1-6 (male).

*Zorotypus shannoni*; Bitsch & Matsuda, 1979: 374.

*Zorotypus shannoni*; Huang, 1981a: 1089.

*Zorotypus shannoni*; Huang, 1982: 270.

*Zorotypus shannoni*; Poinar, 1988: 257.

*Zorotypus shannoni*; Choe, 1989: 150.

*Zorotypus shannoni*; Choe, in press.

Distribution: Brazil.

### *Zorotypus silvestrii* Karny

*Zorotypus silvestrii* Karny, 1927: 1, fig. 1-3, pl. 1 (adult, nymph).

*Zorotypus silvestrii*; Karny, 1932: 119.

*Zorotypus silvestrii*; Gurney, 1938: 73.

*Zorotypus silvestrii*; Delamare-Deboutteville, 1948a: 248.

*Zorotypus silvestrii*; Delamare-Deboutteville, 1954: 130.

*Zorotypus silvestrii*; Bolivar y Pieltain & Coronado-G., 1963: 98.

*Zorotypus silvestrii*; Weidner, 1969: 31.

*Zorotypus silvestrii*; Weidner, 1970: 2.

*Zorotypus silvestrii*; Shetlar, 1974: 9.

*Zorotypus silvestrii*; Weidner, 1976: 176.

*Zorotypus silvestrii*; New, 1978: 362.

*Zorotypus silvestrii*; Huang, 1981a: 1089.

*Zorotypus silvestrii*; Huang, 1982: 270.

*Zorotypus silvestrii*; Poinar, 1988: 257.

*Zorotypus silvestrii*; Choe, in press.

Distribution: Indonesia (Metawai Island).

### *Zorotypus sinensis* Huang

*Zorotypus sinensis* Huang, 1974: 424, pl. 1 fig. 1-5, pl. 2 fig. 1-7 (male; also misspelled *chinensis*).

*Zorotypus sinensis*; Huang, 1976: 225, fig. 2, 4, 6 (male).

*Zorotypus sinensis*; Huang, 1980: 216.

*Zorotypus sinensis*; Huang, 1981a: 1087 (male).

*Zorotypus sinensis*; Huang, 1981b: 124, pl. 1-2 (male).

*Zorotypus sinensis*; Huang, 1982: 269, fig. 1a-b.

*Zorotypus sinensis*; Poinar, 1988: 257.

*Zorotypus sinensis*; Choe, in press.

Distribution: Tibet.

### *Zorotypus snyderi* Caudell

*Zorotypus snyderi* Caudell, 1920: 90, fig. 5 (male, female, nymph, egg).  
*Zorotypus snyderi*; Snyder, 1920: 118 (adult).  
*Zorotypus snyderi*; Crampton, 1921b: 97, pl. 2 fig. 5.  
*Zorotypus snyderi*; Crampton, 1921a: 111, fig. 3, 12.  
*Zorotypus snyderi*; Caudell, 1922: 135.  
*Zorotypus snyderi*; Crampton, 1922: pl. 1 fig. 3 (wing).  
*Zorotypus snyderi*; Caudell, 1923a: 60.  
*Zorotypus snyderi*; Caudell, 1927: 145.  
*Zorotypus snyderi*; Gurney, 1938: 67, fig. 11-24 (male).  
*Zorotypus snyderi*; Bolivar y Pieltain, 1940: 519.  
*Zorotypus snyderi*; Gurney, 1942: 43.  
*Zorotypus snyderi*; Delamare-Deboutteville, 1948a: 348.  
*Zorotypus snyderi*; Denis, 1949: fig. 196, 200a, b.  
*Zorotypus snyderi*; Delamare-Deboutteville, 1954: 130.  
*Zorotypus snyderi*; Delamare-Deboutteville, 1956: 40, fig. 34 (male).  
*Zorotypus snyderi*; Bolivar y Pieltain & Coronado-G., 1963: 99.  
*Zorotypus snyderi*; Hennig, 1969, fig. 65 (wing).  
*Zorotypus snyderi*; Matsuda, 1965: 120, fig. 48a.  
*Zorotypus snyderi*; Weidner, 1969: 31.  
*Zorotypus snyderi*; Delamare-Debouteville, 1970: 47, fig. 45 (male).  
*Zorotypus snyderi*; Weidner, 1970: 2, fig. 7, 16 (male).  
*Zorotypus snyderi*; de Zayas, 1974: 48.  
*Zorotypus snyderi*; Shetlar, 1974: 7.  
*Zorotypus snyderi*; New, 1978: 361.  
*Zorotypus snyderi*; Hennig, 1981, fig. 65 (wing).  
*Zorotypus snyderi*; Huang, 1981a: 1089.  
*Zorotypus snyderi*; Huang, 1982: 270.  
*Zorotypus snyderi*; Riegel, 1987: 184 (nymph).  
*Zorotypus snyderi*; Poinar, 1988: 257.  
*Zorotypus snyderi*; Choe, 1989: 150.  
*Zorotypus snyderi*; Choe, in press.  
 Distribution: Florida, Jamaica.

### *Zorotypus swezeyi* Caudell

*Zorotypus swezeyi* Caudell, 1922: 133 (female).  
*Zorotypus swezeyi*; Fullaway, 1923: 344.

*Zorotypus swezeyi*; Wheeler, 1923: 346 (sociality).  
*Zorotypus swezeyi*; Gurney, 1938: 72, fig. 42-43 (female).  
*Zorotypus swezeyi*; Delamare-Deboutteville, 1948a: 348.  
*Zorotypus swezeyi*; Zimmerman, 1948: 214.  
*Zorotypus swezeyi*; Delamare-Deboutteville, 1954: 130.  
*Zorotypus swezeyi*; Bolivar y Pieltain & Coronado-G., 1963: 98.  
*Zorotypus swezeyi*; Weidner, 1969: 31.  
*Zorotypus swezeyi*; Weidner, 1970: 2.  
*Zorotypus swezeyi*; Shetlar, 1974: 9.  
*Zorotypus swezeyi*; Weidner, 1976: 175.  
*Zorotypus swezeyi*; New, 1978: 362.  
*Zorotypus swezeyi*; Huang, 1981a: 1089.  
*Zorotypus swezeyi*; Huang, 1982: 270.  
*Zorotypus swezeyi*; Riegel, 1987: 184.  
*Zorotypus swezeyi*; Poinar, 1988: 257.  
*Zorotypus swezeyi*; Choe, in press.  
 Distribution: Hawaii.

### *Zorotypus vinsoni* Paulian

*Zorotypus vinsoni* Paulian, 1951: 34, fig. 1-3 (male, female).  
*Zorotypus vinsoni*; Delamare-Deboutteville, 1956: 40 (male).  
*Zorotypus vinsoni*; Bolivar y Pieltain & Coronado-G., 1963: 98.  
*Zorotypus vinsoni*; Weidner, 1969: 31.  
*Zorotypus vinsoni*; Delamare-Deboutteville, 1970: 47 (male).  
*Zorotypus vinsoni*; Weidner, 1970: 2.  
*Zorotypus vinsoni*; van Ryn-Tournel, 1971: 101.  
*Zorotypus vinsoni*; Gurney, 1974: 32.  
*Zorotypus vinsoni*; Shetlar, 1974: 9.  
*Zorotypus vinsoni*; Weidner, 1976: 176.  
*Zorotypus vinsoni*; New, 1978: 362.  
*Zorotypus vinsoni*; Huang, 1981a: 1089.  
*Zorotypus vinsoni*; Huang, 1982: 270.  
*Zorotypus vinsoni*; Poinar, 1988: 257.  
*Zorotypus vinsoni*; Choe, in press.  
 Distribution: Mauritius.

### *Zorotypus weidneri* New

*Zorotypus weidneri* New, 1978: 365, fig. 7-15  
 (male, female).  
*Zorotypus weidneri*; Huang, 1981a: 1089.  
*Zorotypus weidneri*; Huang, 1982: 270.  
*Zorotypus weidneri*; Poinar, 1988: 257.  
*Zorotypus weidneri*; Choe, 1989: 150.  
*Zorotypus weidneri*; Choe, in press.  
 Distribution: Brazil.

### *Zorotypus zimmermani* Gurney

*Zorotypus zimmermani* Gurney, 1939: 161, fig. 1-9 (male, female, nymph).  
*Zorotypus zimmermani*; Zimmermann, 1948: 214, fig. 120 (male, female).  
*Zorotypus zimmermani*; Delamare-Deboutteville, 1956: 40, fig. 35-36 (male).  
*Zorotypus zimmermani*; Bolivar y Pieltain & Coronado-G., 1963: 98.  
*Zorotypus zimmermani*; Weidner, 1969: 31.  
*Zorotypus zimmermani*; Delamare-Deboutteville, 1970: 47, fig. 46-47 (male).  
*Zorotypus zimmermani*; Weidner, 1970: 2, fig. 7 (male).  
*Zorotypus zimmermani*; Shetlar, 1974: 9.  
*Zorotypus zimmermani*; Matsuda, 1976: 167, fig. 40b-c (male).  
*Zorotypus zimmermani*; Weidner, 1976: 176.  
*Zorotypus zimmermani*; New, 1978: 362.  
*Zorotypus zimmermani*; Huang, 1981a: 1089.  
*Zorotypus zimmermeni* [sic]; Huang, 1982: 270.  
*Zorotypus zimmermani*; Poinar, 1988: 257.  
*Zorotypus zimmermanni* [sic]; Choe, in press.  
 Distribution: Fiji.

### *Zorotypus* sp. Costa Lima

*Zorotypus* sp. Costa Lima, 1938: fig. 155.  
 Distribution: Brazil.

### *Zorotypus* sp. Denis

[*Zorotypus* sp.] Denis, 1932: 109 (adult, nymph).  
 Distribution: Vietnam (Indochina [Dalat]).

### *Zorotypus* sp. de Zayas

[*Zorotypus* sp.] de Zayas, 1974: 46, fig. 33a, 34a,b (nymph, adult).  
 Distribution: Cuba.

## Genus *Menonia* George

*Menonia* George, 1936: 86 (Type-species: *Menonia cochinensis* George, monotypy).

*Menonia*; Gurney, 1938: 74 (transferred to Gryllidae).

*Menonia* [sic]; Denis, 1949: 553.

*Minomia* [sic]; Shetlar, 1974: 8.

*Menomia* [sic]; Shetlar, 1974: 8.

Although originally established in the order Zoraptera for the single species *Menonia cochinensis* by George, the genus *Menonia* does not belong to the Zoraptera and was transferred to the Gryllidae (Orthoptera) by Gurney (1938).

### *Menonia cochinensis* George

*Menonia cochinensis* George, 1936: 86, fig. 1-2.

*Menonia cochinensis*; Gurney, 1938: 74.

*Menonia cochinensis*; Huang, 1974: 423.

*Menomia* [sic] *cochinensis*; Shetlar, 1974: 8.

Distribution: South India.

## General Non-Specific References to Zoraptera

Crampton, 1916: 252 (phylogeny).

Crampton, 1919: 65 (phylogeny).

Crampton, 1920a: 119 (phylogeny).

Karny, 1923b: 34 (phylogeny).

Wheeler, 1928: 149.

Tillyard, 1935: 266 (relationship to Permian order Copeognatha).

Wilson & Doner, 1937: 100 (classification).

Crampton, 1938: 173 (phylogeny).

Burgeon & Basilewsky, 1951: 198.

Delamare-Deboutteville, 1952: 148 (morphology).

Brues, Melander, & Carpenter, 1954: 130 (classification).

Ross, 1955: 201 (evolution).

Wilson, 1959: 441 (New Guinea; "zorapteran" stage of rotting wood).

Königsmann, 1960: 707 (phylogeny).

Wille, 1960: 111 (phylogeny).  
 Alam, 1962: 64 (phylogeny).  
 Bickley in Duckworth, 1966: 173 (Maryland).  
 Sharov, 1968: 17 (evolution).  
 Araujo, 1970: 537 (Guyana; association with termites)  
 Kukalová-Peck, 1973: 56 (classification).  
 Enghoff, 1976: 45 (parthenogenesis unknown).  
 Hamilton, 1978: 160.  
 Boudreaux, 1979: 215 (phylogeny).  
 Matsuda, 1979: 151 (neotony).  
 Skaife, 1979: 79.  
 Hinton, 1981: 507 (eggs).  
 Kristensen, 1981: 149 (phylogeny).  
 Brown, 1982: 393.  
 Fisher & Hespenheide, 1982: 723 (Panama; prey of robber fly).  
 Roonwal, 1985: 227 (wing microsculpturing).  
 Roonwal & Rathore, 1985: 519 (wing microsculpturing).  
 Hölldobler & Wilson, 1986: 50 (prey of ants).  
 Wilson & Hölldobler, 1986: 77 (prey of ants).

### Literature Cited

- Alam, S. M.** 1962. Some suggestions on the morphology of termites. Pages 63-65 in Termites in the Humid Tropics. Proceedings of the New Delhi Symposium. UNESCO, Paris.
- Araujo, R. L.** 1970. Termites of the Neotropical Region. Pages 527-576 in K. Krishna & F. M. Weesner, eds. Biology of Termites, Vol. 2. Academic Press, New York.
- Banks, N., & T. E. Snyder.** 1920. A revision of the Nearctic termites with notes on biology and geographic distribution. Bulletin of the United States National Museum 108: 1-228.
- Bitsch, J. & R. Matsuda.** 1979. Zoraptères. Pages 131-136, 374-375 in P.-P. Grassé (ed.). Insectes. Thorax, Abdomen. Traité de Zoologie Vol. 8.
- Bolívar y Pieltain, C.** 1940. Estudio de un nuevo Zoraptero de México. Anales de la Escuela Nacional de Ciencias Biológicas 1: 513-523.
- Bolívar y Pieltain, C., & L. Coronado-G.** 1963. Estudio de un nuevo *Zorotypus* proveniente de la Región Amazónica Peruana (Ins., Zoraptera). Ciencia (Mexico) 22: 93-100, pl. 4.
- Boudreaux, H. B.** 1979. Arthropod Phylogeny with Special Reference to Insects. John Wiley & Sons, New York. 320 pp.
- Brown, W. L., Jr.** 1982. Zoraptera. Page 393 in S. P. Parker, ed. Synopsis and Classification of Living Organisms. Vol. 2. McGraw-Hill, New York.
- Brues, C. T., A. L. Melander, & F. M. Carpenter.** 1954. Classification of insects. Bulletin of the Museum of Comparative Zoology 108: 1-917.
- Burgeon, L., & P. Basilewsky.** 1950. Les insectes du Congo Belge. Encyclopédie du Congo Belge 2: 181-258, pl. A-D, I-VIII.
- Caudell, A. N.** 1918. *Zorotypus hubbardi*, a new species of the order Zoraptera from the United States. Canadian Entomologist 50: 375-381.
- Caudell, A. N.** 1920. Zoraptera not an apterous order. Proceedings of the Entomological Society of Washington 22: 84-97.
- Caudell, A. N.** 1922. *Zorotypus swazeyi*, a new species of the order Zoraptera from Hawaii. Transactions of the American Entomological Society 48: 133-135.
- Caudell, A. N.** 1923a. A new species of Zoraptera from Bolivia. Proceedings of the Entomological Society of Washington 25: 60-62.
- Caudell, A. N.** 1923b. Corrections. Proceedings of the Entomological Society of Washington 25: 104.

- Caudell, A. N.** 1927. *Zorotypus longicercatus*, a new species of Zoraptera from Jamaica. Proceedings of the Entomological Society of Washington 29: 144-145.
- Choe, J. C.** 1989. *Zorotypus gurneyi*, new species, from Panama and redescription of *Z. barberi* Gurney (Zoraptera: Zorotypidae). Annals of the Entomological Society of America 82: 149-155.
- Choe, J. C.** (in press). Zoraptera of Panama with a review of the morphology, systematics, and biology of the order. In: D. Quintero & A. Aiello (eds.). Insects of Panama and Mesoamerica: Selected Studies. Oxford University Press, Oxford.
- Cooper, C. M.** 1976. New Alabama records for *Zorotypus hubbardi* Caudell (Zoraptera). Entomological News 87: 57.
- Copeland, T. P.** 1953. Tennessee records for Zoraptera. Journal of the Tennessee Academy of Science 28: 314.
- Copeland, T. P.** 1954. New southeastern records for *Zorotypus hubbardi*. Zoraptera. Entomological News 65: 98-99.
- Costa Lima, A. da.** 1938. Capítulo XVII. Ordem Zoraptera. Insetos do Brasil 1: 329-333.
- Crampton, G. C.** 1916. The lines of descent of the lower Pterygotan insects, with notes on the relationships of the other forms. Entomological News 27: 244-258.
- Crampton, G. C.** 1919. Notes on the phylogeny of the Orthoptera. Entomological News 30: 42-48, 64-72.
- Crampton, G. C.** 1920a. Notes on the lines of descent of lower winged insects. Psyche 27: 116-127.
- Crampton, G. C.** 1920b. Some anatomical details of the remarkable winged zorapteron, *Zorotypus hubbardi* [sic] Caudell, with notes on its relationships. Proceedings of the Entomological Society of Washington 22: 98-106.
- Crampton, G. C.** 1921a. A further comparison of the wings of Zoraptera, psocids, and aphids, from the standpoint of phylogeny. Canadian Entomologist 53: 110-117.
- Crampton, G. C.** 1921b. A phylogenetic study of the venation of the fore wings of the Homoptera, Thysanoptera, Psocida, Zoraptera, Neuroptera, Embiida, Plecoptera and Hadentomoida - with notes on the Hymenoptera and Coleoptera. Entomological News 32: 97-105, 135-140, pl. 2.
- Crampton, G. C.** 1922. Evidences of relationship indicated by the venation of the fore wings of certain insects with especial reference to the Hemiptera-Homoptera. Psyche 29: 23-41, pl. 1-3.
- Crampton, G. C.** 1938. The interrelationships and lines of descent of living insects. Psyche 45: 165-181.
- Darst, P. H., C. M. Cooper, R. N. Paul, & J. P. Steen.** 1974. New Mississippi records for *Zorotypus hubbardi* (Zoraptera). Entomological News 85: 224.
- Delamare-Debouteville, C.** 1947. Sur la morphologie des adultes aptères et ailés de Zoraptères. Annales des Sciences Naturelles, Zoologies et Biologie Animales (11)9: 145-154.
- Delamare-Debouteville, C.** 1948a. Observations sur l'écologie et l'éthologie des Zoraptères. La question de leur vie sociale et de leurs prétendus rapports avec les Termites. Revista de Entomología 19: 347-352.

- Delamare-Deboutteville, C.** 1948b. Sur le régime alimentaire des Zoraptères et leur prédateur *Hoplitocoris camerunensis* Jeannel. Bulletin Scientifique de Bourgogne 2: 97-98.
- Delamare-Deboutteville, C.** 1951. Caractères sexuels céphaliques de type intermédiaire chez les mâles aptères de *Zorotypus delamarei* Paulian. Naturaliste Malgache 3: 37-38.
- Delamare-Deboutteville, C.** 1952. L'homogénéité de la morphologie sternale des Blattopteroïdes (Martynov, 1938). Transactions of the IXth International Congress of Entomology, Amsterdam, August 17-24, 1951, 1: 147-150.
- Delamare-Deboutteville, C.** 1954. Observations sur l'écologie et l'éthologie des Zoraptères. La question de leur vie sociale et de leurs prétendus rapports avec les Termites. Revista Brasileira de Entomologia 1: 129-133. [Republication of Delamare-Deboutteville, 1948a. See 'Rectification' in Revista Brasileira de Entomologia 2: 230, 1954].
- Delamare-Deboutteville, C.** 1956. Zoraptera. Pages 38-41 in S. L. Tuxen, ed. Taxonomist's Glossary of Genitalia in Insects. Munksgaard, Copenhagen.
- Delamare-Deboutteville, C.** 1970. Zoraptera. Pages 46-49 in S. L. Tuxen, ed. Taxonomist's Glossary of Genitalia in Insects. 2nd Ed. Munksgaard, Copenhagen. 359 pp.
- Denis, R.** 1933. Présentation d'un Zoraptère d'Indo-Chine. in V<sup>e</sup> Congrès International d'Entomologie, Paris. II-Travaux: 109-110.
- Denis, R.** 1965. Ordre des Zoraptères (Zoraptera Silvestri, 1913). Pages 545-555 in P.-P. Grassé, ed. Traité de Zoologie, Insectes. Vol. 9, Masson et Cie. Éditeurs. Paris.
- de Zayas, F.** 1974. Orden Zoraptera in Entomofauna Cubana, Editorial Científico-Técnica, Instituto Cubano del Libro, La Habana. 3: 46-48.
- Duckworth, W. D.** 1966. 739th Regular Meeting - January 6, 1966. Proceedings of the Entomological Society of Washington 68: 173.
- Enghoff, H.** 1976. Parthenogenese (jomfrufødsel) hos insekter, myriapoder, spindlere og landbænkebidere. Entomologiske Meddelelser 44: 31-64.
- Ferrante, G.** 1918. Notes entomologiques. Un nouvel ordre d'insectes. Bulletin de la Société Entomologique d'Egypte 5: 22-24.
- Fisher, E. M., & H. A. Hespenheide.** 1982. Taxonomy and ethology of a new Central American species of robber fly in the genus *Glaphyropyga* (Diptera: Asilidae). Proceedings of the Entomological Society of Washington 84(4): 716-725.
- Fullaway, D. T.** 1924. Winged form of *Zorotypus swazeyi*. Caud. [in Notes and Exhibitions]. Proceedings of the Hawaiian Entomological Society 5: 344-345.
- Frost, S. W.** 1959. Insect Life and Natural History. Dover Publications, New York. 526 pp.
- George, C. J.** 1936. A new genus and species of Zoraptera. Journal of the University of Bombay 4: 86-88.
- Grassé, P.-P., R. A. Poisson & O. Tuzet.** 1970. Ordre des Zoraptères. Précis de Zoologie (Second Edition) 1: 695-696.
- Gurney, A. B.** 1938. A synopsis of the order Zoraptera, with notes on the biology of *Zorotypus hubbardi* Caudell. Proceedings of the Entomological Society of Washington 40: 57-87.
- Gurney, A. B.** 1939. A new species of Zoraptera from Fiji. Occasional Papers of Bernice P. Bishop Museum Honolulu, Hawaii 15: 161-165.

- Gurney, A. B.** 1942. The study and collecting of Zoraptera. Ward's Natural Science Bulletin 15(3): 43-45; 15(4): 69-71.
- Gurney, A. B.** 1959. New distribution records for *Zorotypus hubbardi* Caudell (Zoraptera). Proceedings of the Entomological Society of Washington 61: 183-184.
- Gurney, A. B.** 1974. Class Insecta. Order Zoraptera. South Africa Department of Agricultural Technical Services, Entomology Memoir no. 38: 32-34.
- Hamilton, W. D.** 1978. Evolution and diversity under bark. Pages 154-175 in Mound, L. A. and N. Waloff. (Eds). Diversity of Insect Faunas. Blackwell Scientific Publications, Oxford.
- Handlirsch, A.** 1925. Ordnung: Zoraptera Silv. (Zorapteren). Pages 506-507 in Neuntes Kapitel. Systematische Übersicht. Handbuch der Entomologie 3: 377-1143.
- Handlirsch, A.** 1930. 13. Ordnung der Pterygo-genea: Zoraptera oder Zorapteren. Pages 859-862 in Handbuch der Zoologie, by W. Kükenthal and T. Krumbach. Berlin and Leipzig, 1926-1930, 4. Band 1. Halfte Progo-neata. Chilopoda. Insecta 1.
- Hennig, W.** 1969. Die Stammesgeschichte der Insekten. Waldemar Kramer, Frankfurt am Main. 436 pp.
- Hennig, W.** 1981. Insect Phylogeny. John Wiley & Sons, Chichester.
- Hinton, H. E.** 1981. Dictyoptera, Isoptera and Zoraptera. Biology of Insect Eggs. Pergamon Press, Oxford 2: 495-507.
- Hölldobler, B. & E. O. Wilson.** 1986. Ecology and behavior of the primitive cryptobiotic ant *Prionopelta amabilis* (Hymenoptera: Formicidae). Insectes Sociaux 33: 45-58.
- Hollis, D.** 1980. Animal Identification. A reference guide. British Museum (Natural History), London.
- Huang, F.-S.** 1974. [Zorotypus sinensis, a new species from China] in Chinese. Acta Entomologica Sinica 17: 423-427.
- Huang, F.-S.** 1976. [A new species of Zoraptera] in Chinese. Acta Entomologica Sinica 19: 225-227.
- Huang, F.-S.** 1980. [Winged forms of Zoraptera] in Chinese. Insect Knowledge 17: 216-217.
- Huang, F.-S.** 1981a. The order Zoraptera and its geographical distribution. Pages 1087-1090 in Proceedings of Symposium on Qinghai-Xizang Plateau. -Geological and Ecological Studies on Qinghai-Xizang Plateau. Vol. 2. Environment and Ecology of Qinghai-Xizang Plateau. Science Press, Peking, & Gordon & Breach Science Publishers, Inc., New York.
- Huang, F.-S.** 1981b. [Zoraptera: Zorotypidae] in Chinese. Pages 123-129 in Zhongguo Kexue-yuan Qingzang Gaoyuan Zonghe Kexue Kaocha Dui (The Series of the Comprehensive Scientific Expedition to the Qinghai-Xizang Plateau). Xizang Kunchong (Insects of Xizang = Tibet). Vol. 1. Science Press. Peking.
- Huang, F.-S.** 1982. [Continental drift and the origin of Zoraptera] in Chinese. Zoological Research 3: 269-274.
- International Commission on Zoological Nomenclature.** 1985. International Code of Zoological Nomenclature. 3rd Ed. London.
- Karny, H. H.** 1923a. Zorapteren aus Süd-Sumatra. Treubia 3: 14-29.
- Karny, H. H.** 1923b. Zur Phylogenie der Thysanopteren. Treubia 3: 29-37.

- Karny, H. H.** 1927. Spolia Mentawiensis. Zoraptera. *Treubia* 9: 1-5, pl. 1
- Karny, H. H.** 1932. Psocoptera. Insects of Samoa and other Samoan Terrestrial Arthropoda. Part VII. Other orders of insects. 4: 117-129. British Museum (Natural History), London.
- Königsmann, E.** 1960. Zur Phylogenie der Parametabola unter besonderer Berücksichtigung der Phthiraptera. Beiträge zur Entomologie 10: 705-744.
- Kristensen, N. P.** 1975. The phylogeny of hexapod "orders". A critical review of recent accounts. *Zeitschrift für Zoologische Systematik und Evolutionsforschung* 13(1): 1-44.
- Kristensen, N. P.** 1981. Phylogeny of insect orders. *Annual Review of Entomology* 26: 135-157.
- Kukalová-Peck, J.** 1973. A phylogenetic tree of the animal kingdom (including order and higher categories). L'arbre phylogénétique du règne animal (groupant les ordres et les catégories supérieures). National Museum of Natural Sciences (Ottawa) Publications in Zoology 8: 1-79.
- Lameere, A.** 1935. Zoraptera. *Precis de Zoologie* (Institut Zoologique Torley-Rousseau, Brussels) 4: 366-368.
- Marsh, T. G.** 1959. Northern extension of *Zorotypus hubbardi* Caudell in Ohio (Zoraptera). *American Midland Naturalist* 62: 511.
- Matsuda, R.** 1965. Morphology and evolution of the insect head. *Memoirs of the American Entomological Institute*, No. 4. 334 pp.
- Matsuda, R.** 1970. Morphology and evolution of the insect thorax. *Memoirs of the Entomological Society of Canada* 76: 1-431.
- Matsuda, R.** 1976. Morphology and Evolution of the Insect Abdomen. Pergamon Press, Oxford.
- Matsuda, R.** 1979. Abnormal metamorphosis and arthropod evolution. Pages 137-256 in A. P. Gupta (ed.), *Arthropod Phylogeny*. Van Nostrand Reinhold Co., New York.
- Mignot, E. C., & J. O. Sillings.** 1969. Winter occurrence of *Zorotypus hubbardi* (Zoraptera) in Tippecanoe County, Indiana. *Michigan Entomologist* 2: 72-73.
- Mizell, R. F., & T. E. Nebeker.** 1976. New Mississippi records of *Zorotypus hubbardi*. *Entomological News* 87: 58.
- Morrison, E. O., & H. L. Carpenter.** 1977. Range extension for *Zorotypus hubbardi* Caudell (Zoraptera). *Southwestern Naturalist* 22: 141.
- Nachtigall, W.** 1974. Insects in Flight. McGraw-Hill Book Company, New York. 153 pp.
- Navás, L.** 1937. Manual del Entomólogo. Segunda Edición. Librería Casals, Barcelona. 136 pp.
- New, T. R.** 1978. Notes on Neotropical Zoraptera, with descriptions of two new species. *Systematic Entomology* 3: 361-370.
- Paulian, R.** 1949. Découverte de l'ordre des Zoraptères à Madagascar et description d'une nouvelle espèce. *Mémoires de l'Institut Scientifique de Madagascar* (A)3: 77-80.
- Paulian, R.** 1951. Découverte de l'ordre des Zoraptères à l'île Maurice. *Zorotypus vinsoni*, n. sp. *Naturaliste Malgache* 3: 33-35.
- Poinar, G. O., Jr.** 1988. *Zorotypus palaeus*, new species, a fossil Zoraptera (Insecta) in Dominican amber. *Journal of the New York Entomological Society* 96: 253-259.

- Remane, A., V. Storch, & U. Welsch.** 1976. Systematische Zoologie. Stämmedes Tierreiches. Gustav Fischer Verlag, Stuttgart. 678 pp.
- Riegel, G. T.** 1950. Zoraptera from Georgia. Entomological News 61: 124.
- Riegel, G. T.** 1956a. Ohio Zoraptera. Proceedings of the Entomological Society of Washington 58: 227.
- Riegel, G. T.** 1956b. Zoraptera from Missouri. Entomological News 67: 188.
- Riegel, G. T.** 1957a. Distribution of Zoraptera. Proceedings of the 12th Annual Meeting of the North Central Branch, Entomological Society of America p. 33.
- Riegel, G. T.** 1957b. The range of *Zorotypus hubbardi* with an Illinois record (Insecta: Zoraptera). Transactions of the Illinois State Academy of Science 50: 265-266.
- Riegel, G. T.** 1963. The distribution of *Zorotypus hubbardi* (Zoraptera). Annals of the Entomological Society of America 56: 744-747.
- Riegel, G. T.** 1968. More Zoraptera records. Proceedings of the North Central Branch, Entomological Society of America 23: 125-126.
- Riegel, G. T.** 1978. Feature Photograph. Annals of the Entomological Society of America 71(6): III.
- Riegel, G. T.** 1987. Order Zoraptera. Pages 184-185 in F. W. Stehr, ed., Immature Insects. Kendall/Hunt Publ. Co. Dubuque.
- Riegel, G. T., & S. J. Eytalis.** 1974. Life history studies on Zoraptera. Proceedings North Central Branch, Entomological Society of America 29: 106-107.
- Riegel, G. T., & M. B. Ferguson.** 1960. New state records of Zoraptera. Entomological News 71: 213-216.
- Riegel, G. T., & E. J. Koestner.** 1957. Record of Zoraptera in Indiana. American Midland Naturalist 57: 512.
- Roonwal, M. L.** 1985. Wing microsculpturing in termites (Isoptera) under the scanning electron microscope. Zoologischer Anzeiger 215: 219-230.
- Roonwal, M. L., & N. S. Rathore.** 1983. Wing microsculpturing in the small house cockroach, *Supella longipalpa* (Dictyoptera, Blattidae). Proceedings of the Indian Academy of Sciences (Animal Sciences) 92: 333-342.
- Roonwal, M. L., & N. S. Rathore.** 1985. Wing microsculpturing in the termite genus *Amitermes* (Termitidae, Amitermitinae). Proceedings of the Indian Academy of Sciences (Animal Sciences) 94: 517-521.
- Ross, H. H.** 1955. The evolution of the insect orders. Entomological News 66: 197-208.
- Seeger, W.** 1975. Funktionsmorphologie an Spezialbildung der Fühlergeissel von Psocoptera und anderen Paraneoptera (Insecta); Psocodea als monophyletische Gruppe. Zeitschrift für Morphologie der Tiere 81: 137-159.
- Sharov, A. G.** 1968. [Filogeniya ortoperordnykh nasekomykh] in Russian. Trudy Paleontologicheskogo Instituta, Vol. 118.
- Shetlar, D. J.** 1969. New distribution records of Zoraptera (Insecta) in Oklahoma. Proceedings of the Oklahoma Academy of Science 48: 104-105.
- Shetlar, D. J.** 1974. The biology, morphology, and taxonomy of *Zorotypus hubbardi* Caudell (Insecta: Zoraptera). M.S. Thesis, University of Oklahoma, Norman. 44 pp.

- Shetlar, D. J.** 1978. Biological observations of *Zorotypus hubbardi* Caudell (Zoraptera). Entomological News 89: 217-223.
- Silvestri, F.** 1913. Descrizione di un nuovo ordine di insetti. Bollettino del Laboratorio di Zoologia Generale e Agraria della R. Scuola Superiore d'Agricoltura in Portici 7: 193-209.
- Silvestri, F.** 1916. Diagnosi preliminaire di una nuova specie di *Zorotypus* (Insecta, Zoraptera) di Costa Rica. Bollettino del Laboratorio di Zoologia Generale e Agraria della R. Scuola Superiore d'Agricoltura in Portici 10: 120.
- Silvestri, F.** 1947. Descrizione di due specie neotropicali di *Zorotypus* (Insecta, Zoraptera). Bollettino del Laboratorio di Entomologia Agraria di Portici 7: 1-12.
- Skaife, S. H.** 1979. African Insect Life. C. Struik, Cape Town. 2nd ed. 279 pp.
- Slifer, E. H., & S. S. Sekhon.** 1978. Structures on the antennal flagellum of *Zorotypus hubbardi* (Insecta, Zoraptera). Notulae Naturae 453: 1-8.
- Smithers, C. N.** 1970. Zoraptera. Pages 302-303 in The Insects of Australia. Melbourne University Press.
- Snodgrass, R. E.** 1937. The male genitalia of orthopteroid insects. Smithsonian Miscellaneous Collections 96(5): 1-107.
- Snyder, T. E.** 1915. Biology of the Termites of the Eastern United States, with Preventative and Remedial Measures. U. S. Department of Agriculture, Bureau of Entomology, Bulletin 94(2): 13-85.
- Snyder, T. E.** 1920. The colonizing reproductive adults of termites. Proceedings of the Entomological Society of Washington 22: 109-150.
- Sperka, C.** 1976. A new Mississippi record for *Zorotypus hubbardi* Caudell (Zoraptera). Entomological News 87: 270.
- St. Amand, W.** 1954. Records of the order Zoraptera from South Carolina. Entomological News 65: 131.
- Tietjen, W. L., D. H. Faircloth, & J. C. Edge, Jr.** 1974. Observations on the occurrence of the insect order Zoraptera in southwestern Georgia [abstract]. ASB (Association of Southeastern Biologists) Bulletin 21: 87.
- Tillyard, R. J.** 1926. The Insects of Australia and New Zealand. Angus & Robertson, Sydney. 560 pp.
- Tillyard, R. J.** 1935. Upper Permian insects of New South Wales. III. The order Copeognatha. Proceedings of the Linnaean Society of New South Wales 60: 265-279.
- Urrelo, R., M. E. Rice, & H. D. Blocker.** 1987. A new Kansas record for Zoraptera. Journal of the Kansas Entomological Society 60: 153.
- Valentine, B. D.** 1986. Grooming behavior in Embioptera and Zoraptera (Insecta). Ohio Journal of Science 86: 150-152.
- Valentine, B. D., & E. O. Wilson.** 1949. Records of the order Zoraptera from Alabama. Entomological News 60: 180-181.
- Van Cleave, H. W., W. A. Drew, & J. M. Goin.** 1961. The distribution of Zoraptera in Oklahoma. Proceedings of the Oklahoma Academy of Science 42: 157-158.
- Van Cleave, H. W., & J. M. Goin.** 1959. In Cooperative Economic Insect Survey, U. S. Department of Agriculture 9: 22.
- Van Ryn-Tournel, J.** 1971. Présence de l'ordre des Zoraptères au Congo et description de *Zorotypus congensis* sp. n. Revue de Zoologie et de Botanique Africaines 83: 100-110.

- Walker, E. M.** 1922. The terminal structures of orthopteroid insects: a phylogenetic study. Annals of the Entomological Society of America 15: 1-76, pl. 1-11.
- Weidner, H.** 1969. Die Ordnung Zoraptera oder Bodenläuse. Entomologische Zeitschrift 79: 29-51.
- Weidner, H.** 1970. Zoraptera (Bodenläuse), in J.-G. Helmcke, D. Starck, & H. Wermuth, eds., Handbuch der Zoologie IV. Band: Arthropoda -2. Hälfte: Insecta. 2. Auflage. 2. Teil: Spezielles (Lieferung 13)15: 1-12.
- Weidner, H.** 1976. Eine neue *Zorotypus*-Art von den Galapagosinseln, *Zorotypus leleupi* sp.n. (Zoraptera). Mission Zoologique Belge aux îles Galapagos et en Ecuador (N. et J. Leleup 1964-1965) 3: 161-176.
- Wheeler, W. M.** 1923. Social Life Among the Insects. Harcourt, Brace & Co., New York. 375 pp.
- Wheeler, W. M.** 1928. The Social Insects: Their Origin and Evolution. Kegan Paul, Trench, Trubner & Co., London. 378 pp.
- Wille, A.** 1960. The phylogeny and relationships between the insect orders. Revista de Biología Tropical 8: 93-123.
- Wilson, E. O.** 1959. Some ecological characteristics of ants in New Guinea rain forests. Ecology 40: 437-447.
- Wilson, E. O. & B. Hölldobler.** 1986. Ecology and behavior of the Neotropical cryptobiotic ant *Basiceros manni* (Hymenoptera: Formicidae: Basicerotini). Insectes Sociaux 33: 70-84.
- Wilson, H. F., & M. H. Doner.** 1937. The Historical Development of Insect Classification. 133 pp.
- Zimmerman, E. C.** 1948. Order Zoraptera Silvestri, 1913. Insects of Hawaii 2: 213-216.